Directory of Important Bird Areas in China (Mainland):

Key Sites for Conservation

Editors

SIMBA CHAN (Editor-in-chief)
MIKE CROSBY, SAMSON SO, WANG DEZHI, FION CHEUNG and HUA FANGYUAN

Principal compilers and data contributors

Prof. Zhang Zhengwang (Beijing Normal University), Prof. Chang Jiachuan (Northeast Forestry University), the late Prof. Zhao Zhengjie (Forestry Institute of Jilin Province), Prof. Xing Lianlian (University of Nei Menggu), Prof. Ma Ming (Ecological and Geographical Institute, Chinese Academy of Sciences, Xinjiang), Prof. Lu Xin (Wuhan University), Prof. Liu Naifa (Lanzhou University), Prof. Yu Zhiwei (China West Normal University), Prof. Yang Lan (Kunming Institute for Zoology), Prof. Wang Qishan (Anhui University), Prof. Ding Changqing (Beijing Forestry University), Prof. Ding Ping (Zhejiang University), the late Prof. Gao Yuren (South China Institute for Endangered Animals), Prof. Zhou Fang (Guangxi University), Prof. Hu Hongxing (Wuhan University), Prof. Chen Shuihua (Zhejiang Natural History Museum), Tsering (Tibet University), Prof. Ma Zhijun (Fudan University), Prof. Guo Yumin (Capital Normal University), Dai Nianhua (Institute of Sciences, Jiangxi), Prof. Han Lianxian (Southwest Forestry University), Yang Xiaojun (Kunming Institute for Zoology), Prof. Wang Zijiang (Kunming Ornithological Association), Prof. Li Zhumei (Institute of Biology, Guizhou), Ma Chaohong (Management Office of Yellow River Wetland National Nature Reserve, Henan), Shen You (Chengdu Bird Watching Society), Wei Qian (Chengdu Bird Watching Society), Zhang Yu (Wild Bird Society of Jiangsu), Kang Hongli (Wild Bird Society of Shanghai).

Information on Important Bird Areas in China was compiled with the support of the World Bank using consultant trust funds from the Government of Japan. Surveys of IBAs in western China were funded by Keidanren Nature Conservation Fund (Japan) and the Sekisui Chemical Co. Ltd. (Japan). An IBA Workshop in Fuzhou was funded by the Darwin Initiative of the UK Department of the Environment, Food and Rural Affairs. The Tolkien Trust, Ernest Kleinwort Charitable Trust and the BirdLife Asia Bird Fund provided additional support for the inventory compilation. The World Bank's Sustainable Development Office in Beijing provided significant financial support for the publication of the inventory.









RECOMMENDED CITATION: BirdLife International (2009) *Directory of Important Bird Areas in China (Mainland): Key Sites for Conservation.* Cambridge, UK: BirdLife International (English language edition).

© 2009 BirdLife International

Wellbrook Court, Girton Road, Cambridge, CB3 0NA, United Kingdom

Tel: +44 1223 277318 Fax: +44 1223 277200

Email: birdlife@birdlife.org.uk Internet: www.birdlife.net

BirdLife International Asia Division

TM Suidobashi Bldg., 4F, Misaki-cho 2-14-6, Chiyoda-ku, Tokyo 101-0061, Japan

Tel: +81 3 5213 0461 Fax: +81 3 5213 0462

Email: info@birdlife-asia.org

BirdLife International is a UK-registered charity

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrical, chemical, mechanical, optical, photocopying, recording or otherwise, without prior permission of the publisher.

ISBN 978-0-946888-70-2


First published 2009 by BirdLife International

The *Directory of Important Bird Areas in China (Mainland): Key Sites for Conservation* (BirdLife International 2009) was published in Chinese with an English summary, and is available from the Natural History Book Service Ltd, 2–3 Wills Road, Totnes, Devon TQ9 5XN, UK. Tel: +44 1803 865913 Fax: +44 1803 865280 Email nhbs@nhbs.co.uk Internet: www.nhbs.com/services/birdlife.html

The English language versions of the Important Bird Area accounts are available to download from the Internet (<u>www.chinabirdnet.org</u>).

This document is an output of the World Bank study 'Strengthening the Safeguard of Important Areas of Natural Habitat in North-East Asia', financed by consultant trust funds from the government of Japan. The findings, interpretations, and conclusions expressed herein are those of the editors and do not necessarily reflect the view of the World Bank or the governments they represent. The editors take full responsibility for the accuracy of the data included in this work. The boundaries, colours, denominations, and other information shown on any map in this work do not imply any judgement on the part of the World Bank or BirdLife International concerning the legal status of any territory or endorsement or acceptance of such boundaries.

Important Bird Areas in Guizhou Province



IBAs are represented on the map as circles proportional to their areas.



Leigong Shan (CN288), one of the many forests in the mountains of Guizhou which support the characteristic bird species of south-western China. (PHOTO: YU LIN)

NAME: Tuoda Nature Reserve

CRITERIA: A1 A3 AREA: 4,300 ha

COORDINATES: 26°59'N 104°03'E

ALTITUDE: 2,000-2,400 m

CONSERVATION STATUS: Established as a county-level nature reserve (4,300 ha) in 1992. GENERAL DESCRIPTION: Located in Weining County. The IBA is in a rather flat upland area,

where the main habitat is secondary broadleaf forest. Forest cover is more than 80%.

THREATENED SPECIES: Syrmaticus reevesii (VU), Sitta magna (VU)

BIOMES: AS08: Sino-Himalayan subtropical forest

IMPORTANCE TO OTHER FAUNA AND FLORA: Nationally protected palnts such as *Taxus chinensis*, *Taxus mairei*, *Magnolia officinalis* and *Cinnamomum glanduliferum* and animals such as *Tylototriton kweichowensis*, *Manis pentadactyla* and *Naemorhedus goral*.

IBA CODE: CN274

NAME: Cao Hai Nature Reserve

CRITERIA: A1 A4i,A4iii AREA: About 12,000 ha

COORDINATES: 26°50'N 104°15'E

ALTITUDE: 2,020-2,854 m

CONSERVATION STATUS: Established as a nature reserve in 1985, and upgraded to a national nature reserve (12,000 ha) in 1992. Cao Hai was designated in 2004 as a 'Wetland of International Importance' (or Ramsar site) under the Ramsar Convention on Wetlands.

GENERAL DESCRIPTION: Located in the west of Weining County. Cao Hai is a freshwater lake at 2,170 m, with a rich growth of water plants in the lake, and marshes and meadows.

THREATENED SPECIES: Aythya baeri (VU), Aquila heliaca (VU), Grus nigricollis (VU)

CONGREGATORY WATERBIRDS: Anser indicus, Tadorna ferruginea, Anas strepera, Anas penelope, Grus nigricollis, Fulica atra

IMPORTANCE TO OTHER FAUNA AND FLORA: The amphibian *Rana weiningensis* is endemic to this area.

IBA CODE: CN275

NAME: Lengshuihe Nature Reserve

CRITERIA: A1 A3 AREA: 8,133 ha

COORDINATES: 27°30'N 106°00'E

ALTITUDE: 718-1,884 m

CONSERVATION STATUS: Established as a county-level nature reserve in 1992.

GENERAL DESCRIPTION: Located in Jinsha County. The main habitats in the IBA are forest

and scrub.

THREATENED SPECIES: *Syrmaticus reevesii* (VU) BIOMES: AS08: Sino-Himalayan subtropical forest

IMPORTANCE TO OTHER FAUNA AND FLORA: No information.

IBA CODE: CN276

NAME: Chishui Nature Reserve

CRITERIA: A1 A3 AREA: 13,300 ha

COORDINATES: 28°28'N 105°59'E

ALTITUDE: 330-1,455 m

CONSERVATION STATUS: Established as a county-level nature reserve in 1984, and upgraded to a national nature reserve (13,300 ha) in 1992.

GENERAL DESCRIPTION: Located in Hushi, Chishui County, in north-western Guizhou. The IBA has well developed tropical broadleaf evergreen forests. The area has high biodiversity,

including a high concentration of nationally protected plants such as *Cyathea spinulosa*, and the Guizhou endemic *Camellia luteoflora*.

THREATENED SPECIES: *Syrmaticus reevesii* (VU) BIOMES: AS08: Sino-Himalayan subtropical forest

IMPORTANCE TO OTHER FAUNA AND FLORA: Nationally protected plants include *Fokienia hodginsii* and *Alsophila spinulosa*. Animals include *Neofelis nebulosa*, *Selenarctos thibetanus*, *Capricornis sumatraensis*, *Moschus berezovskii*, *Manis pentadactyla* and *Macaca thibetana*.

IBA CODE: CN277

NAME: Xishui Nature Reserve

CRITERIA: A1 A3 AREA: 48,700 ha

COORDINATES: 28°15'N 106°10'E

ALTITUDE: 420-1,756 m

CONSERVATION STATUS: Established as a county-level nature reserve in 1992, and upgraded to a provincial-level nature reserve in 1994 and to a national nature reserve in 1997.

GENERAL DESCRIPTION: Located in Xishui County, northern Guizhou. It is the largest nature reserve in Guizhou. Located between the northern slope of the Guizhou Plateau and the Sichuan Basin, the IBA has broadleaf evergreen forest, coniferous forest, mixed forest, secondary scrub and montane grassland.

THREATENED SPECIES: *Syrmaticus reevesii* (VU) BIOMES: AS08: Sino-Himalayan subtropical forest

IMPORTANCE TO OTHER FAUNA AND FLORA: Footprints of South China Tiger were seen until 2000.

IBA CODE: CN278

NAME: Qinggangtang-Taibai-Dahe Forest

CRITERIA: A1 A3 AREA: About 10,000 ha

COORDINATES: 28°23'N 107°02'E

ALTITUDE: 1,200-1,921 m

CONSERVATION STATUS: Unprotected.

GENERAL DESCRIPTION: The main habitats in the IBA are forest and scrub.

THREATENED SPECIES: *Syrmaticus reevesii* (VU) BIOMES: AS08: Sino-Himalayan subtropical forest

IMPORTANCE TO OTHER FAUNA AND FLORA: No information.

IBA CODE: CN279

NAME: Dashahe Nature Reserve

CRITERIA: A1 A2 A3 AREA: 26,990 ha

COORDINATES: 29°07'N 107°41'E

ALTITUDE: 1,200-1,921 m

CONSERVATION STATUS: Established as a provincial-level nature reserve in 2001.

GENERAL DESCRIPTION: Located in Daozhen County. The main habitats in the IBA are forest

and scrub.

THREATENED SPECIES: Syrmaticus ellioti (VU)

ENDEMIC BIRD AREAS: 141: South-east Chinese mountains

BIOMES: AS08: Sino-Himalayan subtropical forest

IMPORTANCE TO OTHER FAUNA AND FLORA: No information.

NAME: Mayanghe Nature Reserve

CRITERIA: A1 A2 A3 AREA: 31,113 ha

COORDINATES: 28°45'N 108°13'E ALTITUDE: 420-1,100 m 280-1,441 m

CONSERVATION STATUS: Established as a nature reserve in 1987, and upgraded to a provincial-level nature reserve in 1994 and to a national nature reserve (31,113 ha) in 2003.

GENERAL DESCRIPTION: No information.

THREATENED SPECIES: Syrmaticus reevesii (VU), Syrmaticus ellioti (VU)

ENDEMIC BIRD AREAS: 141: South-east Chinese mountains

BIOMES: AS08: Sino-Himalayan subtropical forest

IMPORTANCE TO OTHER FAUNA AND FLORA: The reserve has the biggest global population

(more than 700) of Black Langur Trachypithecus francoisi.

IBA CODE: CN281

NAME: Kuankuoshui Nature Reserve

CRITERIA: A1 A3 AREA: 26,231 ha

COORDINATES: 28°13'N 108°08'E

ALTITUDE: 650-1,750 m

CONSERVATION STATUS: Established as a county-level nature reserve in 1989, and upgraded

to a provincial-level nature reserve in 2001 and to a national nature reserve in 2007.

GENERAL DESCRIPTION: No information.

THREATENED SPECIES: *Syrmaticus reevesii* (VU) BIOMES: AS08: Sino-Himalayan subtropical forest

IMPORTANCE TO OTHER FAUNA AND FLORA: No information.

IBA CODE: CN282

NAME: Fanjing Shan Nature Reserve

CRITERIA: A1 A2 A3 AREA: 41,900 ha

COORDINATES: 27°55'N 108°46'E

ALTITUDE: 500-2,752 m

CONSERVATION STATUS: Established as a nature reserve in 1978, upgraded to a national nature reserve (41,900 ha) in 1986. Fanjing Shan was designated in 1986 as a 'Biosphere Reserve' under UNESCO's Man and Biosphere (MAB) Programme.

GENERAL DESCRIPTION: Located in Tongryan district, north-eastern Guizhou. The IBA extends 21 km from east to west, and 27 km from north to south. Subtropical broadleaf evergreen forest is well developed and well preserved in the IBA, which is an important site for *Rhinopithecus brelichi*.

THREATENED SPECIES: Syrmaticus ellioti (VU), Syrmaticus reevesii (VU)

ENDEMIC BIRD AREAS: 140: Chinese subtropical forest; 141: South-east Chinese mountains BIOMES: AS07: Sino-Himalayan temperate forest; AS08: Sino-Himalayan subtropical forest IMPORTANCE TO OTHER FAUNA AND FLORA: Nationally protected plants include Cercidiphyllum japonicum, Davidia involucrate and Emmenopterys henryi. Animals include Rhinopithecus brelichi, Macaca assamensis, Panthera tigris amoyensis, Neofelis nebulosa, Capricornis sumatraensis and Moschus berezovskii.

NAME: Siyetun Nature Reserve

CRITERIA: A1 A3 AREA: 2,859 ha

COORDINATES: 27°40'N 107°58'E ALTITUDE: No information.

CONSERVATION STATUS: Established as a county-level nature reserve. GENERAL DESCRIPTION: The main habitats in the IBA are forest and scrub.

THREATENED SPECIES: *Syrmaticus reevesii* (VU) BIOMES: AS08: Sino-Himalayan subtropical forest

IMPORTANCE TO OTHER FAUNA AND FLORA: No information.

IBA CODE: CN284

NAME: Fodingshan Forest CRITERIA: A1 A2 A3 AREA: 17,170 ha

COORDINATES: 27°16'N 108°05'E

ALTITUDE: 580-1,869 m

CONSERVATION STATUS: The IBA is partially protected in the county-level Shiqian Fodingshan Nature Reserve (15,037 ha), which was established in 1992, and Shibing

Fodingshan Nature Reserve.

GENERAL DESCRIPTION: Located in Shiqian and Shibing counties.

THREATENED SPECIES: Syrmaticus ellioti (VU)

ENDEMIC BIRD AREAS: 141: South-east Chinese mountains

BIOMES: AS08: Sino-Himalayan subtropical forest

IMPORTANCE TO OTHER FAUNA AND FLORA: No information.

IBA CODE: CN285

NAME: Zhujia Shan Nature Reserve

CRITERIA: A1 A3 AREA: 7,638 ha

COORDINATES: 26°57'N 107°37'E

ALTITUDE: 800-1,368 m

CONSERVATION STATUS: Established as a provincial-level nature reserve in 1995.

GENERAL DESCRIPTION: Located in Wa'an County, at the source of the Wuyang River. There are three main rivers flowing through the IBA, the Changling He, Zhujia He and Lacha He,

and there is c.2,500 ha of subtropical broadleaf evergreen forest.

THREATENED SPECIES: *Syrmaticus reevesii* (VU) BIOMES: AS08: Sino-Himalayan subtropical forest

IMPORTANCE TO OTHER FAUNA AND FLORA: No information.

IBA CODE: CN286

NAME: Hongfeng Hu and Baihua Hu

CRITERIA: A4i,A4iii AREA: 7,170 ha

COORDINATES: 26°35'N 106°27'E

ALTITUDE: 1,180-1,250 m

CONSERVATION STATUS: Unprotected

GENERAL DESCRIPTION: Hongfeng Hu is located on the upper Maotiao He river (a tributary of the Wu Jiang), with the dam in Qingzhen City, and is has a surface area of 57.2 km². Baihua Hu is located on the middle reaches of the Maotiao He river, with the dam located in Guiyang City, and is has a surface area of 14.5 km². These lakes are now national and provincial tourism spots, respectively. At Hongfeng Hu most of the waterbirds aggregate in the northern part of the lake, while waterbirds at Baihua Hu are mostly found in the bays with the least

human disturbance. Guiyang City has caused water pollution in the area, as has the development of tourism.

CONGREGATORY WATERBIRDS: *Anas platyrhynchos* (up to 20,000 in 1996, with other waterbirds such as gulls and egrets)

IMPORTANCE TO OTHER FAUNA AND FLORA: No information.

IBA CODE: CN287

NAME: Mountains streams in Pingtang and Guiding

CRITERIA: A1

AREA: About 10,000 ha

COORDINATES: 26°34'N 107°14'E

ALTITUDE: 600-800 m

CONSERVATION STATUS: Unprotected

GENERAL DESCRIPTION: The most important habitat in the IBA is mountain streams.

THREATENED SPECIES: Mergus squamatus (EN)

IMPORTANCE TO OTHER FAUNA AND FLORA: No information.

IBA CODE: CN288

NAME: Leigong Shan Nature Reserve

CRITERIA: A1 A2 A3 AREA: About 47,300 ha

COORDINATES: 26°25'N 108°15'E

ALTITUDE: 650-2,179 m

CONSERVATION STATUS: Established as a provincial-level nature reserve (47,300 ha) in 1982, and upgraded to a national nature reserve in 2001.

GENERAL DESCRIPTION: Located in the south-eastern part of Guizhou Province, and in the watershed of the Yangtze and Pearl River systems. Areas below 1,400 m have been converted into agricultural land and scrub, areas at 1,400-1,850 m are dominated by broadleaf evergreen mixed forest, and areas above 2,100 m are dominated by *Rhododendron* and arrow bamboo.

THREATENED SPECIES: Syrmaticus ellioti (VU)

ENDEMIC BIRD AREAS: 141: South-east Chinese mountains

BIOMES: AS08: Sino-Himalayan subtropical forest

IMPORTANCE TO OTHER FAUNA AND FLORA: Nationally protected plants include *Taiwania* cryptomerioides, *Tetracentron sinense*, *Fokienia hodginsii* and *Liriodendron chinense*. Animals include *Prionodon pardicolor*, *Viverricula indica*, *Viverra zibetha*, *Felis temmincki*, *Manis pentadactyla*, *Moschus berezovskii*, *Capricornis sumatraensis* and *Selenarctos thibetanus*.

IBA CODE: CN289

NAME: Yueliangshan Forest

CRITERIA: A1 A2 A3 AREA: 57,600 ha

COORDINATES: 26°05'N 108°12'E

ALTITUDE: 310-1.508 m

CONSERVATION STATUS: The IBA is partially protected in the county-level Congjiang Yueliangshan Nature Reserve (24,000 ha), which was established in 1986, and the prefecture-

level Rongjiang Yueliangshan Nature Reserve.

GENERAL DESCRIPTION: Located in Rongjiang County.

THREATENED SPECIES: Syrmaticus ellioti (VU)

ENDEMIC BIRD AREAS: 141: South-east Chinese mountains

BIOMES: AS08: Sino-Himalayan subtropical forest

IMPORTANCE TO OTHER FAUNA AND FLORA: No information.

NAME: Maolan Nature Reserve

CRITERIA: A1 A2 A3 AREA: About 20,000 ha

COORDINATES: 25°15'N 107°55'E

ALTITUDE: 430-1,078 m

CONSERVATION STATUS: Established as a nature reserve in 1985, and upgraded to a national nature reserve (20,000 ha) in 1988. Maolan was designated in 1996 as a 'Biosphere Reserve' under UNESCO's Man and Biosphere (MAB) Programme.

GENERAL DESCRIPTION: Located in southern Guizhou, adjacent to the border with northern Guangxi. The reserve extends 22.8 km from east to west and 21.8 km from north to south. It has a karst limestone landscape, and the characteristic forest that grows on karst. Forest cover is over 90%.

THREATENED SPECIES: Syrmaticus ellioti (VU), Pitta nympha (VU), Oriolus mellianus (VU)

ENDEMIC BIRD AREAS: 140: Chinese subtropical forest

BIOMES: AS08: Sino-Himalayan subtropical forest

IMPORTANCE TO OTHER FAUNA AND FLORA: Nationally protected plants include *Tsuga tckekiangensis*, *Pinus kwangtungensis*. Animals include *Panthera tigris*, *Panthera pardus*, *Selenarctos thibetanus*, *Capricornis sumatraensis* and *Moschus berezovskii*. Nationally protected plants include *Handeliodendron bodinieri* and *Calocedrus macrolepis*.