# 中国观鸟年报2005



CHINA BIRD REPORT 2005



# 中国观鸟年报2005

#### 制作单位

中国动物学会鸟类分会 www.chinabird.org

#### 支持机构

北京观鸟会(筹备)www.cbw.org.cn 香港观鸟会 www.hkbws.org.hk

#### 资助单位

施华洛世奇香港有限公司 www.swarovskioptik.com

香港观鸟会中国自然保育基金

#### 图片来源

中国鸟类图库 www.wwfchina.org / birdgallery 中国野鸟图库 www.cnbird.org.cn 香港观鸟会 www.hkbws.org.hk

#### 推荐引用名

中国鸟类学会, 2006。中国观鸟年报2005。中国, 北京, 中国鸟类学会

#### 封面图片

贺兰山红尾鸲 (Phoenicurus alaschanicus) , 拍摄地点: 甘肃张掖,摄影者: 孔思义,黄亚萍

# **CHINA BIRD REPORT 2005**

#### Published by

China Ornithological Society www.chinabird.org

## Supported by

Beijing Bird Watching Society (In preparation) www.cbw.org.cn Hong Kong Bird Watching Society www.hkbws.org.hk

# Source of photographs

China Bird Gallery www.wwfchina.org/birdgallery

A Database of the Birds of China www.cnbird.org.cn

Hong Kong Bird Watching Society www.hkbws.org.hk

### Sponsored by

Swarovski Optik www.swarovskioptik.com HKBWS China Conservation Fund www.hkbws.org.hk

#### Recommended Citation

China Ornithological Society. 2006. China Bird Report 2005. China Ornithological Society. Beijing, China

# Front Cover

Przewalsky's Redstart Phoenicurus alaschanicus at Zhangye, Gansu Photo by John & Jemi Holmes









5

# 中国鸟类年报2005 制作组

总顾问: 林超英、张浩辉、张正旺 数据库技术支持: 赵俊峰 主编: 雷进宇、刘阳

英文编辑: Richard Lewthwaite, Paul Holt

记录编辑: 陈志鸿、杜科、雷进宇、李海涛、李晶、刘阳、林辽静、田竹、王吉衣、 王沁、闻丞、于军、张高峰、章立、章麟、钟嘉

英文翻译: 蔡静亚、杜科、黄晓青、黄锦忠、雷进宇、刘阳、马嘉慧、荣开远、王吉 衣、王青育、王西敏、闻丞、张高峰、章立、章麟

中文校对:董路、李建强、刘阳、雷进宇、肖华、周春发、邹帅 英文校对:Geoff Carey、John Allcock、利伟文、吴敏、Paul Holt、利雅得、

Richard Lewthwaite

版面设计: 马皓、王继民 工作协调: 刘阳、雷进宇 图片编辑: 王吉衣

# **Working Group of China Bird Report 2005**

Consultant: Lam Chiu-ying , Cheung Ho-fai, Zhang Zhengwang Database technical supports: Zhao Junfeng

Chief Editor: Lei Jinyu, Liu Yang

English Editors: Paul Holt, Richard Lewthwaite

Record Compilers: Chen Zhihong, Du Ke, Lei Jinyu, Li Haitao, Li Jing, Liu Yang, Lin Liaojing, Tian Zhu, Wang Jiyi, Wang Qin, Wen Cheng, Yu Jun, Zhang Gaofeng, Zhang Li, Zhang Lin, Zhong Jia

English Translation: Carrie Ma,Du Ke, Huang Xiaoqing, Huang Jinzhong, Lei Jinyu, Liu Yang, Silvia Choi, Rong Kaiyuan, Wang Jiyi, Wang Qingyu, Wang Ximin, Wen Cheng, Zhang Gaofeng, Zhang Li, Zhang Lin

Proof-read(Chinese): Dong Lu, Li Jianqiang,Liu Yang, Lei Jinyu, Xiao Hua, Zhou Chunfa, Zou Shuai

Proof-read(English): Geoff Carey, John Allcock, Mike Kilburn, Mike Leven, Paul Holt,
Paul Leader, Richard Lewthwaite,

Designer: Ma Hao Wang Jimin Coordinator: Liu Yang, Lei Jinyu Photo editor: Wang jiyi

# 中国观鸟年报 2005

# 目 录

总结······	. 8
分类总览	30
非雀形目	30
雀形目	200
简报:中国鸟类新记录白颊鹎 (Pycnonotus leucogenys) ·····	
415	
报告:黑脸琵鹭(Platalea minor)在广东湛江红树林自然保护区的首次记录	
418	
提交观鸟记录的指引	424
Content	
Content	
Content	8
Content Summary. Photos	8 16
Content  Summary  Photos  Systematic List	
Content  Summary:  Photos:  Systematic List:  Non-passerine:	16
Content  Summary	16 30
Content  Summary:  Photos:  Systematic List:  Non-passerine:	16 30 30
Content  Summary	16 30 30
Content  Summary  Photos  Systematic List  Non-passerine  Passerine  2  Note: Himalayan Bulbul (Pycnonotus leucogenys) , a species new to	16 30 30 200
Content  Summary:  Photos:  Systematic List:  Non-passerine:  Passerine:  Passerine:  Note: Himalayan Bulbul (Pycnonotus leucogenys) , a species new to  China:  415	16 30 30 200

Guidelines for the submission of records 424

# 中国观鸟年报2005总结

《中国观鸟年报 2005》 秉承了前两年的编辑和制作风格, 自 2006 年 2 月起开始向国内外观鸟者征集 2005 年的观鸟记录。本年度收录的记录主要来自于"中国观鸟记录中心": www.cnbird.org, 国内外观鸟者通过电子邮件和普通信函寄来的观鸟记录(具体提交方法参见附录)。经过年报编辑们半年多的努力工作,整理筛选出其中重要、有价值的观鸟记录,汇集成本年报的主体内容,以飨所有对记录提交者、对中国的鸟类分布关注者以及所有的中国观鸟者。

《中国观鸟年报 2005》 共收录了来自全国 23 个省、5 个自治区、4 个直辖市、1 个 特别行政区的记录(不含香港、台湾地区), 这是自"中国观鸟年报"出版以来, 首次 实现了每个省级行政区都有观鸟记录被收录,充分体现了年报的地区覆盖性和群众参 与性。在鸟种方面、2005年年报共收录中国境内的鸟类16目64科1024种、占中国 鸟类总数的 76.93% (郑光美, 2005)。相比 2004 年增加了 36 种。需要值得注意的是, 2005年有四个鸟种成为了中国鸟类家族的新成员、它们分别是蓝腰短尾鹦鹉(Psittinus cyanurus), 暗背雨燕 (Apus acuticauda)、白颊鹎 (Pycnonotus leucogenys) 和休氏白喉林 莺(Sylvia althaea)。前两种的发现地在我国鸟种资源最丰富的省份—云南、白颊鹎来 自西藏的日喀则地区,虽然 Mackinnon 等人 (2000) 将其收录进"中国鸟类野外手册"中, 但仅推测其在中国边缘分布,此次为首个确认的野外记录。休氏白喉林莺被发现于新 疆喀什地区。来自广东的黄眉姬鹟的 owstoni 亚种是中国的亚种新记录,有些著者认为 这是独立的种。一大批省级行政区的新记录被发现,特别是在鸟类本底调查的薄弱区域, 如青藏高原、大别山地区等地,这些新记录极大丰富了中国鸟类分布和区系,也体现 出观鸟者对于鸟类学研究的贡献。同时,年报里包含国际受胁鸟种"极危(CR)"级2种, 的分布、数量资料也是对鸟种及其栖息地保护工作的重要贡献。

《中国观鸟年报 2005》的分类系统,学名、中文名、英文名依旧按照《东洋界鸟类详释》(An Annotated Checklist of the Birds of the Oriental Region)以及《中国鸟类野外手册》中有关中国鸟类的名称和顺序进行编排,并参考《中国鸟类分布与分类名录》(郑光美等,2005)。近年来,柳莺类(*Phylloscopus*),鹛类(Timaliidae)的分类地位变化较大,主要依据分子生物学、声学、形态学、生物地理学的证据对一些鸟种分类地位进行了讨论,将一些种的亚种提升为独立的种,如 Martens et al. (2004); Tietze et al. (2006); Rheindt (2006); Collar (2006); Li et al. (2006)。年报依据这些最新的研究成果,对这些新分出来的种在中国的分布状况进行了说明,并对这些种类的学名、英文名及部分推荐使用的中文名进行了相应的修订。对于这些鸟种的分类、分布等更多信息,有兴趣的鸟友可以阅读原始文献。

《中国观鸟年报 2003》、《中国观鸟年报 2004》的相继出版使越来越多的观鸟者了解、关注、关心中国观鸟年报的编辑工作。特别是年报为一些国际著名鸟类期刊所介绍,被鸟类研究者作为文献在论文中引用,是国内外观鸟者了解中国鸟类分类、分布信息的平台。我们还收到了许多关于改进年报工作的好的意见和建议。当然,年报工作也离不开中国观鸟活动日益蓬勃这一可喜的现状。三年记录的数量、地区组成、提交者数量可以清晰的反映这一趋势。这些事实都极大地激励和推动着年报工作向着更高水

平发展。谨在年报即将出版之际,我们期待着 2005 年年报能够让所有读者、所有记录 提交者从中取得收获。

中国观鸟年报的编辑们是一个庞大的群体,大家为了共同的目标,在半年多繁重的编辑工作中齐心协力,在此对参与年报编辑、制作、校对、设计工作的所有人表示感谢。他们是: 赵俊峰在观鸟数据库上提供支持和帮助,陈志鸿、杜科、雷进宇、李海涛、李晶、刘阳、林辽静、田竹、王吉衣、王沁、闻丞、于军、张高峰、章立、章麟、钟嘉参与年报的记录编辑,蔡静亚、杜科、黄晓青、黄锦忠、雷进宇、刘阳、马嘉慧、荣开远、王吉衣、王青育、闻丞、张高峰、章立、章麟参与初步翻译工作,Geoff Carey、John Allcock、利伟文、吴敏、Paul Holt、利雅得、Richard Lewthwaite 进行鸟种部分的校对工作,董路、李建强、刘阳、雷进宇、肖华、周春发、邹帅进行中文部分的校对工作,雷进宇、刘阳在编辑过程中的联络和协调作了很多工作。特别感谢 Richard Lewthwaite、Paul Holt 不厌其烦地修改年报的英文部分并对疑难记录提出宝贵意见,王吉衣负责了图片的编辑工作。

以下团体或个人的记录被收进 2005 年的年报统计,在此表示感谢:

辽宁: 白清泉 [BQQ];

河北: 刘学忠 [LXZ]: 乔振忠 [OZZ]:

北京: 陈亮 [CLiang]; 陈矛 [CM]; 陈钰柱 [CYZ]; 邓澄 [DCeng]; 韩冬 [HD]; 何 芬奇 [HFQ]; 侯湃 [HP]; 侯笑如 [HXR]; 洪苑平 [HYP]; 李海涛 [LHT]; 卢晖宇 [LHY]; 李歆 [LiX]; 李建强 [LJQ]; 雷进宇 [LJY]; 李晟 [LS]; 梁煊 [LXuan]; 刘芳 [LF]; 刘阳 [LY]; 刘雨邑 [LYY]; 罗昕 [LX]; 乔颖欣 [QYX]; 荣开远 [RKY]; 申小莉 [SXL]; 舒晓楠 [SXN]; 孙戈 [SG]; 田竹 [TZ]; 王剑 [WJ]; 王宁 [WNing]; 王沁 [WQ]; 王青育 [WQY]; 王瑞卿 [WRQ]; 汪周 [WZ]; 闻丞 [WC]; 吴楠 [WN]; 杨晔 [YY]; 于大平 [YDP]; 郑爱华 [ZAH]; 钟嘉 [ZJ]; 朱雷 [ZLei]; 章立 [ZLi]; 张玲 [ZLing]; 张瑜 [ZY]; 张永 [ZYong]; 张永强 [ZYQ]; 张朝晖 [ZZH];

天津: 陈建中 [CJZ]; 陈亦迪 [CYD];

河南: 杜卿 [DQ]; 马朝红 [MCH]; 熊焰 [XY];

山东: 张锡贤 [ZXX]; 单凯 [SK];

山西: 高建军 [GJJ]; 胡少荣 [HSR];

新疆: 苟军 [GJun], 罗宏江 [LHJ], 马鸣 [MM], 王传波 [WCB], 吴坚 [WJian], 徐捷 [XJ], 赵勃 [ZB], 张德衡 [ZDH],

江西: 林剑声 [LJS]; 廖承开 [LCK]; 郑迎春 [ZYC];

江苏: 雷铭 [LM], 李晓东 [LiXD], 万思成 [WSC], 张宇 [ZYu], 伏卫国 [FWG], 浙江: 陈水华 [CSH], 高欣 [GX], 李佑 [LYou], 罗铁家 [LTJ], 钱程 [QC], 祁骅 [QH], 创新 [WIN], 工票數 [WXM], 日文学 [WIN]

王剑波 [WJB], 王西敏 [WXM], 吴必学 [WBX], 朱英 [ZhuY],
上海: 方针 [FZ], 郭瑾 [GJ], 干晓静 [GXJ], 李晶 [LJ], 陆巍 [LW], 马志军 [MZJ],

王吉衣 [WJY]; 韦铭 [WM]; 吴永春 [WYC]; 项乐 [XL]; 熊李虎 [XLH]; 叶龚劼 [YGJ]; 于军 [YJ]; 姚力 [YLi]; 杨志栋 [YZD]; 章麟 [ZLin]; 章克家 [ZKJ]; 郑文勤 [ZWQ]; 郑颖 [ZYing];

湖北: 康洪莉 [KHL]; 陶旭东 [TXD]; 谭蕴喆 [TYZ]; 张立影 [ZLY]; 朱觅辉 [ZMH]; 张耀琪 [ZYQ];

湖南: 姚毅 [YYi]; 张翼飞 [ZYFei];

福建: 陈志鸿 [CZH]; 胡震宇 [HZY]; 江航东 [JHD], 林清贤 [LQX], 张浩 [ZH]; 四川: 陈婧婧 [CJJ], 杜科 [DK], 刘华 [LH], 刘健 [LJ], 罗平钊 [LPZ], 李昭成 [LZC], 瞿刚 [QG], 阙品甲 [QPJ], 沈尤 [SY], 唐军 [TJ], 危骞 [WQian], 张浚 [ZJun],

广东: 董江天 [DJT], 关广文 [GGW], 甘礼清 [GLQ], 黄小江 [HXJ], 廖晓东 [LXD], 彭逸生 [PYS], 田穂兴 [TSX], 王晓兰 [WXL], 王英永 [WYY], 邢东耀 [XDY], 徐萌 [XM], 谢志伟 [XZW], 杨灿朝 [YCC], 虞海燕 [YHY], 乐伟强 [YWQ], 詹从旭 [ZCX], 曾雨 [ZengY], 郑康华 [ZKH], 张高峰 [ZGF],

海南: 卢刚 [LG];

广西: 蒋爱伍 [JAW]; 刘志元 [LZY]; 杨德辉 [YDH];

贵州: 孙旷 [SKuang]; 禹林 [YL];

云南: 董伦 [DL]; 李利伟 [LLW]; 李飏 [LYang]; 韩联宪 [HLX];

香港: 张浩辉 [CHF], 马嘉慧 [MKW], 孔思义 [JoH], 李锦昌 [LKC], Mike Kilburn[MK], Richard Lewthwaite[RWL], 黄亚萍 [JW], 余日东 [YYT],

澳门: 蔡静亚 [CCA];

台湾: 江明亮 [CML];

澳大利亚: Rolf Jensen[RJ];

捷克: Oldrich Busek[OB];

丹麦: Jesper Hornskov[JH];

荷兰: Bas van den Boogaard[BB];

瑞典: Bjorn Anderson[BA]; Bo Petersson[BP]; Joakim Hammar[JHa];

英国: Paul Holt[PH]; Tony Sawbridge [TS];

机构:成都观鸟会 [CDBWS];福建观鸟会 [FJBWS];香港观鸟会 [HKBWS];深圳观鸟会 [SZBWS];Sunbirds;WWF-China;厦门观鸟会 [XMBWS];

雷进宇 刘阳 中国观鸟年报 2005 主编 2006 年 11 月

# China Bird Report 2005 SUMMARY

"China Bird Report 2005" continued the editorial style of the previous two years. It started to collect 2005 information from overseas birdwatchers from February 2006. Records for the 2005 report were mainly from "Database of China Bird Report (www.cnbird.org)", recorded from overseas bird watchers from correspondence or records via e-mail and letters (Please refer to the appendix for method of record submission). The preparation time has been lasted for over a half-year, important and valuable bird watching records were selected and compiled, forming the main content of this report. This report will be presented to all contributors, and those who concern birds of China and birdwatchers as well.

Information for the "China Bird Report 2005" sourced from 23 provinces, five autonomous regions, four cities and one special administrative region (exclusive Hong Kong and Taiwan). This is the first time that the annual report contains records from each of the provinces, this reflects the wide range of coverage and participation. Regarding species records, the annual report received a total of 1024 species from 16 families and 64 orders. This has a significant increase of 36 species compare to 2004,. Highlights of the 2005 record include four species add to the China list, they are Blue-rumped Parrot (Psittinus cyanurus) ,Dark-rumped Swift (Apus acuticauda) , Himalayan Bulbul (Pycnonotus leucogenys) and Hume' s Whitethroat (Sylvia althaea). The former two were found in Yunnan, a province which has the highest bird diversity. Himalayan Bulbul was recorded in Rikaze region in Tibet, it is suggested the species is at the marginal area of its distribution range, although Mackinnon and Philips (2000) placed it in "A Field Guide to the Birds of China". The latter was near Kashi, Xinjiang province. The taxon of owstoni Narcissus Flycatcher from Guangzhou was also a new subspecies record in China. A good number of new records were sourced from different Provinces in particular those places with weak survey basis, for example, the Tibetan plateau and Dabieshan area. These records enriched the existing information on species and distribution of the birds of China, and the most important of all is it represents the importance of the contribution to ornithological study by birdwatchers. The 2005 record include globally threatened species of which 2 species are Critically Endangered (CR), 11 species are Endangered (EN), 36 species are Vulnerable (VU), and 25 species of National-protected Grade I. All these information on distribution forms an important basis for the conservation of birds and their habitats.

The taxonomy, scientific name in Chinese and English name of "China Bird Report 2005" follow "Annotated Checklist of the Birds of the Oriental Region" (Inskipp et al.,1996)as usual; the Chinese name and places of order follows "A Field Guide to the Birds of China" (Mackinnon and Philips, 2000)and "A Checklist on the Classification and Distribution of the Birds of China" (Zheng,2005), relevant amendment has been made to some of the Chinese names. The "China Bird Report 2005" continued the change of

taxonomy and naming which have been made in the 2004 annual report. There are some taxonomy changes recently based on classification work of morphology, vocalization, DNA-based phylogeny and biographical studies, especially in the families Sylviidae and Timaliidae. The "China Bird Report 2005" adopted latest studies related to avian species of China e.g. Martens et al. (2004); Tietze et al. (2006); Rheindt (2006); Collar (2006); Li et al. (2006) and made changes of scientific, English names. Accordingly, the recommended Chinese names are also nominated for some species. In systematic list, a short review is given to illuminate the status in China for each new split species. More detailed information of taxonomy changes, interested readers can refer to the original articles or the description for reference.

The publication of 2003 and 2004 report has generated awareness of birdwatchers and they are willing to pay closer concern to the editorial work of the China Bird Report. Information of the China Bird Report was reported by popular ornithological journals, and was being cited by ornithologists in their papers. The annual report also acts as a platform for the sharing of information on taxonomy and distribution, and for relevant information provided by local and international birdwatchers. A part from this, we continue to receive constructive feedback and suggestions for the improvement of contents. The development of the annual report is an important part of the elevating bird watching activity -- this has been shown clearly from the trend on species records, composition of districts and number of submission. All of these further encourage development of the annual report towards a higher standard. By the time of the publication of the 2005 China Bird Report, we sincerely wish that it would benefit all readers and record contributors.

Frankly, the production of the China Bird Report relies on the effort of a group of editors who has placed effort for the common aim over the last half-a-year. We thank the working group on editorial, production, proofreading and design. They are Zhao Junfeng who offer technical support on the Database of China Bird Report; Liu Yang, Lei Jinyu, Wang Jiyi, Du Ke, Wen Cheng, Zhang Gaofeng, Wang Qin, Zhong Jia, Chen Zhihong, Zhang Lin, Tian Zhu, Zhang Li, Li Haitao offered supported on editorial; Carrie Ma, Huang Xiaoqing, Silvia Choi, Lei Jinyu, Du Ke, Wang Jiyi, Wen Cheng, Liu Yang, Zhang Gaofeng, Zhang Lin, Tian Zhu, Rong Kaiyuan supported the preliminary translation; Dong Lu, Li Jianqiang, Liu Yang, Lei Jinyu, Xiao Hua, Zhou Chunfa, Zou Shuai supported partly on proof-reading; Geoff Carey, John Allcock, Mike Kilburn, Mike Leven, Richard Lewthwaite, Paul Holt and Paul Leader supported translation work for part of the contents; Liu Yang and Lei Jinyu has offered support for various coordination and communication. Special thanks to Richard Lewthwaite and Paul Holt who has offered valuable comment on record and helped editorial support throughout the process; and Wang Jiyi coordinated collection of photos.

The following individuals and groups submitted records. We are grateful for their support:

Liaoning: Bai Qingquan [BQQ];

Hebei: Liu Xuezhong[LXZ]; Qiao Zhenzhong[QZZ];

Beijing: Chen Liang [CLiang]; Chen Mao [CM]; Chen Yuzhu [CYZ]; Deng Cheng [DCeng]; Han Dong[HD]; Hou Pai [HP]; Hong Yuanping [HYP]; Li Haitao [LHT]; Lu Huiyu [LHY]; Li Xin [LiX]; Li Jianqiang [LJQ]; Lei Jinyu [LJY]; Li Sheng [LS]; Liang Xuan[LXuan]; Liu Fang [LF]; Liu Yang [LY]; Liu Yuyi [LYY]; Luo Xin [LX]; Qiao Yingxin [QYX]; Rong Kaiyuan [RKY]; Shen Xiaoli [SXL]; Shu Xiaonan [SXN]; Tian Zhu[TZ]; Wang Jian[WJ]; Wang Ning[WNing]; Wang Qin [WQ]; Wang Qingyu [WQY]; Wang Ruiqing [WRQ]; Wang Zhou [WZ]; Wen Cheng[WC]; Wu Nan [WN]; Yang Ye[YY]; Yu Daping [YDP]; Zheng Aihua [ZAH]; Zhong Jia [ZJ]; Zhu Lei [ZLei]; Zhang Li [ZLi]; Zhang Ling [ZLing]; Zhang Yu [ZY]; Zhang Yong [ZYong]; Zhang Yongqiang [ZYQ]; Zhang Zhaohui [ZZH];

Tianjin: Chen Jianzhong [CJZ]; Chen Yidi [CYD];

Henan: Du Qing [DQ]; Ma Chaohong [MCH]; Xiong Yan [XY];

Shandong: Zhang Xixian [ZXX]; Shan Kai[SK];

Shanxi: Gao Jianjun [GJJ]; Hu Shaorong [HSR];

Xinjiang: Gou Jun [GJun]; Luo Hongjiang [LHJ]; Ma Ming [MM]; Wang Chuanbo [WCB]; Wu Jian [WJian]; Xu Jie [XJ]; Zhao Bo [ZB]; Zhang Deheng [ZDH];

Jiangxi: Lin Jiansheng [LJS]; Liao Chengkai [LCK]; Zheng Yingchun [ZYC];

Jiangsu: Lei Ming [LM]; Li Xiaodong [LiXD]; Wan Sicheng [WSC]; Zhang Yu [ZYu]; Fu Weiguo [FWG];

Zhejiang: Chen Shuihua [CSH]; Gao Xin [GX]; Li You [LYou]; Luo Tiejia [LTJ]; Qian Cheng [QC]; Qi Hua [QH]; Wang Jian Bo [WJB]; Wang Ximin [WXM]; Wu Bixue[WBX]; Zhu Ying [ZhuY];

Shanghai: Fang Zhen [FZ]; Guo Jin [GJ]; Gan Xiaojing [GXJ]; Li Jing [LJ]; Lu Wei [LW]; Ma Zhijun [MZJ]; Wang Jiyi [WJY]; Wei Ming [WM]; Wu Yongchun [WYC]; Xiang Le [XL]; Xiong Lihu[XLH]; Ye Gongji [YGJ]; Yu Jun [YJ]; Yao Li [YLi]; Yang Zhidong [YZD]; Zhang Lin [ZLin]; Zhang Kejia [ZKJ]; Zheng Wenqin [ZWQ]; Zheng Ying [ZYing];

Hubei: Kang Hongli [KHL]; Tao Xudong [TXD]; Tan Yunzhe [TYZ]; Zhang Liying [ZLY]; Zhu Mihui [ZMH];

Hunan: Yao Yi[YYi]; Zhang Yifei [ZYFei];

Fujian: Chen Zhihong [CZH]; Hu Zhenyu [HZY]; Jiang Handong [JHD]; Lin Qingxian [LQX]; Zhang Hao [ZH];

Sichuan: Chen Jingjing [CJJ]; Du Ke [DK]; Liu Hua [LH]; Liu Jian [LJ]; Luo Pingzhao [LPZ]; Li Zhaocheng [LZC]; Qu Gang[QG]; Que Pinjia [QPJ]; Shen You [SY]; Tang Jun [TJ]; Wei Qian [WQian]; Zhang Jun [ZJun];

Guangdong: Dong Jiangtian [DJT]; Guan Guangwen [GGW]; Gan Liqing[GLQ]; Huang Xiaojiang [HXJ]; Liao Xiaodong [LXD]; Peng Yisheng [PYS]; Tian Suixing [TSX]; Wang Xiaolan [WXL]; Wang Yingyong [WYY]; Xing Dongyao [XDY]; Xu Meng [XM]; Xie Zhiwei [XZW]; Yang Canchao [YCC]; Yu Haiyan [YHY]; Yue Weiqiang [YWQ]; Zhan Congxu[ZCX]; Zeng Yu [ZengY]; Zheng Kanghua [ZKH]; Zhang Gaofeng [ZGF];

Hainan: Lu Gang [LG];

Guangxi: Jiang Aiwu [JAW]; Liu Zhiyuan [LZY]; Yang Dehui [YDH];

Guizhou: Sun Kuang [SK]; Yu Lin [YL];

Yunnan: Dong Lun [DL]; Li Liwei [LLW]; Li Yang [Li Yang]; Han Lianxian [HLX];

Hong Kong: Cheung Ho-fai [CHF]; Carrie Ma [MKW]; John Holmes[JHo]; Jemi Wong[JW];Lee Kam-cheong [LKC]; Mike Kilburn[MK]; Richard Lewthwaite[RWL]; Yu Yat-tung [YYT];

Macao: Silvia Choi [CCA];

Taiwan: Chiang Ming-liang [CML];

Australia: Rolf Jensen[RJ];

Czech: Oldrich Busek[OB];

Denmark: Jesper Hornskov[JH];

Netherland: Bas van den Boogaard[BB];

Sweden: Bjorn Anderson[BA]; Bo Petersson[BP]; Joakim Hammar[JHa];

UK: Paul Holt[PH]; Tony Sawbridge[TS];

Organizations: Chengdu Bird Watching Society[CDBWS]; Fujian Bird Watching Society [FJBWS]; Xiamen Bird Watching Society [XMBWS]; Shenzhen Bird Watching Society [SZBWS]; WWF-China; Hong Kong Bird Watching Society [HKBWS];

Lei Jinyu and Liu Yang Chief Editors, China Bird Report 2005 November 2006

#### 参考文献 LITERATURE CITED

China Ornithological Society. 2004. China Bird Report 2003. China Ornithological Society. Beijing[中国鸟类学会 .2004. 中国观鸟年报 2003. 北京:中国鸟类学会 .].

China Ornithological Society. 2005. China Bird Report 2004. China Ornithological Society. Beijing[中国鸟类学会 .2005. 中国观鸟年报 2004. 北京:中国鸟类学会 .].

BirdLife International.2004.Threatened Birds of the World 2004. CD-ROM. BirdLife International, Cambridge.

Carey, G.J., Chalmers, M.L., Diskin, D.A., Kennerley, P.R., Leader P.J., Leven, M.R., Leithwaite, R.W., Melvilll, D.S., Turnbull, M.& Young L. 2001. The Avifauna of Hong Kong. Hong Kong Birdwatching Society, Hong Kong.

Cheng, T.H.1987. A Synopsis of the Avifauna of China. Scientific Press, Beijing.

Collar, N. 2006. A partial revision of the Asian babblers (Timaliidae). Forktail 22, 85-122.

Harrap, S. and Quinn, D.1995. Tits, Nuthatches and Treecreepers: An Identification Guide. Christopher Helm, London.

Inskipp, T., Lindsey, N., & Duckworth, W.1996. An Annotated Checklist of the Birds of the Oriental Region. Oriental Bird Club, Bedfordshire.

James, H.F., Ericson, P.G.P., Slikas, B., Lei, F.M., Gill, F.B., Olson, S.T.,2003. Pseudopodoces humilis, a misclassified terrestrial tit (Paridae) of the Tibetan Plateau: evolutionary consequences of shifting adaptive zones. Ibis 145, 185–202.

Li, S.X., Li, J.W., Han, L.X., Yao, C.T., Shi, H.T., Lei, F.M. and Yen C.W. 2006. Species delimitation in the Hwamei Garrulax canorus. Ibis 148, 698-706.

MacKinnon, J. and Phillips, K. 2000. A Field Guide to the Birds of China. Oxford University Press, Oxford.

Martens, J., Tietze D.T., Eck S. and Veith M.2004.Radiation and species limits in the Asian Pallas's warbler complex (Phylloscopus proregulus s.l.). Journal of Ornithology 145,206-222.

Rasmussen, P.C., and J.C. Anderton. 2005. Birds of South Asia: The Ripley Guide. Lynx Edicions, Barcelona.

Rheindt, E. F. 2006. Splits galore: the revolution in Asian leaf warbler dynamics. BirdingAsia 5, 25-39.

Sangster, G., Collinson, J.M., Helbig, A.J., Knox, A.G. and Parking, D.T. 2005. Taxonomic recommendations for British birds: third report. Ibis 147, 821–826.

Tietze, D.T., Martens, J. and Sun Y.H.2006.Molecular phylogeny of treecreepers (Certhia) detects hidden diversity. Ibis 148, 477-488.

Yang, S.J., Yin, Z.H., Ma, X.M. and Lei, F.M.2006. Phylogeography of ground tit (Pseudopodoces humilis) based on mtDNA: Evidence of past fragmentation on the Tibetan Plateau Molecular Phylogenetics and Evolution 41, 257–265.

Zheng Guangmei eds. 2005. A Checklist on the Classification and Distribution of the Birds of China. Scientific Press, Beijing.[郑光美主编 .2005. 中国鸟类分类与分布名录 . 北京: 科学出版社 .].



0027# 灰胸竹鸡 Chinese Bamboo Partridge *Bambusicola thoracica* 2005-4-21,浙江杭州植物园,Hangzhou Botanical Garden,Zhejiang 摄影者:朱英,Photo by Zhu Ying



0033# 黄腹角雉 Cabot's Tragopan *Tragopan caboti* 2005-6-16,江西黄岗山,Huanggang Shan,Jiangxi 摄影者:林剑声,Photo by Lin Jiansheng



0042# 藏马鸡 Tibetan Eared Pheasant *Crossoptilon harmani* 2005-5-9,西藏拉萨,Lhasa,Tibet 摄影者:张高峰,Photo by Zhang Gaofeng



0074# 斑头雁 Bar-headed Goose *Anser indicus* 2005-12-24,云南会泽,Huize,Yunnan 摄影者:李立伟,Photo by Li Liwei



0079# 赤麻鸭 Ruddy Shelduck *Tadorna ferruginea* 2005-1-24,四川广汉鸭子河,Yazi He,Guanghan,Sichuan 摄影者:董磊,Photo by Dong Lei



0110# 鹳鸭 Common Goldeneye *Bucephala clangula* 2005-12-18,浙江杭州西湖,West Lake,Hangzhou,Zhejiang 摄影者:朱英,Photo by Zhu Ying



0134# 栗啄木鸟 Rufous Woodpecker *Celeus brachyurus* 2005-12-24, 广西弄岗, Longgang NR, Chongzuo, Guangxi 摄影者:田穂兴, Photo by Tian Suixing



0136# 黑啄木鸟 Black Woodpecker *Dryocopus martius* 2005-5-13,西藏林芝,Linzhi,Tibet 摄影者:董江天,Photo by Dong Jiangtian



0167# 蓝胸佛法僧 European Roller *Coracias garrulus* 2005-7-23,新疆北屯,Beitun,Xinjiang 摄影者:王传波,Photo by Wang Chuanbo



0170# 遜头大翠鸟 Blyth's Kingfisher Alcedo hercules 2005-10-3,福建邵武龙湖采育场,Longhu,Shaowu,Fujian 摄影者:江航东,Photo by Jiang Hangdong



0184# 栗喉蜂虎 Blue-tailed Bee-eater Merops philippinus 2005-5-30,福建厦门机场,Xiamen Airport,Fujian 摄影者:胡震宇,Photo by Hu Zhenyu



0193# 大杜鹃 Common Cuckoo *Cuculus canorus* 2005-5-11, 天津团泊洼水库, Tuanbowa Reservior, Tianjin 摄影者: 陈建中, Photo by Chen Jianzhong



0232# 領角鸮 Collared Scops Owl

Otus bakkamoena
2005-10-31, 山东蓬莱阁景区, Penglai Pavilion,
Shandong
摄影者: 赵兴, Photo by Zhao Xing



0248# 斑头鸺鹠 Asian Barred Owlet Glaucidium cuculoides 2005-12-25,浙江杭州苏堤, Sudi,Hanghou,Zhejiang 摄影者:朱英,Photo by Zhu Ying



0309# 蓝胸秧鸡 Slaty-breasted Rail *Gallirallus striatus* 2005-7-5,浙江杭州紫金港,Zijingang,Hangzhou,Zhejiang 摄影者:钱斌,Photo by Qian Bin



0341# 大杓鹬 Eastern Curlew *Numenius madagascariensis* 2005-8-25,山东莱州湾,Laizhou Bay,Shandong 摄影者:张锡贤,Photo by Zhang Xixian



0359# 三趾滨鹬 Sanderling *Calidris alba* 2005-10-2,福建长乐梅花镇,Meihua,Changle,Fujian 摄影者:郑灼,Photo by Zheng Zhuo



0413# 黑尾鸥 Black-tailed Gull *Larus crassirostris* 2005-7-14,山东威海海驴岛,Hailu Dao,Weihai,Shandong 摄影者:薛居峥,Photo by Xue Juzheng



0431# 三趾鸥 Black-legged Kittiwake *Rissa tridactyla* 2005-1-9,天津塘沽海滨浴场,Tanggu,Tianjin 摄影者:吴楠,Photo by Wu Nan



0444# 褐翅燕鸥 Bridled Tern *Onychopriona anaethetus* 2005-6-26,福建漳浦,Zhangpu,Fujian 摄影者:林清贤,Photo by Lin Qingxian



0445# 乌燕鸥 Sooty Tern *Onychopriona fuscata* 2005-10-2,福建长乐梅花镇,Meihua,Changle, Fujian 摄影者:郑灼,Photo by Zheng Zhuo



0455# 鹗 Osprey *Pandion haliaetus* 2005-12-20,浙江海宁东西湖,Dongxi Hu,Haining,Zhejiang 摄影者:朱英,Photo by Zhu Ying



046# 胡兀鹫 Lammergeier *Gypaetus barbatus* 2005-9-22,西藏阿里门土,Mengtu,Ali,Tibet 摄影者:郝小林,Photo by Hao Xiaolin



0480# 鹊鹞 Pied Harrier *Circus melanoleucos* 2005-9-27,天津北大港水库,Beidagang Reservior,Tianjin 摄影者:陈建中,Photo by Chen Jianzhong



0521# 角䴙䴘 Horned Grebe *Podiceps auritus* 2005-12-4,天津北大港水库,Beidagang Reservior,Tianjin 摄影者:陈建中,Photo by Chen Jianzhong



0555# 黑鳽 Black Bittern *Dupetor flavicollis* 2005-5-5,江西婺源,Wuyuan,Jiangxi 摄影者:郑永富,Photo by Zheng Yongfu



0559# 黑头白鹮 Black-headed Ibis *Threskiornis melanocephalus* 2005-11-17,浙江海宁尖山,Jian Shan,Haining,Zhejiang 摄影者:郑灼,Photo by Zheng Zhuo



0576# 黑喉潜鸟 Black-throated Loon *Gavia arctica* 2005-3-8,上海宝山宝钢水库,Baogang Reservior,Baoshan,Shanghai 摄影者:王吉衣,Photo by Wang Jiyi

# 分类总览 SYSTEMATIC LIST

#### 非雀形目Non-Passerine

\* 备注Note: 文中缩写的含义 some abbreviations in the list

CR=Critically Endangered, EN=Endangered, VU=Vulnerable, I=Chinese National First Class Protected Animal, II=Chinese National Second Class Protected Animal, BG=Botanical Garden, CAS=Chinese Acdemic of Science, Dao= Island, FF=Forest Farm, FP=Forest Park, He=River, Hu=Lake, NFP=National Forest Park, NR=Nature Reserve, NNR=National Nature Reserve.Si=Temple, Qiao=Bridge,Shan=Mountain/Hill

#### 鸡形目GALLIFORMES> 雉科Phasianidae

#### 0001# 雪鹑 Snow Partridge Lerwa lerwa

四川: 5月24日,汶川卧龙巴郎山, 1只[DK]; 6月28日,巴郎山山口, 5只[PH et al.]. Sichuan: One at Balangshan Pass, Wolong, Wenchuan on 24 May [DK] & five there on 28 June [PH et al.].

# 0002# 藏雪鸡 Tibetan Snowcock Tetraogallus tibetanus

四川: 5月24日, 汶川卧龙巴郎山, 1只[DK]; 6月28日, 巴郎山山口, 2只[PH et al.];

青海: 8月10日, 久治, 1只[ZGF et al.]; 9月25日, 互助北山, 32只[PH]

西藏: 5月9日, 曲水雄色寺, 8只[DJT]; 5月11日, 扎囊, 1只[DJT]; 5月15日, 林芝察隅, 2只[DJT]; 12月21日, 日喀则地区, 20只[ZGF et al.];

Sichuan: One at Balangshan Pass, Wolong, Wenchuan on 24 May [DK] with two there on 28 June [PH et al.].

Qinghai: One at Jiuzhi, Banma on 10 August [ZGF et al.], an impressive 32 at Huzhu Beishan on 25 September [PH et al.].

Tibet: Eight at Xiongse Si, Qushui on 9 May [DJT]. one at Zhanang on 11 May [DJT], two at Chayu, Linzhi on 15 May [DJT]. 20 at Rikaze on 21 December [ZGF et al.].

#### 0005# 雉鹑 Chestnut-throated Partridge Tetraophasis obscurus I

四川: 7月1日, 鹧鸪山, 7只[PH et al.].

Sichuan: Seven on the Zhegushan Pass above Miyaluo on 1 July [PH et al.].

# 0006# 四川雉鹑 Buff- throated Partridge Tetraophasis szechenyii I

四川: 6月14日, 康定雅江县, 12只[CLiang];

Sichuan: 12 at Yajiang, Kangding on 14 June [CLiang].

#### 0007# 石鸡 Chukar Alectoris chukar

内蒙古: 7月9日, 贺兰山自然保护区, 4只[BA];

北京: 3月27日, 密云白河峡谷, 1只[LJY], 北京十渡有比较稳定的记录;

宁夏: 10月2日, 青铜峡鸟岛, 8只[LiX];

新疆: 3月28日, 吉木莎尔卡拉麦里保护区, 1只[MM]; 7月12日, 莎车至喀什, 5只 [MCW et al.]; 8月16日, 库尔勒北边, 巴仑台附近, 1只[PH]; 9月13日, 阿勒泰喀纳斯湖, 30只[GLQ]; 10月8日, 阿图什至乌什沿线, 15只[GJun]; 10月22日, 乌鲁木齐板房沟(南山), 3只[GJun];

Nei Mongol: Four at Helanshan NR on 9 July [BA].

Beijing: One at Baihe Valley, Miyun on 27 March [LJY]. Birds were frequently recorded at Shidu:

Ningxia: Eight at Niaodao, Oingtongxia on 2 October [LiX].

Xinjiang: One at Kalamaili NR, Jimsar on 28 March [MM]. five between Shache and Kashi on 12 July [MCW et al.]. one near Baluntai, north of Korla on 16 August [PH]. 30 at Kanas Hu, Altay on 13 September [GLQ]. 15 between Artux and Wushi on 8 October [GJun]. three at Nanshan, Urumqi on 22 December [GJun].

#### 0009# 中华鹧鸪 Chinese Francolin Francolinus pintadeanus

福建: 4月24日, 厦门万石植物园, 1只[HZY]; 6月11日, 莆田东圳水库, 1只 [XMBWS];

广东: 2月9日,广州石门国家森林公园, 3只[DJT], 5月1日, 郁南同乐大山保护区, 1只[LXD], 5月20日,增城永安镇公安村, 3只[SY];

海南: 7月6日, 三亚南山, 1只[YZD]; 11月12日, 东方大田保护区, 1只[WJY];

云南: 4月11日, 开远西山华西村林地, 1只[LYang]; 6月7日, 个旧宝华公园, 4只 [WC]; 7月24日, 开远长沟, 1只[LYang];

Fujian: Singles at Wanshi BG, Xiamen on 24 April [HZY] and Dongzhen Reservoir, Putian on 11 June [XMBWS].

Guangdong: Three at Shimen NFP, Guangzhou on 9 February [DJT], one at Dashan NR, Tongle, Yu'nan on 1 May [LXD] and three at Gong'an, Yong'an, Zengcheng on 20 May [SY].

Yunnan: One at Huaxicun, Xishan, Kaiyuan on 11 April [LYang], four at Baohua Park, Gejiu on 7 June [WC] and one at Changgou, Kaiyuan on 24 July [LYang].

Hainan: Singles at Nanshan, Sanya on 6 July [YZD] and Datian NR, Dongfang on 12 November [WJY].

#### 0011# 斑翅山鹑 Daurian Partridge Perdix dauuricae

吉林: 6月3日, 通榆向海自然保护区, 6只[PH et al.];

北京: 11月5日,延庆妫水河沿岸,15只[WC];

山西: 1月9日, 盂县藏山, 7只[GJJ];

青海:7月24日,玛可河林场,1只[WQ];7月21日,玛沁到班玛沿线,2只[ZYong];8

月8日, 西宁北山, 4只[CLiang];

Jilin: Six at Xianghai NR, Tonggu on 3 June [PH et al.].

Beijing: 15 along the Guishuihe, Yanging on 5 November [WC].

Shanxi: Seven at Zangshan, Yuxian on 9 January [GJJ].

Qinghai: Two between Maqin and Banma on 21 July [ZYong]. one at Makehe FF on 24 July [WQ]. four at Beishan, Xining on 8 August [CLiang].

# 0012# 高原山鹑 Tibetan Partridge Perdix hodgsoniae

青海: 5月8日, 拉萨哲蚌寺, 4只[DJT]; 5月9日, 曲水雄色寺, 13只[DJT]; 5月10日, 扎囊桑耶镇青朴修行地, 5只[DJT]; 5月21日, 拉萨哲蚌寺, 4只[DJT]; 6月10日, 囊 谦, 6只[TJ];

西藏: 6月23日, 拉萨甘丹寺, 2只[ZGF et al.], 7月28日, 玉树尕尔寺, 2只[KHL], 8月10日, 久治, 1只[ZGF et al.], 9月21日, 青海湖黑马河, 10只[PH], 12月21日, 日喀则地区, 83只[ZGF et al.],

Qinghai: Six at Nangqian on 10 June [YJ], two at Ga'er Si, Yushu on 28 July [KHL], one at Jiuzhi on 10 August [ZGF et al.] and ten at Heimahe, Koko Nur on 21 September [PH].

Tibet: Four at Zhebang Si, Lhasa on 8 and 21 May [DJT], 13 at Xiongse Si, Qushui on 9 May [DJT], five at Qingpu, Sangye, Zanang on 10 May [DJT], two at Gandan Si, Lhasa on 23 June [ZGF et al.] and 83 at Rikaze on 21 December [ZGF et al.].

#### 0013# 鹌鹑 Common Quail Coturnix coturnix

新疆: 7月22日, 额敏 167团, 1只[GJun]; 7月23日, 额敏到铁厂沟沿线, 1只[GJun]; 8月7日, 塔什库尔于听到1只; 8月16日, 库尔勒听到1只[PH];

Xinjiang: One at'167 Corps.', Emin on 22 July [GJun]. one between Emin & Tiechang gou on 23 July [GJun]. one heard at Taxkorgan on 7 August; one heard at Korla on 16 August [PH].

### 0014# 日本鹌鹑 Japanese Quail Coturnix japonica

黑龙江/辽宁/北京/天津/河北/山东/河南/江西/上海/浙江均有记录,无重要记录。

Records received from Heilongjiang, Liaoning, Beijing, Tianjin, Hebei, Shandong, Henan, Jiangxi, Shanghai and Zhejiang. No significant records.

#### 0016# 环颈山鹧鸪 Common Hill Partridge Arborophila torqueola

四川: 10月12日, 攀枝花米易, 3只[QPJ];

云南: 12月29~31日, 高黎贡山百花岭, 分别2只和5只[PH];

Sichuan: Three at Miyi, Panzhihua on 12 October [QPJ].

Yunnan: Between two & five at Baihualing, Gaoligongshan during 29-31 December [PH].

#### 0017# 红喉山鹧鸪 Rufous-throated Partridge Arborophila rufogularis

云南: 12月3日, 高黎贡山百花岭, 2只[BA];

Yunnan: Two at Baihualing, Gaoligongshan on 3 December [BA].

#### 0022# 四川山鹧鸪 Sichuan Partridge Arborophila rufipectus EN I

四川: 4月22-24日, 屏山老君山, 定位到15个领域, 其中看到至少5只[BA];

Sichuan: At least 15 duetting pairs were heard and five individuals seen at Laojunshan, Pingshan during 22-24 April [BA].

#### 0023# 白眉山鹧鸪 White-necklaced Partridge Arborophila gingica VU

江西: 4月8-10日, 铅山武夷山自然保护区, 11只[BA]; 11月1日, 九连山自然保护区, 听见1只[RWL et al.];

福建: 10月8日, 明溪均峰山, 1只[XMBWS];

Jiangxi: 11 at Wuyishan NR, Yanshan during 8-10 April [BA] and one heard at Jiulianshan NR on 1 November [RWL et al.].

Fujian: One at Junfeng Shan, Mingxi on 8 October [XMBWS].

#### 0024# 海南山鹧鸪 Hainan Partridge Arborophila ardens VU

海南: 1月15-16日, 昌江霸王岭自然保护区, 数群, 最大一群数量10只[BA]; 2月1日, 乐东尖峰岭保护区, 1只[YCC]; 5月12日, 琼中鹦哥岭青介, 4只[YCC];

Hainan: Several flocks, with 10 being the largest, at Bawangling NR on 15-16 January [BA]. one at Jianfengling NR, Ledong on 1 February [YCC]. four at Qingjie, Yinggelin, Qiongzhong on 12 May [YCC].

# 0025# 绿脚山鹧鸪 Scaly-breasted Partridge Arborophila charltonii

云南: 2月5日, 西双版纳野象谷, 小群[RJ];

Yunnan: A small flock at Wild Elephant Valley on 5 Feburary [RJ].

#### 0026# 棕胸竹鸡 Mountain Bamboo Partridge Bambusicola fytchii

云南: 2月20日, 开远长沟, 1只[LYang]; 5月8日, 个旧马吃水前后山, 1只[WC]; 6月7日, 个旧宝华公园, 3只[WC]; 11月26日, 腾冲来凤山森林公园, 1只[ZYong];

Yunnan: Singles at Changgou, Kaiyuan on 20 February [LYang] and in the west mountain area of Gejiu on 8 May [WC], three at Baohua Park, Gejiu on 7 June [WC] and one at the Laifeng Shan FP, Tengchong on 26 November [ZYong].

#### 0027# 灰胸竹鸡 Chinese Bamboo Partridge Bambusicola thoracica

安徽/福建/广东/广西/贵州/湖北/湖南/江苏/江西/陕西/四川/浙江均有记录,无重要记录。

Relatively insignificant records were received from Anhui, Fujian, Guangdong, Guangxi, Guizhou, Hubei, Hunan, Jiangsu, Jiangxi, Shaanxi, Sichuan and Zhejiang.

#### 0028# 血雉 Blood Pheasant Ithaginis cruentus

陕西: 5月23日,6月9、10日,太白山森林公园,分别4只(全雄)、6只(5雄1雌)、4只(3雄1雌)[PHet al];

青海: 6月10日,玉树囊谦,4只[TJ];7月23日,班玛玛可河林场,4只[FZ];7月24日,班玛玛可河林场,8只[WQ];9月26日,互助北山,5只[PH];9月26日和27日,互助北山,分别6只和1只 [PH et al.].

四川:6月14日,康定雅江县,11只[CLiang];7月1日,米亚罗,鹧鸪山垭口,3只[PH et al.];10月23日,康定新都桥,20只[DK];

西藏: 5月14日, 林芝地区, 9只[DJT]; 5月28日, 林芝墨脱, 5只[ZGF et al.]; 12月21日, 日喀则地区, 18只[ZGF et al.];

Shaanxi: Four (all males), six (five males one female) and four (three males one female) at Taibaishan FP on 23 May, 9th and 10 June respectively [PH et al.].

Qinghai: Four at Nangqian, Yushu on 10 June [TJ]. four at Makehe FF, Banma on 23 July [FZ].

eight at Makehe FF, Banma on 24 July [WQ]. five at Beishan, Hu zhu on 26 September.[PH]; six & one at Huzhu Beishan on 26th & 27 September respectively [PH et al.].

Sichuan: 11 at Yajiang, Kangding on 14 June [CLiang]. three on the Zhegushan Pass above Miyaluo on 1 July [PH et al.]. 20 at Xindu Bridge, Kangding on 23 October [DK].

Tibet: Nine at Linzhi on 14 May [DJT]. five at Motuo, Linzhi on 28 May [ZGF et al.]. 18 at Rikaze on 21 December [ZGF et al.].

#### 0030# 红胸角雉 Satyr Tragopan Tragopan satyra I

西藏: 12月21日, 日喀则地区, 4只[ZGF et al.];

Tibet: Four at Rikaze on 21 December [ZGF et al.].

#### 0032# 红腹角雉 Temminck's Tragopan Tragopan temminckii

陕西: 1月19日, 佛坪三官庙, 2只[LY], 5月底-6月初的六天里, 太白山森林公园,  $1\sim 3$ 只[PH et al.]:

四川: 4月22-24日, 屏山老君山, 4只[BA]; 5月22日, 汶川卧龙五一棚, 2只[DK]; 云南: 12月2-3日, 高黎贡山百花岭, 2雌[BA];

Shaanxi: Two at Sanguanmiao, Foping on 19 January [LY]. at Taibaishan FP between one & three birds were noted on six dates in late May-early June [PH et al.].

Sichuan: Two at Wuyipeng, Wolong, Wenchuan on 22 May [DK]. four at Laojunshan, Pingshan between 22 and 24 April [BA].

Yunnan: Two females at Baihualing, Gaoligongshan on 2-3 December [BA]

#### 0033# 黄腹角雉 Cabot's Tragopan Tragopan caboti VU I

江西: 5月9日, 铅山武夷山自然保护区, 7只[YCC];

福建: 12月6-7日, 武夷山自然保护区, 4只[FJBWS];

Jiangxi: Seven at Wuyishan NR, Yanshan on 9 May [YCC].

Fujian: Four at Wuyishan NR, Yanshan on 6-7 December [FJBWS].

#### 0034# 勺鸡 Koklass Pheasant Pucrasia macrolopha

北京: 6月12日, 白草畔, 1只[LiX]; 7月2日, 门头沟区百花山, 1只[LHY]; 8月14日, 小龙门林场, 20只[LJQ];

河北: 5月19日,秦皇岛祖山森林公园,5只[PH et al.];5月28日,兴隆雾灵山保护区,1只[LHY];5月31日,同一地点,2只[PH et al.];

安徽: 5月29日, 石台县仙寓山, 1只[ZYu];

浙江: 4月26-28日, 天目山, 听到10只[BP et al.];

江西: 5月9日,铅山武夷山自然保护区,1只[YCC];

陕西: 1月19日, 佛坪三官庙, 1只[LY], 6月8日, 太白山森林公园, 红河谷, 1只 [PH et al.].

四川:6月26日-28日,卧龙,每日平均1-2只[PH et al.];7月4日,九寨沟自然保护区,1只[PH et al.];8月31日,青川唐家河自然保护区,1只[QPJ];10月22日,汶川卧龙自然保护区,1只[LS];

Beijing: One at Baicaopan on 12 June [LiX], one at Baihua Shan, Mentougou on 2 July [LHY].

20 at Xiaolongmen FF on 14 August [LJQ].

Hebei: Five at Old Peak FP, Qinhuangdao on 19 May [PH et al.]. one & two at Wulingshan NR, Xinglong on 28th [LHY] & 31 May [PH et al.].

Anhui: One at Xianyu Shan, Shitai on 29 May [ZYu].

Zhejiang: Ten heard at Tianmushan on 26-28 April [BP et al.].

Jiangxi: One at Wuyishan Shan NR, Qianshan on 9 May [YCC].

Shaanxi; One at Sanguanmiao, Foping on 19 January [LY]. one above Honghegu, Taibaishan FP on 8 June [PH et al.].

Sichuan: One or two daily at Wolong 26-28 June; one at Jiuzhaigou NP on 4 July [PH et al.]. one at Tangjiahe NR, Qingchuan on 31 August [QPJ]. one at Wolong NR, Wenchuan on 22 October [LS].

#### 0035# 棕尾虹雉 Himalayan Monal Lophophorus impejanus I

西藏: 5月28日, 林芝墨脱, 1只[ZGF et al.];

Tibet: one at Motuo, Linzhi on 28 May [ZGF et al.].

#### 0037# 绿尾虹雉 Chinese Monal Lophophorus lhuvsii VUI

四川: 6月27日, 巴郎山, 4只[PH]; 12月5日, 若尔盖巴西, 1只[SY];

Sichuan: Four at Balangshan Pass on 27 June [PH] and one at Baxi, Ruoergai, on 5 December [SY].

#### 0038# 原鸡 Red Junglefowl Gallus gallus

广东: 5月1日, 郁南同乐大山保护区, 2只[LXD], 广东省罕见的记录, 可能是雷州半岛分布区以外的第一笔记录;

海南: 11月9日, 昌江霸王岭自然保护区, 2只[WJY]; 11月12日, 东方大田保护区, 1只[WJY]; 5月12日, 琼中鹦哥岭青介, 1只[YCC];

云南: 4月18日, 沧源孟定, 1只[OB]; 7月25日, 个旧绿水河, 2只[WC];

Guangdong: Two at Dashan NR, Tongle, Yu / nan on 1 May [LXD], a rare record for the province and the first away from the Leizhou Peninsular.

Yunnan: One at Mengding, Changyuan on 18 April [OB] and two at Lushuihe, Gejiu on 25 July [WC].

Hainan: One at Qingjie, Yinggelin, Qiongzhong on 12 May [YCC], two at BawanglingNR, Changjiang on 9 November [WJY] and one at Dongfang Datian NR on 12 November [WJY].

#### 0039# 黑鹇 Kalij Pheasant Lophura leucomelanos

西藏: 5月28日,林芝墨脱,1只[ZGF et al.]; 12月13日,林芝地区,1只[ZGF et al.]; 12月21日,日喀则地区,24只[ZGF et al.].

Tibet: Singles at Motuo, Linzhi on 28 May [ZGF et al.] and at Linzhi on 13 December [ZGF et al.] and an impressive 24 at Rikaze on 21 December [ZGF et al.].

#### 0040# 白鹇 Silver Pheasant Lophura nycthemera

安徽: 8月10日, 祁门牯牛降自然保护区, 2只[WJ];

浙江: 7月30日, 泰顺乌岩岭, 1只[GX];

江西: 5月9日, 铅山武夷山自然保护区, 3只[YCC]; 12月18日, 婺源, 1只[HZY];

福建: 10月8日, 明溪均峰山, 1只[XMBWS]; 12月8日, 建瓯万木林保护区, 10只

[ZJ]; 12月9日, 福州森林公园, 2只[ZJ];

广东: 12月3日,广州石门国家森林公园,4只[GGW];

广西: 10月8日, 桂林猫儿山, 5只[JAW];

海南: 1月15日, 昌江霸王岭自然保护区, 1雄2雌[BA]; 11月9日, 昌江霸王岭自然保

护区, 2只[WJY];

云南: 3月22、23日, 高黎贡山百花岭有单只的记录, 3月24日, 高黎贡山南亢亦有单只[MK]:

Anhui: Two at Guniujiang NR, Qimen on 10 August [WJ].

Zhejiang: One at Wuyanling, Taishun on 30 July [GX].

Jiangxi: Three at Wuyishan NR, Yanshan on 9 May [YCC] and one at Wuyuan on 18 December [HZY].

Fujian: One at Junfeng Shan, Mingxi on 8 October [XMBWS], ten at Wanmulin NR, Jian'ou on 8 December [ZJ] and two at Fuzhou FP on 9 December [ZJ].

Guangdong: Four at Shimen NFP, Guangzhou on 3 December [GGW].

Guangxi: Five at Mao'er Shan, Guilin on 8 October [JAW].

Hainan: A male and two females at Bawangling NR on 15 January [BA] and two there on 9 November [WJY].

Yunnan: Single males at Baihauling, Gaoligongshan on 22 and 23 March, and another at Nankang NR, Gaoligongshan on 24 March [MK].

#### 0042# 藏马鸡 Tibetan Eared Pheasant Crossoptilon harmani

西藏: 5月9日, 曲水雄色寺, 12只[DJT]; 5月10日, 扎囊桑耶镇青朴修行地, 3只 [DJT]; 5月14日, 林芝地区, 1只[DJT]; 12月21日, 日喀则地区, 31只[ZGF et al.]; Tibet: 12 at Xiongse Si, Qushui on 9 May [DJT], three at Qingpu, Sangye, Zhanang on 10 May [DJT], one at Linzhi on 14 May [DJT] and 31 at Rikaze on 21 December [ZGF et al.].

#### 0043# 白马鸡 White Eared Pheasant Crossoptilon crossoptilon

青海: 7月28日, 玉树尕尔寺, 2只[KHL]; 6月10日, 玉树囊谦, 2只[TJ];

四川: 5月1日,成都到若尔盖沿线,1只[YL];6月14日,康定雅江县,1只[CLiang];6月27日,巴郎山中山地带,9只[PH et al.];7月3日,由若尔盖到九寨沟之间的巴西路上,1只[PH et al.];9月16日,理县孟屯,2只[SY];

Qinghai: Two at Gaer Si, Yushu on 28 July [KHL]. two at Nangqian, Yushu on 10 June [TJ]. Sichuan: One between Chengdu & Ruoergai on 1 May [YL]. one at Yajiang, Kangding on 14 June [CLiang]. nine on the middle slopes of the Balangshan Pass, Wolong on 27 June [PH et al.]. one on the Baxi road between Ruoergai & Jiuzhaigou on 3 July [PH et al.]. two at Mengtun, Lixian On 16 September [SY].

#### 0044# 褐马鸡 Brown Eared Pheasant Crossoptilon mantchuricum VU I

北京: 8月14日,门头沟小龙门林场,1只[LJQ]:目击记录在北京/山西应该还有更多,

只是没有提交记录。

Beijing: One at Xiaolongmen FF, Mentougou on 14 August [LJQ] was the only report received.

#### 0045# 蓝马鸡 Blue Eared Pheasant Crossoptilon auritum

内蒙古: 7月9日, 贺兰山自然保护区, 2只; 7月10日, 贺兰山南寺, 3只[BA];

青海:7月23日,班玛玛可河林场,14只[WQ];9月25日和27日,互助北山,分别19只和2只[PH et al.].

四川: 5月3日, 若尔盖, 14只[YL]: 6月25日, 平武王郎自然保护区, 6只[LS];

Nei Mongol: Four at Helanshan NR on 9 July & three at Nan Si, Helanshan the next day [BA]. Qinghai: 14 at Makehe FF, Banma on 23 July [WQ]. 19 & two at Huzhu Beishan on 25th & 27 September respectively [PH et al.].

Sichuan: 14 at Ruoergai, Ma'erkang on 3 May [YL]. six at Wanglang NR, Pingwu on 25 June [LS].

#### 0046# 白颈长尾雉 Elliot's Pheasant Syrmaticus ellioti VU I

江西: 1月29-30日, 武夷山自然保护区, 1雄1雌[GJ]: 12月18日, 婺源, 1只[HZY].

Jiangxi: A male and a female at Wuyishan NR on 29-30 January [GJ] and one at Wuyuan on 18 December [HZY].

# 0047# 黑颈长尾雉 Hume's Pheasant Syrmaticus humiae VU

云南: 3月23日, 高黎贡山百花岭, 2只[MK & RWL];

Yunnan: Two at Baihualing, Gaoligongshan on 23 March [MK & RWL].

#### 0049# 白冠长尾雉 Reeves's Pheasant Syrmaticus reevesii VU

河南:全年在罗山董寨自然保护区有稳定记录。其他地区记录:4月12日,信阳鸡公山,2只[LY];

湖北: 1月15日,大悟仙居顶林场,3只[TXD];4月14日,广水中华山国家森林公园,6只[LY];4月17日,大悟仙居顶林场,10只[LY];

陕西: 1月11日, 佛坪瓦寨子村, 13只[LY];

Henan: Regularly reported from Dongzhai NR. Other records included: two at Jigong Shan, Xinyang on 12 April [LY].

Hubei: Three at Xianjuding FF, Dawu on 15 January [TXD], six at Zhonghuashan NFP, Guangshui on 4 April [LY] and ten at Xianjuding FF, Dawu on 17 April [LY].

Shaanxi: 13 at Wazaizi, Foping on 11 January [LY].

#### 0050# 雉鸡 Common Pheasant Phasianus colchicus

在其分布区内有广泛记录。

Widespread with no noteworthy reports.

#### 0051# 红腹锦鸡 Golden Pheasant Chrysolophus pictus

陕西: 1月19日, 佛坪三官庙, 65只[LY]; 5月27日, 太白山森林公园, 听见30只

### [BA];

四川: 4月9日,平武老河沟林场,1只[LS];6月29日,卧龙沙湾,2只[PH et al.];8月31日,青川唐家河自然保护区,5只[QPJ];10月22日,卧龙自然保护区,7只[LS];广西:10月8日,桂林猫儿山,1只[JAW];

Shaanxi: High counts included a massive 65 at Sanguanmiao, Foping on 19 January [LY] & 30 heard at Taibaishan FP on 27 May [BA].

Sichuan: One at Laohegou FF, Pingwu on 9 April [LS]. two at Sha Wan, Wolong on 29 June [PH et al.]. five at Tangjiahe NR, Qinghe on 31 August [QPJ]. seven at Wolong NR on 22 October [LS].

Guangxi: One at Maoer Shan, Guilin on 8 October [JAW].

#### 0052# 白腹锦鸡 Lady Amherst's Pheasant Chrysolophus amherstiae

四川: 5月23日, 木里瓦厂区林场, 1只[SXL]; 6月23日, 峨眉山, 2只[PH];

云南: 10月9日, 剑川石宝山, 1对[JHo & JW].

Sichuan: One at Wachangqu FF, Muli on 23 May [SXL]. two near Xixiangchi, Emei Shan on 23 June [PH et al.].

Yunnan: One pair at Shibaoshan, Jianchuan on 9 October [JHo & JW].

#### 0054# 海南孔雀雉 Hainan Peacock Pheasant Polyplectron katsumatae I

海南: 2月1日, 乐东尖峰岭保护区, 1只[YCC]; 3月11日, 乐东尖峰岭保护区, 2只[YCC]; 8月22日, 昌江霸王岭自然保护区, 2只[YCC];

Hainan: One at Jianfengling NR, Ledong on 1 February [YCC], two there on 11 March [YCC] and two at Bawangling, Changjiang on 22 August [YCC].

#### 0059# 黑琴鸡 Black Grouse Tetrao tetrix

内蒙古: 10月4日,阿尔山国家森林公园,1只[WQ];

Nei Mongol: One at Aershan NFP on 4 October [WQ]

#### 0062# 花尾榛鸡 Hazel Grouse Tetrastes bonasia

内蒙古: 10月5日, 阿尔山国家森林公园, 10只[WQ];

黑龙江: 9月30日, 伊春带岭碧水保护区, 6只[WXL], 10月2日, 伊春带岭永翠河, 1只[WXL],

辽宁: 12月29日, 宽甸白石砬子保护区, 5只[BQQ].

Nei Mongol: Ten at Aershan NFP on 5 October [WQ].

Heilongjiang: Six at Bishui NR, Dailing, Yichun on 30 September [WXL] and one at Yongcui He, Dailing, Yichun on 2 October [WXL].

Liaoning: Five at Baishilazi NR, Kuandian on 29 December [BQQ].

# 0063# 斑尾榛鸡 Chinese Grouse Tetrastes sewerzowi I

青海: 7月23日, 班玛玛可河林场, 6只[WQ], 7月28日, 玉树尕尔寺, 7只[KHL], 9月25-27日, 互助北山, 8只[PH];

四川: 7月7日, 平武王郎自然保护区, 3只[LS];

Qinghai: Six at Makehe FF, Banma on 23 July [WQ], seven at Gaer Si, Yushu on 28 July [KHL] and eight at Huzhubeishan between 25 and 27 September [PH].

Sichuan: Three at Wanglang NR, Pingwu on 7 July [LS].

#### 雁形目 ANSERIFORMES> 鸭科 Anatidae

#### 0064# 栗树鸭 Lesser Whistling Duck Dendrocvgna javanica

海南: 1月8日, 白沙县, 120只[LG]; 3月6日, 琼中湾岭镇古月山庄, 600只[YCC]; Hainan: 120 at Baisha on 8 January [LG] and 600 at Guyue Shanzhuang (Guyue Villa), Wanling Zhen, Qiongzhong on 6 March [YCC].

#### 0066# 疣鼻天鹅 Mute Swan Cygnus olor

山东: 2月6日, 黄河三角洲自然保护区, 83只[SK];

四川: 12月4日, 红原瓦切, 5只, 向若尔盖方向飞[SY]:

新疆: 7月24日, 福海乌伦古湖, 1只[GJun];

Shandong: Easily the largest count of the year was 83 at Yellow River Delta NR on 6 February [SK].

Sichuan: Five at Waqie, Hongyuan & flying towards Ruoergai, on 4 December [SY].

Xinjiang: One at Ulungur Hu, Fuhai on 24 July [GJun].

#### 0067# 大天鹅 Whooper Swan Cygnus cygnus

较重要的记录有:

北京: 3月17日, 密云水库, 205只[PH & WQY], 延庆野鸭湖: 3月19日, 243只 [CYZ]; 4月2日, 100只[BA];

山东: 3月6日, 黄河三角洲自然保护区, 1000只, 11月10日, 800只[CHY];

河南: 2月10日, 三门峡水库, 280只[DQ]:

新疆: 5月2日, 和静巴音布鲁克, 150只[GJun];

Notable records were:

Beijing: 205 on Miyun Reservoir on 17 March [PH & WQY]. 243 at Wild Duck Lake, Yanqing on 19 March [CYZ] with 100 still there on 2 April [BA].

Shandong: 1000 at Yellow River Delta NR on 6 March & 800 there on 10 November [CHY].

Henan: 280 at Sanmenxia Reservoir on 10 February [DQ].

Xinjiang: 150 at Bayinbuluk, Hejing on 2 May [GJun].

#### 0068# 小天鹅 Tundra Swan Cygnus columbianus

山东: 3月9日, 黄河三角洲自然保护区, 1100只[SK];

安徽: 2月16日, 枞阳县枫沙湖, 2056只, 枞阳县白荡湖, 8760只; 2月17日, 武昌湖, 2040只; 2月18-20日, 升金湖自然保护区, 5429只; 2月23日, 宿松县大官湖, 2305只 [WWF-Chinal:

湖南: 2月15-24日, 东洞庭湖国家级自然保护区, 390只[WWF-China];

江西: 2月15-17日,鄱阳湖国家级自然保护区,3497只,2月17日-24日,鄱阳湖九江部分,14559只,2月16日-24日,鄱阳湖南昌部分,22716只,2月18-23日,鄱阳湖上饶部

分, 2071只[WWF-China]; 2月25日, 南矶山保护区, 10000只[CLiang];

福建: 12月4日, 闽江口, 1成2幼[FJBWS];

Shandong: 1100 at Yellow River Delta NR on 9 March [SK].

Anhui: Counts of 2056 at Fengshahu and 8760 at Baidanghu, Zongyang on 16 February, 2040 at Wuchanghu, Wangjiang on 17 February; 5429 at Shengjinhu NR during 18-20 February and 2305 at Daguanhu, Susong on 23 February [WWF-China].

Hunan: 390 at East Dongting Hu NR during 15-24 February [WWF-China].

Jiangxi: Counts of 3497 at Poyang Hu NR during 15-17 February, 14,599 at Jiujiang, Poyang Hu during 17-24 February, 22,716 at Nanchang, Poyang Hu during 16-24 February, 2071 at Shangrao, Poyang Hu during 18-23 February [WWF-China] and 10,000 at Nanjishan NR on 25 February [CLiang].

Fujian: An adult and two juveniles at Minjiang estuary on 4 December [FJBWS].

#### 0069# 鸿雁 Swan Goose Anser cygnoides EN

吉林:通榆向海自然保护区,6月3日,83只,10月5日和7日,分别59只和5只,10月8日,镇赉莫莫格保护区,2只[PH];

北京; 4月2日, 延庆野鸭湖, 40只[BA];

安徽: 2月16日, 枞阳县枫沙湖, 4947只, 枞阳县白荡湖, 870只; 2月18-20日, 升金湖自然保护区, 24211只; 2月20-22日, 菜子湖自然保护区, 7002只[WWF-China];

湖北: 2月22-24日, 阳新县网湖, 1260只[WWF-China];

湖南: 12月4-6日, 洞庭湖国家级自然保护区, 至少10只[RWL & MK];

江西: 2月15-17日,鄱阳湖国家级自然保护区,14348只,2月17日-24日,鄱阳湖九江部分,2319只,2月16日-24日,鄱阳湖南昌部分,5354只[WWF-China],2月25日,南矶山保护区,3000只[CLiang],

福建: 1月8日, 闽江口, 450只[JHD]: 10月30日, 闽江口, 6只[FJBWS]:

Jilin: At Xianghai NR, Tongyu there were 83 on 3 June and 59 & five on 5th & 7 October respectively; two at Melmeg NR, Zhenlai on 8 October [PH].

Beijing: 40 at Wild Duck Lake, Yanging on 2 April [BA].

Anhui: Counts of 4947 at Fengshahu and 870 at Baidanghu, Zongyang on 16 February; 24,211 at Shengjinhu NR during 18-20 February and 7002 at Caizihu NR during 20-22 February [WWF-China].

Hubei: 1260 at Wang Hu, Yangxin during 22-24 February [WWF-China].

Hunan: A total of ten at Dongting Hu NR on 4 - 6 December [RWL & MK].

Jiangxi: Counts of 14,348 at Poyang Hu NR during 15-17 February;2319 at Jiujiang, Poyang Hu during 17-24 February;5354 at Nanchang, Poyang Hu during 16-24 February [WWF-China], and 3000 at Nanjishan NR on 25 February [CLiang].

Fujian: 450 at Minjiang estuary on 8 January [JHD] and six at Minjiang estuary on 30 October [FJBWS].

# 0070# 豆雁 Bean Goose Anser fabalis

吉林: 10月5-7日,通榆向海自然保护区,最大数量400只,其中一只为serrirostris亚种,其余为middendorffii亚种;10月8日,镇赉莫莫格保护区,610只[PH];

辽宁: 3月16日, 东港合隆水库, 300只[BQQ];

北京; 4月2日, 延庆野鸭湖, 100只[BA]; 11月26日, 密云水库, 1000只[LY];

山东: 2月10日,莱州河套水库,3648只[ZXX]; 3月5-24日,黄河三角洲自然保护区有记录,最大数量1040只[SK];

河南: 孟津黄河湿地保护区: 1月1日, 2300只[CM]; 2月10日, 800只[DQ]; 3月1日, 2000只; 3月9日, 1000只[MCH];

安徽: 2月18-20日, 升金湖自然保护区, 11233只; 2月25日, 望江县六户, 3500只; 2月20-22日, 菜子湖自然保护区, 1605只; 2月24日, 宿松县泊湖, 2065只; 2月24日, 宿松县黄湖, 29280只[WWF-China];

湖北: 2月22-24日,阳新县网湖,1650只,2月27-28日,黄陂武湖,1030只,3月1-2日,沉湖自然保护区,10061只[WWF-China],武汉沉湖,11月20日,440只,12月17日,4560只[TXD],

湖南: 2月15-24日, 东洞庭湖国家级自然保护区, 25166只[WWF-China]; 12月5日, 同一地点, 5000只[RWL & MK];

江西: 2月17日-24日, 鄱阳湖九江部分, 951只; 2月16日-24日, 鄱阳湖南昌部分, 5132只; 2月18-23日, 鄱阳湖上饶部分, 10202只[WWF-China];

Jilin: Several flocks at Xianghai NR, Tongyu during 5-7 October with a peak day count of 400, all of the subspecies *middendorffii* except for one individual of the subspecies *serrirostris* [PH], also 610 at Melmeg NR, Zhenlai on 8 October [PH].

Liaoning: 300 at Helong Reservoir, Donggang on 16 March [BQQ].

Beijing: 100 at Wild Duck Lake, Yanqing on 2 April [BA] and 1000 at Miyun Reservoir on 26 November [LY].

Shandong: 3648 at Hetao Reservoir, Laizhou on 10 February [ZXX]. also recorded at Yellow River Delta NR during 5-24 March, with 1040 as the peak day count [SK].

Henan: At Yellow River Wetland NR, Mengjin, counts of 2300 on 1 January [CM], 800 on 10 February [DQ], 2000 on 1 March and 1000 on 9 March [MCH],

Anhui: Counts of 11,233 at Shengjinhu NR during 18-20 February, 3500 at Liuhu, Wangjiang on 25 February, 1605 at Caizihu NR during 20-22 February, 2065 at Bohu, Susong on 24 February, and 29,280 at Huanghu, Susong on 24 February [WWF-China].

Hubei: Counts of 1650 at Wang Hu, Yangxin during 22-24 February, 1030 at Wu Hu, Huangpi on 27-28 February and 10,061 at Chen Hu NR on 1-2 March [WWF-China]. also 440 at Chen Hu, Wuhan on 20 November and 4560 there on 17 December [TXD].

Hunan: 25,166 counted at East Dongting Hu NR during 15-24 February [WWF-China]. also 5000 there on 5 December [RWL & MK].

Jiangxi: Counts of 951 at Jiujiang, Poyang Hu during 17-24 February, 5132 at Nanchang, Poyang Hu during 16-24 February, and 10,202 at Shangrao, Poyang Hu during 18-23 February [WWF-China].

# 0071# 白额雁 Greater White-fronted Goose Anser albifrons

黑龙江:5月12日,齐齐哈尔长沟乡,2000只[LJY];

吉林: 10月5-7日,通榆向海自然保护区,一天最大数量2400只;10月8日,镇赉莫莫格保护区,19只[PH];

内蒙古: 10月4日, 图牧吉, 50只[PH].

湖北: 2月22-24日, 阳新县网湖, 1125只, 3月1-2日, 沉湖自然保护区, 225只[WWF-China];

湖南: 2月15-24日, 东洞庭湖国家级自然保护区, 9495只[WWF-China];

江西: 2月15-17日,鄱阳湖国家级自然保护区,6638只;2月17日-24日,鄱阳湖九江部分,5583只;2月16日-24日,鄱阳湖南昌部分,1101只;2月18-23日,鄱阳湖上饶部分,2280只[WWF-China];

四川: 11月26日, 广汉鸭子河, 2只[CLiang], 可能是四川首笔记录;

Heilongjiang: 2000 at Changgouxiang, Qiqiha er on 12 May [LJY].

Jilin: Several flocks at Xianghai NR, Tongyu during 5-7 October with a peak day count of 2400; also 19 at Melmeg NR, Zhenlai on 8 October [PH].

Nei Mongol: 50 at Tumuji on 4 October [PH].

Hubei: 1125 at Wang Hu, Yangxin during 22-24 February and 225 at Chen Hu NR on 1-2 March [WWF-China].

Hunan: 9495 at East Dongting Hu NR during 15-24 February [WWF-China].

Jiangxi: Counts of 6638 at Poyang Hu NR during 15-17 February; 5583 at Jiujiang, Poyang Hu during 17-24 February, 1101 at Nanchang, Poyang Hu during 16-24 February and 2280 at Shangrao, Poyang Hu during 18-23 February [WWF-China].

Sichuan: Two at Yazi He, Guanghan on 26 November [CLiang], possibly the first record for the province.

#### 0072# 小白额雁 Lesser White-fronted Goose Anser erythropus VU

吉林: 10月5-7日,通榆向海自然保护区,18只;10月8日,镇赉莫莫格保护区,22只[PH];

辽宁: 3月16日, 东港合隆水库, 168只; 4月7日, 丹东鸭绿江, 1只[BQQ];

北京: 4月3日,延庆野鸭湖,1只[LHY];

河北:北戴河:4月2日,1只[ZJ];5月7日,1只,[LJ];洋河口,5月11日,1只[CLiang],五月份的两笔记录不排除是逃逸个体的可能性。

湖南: 2月15-24日, 东洞庭湖国家级自然保护区, 8636只[WWF-China]; 12月3-6日, 同一地点,至少2000只。

江西: 1月19日,鄱阳湖自然保护区,2只[PH].

Jilin: 18 at Xianghai NR, Tongyu during 5-7 October and 22 at Melmeg NR, Zhenlai on 8 October [PH].

Liaoning: 168 at Helong Reservoir, Donggang on 16 March and one at Yalu Jiang, Dandong on 7 April [BOO].

Beijing: One at Wild Duck Lake, Yanging on 3 April [LHY].

Hebei: Singles at Beidaihe on 2 April and 7 May [LJ] and at Yang He Estuary on 11 May [CLiang]. At least the latter two records relate to the same individual – a bird of possibly captive origin.

Hunan: 8636 at East Dongting Hu NR during 15-24 February [WWF-China] and a minimum of 2000 there during 3-6 December [RWL & MK].

Jiangxi: Two at Bang Hu, Poyang Hu NNR on 19 January [PH].

#### 0073# 灰雁 Grevlag Goose Anser anser

安徽: 2月24日, 宿松县黄湖, 1700只[WWF-China];

湖北: 2月15-16日, 洪湖自然保护区, 244只, 2月20-21日, 龙感湖自然保护区, 64只, [WWF-China],

湖南: 2月15-24日, 东洞庭湖国家级自然保护区, 195只[WWF-China];

江西: 2月17日-24日, 鄱阳湖九江部分, 195只, 2月16日-24日, 鄱阳湖南昌部分, 731 只[WWF-China];

四川: 若尔盖: 5月2日, 8只[YL]; 8月13日, 25只[WJY];

云南: 1月23日, 个旧莲花池, 7只[WC];

新疆: 3月20日, 昌吉五家渠沙河子水库, 2只; 5月5日, 博乐艾比湖, 12只; 7月24日, 阿勒泰北屯额尔齐斯河谷, 21只; 7月24日, 福海乌伦古湖, 15只[GJun]; 8月10日, 小海子水库, 40只; 8月11日, 阿克苏以南的上游水库, 180只; 8月12日, 阿克苏以南, 多浪水库和山立水库, 都是20只; 8月17日和20日, 博斯腾湖扬水站, 分别是12只和25只; 8月19日, 库尔勒以南, 71只, 其中, 44只在其阿拉水库, 27只在西尼尔水库[PH].10月29日, 石河子玛纳斯河谷, 100只[GJun];

Xinjiang: Two at Shahezi Reservoir, Wujiaqu, Changji on 20 March, 12 at Ebinur Hu, Bole on 5 May, 21 at Ertix Valley, Beitun, Altay on 24 July, 15 at Ulungur Hu, Fuhai on 24 July, and 100 at Manasi Valley, Shihezi on 29 October [GJun]. 40 at Xiaohaizi Reservoir on 10 August; 180 at Shangyou Reservoir, south of Aksu on 11 August; 20 on both Duolang & Shanli Reservoirs southeast of Aksu on 12 August; 12 & 25 at Yangshuizhan, Bosten Hu on 17th & 20 August respectively; 71 south of Korla on 19th August – with 44 on Qiala Reservoir & 27 on Xinier Reservoir [PH].

Anhui: 1700 at Huanghu, Susong on 24 February [WWF-China].

Hubei: 244 at Hong Hu NR on 15-16 February and 64 at Longgan Hu NR on 20-21 February [WWF-China].

Hunan: 195 at East Dongting Hu NR during 15-24 February [WWF-China].

Jiangxi: 195 at Jiujiang, Poyang Hu during 17-24 February and 731 at Nanchang, Poyang Hu during 16-24 February [WWF-China].

Sichuan: Eight at Ruoergai on 2 May [YL] and 25 there on 13 August [WJY].

Yunnan: Seven at Lianhuachi, Geiiu on 23 January [WC].

# 0074# 斑头雁 Bar-headed Goose Anser indicus

青海: 7月28日,青海湖,200只[RKY];7月21日,达日黄河滩,21只[ZYong];9月24日,80只[PH et al.]:

西藏: 1月16日, 拉萨拉鲁湿地, 30只[ZLY], 日喀则: 7月2日, 34只; 12月21日, 4063只[ZGF et al.];

四川: 8月13日, 若尔盖, 4只[WJY];

贵州: 威宁草海, 1月25日, 66只; 2月11日, 179只[YL];

云南: 2月12日,丽江拉市海,30只[WM];12月23日,同一地点,6只[RWL];11月19日,中甸纳帕海,100只[WC];

湖北: 3月1日, 沉湖自然保护区, 1只[WWF-China];

Qinghai: 200 at Koko Nur on 28 July [RKY] and 21 on the Yellow River at Dari on 21 July [ZYong] and 80 there on 24 September [PH et al.]

Tibet: 30 at Lalu Wetland, Lhasa on 16 January [ZLY], 34 at Rikaze on 2 July and 4063 there on 21 December [ZGF et al.].

Sichuan: Four at Ruoergai on 13 August [WJY].

Guizhou: 66 at Cao Hai, Weining on 25 January and 179 there on 11 February [YL].

Yunnan: 30 at Lashi Hai, Lijiang on 2 February [WM] and six there on 23 December [RWL]. also 100 at Napa Hai, Zhongdian on 19 November [WC].

Hubei: One at Chen Hu NR on 1 March [WWF-China].

#### 0079# 赤麻鸭 Ruddy Shelduck Tadorna ferruginea

数量较大的记录有:

吉林: 吉林市松花江市区江段, 2月3日, 222只[LiXD];

辽宁: 丹东沿鸭绿江景观路, 1月8日, 159只[BQQ];

北京: 2月3日, 密云水库, 350只[WQ], 延庆野鸭湖: 3月19日, 300只[CYZ], 11月6日, 300只[ZLi], 11月12日, 350只[TZ],

河南: 孟津黄河湿地保护区: 1月1日, 1000只[CM], 2月10日, 1500只[DQ], 3月1日,

800只, 3月9日, 500只[MCH];

安徽: 2月20-22日菜子湖自然保护区, 636只[WWF-China];

湖南: 12月3-6日, 岳阳东洞庭湖保护区, 720只[TXD, RWL & MK];

四川: 11月26日, 广汉鸭子河, 500只[CLiang];

青海: 9月24日, 青海湖, 320只[PH et al.].

贵州: 威宁草海: 2月11日, 344只, 4月9日, 121只[YL];

西藏: 1月16日, 拉鲁湿地, 100只[ZLY]; 12月21日, 日喀则, 5019只[ZGF et al.];

云南: 3月27日, 瑞丽西, 2只; 3月29日, 大盈江, 8只[MK]; 丽江拉市海: 2月12日,

200只[WM]; 11月28日, 100只[ZYong]; 中旬那帕海: 11月6日, 800只[JHo & JW];

12月23日,120只,12月28日,中旬附近海拔3000m处,28只[RWL];

新疆: 3月20日, 五家渠沙山子水库, 200只[GJun]; 8月9日, 喀什附近, 585只[PH];

Notable records were as fellows:

Jilin: 222 at Songhua Jiang, Jilin on 3 February [LiXD].

Liaoning: 159 at Jingguanlu, near Yalu Jiang, Dandong on 8 January [BQQ].

Beijing: 350 at Miyun Reservoir on 3 February [WQ], 300 at Wild Duck Lake, Yanqing on 19

March [CYZ], 300 there on 6 November [ZLi] and 350 on 12 November [TZ].

Henan: At Yellow River Wetland NR, Mengjin, 1000 on 1 January [CM], 1500 on 10

February [DO], 800 on 1 March and 500 on 9 March [MCH].

Anhui: 636 at Caizihu NR during 20-22 February [WWF-China].

Hunan: A peak day-count of 720 at East Dongting Hu, Yueyang during 3-6 December [TXD, RWL & MK].

Sichuan: 500 at Yazi He, Guanghan on 26 November [CLiang].

Qinghai: 320 at Koko Nur on 24 September [PH et al.].

Guizhou: 344 at Cao Hai, Weining on 11 February and 121 there on 9 April [YL].

Tibet: 100 at Lalu Wetland on 16 January [ZLY] and 5019 at Rikaze on 21 December [ZGF et

al.].

Yunnan: 200 at Lashi Hai, Lijiang on 12 February [WM], two west of Ruili on 27 March [MK], eight at Yingjiang River, Yingjiang on 29 March [MK], 800 at Napahai, Zhongdian on 6 November [JHo & JW], 100 at Lashi Hai, Lijiang on 28 November [ZYong], 120 there on 23 December [RWL] and still 28 at Zhongdian at an altitude in excess of 3000m on 28 December [RWL]

Xinjiang: 200 at Shashanzi Reservoir, Wujiaqu, Changji on 20 March [GJun] and 585 near Kashi on 9 August [PH].

#### 0081# 網鼻麻鸭 Common Shelduck Tadorna tadorna

辽宁: 丹东鸭绿江口湿地保护区, 10月16日, 97只[BQQ];

河北: 北戴河: 1月14日, 84只[WRQ]; 5月11日和12日, 乐亭快乐岛, 50只[PH et al.] 京唐港, 10月3日, 38只[ZLi];

北京: 昌平沙河水库, 4月17日, 20只[WRQ]; 延庆野鸭湖, 10月22日, 12只[ZLi];

天津: 汉沽沿海, 4月3日, 1000只[YY]; 上古林至汉沽, 4月9日, 400只[LHY]; 黄港

水库, 4月11日, 200只[WRQ]; 10月15日, 北大港海滨, 433只[LY];

河南: 孟津黄河湿地保护区, 1月2日, 37只[CM]; 2月10日, 20只[DQ];

上海: 崇明北湖, 12月10日, 800只[YJ];

湖南: 12月4-6日, 岳阳东洞庭湖保护区, 60只[RWL & MK];

青海: 9月24日, 青海湖, 320只[PH].

新疆:博乐艾比湖,5月5日,10只;昌吉五家渠八一水库,9月25日,12只[GJun];

Liaoning: 97 at Yalu Jiang Estuary Wetland NR, Dandong on 16 October [BQQ].

Hebei: 84 at Beidaihe on 14 January [WRQ] was probably an exceptional mid-winter count. More typical records 50 on Happy Island, Laoting on both 11th & 12 May [PH et al.]. 38 at Jingtanggang on 3 October [ZLi].

Beijing: 20 at Shahe Reservoir, Changping on 17 April [WRQ] and 12 at Wild Duck Lake, Yanqing on 22 October [ZLi].

Tianjin: 1000 on the coast at Hangu on 3 April [YY], 400 between Shanggulin and Hangu on 9 April [LHY] and 200 at Huanggang Reservoir on 11 April [WRQ] and 433 at coast of Beidagang on 15 October[LY].

Henan: 37 at Yellow River Wetland NR, Mengjin on 2 January [CM] and 20 there on 10 February [DQ].

Shanghai: 800 at Bei Hu, Chongming Dao on 10 December [YJ].

Hunan: A total of 60 at East Dongting Hu, Yueyang during 4-6 December [RWL & MK].

Qinghai: 320 at Koko Nur on 24 September [PH].

Xinjiang: 10 at Ebinur Hu, Bole on 5 May and 12 at Bayi Reservoir, Wujiaqu, Changji on 25 September [GJun].

# 0084# 鸳鸯 Mandarin Duck Aix galericulata

黑龙江:5月7日,伊春带岭凉水和北山,各2只[LJY];

吉林: 10月5日, 通榆, 向海自然保护区, 3只[PH];

辽宁: 3月29日, 宽甸双江河保护区, 4只[BQQ]:

北京: 密云、门头沟、昌平、延庆、怀柔、海淀等地均有记录,最大数量是,8月7日,密云白河峡谷,15只[ZJ];

河北: 5月1日, 北戴河新开河, 5只[BB et al.];

江西: 2月22日, 婺源鸳鸯湖, 633只[WWF-China]; 3月20日, 婺源, 500只[CJZ];

浙江: 12月18日, 杭州西湖, 70只[ZhuY];

贵州: 贵阳三江农场, 4月2日, 8只[YL];

云南: 昆明翠湖公园, 1月17日, 2只[WC];

Heilongjiang: Two at Liangshui and two at Beishan, Dailing, Yichun on 7 May [LJY].

Jilin: Three at Xianghai NR, Tongyu on 5 October [PH].

Liaoning: Four at Shuangjianghe NR, Kuandian on 29 March [BQQ].

Beijing: Frequently reported at several sites in Miyun, Mentougou, Changping, Yanqing, Huairo u. Haidian. The largest count were 15 at Baihe Valley on 7 Ausgut [ZJ].

Hebei: Five at Xinkai He Reservoir, Beidaihe on 1 May [BB et al.].

Jiangxi: 633 at Mandarin Duck Lake, Wuyuan on 22 February [WWF-China] and 500 at Wuyuan on 20 March [CJZ].

Zhejiang: 70 at Xi Hu, Hangzhou on 18 December [ZhuY].

Guizhou: Eight at Sanjiang Nongchang, Guiyang on 2 April [YL].

Yunnan: Two at Cui Hu Park, Kunming on 17 January [WC].

### 0085# 赤膀鸭 Gadwall Anas strepera

吉林:6月3日,通榆向海自然保护区,100只;10月5-7日,通榆向海自然保护区,一天最大数量10月5日600只;10月8日,镇赉莫莫格保护区,150只[PH];

北京: 10月30日,延庆野鸭湖,至少1000只[BA];

山东: 11月11日, 莱州河套水库, 263只[ZXX].

河南: 孟津黄河湿地保护区, 2月10日, 108只[DQ];

湖南: 12月4-6日, 岳阳东洞庭湖保护区, 24只[RWL & MK];

上海: 崇明北湖, 10月19日, 120只[WJY]; 崇明东滩, 10月30日, 220只[XL];

新疆: 8月12日, 阿克苏附近, 78只, 8月20日, 博斯腾湖, 76只[PH]; 8月14日, 昌吉

五家渠青格达湖, 200只[GJun]; 9月4日, 八一水库, 80只[GJun];

云南: 12月28日, 保山大海子水库, 90只[PH];

Jilin: At Xianghai NR, Tongyu 100 on 3 June & reasonable numbers during 5-7 October with 600 on 5th as the maximum day count; 150 at Melmeg NR, Zhenlai on 8 October [PH].

Beijing: At least 1000 at Wild Duck Lake, Yanqing on 30 October [BA].

Shandong: 263 at Hetao Reservoir, Laizhou on 11 November [ZXX].

Henan: 108 at Yellow River Wetland NR, Mengjin on 10 February [DQ].

Hunan: A total of 24 at East Dongting Hu, Yueyang on 4-6 December [RWL & MK].

Shanghai: 120 at Bei Hu, Chongming on 19 October [WJY]. 220 at Dongtan, Chongming on 30 October [XL].

Xinjiang: The highest counts were - 78 near Aksu on 12 August; 76 at Bosten Hu on 20 August [PH]. 200 at Qinggeda Hu, Wujiaqu, Changji on 14 August [GJun]. 80 at Bayi Reservoir on 4 September [GJun].

Yunnan: 90 at Dahaizi Reservoir, Baoshan on 28 December [PH].

# 0086# 罗纹鸭 Falcated Duck Anas falcata

吉林:通榆向海自然保护区,春季较小数目,比如:6月3日,4只,秋季逐渐增多,10月5日,6日,7日,分别是29只,7只和8只[PH].

辽宁: 3月26日, 盘锦双台子河口自然保护区, 12只[WRQ]; 3月28日, 丹东鸭绿江自然保护区, 50只; 3月31日, 东港合隆水库, 18只[BQQ];

河北: 9月29日, 碧海浴场, 20只[PH];

北京: 3月26日, 怀柔水库, 4只[WN]; 3月27日, 房山担马河, 2只[LHY]; 昌平沙河水库, 4月28日, 4只[WRQ]; 11月12日, 2只[QYX]; 延庆野鸭湖, 4月3日, 2只[LJY], 11月12日, 1只[TZ];

天津: 4月2日, 静海团泊洼水库, 14只[YY];

河南: 1月5日, 罗山石山口水库, 10只[LY], 孟津黄河湿地自然保护区, 2月12日, 50 只[ZJ], 3月9日, 17只[MCH];

山东: 2月25日, 黄河三角洲自然保护区, 1500只[SK];

江苏: 射阳盐城保护区, 12月13日, 500只[YLi]; 1月14日, 2500只[PH]

上海: 崇明东滩, 1月8日, 62只[WJY]; 10月30日, 15只[XL]; 11月20日, 80只; 12月18日, 310只[YJ]; 崇明北湖, 11月12日, 75只[YJ];

浙江:海宁东西湖: 11月12日, 330只[QH]; 11月24日, 2500只[XL]; 12月4日, 2500只[ZhuY];

湖北: 2月15-18日,梁子湖自然保护区,79只,2月18日,石首白暨豚自然保护区,154只,2月20日,公安县淤泥湖,294只,2月20-21日,龙感湖自然保护区,205只,2月22-24日,阳新县网湖,174只[WWF-China],

湖南:东洞庭湖国家级自然保护区,2月15-24日,8867只[WWF-China];12月6日,1200只[RWL & MK];

江西: 1月15日,鄱阳湖自然保护区5000只[PH];

广东: 番禺新垦, 1月16日, 23只; 12月18日, 4只[YHY];

四川: 12月3日,广汉鸭子河,6只[LPZ];

西藏: 12月21日, 日喀则, 1只, 可能是西藏第一笔记录[ZGF et al.];

Notable records were as follows:

Jilin: At Xianghai NR, Tongyu small numbers in spring e.g. four on 3 June & slightly more in autumn with 29, seven & eight on 5th, 6th & 7 October respectively [PH].

Liaoning: 12 at shuaitaizi Hekou NR, Panjin on 26 March[WRQ]; 50 at Yalvjiang NR, Dandong on 28 March and 18 at Helong Reservoir, Donggang on 31 March[BQQ].

Hebei: 20 at Bihaiyuchang on 29 September [PH].

Beijing: Have several migration records in several wetlands outskirts Beijing with small numbers: four at Huairou Reservoir on 26 March[WN], two at Jumahe, Fangshan on 27 March[LHY]; Shahe Reservoir, Huairou, four at 28 April[WRQ] and two on 12 November [QYX]; Wild Duck Lake, Yanqing, two on 3 April[LJY] and singles on 12 November[TZ].

Henan: Ten at Shishankou Reservoir, Luoshan on 5 January [LY]. Yellow River NR, Menjin 50 on 12 February [ZJ] and 17 at 9 March [MCH].

Tianjin: 14 at Tuanbowa Reservoir, Jinghai on 2 April[YY].

Shandong: 1500 at Yellow River Delta NR on 25 February [SK].

Jiangsu: 2500 at Yancheng NR, Sheyang on 14 January [PH] and 500 there on 13 December [YLi].

Shanghai: At Dongtan, Chongming Dao, 62 on 8 January [WJY], 15 on 30 October [XL], 80 on 20 November and 310 on 18 December [YJ]. also 75 at Bei Hu, Chongming Dao on 12 November [YJ].

Zhejiang: At Dongxi Hu, Haining, 330 on 12 November [QH], 2500 on 24 November [XL] and 2500 on 4 December [ZhuY].

Hubei: 79 at Liangzi Hu NR during 15-18 February, 154 at Baiji (*Lipotes vexillifer*)NR, Shishou on 18 February, 294 at Yuni Hu, Gong an on 20 February, 205 at Longgan Hu NR on 20-21 February and 174 at Wang Hu, Yangxin during 22-24 February [WWF-China].

Hunan: 8867 counted at East Dongting Hu NR during 15-24 February [WWF-China] and a minimum of 1000 there on 6 December [RWL & MK].

Jiangxi: 5000 at Poyang NNR on 15 January [PH].

Guangdong: 23 at Xinken, Panyu on 16 January and four there on 18 December [YHY].

Sichuan: Six at Yazi He, Guanghan on 3 December [LPZ].

Tibet: One at Rikaze on 21 December [ZGF et al.], possibly a new record for Tibet.

Also reported from Liaoning, Beijing, Tianjin, Henan and Jiangxi.

#### 0087# 赤颈鸭 Eurasian Wigeon Anas penelope

吉林: 10月5-7日,通榆向海自然保护区数群,一天最大数量275只,10月8日,镇赉莫 莫格保护区,50只[PH];

北京; 11月6日, 延庆野鸭湖, 接近1000只[BA];

山东: 2月25日, 黄河三角洲自然保护区, 450只[CHY];

上海: 11月20日, 崇明东滩, 180只 [YJ], 崇明北湖: 11月12日, 160只, 12月17日, 300只[YJ],

浙江: 海宁东西湖, 11月12日, 170只[QH], 镇海镇北涂, 1月29日, 100只[LYou];

湖南: 东洞庭湖国家级自然保护区, 2月15-24日, 350只[WWF-China]; 12月4-6日, 300只[RWL &MK];

江西. 2月15-17日,鄱阳湖国家级自然保护区,675只,2月16日-24日,鄱阳湖南昌部分,3863只[WWF-China];

广东:番禺新垦,1月16日,1500只[YHY];3月13日,974只[WXL];12月18日,300只[YHY];

贵州: 2月11日, 威宁草海, 257只[YLin];

新疆:和田友谊水库,10月4日,100只[GJun];

青海: 9月21日和24日, 共和青海湖, 分别是600只和950只[PH et al.];

Jilin: Several flocks at Xianghai NR, Tongyu during 5-7 October with 275 as the maximum day count; also 50 at Melmeg NR, Zhenlai on 8 October [PH].

Beijing: Almost 1000 at Wild Duck Lake, Yanqing on 6 November [BA].

Shandong: 450 at Yellow River Delta NR on 25 February [CHY].

Shanghai: 180 at Dongtan, Chongming Dao on 20 November [YJ], 160 at Bei Hu, Chongming Dao on 12 November and 300 there on 17 December [YJ].

Zhejiang: 170 at Dongxi Hu, Haining on 12 November [QH] and 100 at Zhenbeitu, Zhenhai

on 29 January [LYou].

Hunan: 350 at East Dongting Hu NR during 15-24 February [WWF-China] and 300 there on 4 December [RWL & MK].

Jiangxi: Counts of 675 at Poyang Hu NR during 15-17 February and 3863 at Nanchang, Poyang Hu, during 16-24 February [WWF-China].

Guangdong: At Xinken, Panyu, 1500 on 16 January [YHY], 974 on 13 March [WXL] and 300 on 18 December [YHY].

Guizhou: 257 at Cao Hai, Weining on 11 February [YLin].

Xinjiang: 100 at Youyi Reservoir, Hotan on 4 October [GJun].

Qinghai: 600 & 950 at Koko Nur, Gonghe on 21st & 24 September respectively [PH et al.].

#### 0089# 绿头鸭 Mallard Anas platyrhynchos

甘肃、宁夏、海南、广西外,全国各省区都有记录,较大数量的有:

辽宁: 丹东沿鸭绿江景观路: 1月8日, 2100只; 12月29日, 1100只[BQQ];

吉林: 10月5-7日,通榆向海自然保护区数群,一天最大数量1010只,10月8日,镇赉莫 莫格保护区,1300只[PH];

北京: 怀柔水库, 3月26日, 1252只[WN]; 昌平沙河水库, 3月8日, 2000只[HP];

天津: 12月23日, 大港海滨, 850只[PH];

上海: 崇明东滩, 1月3日, 1000只[WJY];

安徽: 2月20-22日, 菜子湖自然保护区, 1284只[WWF-China];

湖北: 2月15-18日,梁子湖自然保护区,727只[WWF-China];

湖南: 2月15-24日, 东洞庭湖国家级自然保护区, 1676只[WWF-China];

江西: 2月15-17日, 鄱阳湖国家级自然保护区, 8094只[WWF-China];

新疆: 昌吉五家渠青格达湖: 3月27日, 1000只[MM], 9月25日, 2000只, 12月24日,

6000只;八一水库,9月25日,1000只[GJun];

云南: 12月28日, 保山大海子水库, 472只[PH];

There were widespread reports from most provinces - except Gansu, Ningxia, Hainan & Guangxi. Notable records were as follows:

Xinjiang: 1000 at Qingheda Hu, Wujiaqu, Changji on 27 March [MM], 2000 there on 25 September and 6000 there on 24 December; also 1000 at Bayi Reservoir on 25 September [GJun].

Jilin: Several flocks at Xianghai NR, Tongyu during 5-7 October, with 1010 as the maximum day count; also 1300 at Melmeg NR, Zhenlai on 8 October [PH].

Liaoning: 2100 at Jingguanlu on the Yalu Jiang, Dandong on 8 January [BQQ].1100 there on 29 Desember [BOO]

Beijing: 1252 at Huairou Reservoir on 26 March [WN] and 2000 at Shahe Reservoir, Changping on 8 March [HP].

Tianjin: 850 at Dagang coast on 23 December [PH].

Shanghai: 1000 at Dongtan, Chongming Dao on 3 January [WJY].

Anhui: 1284 at Caizihu NR during 20-22 February [WWF-China].

Hubei: 727 at Liangzi Hu NR during 15-18 February [WWF-China].

Hunan: 1676 at East Dongting Hu NR during 15-24 February [WWF-China].

Jiangxi: 8094 at Poyang Hu NR during 15-17 February [WWF-China].

Yunnan: 472 at Dahaizi Reservoir, Baoshan on 28 December [PH].

# 0090# 斑嘴鸭 Spot-billed Duck Anas poecilorhyncha

宁夏、吉林、海南、广西、西藏外,全国各省区都有记录,较大数量的有:

山东: 11月3日, 黄河三角洲自然保护区, 1039只[CHY]:

河南: 孟津黄河湿地保护区、1月1日、1000只[CM];

安徽: 2月24日, 宿松县黄湖, 1606只[WWF-China];

上海: 1月3日,崇明东滩,3000只[WJY];1月4日,崇明北湖,1220只[WJY];2月

15-18日,崇明东滩,1607只;2月25-28日,浦东九段沙,1860只[WWF-China];11月

12日, 崇明北湖, 1000只[YJ];

湖北: 2月15-18日,梁子湖自然保护区,797只;2月27-28日,黄陂武湖,954只;3月

1-2日, 沉湖自然保护区, 873只[WWF-China];

江西: 2月15-17日, 鄱阳湖国家级自然保护区, 14753只, 2月16日-24日, 鄱阳湖南昌

部分, 632只; 2月18-23日, 鄱阳湖九江部分, 1390只[WWF-China];

#### 亚种harringtoni:

云南: 个旧白坡水库, 2月6日, 200只[WC], 3月26日, 瑞丽姐勒水库, 47只[MK], 12月28日, 保山大海子水库, 256只[PH];

Race zonorhyncha:

Shandong: 1039 at Yellow River Delta NR on 3 November [CHY].

Henan: 1000 at Yellow River Wetland NR, Mengjin on 1 January [CM].

Shanghai: 3000 at Dongtan NR, Chongming Dao on 3 January [WJY]. 1220 at Bei Hu,

Chongming Dao on 4 January [WJY], and 1000 there on 12 November [YJ]. 1607 at Dongtan,

Chongming Dao during 15-18 February; and 1860 at Jiuduansha, Pudong during 25-28

February [WWF-China].

Anhui: 1606 at Huanghu, Susong on 24 February [WWF-China].

Jiangxi: 14,753 at Poyang Hu NR during 15-17 February; 632 at Nanchang, Poyang Hu during

16-24 February; and 1390 at Shangrao, Poyang Hu during 18-23 February [WWF-China].

Hubei: 797 at Liangzi Hu NR during 15-18 February; 954 at Wu Hu, Huangpi on 27-28

February; and 873 at Chen Hu NR on 1-2 March [WWF-China].

# Race harringtoni:

Yunnan: 200 at Baipo Reservoir, Gejiu on 6 February [WC]. 47 at Jiele Reservoir, Ruili on 26 March [MK & RWL]. 256 at Dahaizi Reservoir, Baoshan on 28 December [PH].

#### 0092# 琵嘴鸭 Nothern Shoveler Anas clypeata

湖南: 东洞庭湖国家级自然保护区,2月15-24日,45只[WWF-China],12月5日,100只 [RWL & MK]:

江西: 2月15-17日, 鄱阳湖国家级自然保护区, 85只[WWF-China]; 12月31日, 新建南矶山保护区, 100只[YHY];

广东: 番禺新垦: 1月16日, 80只[YHY]; 3月13日, 101只[WXL];

海南: 11月8日, 东寨港自然保护区, 2只[LY]; 11月15日, 东寨港自然保护区, 4只 [LKM];

四川: 广汉鸭子河, 11月26日, 30只[CLiang];

青海: 9月24日, 青海湖, 230只[PH et al.];

新疆: 昌吉五家渠青格达湖, 3月24日, 10只[GJun];

Hunan: 45 at East Dongting Hu NR during 15-24 February [WWF-China] and 100 there on 5 December [RWL & MK].

Jiangxi: 85 at Poyang Hu NR during 15-17 February [WWF-China] and 100 at Nanjishan NR, Xinjian on 31 December [YHY].

Guangdong: 80 at Xinken, Panyu on 16 January [YHY] and 101 there on 13 March [WXL].

Hainan: Two at Dongzhaigang NR on 8 November [LY] and four there on 15 November [LKM].

Sichuan: 30 at Yazi He, Guanghan on 26 November [CLiang].

Qinghai: 230 on Koko Nur on 24 September [PH et al.].

Xinjiang: 10 at Qinggeda Hu, Wujiaqu, Changji on 24 March [GJun].

#### 0093# 针尾鸭 Nothern Pintail Anas acuta

多省区有记录,重要记录有:

吉林: 10月8日, 镇赉莫莫格保护区, 2300只[PH];

山东: 3月17日, 黄河三角洲自然保护区, 450只[SK];

湖南: 2月15-24日, 东洞庭湖国家级自然保护区, 450只[WWF-China];

江西: 2月15-17日,鄱阳湖国家级自然保护区,3158只;2月18-23日,鄱阳湖上饶部

分, 4722只[WWF-China]; 2月21日, 波阳表恩岛大莲子湖, 4000只[CLiang]; 2月25

日,新建南矶山保护区,300只[CLiang];

青海: 9月21日和24日, 共和青海湖, 分别是400只和700只[PH et al.];

Notable records were as follows:

Jilin: 2300 at Melmeg NR, Zhenlai on 8 October [PH].

Shandong: 450 at Yellow River Delta NR on 17 March [SK].

Hunan: 450 at East Dongting Hu NR during 15-24 February [WWF-China].

Jiangxi: 3158 at Poyang Hu NR during 15-17 February; 4722 at Shangrao, Poyang Hu during 18-23 February [WWF-China]. 4000 at Dalianzi Hu, Biao'en Island, Boyang on 21 February

[CLiang]. and 300 at Nanjishan NR, Xinjian on 25 February [CLiang].

Qinghai: 400 & 700 at Koko Nur, Gonghe on 21 & 24 September respectively [PH et al.].

#### 0094# 白眉鸭 Garganey Anas querquedula

黑龙江: 大庆龙凤湿地, 5月10日, 2只[LJY];

吉林: 6月3日和10月7日, 通榆向海自然保护区, 都是1只[PH].

辽宁: 东港合隆水库, 3月31日, 32只[BQQ];

北京: 昌平沙河水库, 4月17日, 8只[WRQ]; 颐和园, 4月15日, 8只[ZYong]; 延庆野

鸭湖, 4月24日, 20只[LHY];

河北:秦皇岛北戴河,5月4日,6只[HP];10月2日,1只[PH et al.];

天津: 7月30日, 塘沽附近, 36只[PH];

河南: 3月1日, 孟津黄河湿地保护区, 114只[MCH];

上海: 崇明东滩, 3月23日, 20只[WJY]; 青浦淀山湖, 3月17日, 6只[ZLin];

浙江: 镇海镇北涂, 10月15日, 10只[LYou];

广东:番禺新垦,3月13日,23只[WXL];10月15日,280只[YHY];

四川: 若尔盖, 5月2日, 4只[ZMH];

贵州: 威宁草海, 2月11日, 16只[YLin];

青海: 9月21日和24日, 青海湖, 都是3只[PH et al.];

新疆: 昌吉五家渠青格达湖,4月23日,12只,博乐艾比湖,5月5日,3只[GJun],8月9

日,喀什附近,1150只,8月11日,阿克苏,550只[PH];

Heilongjiang: Two at Longfeng Wetland, Daqing on 10 May [LJY].

Jilin: At Xianghai NR, Tongyu – singles on both 3 June & 7 October [PH].

Liaoning: 32 at Helong Resevoir, Donggang on 31 March [BQQ].

Beijing: Eight at Shahe Resevoir, Changping on 17 April [WRQ]. eight at Summer Palace on

15 April [ZYong]. and 20 at Wild Duck Lake, Yanqing on 24 April [LHY].

Hebei: Beidaihe, Qinhuangdao, six at on 4 May [HP] and single on 2 October[PH et al.].

Tianjin:36 near Tanggu on 30 July[PH].

Henan: 114 at Yellow River Wetland NR, Mengjin on 1 March [MCH].

Shanghai: 20 at Dongtan NR, Chongming Dao on 23 March [WJY] and six at Dianshan Hu,

Qingpu on 17 March [ZLin].

Zhejiang: 10 at Zhenbeitu, Zhenhai on 15 October [LYou].

Guangdong: 23 at Xinken, Panyu on 13 March and 280 there on 15 October [YHY].

Sichuan: Four at Ruoergai on 2 May [ZMH].

Guizhou: 16 at Caohai, Weining on 11 February [YLin].

Oinghai: Three at Koko Nur on both 21st & 24 September [PH et al.].

Xinjiang: 12 at Qinggeda Hu, Wujiaqu, Changji on 23 April; three at Ebinur Hu, Bole on 5

May [GJun]. 1150 near Kashi on 9 August; and 550 near Aksu on 11 August [PH].

#### 0095# 花脸鸭 Baikal Teal Anas formosa VU

辽宁: 东港合隆水库, 3月31日, 800只; 丹东沿鸭绿江景观路, 12月16日, 2只 [BQQ];

吉林: 10月7日,通榆向海自然保护区,1只[PH],10月8日,镇赉莫莫格保护区,12500只[PH],中国近年来最大的一笔记录;

北京:房山十渡:2月27日,1只[WQ],3月5日,1只[LX],3月6日,怀柔水库,1只[LHY],9月17日,朝阳温榆河,3只[BA],10月10日,密云水库,15只[PH],昌平沙河水库:10月15日,2只[ZLi],10月30日,14只[TZ],11月12日,10只[QYX],延庆野鸭湖:10月22日,1只[ZLi],11月25日,3只[BA],

山东: 2月25日, 黄河三角洲自然保护区, 2只[CHY];

上海:崇明东滩,1月3日,6只[WJY];1月8日,11只[ZWQ];11月6日,3只[ZLin];12月18日,170只[YJ];奉贤五四农场,12月4日,1只[YZD];宝钢水库,12月18日,244只;12月21日,20只;12月27日,3只[ZLin];

江苏:泗洪杨毛咀保护区,12月30日,1只[ZLin];

浙江: 海宁东西湖, 11月12日, 2只[QH];

江西: 1月19日,鄱阳湖自然保护区沙湖110只[PH];

四川: 广汉鸭子河, 12月3日, 2只[LPZ]; 12月10日, 1只[CLiang];

青海: 9月21日, 青海湖黑马河附近, 1只, 青海首次记录[PH et al.];

云南: 昆明翠湖, 8月26日, 1只[WRQ];

Liaoning: 800 at Helong Reservoir, Donggang on 31 March; two at Jingguanlu along the Yalu Jiang, Dandong on 16 December [BQQ].

Jilin: One at Xianghai NR, Tongyu on 7 October; 12,500 at Melmeg NR, Zhenlai on 8 October [PH]. The largest flock recorded in China in recent years;

Beijing: One at Shidu, Fangshan on 27 February [WQ] and one there on 5 March [LX]. one at Huairou Reservoir on 6 March [LHY]. three at Wenyuhe on 17 September [BA]. 15 at Miyun Reservoir on 10 October [PH]. two at Shahe Reservoir, Changping on 15 October [ZLi], 14 there on 30 October [TZ] and 10 on 12 November [QYX]. one at Wild Duck Lake, Yanqing on 22 October [ZLi] and three there on 25 November [BA].

Shandong: Two at Yellow River Delta NR on 25 February [CHY].

Shanghai: Six at Dongtan NR, Chongming Dao on 3 January [WJY] and 11 there on 8 January [ZWQ]. in the second winter period, three at Dongtan NR, Chongming Dao on 6 November [ZLin] and 170 there on 18 December [YJ], one at Wusi Farm, Fengxian on 4 December [YZD], 244 at Baogang Resevoir on 18 December, 20 there on 21 December and still three there on 27 December [ZLin].

Jiangsu: One at Yangmaozui NR, Sihong on 30 December [ZLin].

Zhejiang: Two at Dongxi Hu, Haining on 12 November [QH].

Jiangxi: 110 at Sha Hu, Poyang Hu NNR on 19 January [PH].

Sichuan: Two at Yazi He, Guanghan on 3 December [LPZ] and one there on 10 December [CLiang].

Yunnan: One at Cui Hu, Kunming on 26 August [WRQ].

Qinghai: One near Heimahe, Koko Nur on 21 September, the first record for Qinghai[PH et al].

#### 0096# 绿翅鸭 Common Teal Anas crecca

广西、山西、宁夏、黑龙江和吉林无记录,其他省区较大记录有:

安徽: 2月18-20日, 升金湖自然保护区, 638只; 2月23日, 宿松县大官湖, 986只 [WWF-China];

上海: 2月25-28日, 浦东九段沙, 4346只[WWF-China];

湖北: 2月15-18日, 梁子湖自然保护区, 756只; 2月20-21日, 龙感湖自然保护区,

303只, 2月24-27日, 新洲涨渡湖, 682只, 3月1-2日, 沉湖自然保护区, 743只[WWF-China],

湖南: 2月15-24日, 东洞庭湖国家级自然保护区, 8288只[WWF-China]

江西: 2月15-17日,鄱阳湖国家级自然保护区,14909只;2月16日-24日,鄱阳湖南昌

部分, 2678只, 2月18-23日, 鄱阳湖九江部分, 2022只,

新疆: 昌吉五家渠青格达湖, 4月23日, 12只; 八一水库, 9月10日, 100只; 和田友谊

水库, 10月4日, 100只[GJun];

青海: 9月21日, 青海湖黑马河, 500只[PH];

云南: 3月27日,瑞丽以西,2只[MK];3月29日,大盈江,8只[MK];12月28日,保山大海子水库,455只[PH];

Shanghai: 4346 at Jiuduansha, Pudong during 25-28 February [WWF-China].

Anhui: 638 at Shengjinhu NR during 18-20 February and 986 at Daguanhu, Susong on 23 February [WWF-China].

Hubei: 756 at Liangzi Hu NR during 15-18 February, 303 at Longgan Hu NR on 20-21 February, 682 at Zhangdu Hu, Xinzhou during 24-27 February and 743 at Chen Hu NR on 1-2 March [WWF-China].

Hunan: 8288 at East Dongting Hu NR during 15-24 February [WWF-China].

Jiangxi: Counts of 14,909 at Poyang Hu NR during 15-17 February, 2678 at Nanchang, Poyang Hu during 16-24 February and 2022 at Shangrao, Poyang Hu during 18-23 February [WWF-China].

Xinjiang: 12 at Qinggeda Hu, Wujiaqu, Changji on 23 April, 100 at Bayi Resevoir on 10 September and 100 at Youyi Reserior, Hotan on 4 October [GJun].

Qinghai: 500 at Heimahe, Koko Nur, Gonghe on 21 September [PH et al.].

Yunnan: Two west of Ruili on 27 March [MK], eight at Yingjiang River, Yingjiang on 29 March [MK] and 455 at Dahaizi Reservoir, Baoshan on 28 December [PH].

#### 0098# 赤嘴潜鸭 Red-crested Pochard Rhodonessa rufina

新疆: 3月30日,阜康兵户水库,500只[MM];7月6日,吐鲁番至库尔勒,160只[MKW et al.];8月11日,阿克苏附近,158只;8月19日,库尔勒附近,1105只[PH];焉者湿地,10月1日,500只[GJun];9月22日,库尔勒沙漠公路沿线,350只[GLQ];

青海: 8月18日,青海湖,1400只[JH et al.]; 9月24日,青海湖,1500只[PH et al.].

云南: 12月28日, 保山大海子水库, 7只[PH];

Xinjiang: 500 at Binghu Reservoir, Fukang on 30 March [MM]. 160 between Turpan and KoRla on 6 July [MKW et al.]. 158 near Aksu on 11 August & 1105 on Dashihaizi Reservoir near Korla on 19 August [PH]. 500 at Yanzhe Wetland on 1 October [GJun]. 350 along the desert road to Korla city on 22 September [GLQ].

Qinghai: 1400 at Koko Nur, Gonghe on 18 August [JH et al.] & 1500 there on 24 September, the highest count in China this year [PH et al].

Yunnan: Seven at Dahaizi Reservoir, Baoshan on 28 December [PH].

# 0099# 红头潜鸭 Common Pochard Aythya ferina

吉林: 10月5-7日, 通榆向海自然保护区数群, 一天最大数量1800只[PH];

北京: 4月2日, 延庆野鸭湖, 200只[BA]:

天津: 10月15日, 北大港水库, 1200只[LY]

山东: 2月25日, 黄河三角洲自然保护区, 5000只[SK];

江苏: 2月19日, 泗洪县洪泽湖自然保护区, 850只[WWF-China];

湖北: 2月20-21日, 龙感湖自然保护区, 641只, 2月21日, 黄梅县太白湖, 1800只 [WWF-Chinal:

陕西: 1月9日, 西安泾渭湿地, 200只[LY];

青海: 9月24日, 共和青海湖, 440只[PH et al.]

新疆: 3月30日, 阜康兵户水库, 200只[MM];

Jilin: Several flocks at Xianghai NR, Tongyu on 5-7 October with 1800 on 7th as the maximum day count [PH].

Beijing: 200 at Wild Duck Lake, Yanqing on 2 April [BA].

Tianjin: 1200 at Beidagang Reservoir on 15 October[LY].

Shandong: 5000 at Yellow River Delta NR on 25 February [SK].

Jiangsu: 850 at Hongze Hu NR, Sihong County on 19 February [WWF-China].

Hubei: 641 at Longgan Hu NR between 20 and 21 February; 1800 at Taibai Hu, Huangmei County on 21 February [WWF-China].

Shaanxi: 200 at Jingwei Wetland on 9 January [LY].

Qinghai: 440 at Koko Nur, Gonghe on 24 September [PH et al.].

Xinjiang: 200 at Binghu Reservoir, Fukang on 30 March [MM].

#### 0101# 白眼潜鸭 Ferruginous Duck Aythya nyroca

吉林: 10月6日, 通榆向海自然保护区, 1只[PH];

北京,延庆野鸭湖: 3月19日,8只[HP],4月2日,1只[BA],10月22日,1只[HD],昌平沙河水库,4月17日,8只[WRO];

天津: 4月2日, 静海团泊洼水库, 1只[YY];

河北: 4月2日,秦皇岛北戴河,1只[ZJ];

湖北: 2月15-18日, 梁子湖自然保护区, 109只[WWF-China];

陕西: 1月9日, 西安泾渭湿地, 2只[LY];

宁夏: 10月2日,青铜峡鸟岛,30只;10月3日,中卫腾格里湖保护区,3只[LiX];

贵州: 威宁草海, 2月11日, 230只; 4月9日, 9只[YL];

青海: 7月19日, 贵德千姿湖, 8只; 共和青海湖, 7月28日, 4只[RKY];

四川: 3月3日,成都东湖,24只[SY];若尔盖,5月2日,12只[ZMH];8月13日,4只[WJY];广汉鸭子河,11月25日,50只[XQian];12月3日,140只[LPZ];11月28日,双流川大新校区,3只[LPZ];

云南: 2月3日, 弥勒西三乡, 3只[WC]; 12月23日, 丽江拉市海, 30只[RWL]; 12月28日, 保山大海子水库, 6只[PH];

新疆: 昌吉五家渠青格达湖, 3月24日, 10只, 7月17日, 25只, 8月2日, 喀什阿若尔水库, 11只[PH]; 8月9日, 阿图什托卡依水库, 37只, [PH]; 8月11日, 阿克苏多浪水库, 17只[PH]; 8月12日, 阿克苏, 山力水库, 23只[PH]; 8月17日-20日之间, 博斯腾湖周围不同景点, 共计19只[PH]; 9月10日, 八一水库, 10只; 10月4日, 和田友谊水库, 50只[GJun];

Jilin: One at Xianghai NR, Tongyu on 6 October [PH].

Beijing: Eight at Shahe Resevoir on 17 April [WRQ], eight at Wild Duck Lake, Yanqing on 19 March [HP] and singles there on 2 April [BA] and 22 October [HD].

Hebei: One at Beidaihe, Qinhuangdao on 2 April [ZJ].

Tianjin: One at Tuanbowa Resevoir on 2 April [YY].

Hubei: 109 at Liangzi Hu NR during 15-18 February [WWF-China].

Shaanxi: Two at Jingwei Wetland, Xi'an on 9 January [LY].

Ningxia: 30 at Bird Island, Qingtongxia on 2 October and three at Tenggeli Hu NR, Zhongwei

#### on 3 October.

Xinjiang: 10 at Qinggeda Hu, Wujiaqu, Changji on 24 March, 25 there on 17 July [GJun], 11 on Aral Reservoir, Kashi on 2 August; 37 on Tuokaeyi Reservoir, Artux on 9 August; 17 on Duolang Reservoir, Aksu on 11 August; 23 on Shanli Reservoir, Aksu on 12 August; up to 19 at various sites around Bosten Hu during 17-20 August [PH]. 10 at Bayi Resevoir on 10 September and 50 at Youyi Resevoir, Hotan on 4 October [GJun].

Qinghai: Eight at Qiangzi Hu, Guide on 19 July and four at Koko Nur, Gonghe on 28 July.

Sichuan: 24 at Donghu, Chengdu on 3 March, 12 at Ruoergai on 2 May and 4 there on 13 August, 50 at Yazi He, Guanghan on 25 November and 140 there on 3 December, and three at the new campus of Sichuan University, Shuangliu on 28 November.

Guizhou: 230 at Caohai, Weining on 11 February and nine there on 9 April.

Yunnan: Three at Xisan Xiang, Mile on 3 February [WC], 30 at Lashi Hai, Lijiang on 23 December [RWL], Six at Dahaizi Reservoir, Baoshan on 28 December [PH].

#### 0102# 青头潜鸭 Baer's Pochard Aythya baeri VU

北京: 10月22日,延庆妫河,3只[WC];11月12日,昌平沙河水库,2只[WRQ];

河南: 12月3日, 罗山石山口水库, 2只[XY];

江苏: 1月14日, 射阳盐城自然保护区, 1雌[PH];

The only records were as follows:

Beijing: Three at Gui He, Yanqing on 22 October [WC] and two at Shahe Reservoir, Changping on 12 November [WRO].

Henan: Two at Shishankou Reservoir, Luoshan on 3 December [XY].

Jiangsu: A female at Yancheng NR, Sheyang on 14 January [PH].

#### 0103# 凤头潜鸭 Tufted Duck Aythya fuligula

北京: 4月24日, 延庆野鸭湖, 200只[LHY];

上海: 12月7日, 宝钢水库, 300只[XL];

湖北: 2月20-21日, 龙感湖自然保护区, 1816只[WWF-China];

湖南: 12月5日, 东洞庭湖自然保护区, 至少1000只[RWL & MK];

新疆:阜康兵户水库, 3月30日, 500只[MM];

青海: 9月20日, 青海湖小北湖, 700只[PH];

云南: 12月28日, 保山大海子水库, 107只[PH];

Beijing: 200 at Wild Duck Lake, Yanqing on 24 April [LHY].

Shanghai: 300 at Baogang Resevoir on 7 December [XL].

Hubei: 1816 at Longgan Hu NR on 20-21 February [WWF-China].

Hunan: A minimum of 1000 at East Dongting Hu NR on 5 December [RWL & MK].

Xinjiang: 500 at Binghu Resevoir, Fukang on 30 March [MM].

Qinghai: 700 at Xiaobeihu, Koko Nur on 20 September [PH].

Yunnan: 107 at Dahaizi Reservoir, Baoshan on 28 December [PH].

#### 0104# 斑背潜鸭 Greater Scaup Aythya marila

吉林: 10月5-7日, 通榆向海自然保护区数群, 一天最大数量5只[PH];

天津: 12月23日, 大港海滨, 2只[PH];

河南: 3月9日, 孟津黄河湿地保护区, 2只[MCH];

上海:宝钢水库,11月2日,2只,11月9日,1只,12月27日,3只[ZLin];崇明北湖,11月12日,7只[YJ];

Jilin: Day-counts of up to five at Xianghai NR, Tongyu during 5-7 October [PH].

Tianjin: Two at Dagang coast on 23 December [PH].

Henan: Two at Yellow River Wetland NR, Mengjin on 9 March [MCH].

Shanghai: At Baogang Resevoir, counts of two on 2 November, one on 9 November and three on 27 December [ZLin], also seven at Beihu, Chongming Dao on 12 November [YJ].

#### 0107# 长尾鸭 Long-tailed Duck Clangula hyemalis

北京: 11月26日, 怀柔水库, 1只雌[LY];

河北: 5月8日,秦皇岛北戴河,1只[ZLin];

河南: 孟津黄河湿地保护区,1月1日,2只雌[CM],3月9日,1只[MCH];

Beijing: A female at Huairou Resevoir on 26 November [LY].

Hebei: One at Beidaihe, Qinhuangdao on 8 May [ZLin].

Henan: Two females at Yellow River Wetland NR, Mengjin on 1 January [CM] and one on 9 March [MCH], the first records for the province.

### 0109# 斑脸海番鸭 White-winged Scoter Melanitta fusca

吉林: 10月5日, 通榆向海自然保护区, 1只[PH];

北京: 9月30日, 延庆妫河, 2只[Cliang]; 10月30日, 门头沟三家店水库, 2只[LY];

河北: 5月2日, 北戴河金山嘴, 1只飞过[BB et al.]; 10月1日, 2日, 5日, 分别是, 15 只, 6只和4只[PH et al. 和 WRQ];

河南: 孟津黄河湿地保护区, 2月12日, 1只[ZJ]; 3月9日, 1只[MCH];

上海:崇明东滩, 1月13日, 1只[ZLin]; 宝钢水库, 11月9日, 1只[ZLin];

Jilin: One at Xianghai NR, Tongyu on 5 October [PH].

Beijing: Two at Guihe, Yanqing on 30 September [Cliang] and a pair at Sanjiadian Reservoir.Mentougou on 30 October[LY].

Hebei: one flying over Lighthouse Point, Beidaihe on 2 May [BB et al.]. 15, six & four there on 1st, 2nd & 5 October respectively [PH et al. & WRQ].

Henan: One at Yellow River NR, Mengjin on 12 February [ZJ] and again on 9 March [MCH]. Shanghai: Singles at Dongtan NR, Chongming Dao on 13 January [ZLin] and Baogang Reservoir on 9 November [ZLin].

#### 0110# 鹊鸭 Common Goldeneye Bucephala clangula

吉林: 吉林市松花江, 1月24日, 120只, 2月2日, 327只[LiXD];

辽宁: 宽甸双江河保护区,3月29日,165只,东港合隆水库,3月31日,20只,丹东沿鸭绿江景观路,1月8日,80只,4月7日,50只,11月12日,75只,12月29日,60只[BQQ];

北京: 3月6日, 温榆河, 40只[WRQ]; 3月26日, 怀柔水库, 55只[WN]; 3月27日, 65只[LJY]; 4月2日, 延庆野鸭湖, 100只[BA]; 昌平沙河水库, 延庆野鸭湖, 4月10日,

150只[HP], 4月17日, 50只[WRQ], 密云水库, 11月12日, 117只[TZ], 11月13日, 60只[WJ],

天津: 3月26日, 武清大黄堡保护区, 20只[YY]; 12月23日, 大港海边, 1425只[PH]

河北:秦皇岛北戴河,1月16日,600只[WRQ],4月2日,200只[ZJ];

河南:三门峡陕州故城风景区,2月10日,20只[DQ];孟津黄河湿地保护区,3月1日,44 只[MCH];罗山董寨,12月3日,24只[ZMH];

八[men], 夕田重宗, 12万5日, 21八[zmi]

陕西: 1月9日, 西安泾渭湿地, 20只[LY];

湖北: 1月3日, 武汉东湖, 14只[TYZ];

湖南: 12月4日, 东洞庭湖自然保护区, 1只[RWL&MK];

江苏: 12月13日, 射阳盐城保护区, 4只[YLi];

浙江: 12月18日, 杭州西湖, 1只[ZhuY];

四川: 3月29日,成都大熊猫繁殖基地,3只[SY];

新疆: 3月20日, 昌吉五家渠沙山子水库, 2只[GJun], 3月27日, 青格达湖, 4只 [MM],

Jilin: 120 at Songhuajiang, Jilin on 24 January and 327 there on 2 February [LiXD].

Liaoning: 80 at Jingguanlu (along the Yalu Jiang), Dandong on 8 January, 165 at Shuangjianghe NR, Kuandian on 29 March, 20 at Helong Resevoir, Donggang on 31 March, 50 at Jingguanlu, Dandong on 7 April, 75 there on 12 November and 60 there on 29 December [BOO].

Beijing: 40 at Wenyu He on 6 March [WRQ], 55 at Huairou Resevoir on 26 March [WN], 65 at Miyun Resevoir on 27 March [LJY], 100 at Wild Duck Lake, Yanqing on 2 April [BA], 150 there on 10 April [HP] and 50 at Shahe Resevoir, Changping on 17 April [WRQ]. subsequently, 117 at Wild Duck Lake, Yanqing on 12 November [TZ] and 60 at Shahe Resevoir, Changping on 13 November [WJ].

Tianjin: 20 at Dahuangbao NR, Wuqing on 26 March [YY] and 1425 on the Dagang Coast on 23 December [PH].

Hebei: 600 at Beidahe, Qinhuangdao on 16 January [WRQ] and 200 there on 2 April [ZJ].

Shaanxi: 20 at Jingwei Wetland, Xi'an on 9 January [LY].

Henan: 20 at Old City Scenic Area, Shanzhou, Sanmenxia on 10 February [DQ]; 44 at Yellow River Wetland NR on 1 March [MCH] and 24 at Dongzhai, Luoshan on 3 December [ZMH].

Jiangsu: Four at Yancheng NR, Sheyang on 13 December [YLi].

Hunan: One at East Dongting Hu NR on 4 December [RWL & MK]. Zhejiang: One at Xihu on 18 December [ZhuY].

Hubei: 14 at East Hu. Wuhan on 3 January [TYZ].

incon 1 at East 11a, want on 5 vantary [11.

Sichuan: Three at Chengdu on 29 March [SY].

Xinjiang: Four at Qinggeda Hu on 27 March [MM] and two at Shashanzi Resevoir on 20 March [GJun].

# 0111# 白秋沙鸭 Smew Mergellus albellus

北京; 4月2日, 延庆野鸭湖, 300只[BA];

山东: 2月6-3月17日, 黄河三角洲自然保护区有记录, 最大数量1000只于2月25日 [CHY]; 2月27日, 章丘白云湖, 200只[ZLin];

江苏: 1月14日, 射阳盐城自然保护区, 100只[PH];

湖北: 2月27-28日, 咸宁西梁湖, 94只[WWF-China];

湖南: 12月6日, 东洞庭湖自然保护区, 43只[RWL & MK]

四川: 12月3日, 广汉鸭子河, 8只[LPZ];

西藏: 12月21日, 日喀则, 1只[ZGF et al.], 西藏首笔记录;

此外河北、天津和青海也有记录。

Beijing: 300 at Wild Duck Lake, Yanqing on 2 April [BA].

Shandong: Recorded from Yellow River Delta NR between 6 February and 17 March, with a peak day count of 1000 on 25 February [CHY]. also 200 at Baiyun Hu, Zhangqiu on 27 February [ZLin].

Jiangsu: 100 at Yancheng NR, Sheyang on 14 January [PH].

Hubei: 94 at Xiliang Hu, Xianning on 27-28 February [WWF-China].

Hunan: 43 at East Dongting Hu NR on 6 December [RWL & MK].

Sichuan: Eight at Yazi He, Guanghan on 3 December [LPZ].

Tibet: One at Rikaze on 21 December [ZGF et al.], possibly the first record for Tibet.

Reports were also received from Hebei, Tianjin & Qinghai.

#### 0112# 红胸秋沙鸭 Red-breasted Merganser Mergus serrator

辽宁: 12月31日, 大连老虎滩, 30只[LY];

河北: 1月1日,秦皇岛北戴河,16只[WQ];5月2日,北戴河金山嘴,1只飞过;乐亭快乐岛,5月12日,1只[CLiang];5月15日,乐亭快乐岛,3只[BB et al.];

Liaoning: 30 at Laohutan, Dalian on 31 December [LY].

Hebei: 16 at Beidaihe, Qinhuangdao on 1 January [WQ]. One flying over Lighthouse Point, Beidaihe on 2 May; one at Happy Island, Laoting on 12 May [CLiang] and three there on 15 May [BB et al.].

#### 0113# 中华秋沙鸭 Scaly-sided Merganser Mergus squamatus EN I

黑龙江: 伊春带岭碧水保护区, 5月8日, 6只[LJY]; 9月30日, 4只[WXL];

江西: 2月22日, 婺源全县, 33只; 2月27日, 弋阳信江段, 11只[WWF-China];

Heilongjiang: Six at Bishui NR, Dailing, Yichun on 8 May [LJY] and four there on 30 September [WXL].

Jiangxi: 33 at Wuyuan on 22 February and 11 at Xinjiang, Yiyang on 27 February [WWF-China].

#### 0114# 普通秋沙鸭 Goosander Mergus merganser

吉林、辽宁、北京、天津、山西、山东、河南、陕西、安徽、上海、江苏、浙江、四川、新疆、青海、西藏有记录。数量大的有:

江苏: 1月14日, 射阳盐城保护区, 1100只[PH];

湖北: 2月20日,公安县淤泥湖,142只,2月24-27日,新洲涨渡湖,146只[WWF-China],

湖南: 2月23日, 湘阴横岭湖, 421只[WWF-China];

江西: 2月16日-24日, 鄱阳湖南昌部分, 134只[WWF-China];

云南: 3月21日, 澜沧江保山段, 1只[MK]; 12月28日, 中甸附近海拔3000米处1只[RWL];

Notable records were as follows:

Jiangsu: 1100 at Yancheng NR, Sheyang on 14 January [PH].

Hubei: 142 at Yuni Hu, Gong'an on 20 February [WWF-China] and 146 at Zhangdu Hu,

Xinzhou during 24-27 February [WWF-China].

Hunan: 421 at Hengling Hu, Xiangyin on 23 February [WWF-China].

Jiangxi: 134 at Nanchang, Poyang Hu, during 16-24 February [WWF-China].

Yunnan: One on the Lancang River, Baoshan, on 21 March [MK] and one at Zhongdian at an altitude in excess of 3000m on 28 December [RWL].

Also reported from Jilin, Liaoning, Beijing, Tianjin, Shanxi, Shandong, Henan, Shaanxi, Anhui, Shanghai, Jiangsu, Zhejiang, Sichuan, Xinjiang, Oinghai and Tibet.

#### 三趾鹑目 TURNICIFORMES > 三趾鹑科Turnicidae

# 0116# 黄脚三趾鹑 Yellow-legged Buttonquail Turnix tanki

河北:秦皇岛北戴河,5月7、9日,各1只[PH],5月15日,2只[LHY],10月3日,乐亭京唐港,1只[ZLi];

安徽: 8月6日, 砀山飞机农场, 1只[LM];

Hebei: Singles at Beidaihe on 7 and 9 May [PH] and two there on 15 May [LHY]. in autumn, one at Jingtanggang, Laoting on 3 October [ZLi].

Anhui: One at Plane Farm, Dangshan on 6 August [LM].

#### 0117# 棕三卧鹑 Barred Buttonguail Turnix suscitator

福建: 12月8日,建瓯万木林保护区,1只[ZJ];

Fujian: One at Wanmulin NR, Jian'ou on 8 December [ZJ].

#### 翌形目PICIFORMES > 响密翌科 Indicatoridae

#### 0118# 黄腰响蜜䴕 Yellow-rumped Honeyguide Indicator xanthonotus

西藏: 7月2日, 日喀则地区, 1只[ZGF et al.]; 可能是西藏第三笔记录。

Tibet: One at Rikaze on 2 July [ZGF et al.], probably the third record for Tibet.

#### 䴕形目PICIFORMES > 啄木鸟科 Picidae

#### 0119# 蚁䴕 Eurasian Wryneck Jynx torquilla

河北: 5月9-18日, 北戴河, 有4天1只或2只[PH et al.].

北京: 4月29日, 百望山, 1只[WJ];

浙江: 10月29日, 临安功臣山-锦西, 1只[GX];

甘肃: 1月23日, 兰州大学, 1只[ZLY];

四川: 4月4日, 峨眉山, 1只[CLiang]; 9月28日, 成都东湖, 1只[WQian];

云南: 3月29日, 盈江县城附近, 1只[MK];

新疆: 7月25日,阿勒泰克兰河谷,1只[GJun],8月8日,塔什库尔干附近,1只[PH],此外,广东、广西、江西、上海有多笔越冬记录。

Hebei:singles or two in four days between 9 and 18 May at Beidaihe[PH et al];

Beijing: One at Baiwang Shan on 29 April [WJ].

Zhejiang: One at Gongchen Shan, Lin'an on 29 October [GX].

Gansu: One at Lanzhou University on 23 January [ZLY].

Sichuan: Singles at Emei Shan on 4 April [CLiang] and Donghu, Chengdu on 28 September [WOian].

Yunnan: One near Yingjiang City on 29 March [MK].

Xinjiang: Singles at Kelan Valley, Altay on 25 July [GJun] and near Taxkorgan on 8 August [PH].

Also reported in winter from Guangdong, Guangxi, Jiangxi and Shanghai.

#### 0120# 斑姬啄木鸟 Speckled Piculet Picumnus innominatus

河南: 5月6日, 罗山董寨自然保护区, 4只[LY];

浙江: 3月12日, 杭州九溪龙井, 6只[QH];

四川: 3月12日,崇州西山乡(一碗水),5只[SY];

云南: 7月27日, 个旧贾沙丫沙底, 3只[WC];

Henan: Four at Dongzhai NR, Henan on 6 May [LY].

Zhejiang: Six at Jiuxi, Hangzhou on 12 March [QH].

Sichuan: Five at Xishan, Chongzhou on 12 March [SY].

Yunnan: Three at Jiasha, Gejiu on 27 July [WC].

#### 0121# 白眉棕啄木鸟 White-browed Piculet Sasia ochracea

西藏: 5月28日, 林芝墨脱, 1只, [ZGF et al.];

广西: 9月27日, 龙州弄岗保护区, 3只[JAW];

云南: 3月27日,瑞丽铜壁关自然保护区,1只[MK];

Tibet: One at Motuo, Linzhi on 28 May [ZGF et al.].

Guangxi: Three at Nonggang NR, Longzhou on 27 September [JAW].

Yunnan: One at Tongbiguan NR, Ruili on 27 March [MK].

# 0122# 星头啄木鸟 Grey-capped Pygmy Woodpecker Picus canicapillus

北京: 10月22日, 延庆野鸭湖, 7只[ZLi];

江苏: 6月9日,南京中山植物园,9只[WSC];

江西: 11月1日, 龙南九连山自然保护区, 2只[RWL et al.];

云南: 3月20日, 昆明西山, 2只, 3月22日, 高黎贡山百花岭, 1只, 3月26日, 瑞丽姐

勒水库, 2只; 3月27日, 瑞丽南京里, 2只; 3月28日, 盈江附近, 1只[MK];

海南: 11月9日, 昌江霸王岭保护区, 5只[WJY];

Beijing: Seven at Wild Duck Lake, Yanging on 22 October [ZLi].

Jiangsu: Nine at Zhongshan BG, Nanjing on 9 June [WSC].

Jiangxi: Two at Jiulianshan NNR, Longnan on 1 November [RWL et al.].

Yunnan: Two at Xishan Kunming on 20 March [MK], one at Baihualing, Gaoligongshan on

22 March [MK], two at Jiele Reservoir, Ruili on 26 March [MK], two at Nanjingli, Ruili on 27 March and one at Fu Shan Dong Pass, Yingjiang on 28 March [MK].

Hainan: Five at Bawangling, Changjiang on 9 November [WJY].

### 0123# 小星头啄木鸟 Japanese Pygmy Woodpecker Picus kizuki

辽宁: 凤城凤凰山保护区,1月1日至1月22日,12月3日至12月24日一直有记录。数量较大的有,1月22日,6只[BQQ];

河北: 6月11日, 兴隆雾灵山保护区, 1只[TZ], 河北省罕见的记录;

Liaoning: Commonly reported at Fenghuang Shan NR, Fengcheng between 1-22 January and again between3-24 December. The highest count was six on 22 January [BQQ].

Hebei: One at Wulingshan NR, Xinglong on 11 June [TZ] was a rare record from this site.

# 0124# 小斑啄木鸟 Lesser Spotted Woodpecker Dendrocopos minor

黑龙江: 5月9日, 伊春带岭兵团沟, 1对[LJY], 10月2日, 伊春带岭永翠河, 2只[WXL],

新疆: 7月25日, 阿勒泰克兰河谷, 10只[GJun];

Heilongjiang: A pair at Dailing, Yichun on 9 May [LJY] and two there on 2 October [WXL].

Xinjiang: Ten at Kelan Valley, Altay on 25 July [GJun].

### 0126# 纹胸啄木鸟 Stripe-breasted Woodpecker Picus atratus

云南: 3月25日, 瑞丽南京里, 4只[MK];

Yunnan: Four at Nanjingli, Ruili on 25 March [MK].

#### 0127# 棕腹啄木鸟 Rufous-bellied Woodpecker Picus hyperythrus

东部的记录均为迁徙的亚种subrufinus

河北: 5月4日-13日, 北戴河, 有6日有1-4只[PH et al.]; 其中最大数量是9日, 5只[BB et al.]; 9月17日, 1只[ZLi];

北京: 9月4日, 北京大学, 1只[WC]; 11月28日, 北京动物园, 1只[praying]

湖北: 2月10日, 武汉植物园, 1只[TXD];

湖南: 12月3日, 岳阳君山, 1只[RW&MK];

四川: 6月14日, 康定雅江县, 6只 [CLiang], 可能为指名亚种;

西藏: 5月28日, 林芝墨脱, 3只[ZGF et al.], 可能为亚种marshalli;

Except as otherwise indicated, all records are thought to refer to the migratory northern subspecies *subrufinus*:

Hebei: Six bird-days at Happy Island, Laoting between 4-13 May, the largest count of seven on 9th [BB et al.]. one at Beidaihe on 17 September [ZLi].

Beijing: Singles at Beijing University on 4 September [WC] and Beijing Zoo on 28 November [praying].

Hubei: One at Wuhan BG on 10 February [TXD].

Hunan: One at Jun Shan, Yueyang on 3 December (RWL & MK) – the third successive year with a record at this locality in early December.

Sichuan: Six at Yajiang, Kangding on 14 June [CLiang], preseumably of the nominate

subspecies.

Tibet: Three at Muotuo, Linzhi on 28 May [ZGF et al.], presumably of the subspecies marshalli.

#### 0128# 赤胸啄木鸟 Crimson-breasted Woodpecker Picus cathpharius

陕西: 1月19日, 佛坪三官庙, 3只雄鸟[LY]; 6月8日, 太白山森林公园, 1雄[PH et al]; 四川: 6月22日, 23日, 峨眉山雷洞坪附近, 分别是1只和3只[PH et al.]; 7月4日, 九寨沟自然保护区, 2只; 7月6日, 九寨沟沟外, 另外一只[PH et al.]; 12月4日, 天全喇叭河自然保护区, 4只[CLiang];

贵州: 3月19日, 瓮安朱家山自然保护区, 2只[YL];

云南: 12月31日, 高黎贡山百花岭, 1雄[PH];

西藏: 7月19日, 林芝八一, 1只[ZGF et al.];

Shaanxi: Three males at Sanguanmiao, Foping on 19 January [LY]. one male at Taibaishan FP on 8 June [PH et al.].

Sichuan: One & three near Leidongping, Emei Shan on 22nd & 23 June; two at Jiuzhaigou NP on 4 July & another just outside the reserve on the 6 July [PH et al.]. four at Labahe NR, Tianquan on 4 December [CLiang].

Guizhou: Two at Zhujia Shan NR, Weng'an on 19 March [YL].

Yunnan: One male at Baihualing, Gaoligongshan on 31 December [PH].

Tibet: One at Bayi, Linzhi on 19 July [ZGF et al.].

#### 0129# 黄颈啄木鸟 Darjeeling Woodpecker Picus darjellensis

四川: 6月21日和23日, 峨眉山雷洞坪附近, 分别是1只和3只[PH et al.]; 9月16-18日, 理县孟屯, 2成3幼[SY];

西藏: 林芝墨脱,5月28日,拉格,1只,5月30日,大耳洞,2只,6月21日,80km处,1只[ZGF et al.];

云南: 12月29日, 高黎贡山百花岭, 1雄[PH];

Sichuan: One & three near Leidongping, Emei Shan on 21st & 23 June respectively [PH et al.]. two adults and three juveniles at Mengtun, Lixian during 16-18 September [SY].

Tibet: All records at Motuo, Linzhi, singles at Lage on 28 May and near 80km on 21 June respectively, up to two at Daerdong on 30 May [ZGF et al.].

Yunnan: A male at Baihualing, Gaoligongshan on 29 December [PH].

#### 0130# 白背啄木鸟 White-backed Woodpecker Picus leucotos

黑龙江: 9月30日, 伊春带岭碧水保护区, 3只[WXL];

辽宁: 1月1日, 凤城凤凰山自然保护区, 2雄3雌[BQQ];

江西: 4月8-10日, 铅山武夷山自然保护区, 1只[BA];

陕西: 1月11-12日, 佛坪瓦寨子村, 2只[LY];

新疆: 7月25日, 阿勒泰克兰河谷, 10只[GJun];

Heilongjiang: Three at Dailing, Yichun on 30 September [WXL].

Liaoning: Two males and three females at Fenghuang Shan NR, Fengcheng on 1 January [BQQ].

Jiangxi: One at Wuyishan NR, Yanshan during 8-10 April [BA].

Shaanxi: Two at Wazhaizi, Foping on 11-12 January [LY].

Xinjiang: Ten at Kelan Valley, Altay on 25 July [GJun].

# 0131# 大斑啄木鸟 Great Spotted Woodpecker Picus major

数量较大的记录有:

北京: 4月9日, 北京大学, 20只[ZAH];

Beijing: 20 at Beijing University on 9 April [ZAH], the only notable record received.

#### 0132# 白翅啄木鸟 White-winged Woodpecker Picus leucopterus

新疆: 7月30-31日,尼勒克喀什河河谷,1只[GJun];8月12日,阿克苏附近,1只[PH];8月15日和18日,库尔勒西南,分别是5只和11只;8月19日库尔勒附近,又有1只[PH];10月2-3日,库尔勒沙漠公路沿线,1只[GJun].

Xinjiang: One at Kashihe Valley, Nilka during 30-31 July [GJun]. one near Aksu on 12 August; five & 11 southwest of Korla on 15th & 18 August respectively; one again near Korla on 19 August [PH].one at Desert Road, Korla on 2-3 October [GJun].

#### 0133# 三趾啄木鸟 Three-toed Woodpecker Picoides tridactylus

青海: 8月4日,囊谦尕尔寺, 2只[KHL];

Qinghai: Two at Gaer Si, Nangqian on 4 August [KHL].

#### 0134# 栗啄木鸟 Rufous Woodpecker Celeus brachyurus

江西: 4月2-3日, 赣州九连山自然保护区, 2只[ZGF et al.];

福建: 10月8日, 明溪均峰山, 1只[XMBWS];

广西: 10月3-5日, 弄岗国家级自然保护区, 4只[TSX];

Jiangxi: Two at Jiulian Shan on 2-3 April [ZGF et al.].

Fujian: One at Junfeng Shan, Mingxi on 8 October [XMBWS].

Guangxi: Four at Nonggang NR during 3-5 October [TSX].

#### 0136# 黑啄木鸟 Black Woodpecker Dryocopus martius

黑龙江: 10月1日, 伊春带岭凉水保护区, 4只[WXL];

青海: 7月25日, 班玛玛可河林场, 2只[WQ]; 9月26日, 互助北山, 1只[PH];

四川: 6月14-16日, 康定雅江县, 2只[CLiang]; 7月6日, 九寨沟, 1只[PH];

西藏: 5月13日, 林芝八一, 2只[DJT];

Heilongjiang: Four at Dailing, Yichun on 1 October [WXL].

Qinghai: Two at Makehe FF, Banma on 25 July [WQ] and one at Huzhu Beishan on 26 September [PH].

Sichuan: Two at Yajiang, Kangding during 14-16 June [CLiang] and one at Jiuzhaigou on 6 July [PH].

Tibet: Two at Bayi, Linzhi on 13 May [DJT].

0137# 黄冠啄木鸟 Lesser Yellownape Picus chlorolophus

西藏: 6月13、14日, 林芝墨脱, 2只, 西藏新记录[ZGF et al.];

海南: 8月22-23日, 昌江霸王岭自然保护区, 1只[YCC]:

云南: 3月25日, 瑞丽南京里, 1只[MK];

Tibet: Two at Motuo, Linzhi between 13 and 14 June [ZGF et al.], a new record for Tibet.

Hainan: One at Bawangling NR, Changjiang on 22-23 August [YCC].

Yunnan: One at Nanjingli, Ruili on 25 March [MK].

#### 0138# 大黄冠啄木鸟 Greater Yellownape Picus flavinucha

海南: 8月22-23日, 昌江霸王岭保护区, 3只[YCC]; 11月11日, 昌江霸王岭自然保护区, 2只[WJY];

云南: 1月13日-19日, 勐腊望天树, 1只[DC]; 12月9-11日, 保山白花岭保护区, 2只 [LLW]; 12月29日, 高黎贡山百花岭, 3只[PH];

Yunnan: Two at Baihualing NR during 9-11 December [LLW], one at Wangtianshu, Mengla during 13-19 January [DC] and three at Baihualing, Gaoligongshan on 29 December [PH].

Hainan: Three at Bawangling NR, Changjiang on 22-23 August [YCC] and two there on 11 November [WJY].

#### 0143# 灰头绿啄木鸟 Grev-headed Woodpecker Picus canus

新疆: 7月25日,阿勒泰克兰河谷,6只[GJun]

Xinjiang: Six at Kelan Valley, Altay on 25 July [GJun].

#### 0148# 黄嘴栗啄木鸟 Bay Woodpecker Blythipicus pyrrhotis

江西: 4月8-10日,铅山武夷山自然保护区,3只[BA];10月29-11月2日,九连山自然保

护区,最多每日2只[RWL et al];

广东: 5月6-7日, 乳源南岭国家森林公园, 听见1只[BA];

海南: 5月12-15日, 琼中鹦哥岭青介, 3只[YCC]; 11月9-11日, 昌江霸王岭保护区, 3 只[WJY,LY];

四川:4月22-24日,屏山老君山,4只[BA];6月23日,峨眉山雷洞坪附近,2只[PH et al.];10月22-31日,汶川卧龙自然保护区,2只[LS];

广西: 9月27日-10月3日, 龙州弄港保护区, 2只[JAW];

西藏: 12月21日, 日喀则地区, 1只[ZGF et al.];

云南: 3月21-30日, 高黎贡山百花岭, 瑞丽, 盈江均有记录, 最多每天3只[MK], 12月29日, 高黎贡山百花岭, 5只[PH];

Jiangxi: Three at Wuyishan NR, Yanshan during 8-10 April [BA] and up to two daily at Jiulianshan NR. Longnan between 29 October and 2 November [RWL et al.].

Guangdong: One heard at Nanling NNR, Ruyuan on 6-7 May [BA].

Hainan: Three at Yinggeling, Qiongzhong during 12-15 May [YCC] and up to three at Bawangling, Changjiang during 9-11 November [WJY, LY].

Sichuan: Four at Laojunshan, Pingshan during 22-24 April [BA]. Two near Leidongping, Emei Shan on 23 June [PH et al.] and two at Wolong NR, Wenchuan during 22-31 October [LS].

Guangxi: Two at Nonggang NR, Longzhou between 27 September and 3 October [JAW].

Tibet: One at Rikaze on 21 December [ZGF et al.]

Yunnan: Up to three most days at Baihualing, Gaoligongshan and around Ruili and Yingjiang during 21-30 March [MK]. also, five at Baihualing, Gaoligongshan on 29 December [PH].

#### 䴕形目PICIFORMES > 拟啄木鸟科 Megalaimidae

#### 0150# 大拟啄木鸟 Great Barbet Megalaima virens

江西: 10月29-11月2日, 九连山自然保护区均有记录, 最多时每日5只[RWL et al.];

广东: 12月3-4日,广州石门国家森林公园,10只[GGW];

云南: 3月21-24日, 高黎贡山百花岭均有记录, 最多时每日3只, 3月27-29日, 瑞丽盈江的铜壁关, 最多听到5只[MK];

西藏: 5月28日-6月21日, 林芝墨脱, 几乎每天都有目击或者听到的记录[ZGF et al.];

Jiangxi: Up to five daily at Jiulianshan NR between 29 October and 2 November [RWL et al.]. Guangdong: Ten at Shimen FP, Guangzhou on 3-4 October [GGW].

Tibet: 29 bird-days at Motuo, Linzhi between 28 May and 21 June [ZGF et al.].

Yunnan: Up to three heard daily at Baihualing, Galigongshan during 21-24 March [MK] and up to five heard daily from Tongbiguan NR, Ruili and Yingjiang, during 27-29 March [MK].

#### 0153# 金喉拟啄木鸟 Golden-throated Barbet Megalaima franklinii

西藏: 5月28日-6月21日, 林芝墨脱, 13只[ZGF et al.]

云南: 3月28日, 盈江附近, 听到4只, 3月29日, 盈江铜壁关自然保护区, 3只[MK], 4月25日-5月25日, 沧源班洪, 2只[OB],

Tibet: 13 bird-days at Motuo, Linzhi between 28 May and 21 June [ZGF et al.]

Yunnan: Four heard near Yingjiang on 28 March, and three in Tongbiguan NR, Yingjiang on 29 March [MK] and two noted at Banhong, Cangyuan between 25 April and 25 May[OB]

#### 0154# 黑眉拟啄木鸟 Chinese Barbet Megalaima faber

江西: 10月29-11月2日, 龙南九连山自然保护区, 每日2只[RWL et al];

广东: 2月15日,广州石门国家森林公园,3只[WXL];5月5日,始兴车八岭自然保护区,3-4只;5月6-7日,乳源南岭国家森林公园,5只[BA];

海南: 1月15日, 昌江霸王岭自然保护区, 20只[BA]; 5月12-15日, 琼中鹦哥岭青介, 5只[YCC]; 11月9-11日, 昌江霸王岭保护区, 26只[WJY];

Jiangxi: Two noted daily at Jiulianshan NNR, Longnan between 29 October and 2 November [RWL et al.].

Guangdong: Three at Shimen FP, Guangzhou on 15 February [WXL], three or four heard at Chebaling NR, Shixing on 5 May and five at Nanling FP, Ruyuan on 6-7 May [BA].

Hainan: 20 at Bawangling NR, Changjiang on 15 January [BA]; 26 there during 9-11 November [WJY] and five at Yinggeling, Qiongzhong during 12-15 May [YCC].

## 0155# 蓝喉拟啄木鸟 Blue-throated Barbet Megalaima asiatica

广东:广州越秀山, 6月26日, 2只[YHY]; 8月3日, 1只[YHY]; 来源不明;

云南: 3月21-30日, 高黎贡山百花岭、铜壁关自然保护区、瑞丽、盈江, 共40只, 其

中, 3月29日, 盈江铜壁关, 12只为单天最高记录[MK], 12月8-13日, 勐腊中科院热带植物园, 2只[SXL].

Guangdong: Two of unknown origins at Yuexiu Shan, Guangzhou on 26 June and one again there on 3 August [YHY].

Yunnan: A total of 40 bird-days at Baihualing, Gaoligongshan, Tongbiguan NR, Ruili and Yingjiang during 21-30 March, with a peak count of 12 at Tongbiguan, Yingjiang on 29 March [MK], also two at Redai BG, Mengla during 8-13 December [SXL].

#### 0156# 蓝耳拟啄木鸟 Blue-eared Barbet Megalaima australis

云南: 3月29日, 盈江铜壁关, 听到1只[MK];

Yunnan: One heard at Tongbiguan, Yingjiang on 29 March [MK].

#### 0157# 赤胸拟啄木鸟 Coppersmith Barbet Megalaima haemacephala

云南: 12月8-13日, 勐腊中科院热带植物园, 1只[SXL].

Yunnan: One at Tropical BG, Mengla on 8-13 December [SXL].

#### 戴胜目UPUPIFORMES > 戴胜科Upupidae

#### 0163# 戴胜 Eurasian Hoopoe Upupa epops

北京: 6月11-12日, 永定河峡谷, 20只[ZYong]

天津: 12月23日,大港区北大港水库,19只[LY]

江西: 12月31日,新建南矶山自然保护区,10只[LXD]

西藏: 5月21日, 拉萨哲蚌寺, 20只[DJT]

Beijing: 20 at Yongding He Valley on 11-12 June [ZYong].

Tianjin: 19 at Beidagang Reservoir, Dagang on 23 December [LY].

Jiangxi: 10 at Nanjishan NR, Nanchang on 31 December [LXD].

Tibet: 20 at Zhebang Si, Lhasa on 21 May [DJT].

#### 咬鹃目 TROGONIFORMES> 咬鹃科 Trogonidae

# 0165# 红头咬鹃 Red-headed Trogon Harpactes erythrocephalus

江西: 10月29日-11月2日, 九连山自然保护区, 每日5只[RWL et al.];

广东: 2月15日,广州石门国家森林公园,1只[WXL],8月5日,南昆山自然保护区,3只[WYY]。

福建: 3月20日, 永泰, 2只[FJBWS];

海南: 1月15日, 昌江霸王岭自然保护区, 5只[BA]; 3月1日, 尖峰岭保护区, 4只[YCC]; 11月9日, 昌江霸王岭自然保护区, 2只[WXL];

云南:单只的记录:1月13日,勐腊望天树[DC],3月23日,高黎贡山百花岭[MK],5月3日,六库[OB]:

Jiangxi: Up to five daily at Jiulianshan NNR, Longnan between 29 October and 2 November [RWL et al.].

Guangdong: One at Shimen FP, Guangzhou on 15 February [WXL] and three at Nankunshan

NR on 5 August [WYY].

Fujian: Two at Yongtai on 20 March [FJBWS].

Yunnan: Singles at Wangtianshu, Mengla on 13 January [DC], Baihualing, Gaoligongshan on 23 March [MK] and Liuku on 3 May [OB].

Hainan: Five at Bawangling NR on 15 January [BA], two there on 9 November [WXL] and four at Jianfengling NR on 1 March [YCC].

#### 佛法僧目CORACIFORMES > 佛法僧科 Coraciidae

#### 0167# 蓝胸佛法僧 European Roller Coracias garrulus

记录仅见于新疆

新疆: 7月21日, 奎屯五五新镇, 1只[GJun], 7月22日, 额敏167团, 6只[GJun], 7月23日, 额敏到铁厂沟沿线, 6只[GJun], 7月24日, 福海乌伦古湖, 15只[GJun], 7月30日, 尼勒克喀什河河谷, 11只[GJun], 8月29日, 博乐赛里木湖, 3只[HXJ],

Xinjiang: one at Wuwuxinzhen, Kuitun; six at No. 167 Corps, Emin; six between Emin and Tiechanggou and 15 at Wulungu Hu, Fuhai, all during 21-24 July [GJun]; also 11 at Kashihe Hegu, Nilka on 30 July [GJun] and three at Sailimu Hu, Bole on 29 August [HXJ].

# 0168# 棕胸佛法僧 Indian Roller Coracias benghalensis

西藏: 7月2日, 日喀则地区, 1只[ZGF et al.];

云南: 1月13日, 勐腊望天树, 1只[DC];

Tibet: One at Rikaze on 2 July [ZGF et al.].

Yunnan: One at Wangtianshu, Mengla on 13 January [DC].

#### 0169# 三宝鸟 Dollarbird Eurystomus orientalis

多见于东部沿海地区, 较北记录在河北秦皇岛。

河北: 5月9-20日, 乐亭快乐岛有记录, 其中最大数量是17日, 75只[BB et al.];

北京: 5月21日, 圆明园, 2只[WRQ]; 5月22日, 怀柔怀沙河, 2只[LHT]; 9月21日, 百望山, 1只[HD]:

山东: 5月17日, 莱州河套水库, 2只[ZXX];

湖北: 10月16日, 武汉植物园, 1只[TXD];

湖南: 5月2日, 岳阳君山, 1只[HXJ];

上海: 崇明东滩: 5月2日, 1只[GJ], 6月4日, 1只[YJ], 8月27日, 1只[ZLin], 10月6日, 2只[YJ],

浙江: 5月30日, 杭州江滨, 1只[QH];

江西: 5月5日, 婺源, 2只[HXJ];

福建: 4月15日, 厦门万石植物园, 2只[ZLin];

广东: 5月5日,始兴车八岭自然保护区,至少20只,在森林上空捕食昆虫;5月6-7日,乳源南岭国家森林公园,10-20只[BA];9月11日,肇庆永安镇江溪村,1只[YHY];

广西: 7月23日, 桂林猫儿山, 2只[LZY];

海南: 8月22日, 昌江霸王岭, 2只[YCC];

四川: 6月20日, 峨眉山市附近, 2只[PH et al.];

Hebei: At Happy Island, Laoting birds were recorded on six dates between 9-20 May, the largest count being a truly exceptional 75 on 17 May [BB et al.].

Beijing: Two at Yuanmingyuan on 21 May [WRQ], two at Huaishahe, Huairou on 22 May

[LHT] and one at Baiwangshan on 21 September [HD].

Shandong: Two at Hetao Reservoir, Laizhou on 17 May [ZXX].

Hubei: One at Wuhan BG on 16 October [TXD].

Hunan: One at Junshan, Yueyang on 2 May [HXJ].

Zhejiang: One at Jiangbin, Hangzhou on 30 May [QH].

Jiangxi: Two at Wuyuan on 5 May [HXJ].

Fujian: Two at Wanshi BG, Xiamen on 15 April [ZLin].

Guangdong: At least 20 hawking insects over the forest at Chebaling NR, Shixing on 5 May [BA], a minimum of 10 at Nanling NNR, Ruyuan on 6-7 May [BA] and one at Jiangxicun, Zhaoqing on 11 September [YHY].

Guangxi: Two at Maoer Shan, Guilin on 23 July [LZY].

Hainan: Two at Bawangling, Changjiang on 22 August [YCC].

Sichuan: Two near Emei City on 20 June [PH et al.].

#### 佛法僧目CORACIFORMES > 翠鸟科 Alcedinidae

#### 0170# 斑头大翠鸟 Blyth's Kingfisher Alcedo hercules

江西: 10月30-11月2日, 九连山自然保护区, 3只[RWL et al.];

广东: 5月5日,始兴车八岭自然保护区,1只[BA];

云南: 12月8日, 勐腊中科院热带植物园, 1只[SXL].

Jiangxi: Up to three daily at Jiulianshan NNR, Longnan between 30 October and 2 November [RWL et al.].

Guangdong: One at Chebaling NR, Shixing on 5 May [BA].

Yunnan: One at CAS Tropical BG, Mengla on 8 December [SXL].

#### 0171# 普通翠鸟 Common Kingfisher Alcedo atthis

东部地区普遍分布。

其中较北的越冬记录:

北京: 1月21日, 拒马河, 1只[WQ];

陕西: 2月21日, 西安兴庆公园, 2只[LXD];

In addition to reports from East China, the following notable winter records from North China were received:

Beijing: One at Jumahe on 21 January [WQ].

Shaanxi: Two at Xingqing Park, Xi' an on 21 February [LXD].

#### 佛法僧目CORACIFORMES > 翡翠科 Halcyonidae

#### 0173# 三趾翠鸟 Oriental Dwarf Kingfisher Cevx erithacus

海南: 5月12日, 琼中鹦哥岭, 2只[YCC]:

Hainan: Two at Yinggeling, Qiongzhong on 12 May [YCC].

# 0175# 赤翡翠 Ruddy Kingfisher Halcyon coromanda

山东: 5月27日, 莱州马山, 1只[ZXX], 可能是山东第一笔记录;

Shandong: One at Mashan, Laizhou on 27 May [ZXX], possibly the first record for the province.

### 0176# 白胸翡翠 White-throated Kingfisher Halcyon smyrnensis

华南适宜生境中常见留鸟, 无重要记录。

No significant records.

#### 0177# 蓝翡翠 Black-capped Kingfisher Halcyon pileata

北京: 6月11日, 永定河峡谷, 9只[ZYong];

安徽:5月3日, 鹞落坪自然保护区, 5只[QH];

河南: 5月28日, 罗山董寨保护区, 6只[HP];

上海: 1月4日, 崇明北湖, 1只[WJY]; 9月24日, 崇明东滩, 4只[XL];

重庆: 9月30日,沙坪坝区磁器口镇,1只[WQian];

Notable records were as follows:

Beijing: Nine at Yongdinghe Valley on 11 June [ZYong].

Anhui: Five at Yaoluoping NR on 3 May [QH].

Henan: Six at Dongzhai NR on 28 May [HP].

Shanghai: One at Beihu, Chongming Dao on 4 January, an unusual winter record [WJY], and

four at Dongtan, Chongming Dao on 24 September [XL].

Chongqing: One at Ciqikou on 30 September [WQian].

# 佛法僧目 CORACIFORMES > 鱼狗科 Cerylidae

#### 0179# 冠鱼狗 Crested Kingfisher Megaceryle lugubris

北京: 7月10日,海淀颐和园,1只,为北京市内的罕见记录[YDP];市郊适宜生境中不难见到;

河南: 1月1日, 孟津黄河大桥西, 2只[CM];

安徽: 2月2日, 黄山太平, 4只[YZD];

广东: 10月28日, 始兴车八岭, 2只[YHY];

贵州: 4月2日, 贵阳三江农场, 1只[YL];

陕西: 1月11日, 佛坪县城, 2只[LY]; 6月6日, 洋县, 1只; 6月7日, 汉中附近, 1只 [PH et al.];

四川: 6月29日, 青川唐家河自然保护区, 1只[LS];

Beijing: One at Summer Palace, Haidian on 10 July was unusually close to central Beijing [YDP]. This species is not rare in suitable habitat on the outskirts of the capital and occasionally ventures closer to the city in spring and autumn.

Henan: Two at Huanghedaqiao, Mengjin on 1 January [CM]

Anhui: Four at Taiping, Huangshan on 2 February [YZD].

Guangdong: Two at Chebaling, Shixing on 28 October [YHY].

Guizhou: One at Sanjiang farm, Guiyang on 2 April [YL].

Shaanxi: Two at Foping on 11 January [LY] and singles at Yangxian on 6 June & near

Hanzhong on 7 June [PH et al.].

Sichuan: One at Tangjiahe NR, Qingchuan on 29 June [LS].

#### 0180# 斑鱼狗 Pied Kingfisher Cervle rudis

华南适宜生境常见,全年仅一笔重要记录:

北京: 10月29日, 昌平沙河水库, 1只,来源不明[ZLei], 2003年8月,在天津也有一笔记录,这种鸟类的分布区是否北扩,有待进一步考证;

Beijing: One photographed at Shahe Reservoir, Changping on 29 October [ZLei], well to the north of the known range of this species, was the only notable record. One individual was also photoed at Tianjin in August 2003 (More details see China Bird Report 2003). The status of this species in northern China perhaps needs to be re-evaluated.

## 佛法僧目CORACIFORMES > 蜂虎科 Meropidae

# 0181# 蓝须夜蜂虎 Blue-bearded Bee-eater Nyctyornis athertoni

海南: 5月12日, 琼中鹦哥岭, 2只[YCC]; 12月26日, 昌江霸王岭自然保护区, 7只[LG];

云南: 3月29日, 盈江铜壁关, 3只[MK];

Hainan: Two at Yinggeling, Qiongzhong on 12 May [YCC] and seven at Bawangling NR on 26 December [LG].

Yunnan: Three at Tongbiguan, Yingjiang on 29 March [MK].

#### 0182# 绿喉蜂虎 Green Bee-eater Merops orientalis

云南: 12月8日, 勐腊中科院热带植物园, 1只[SXL].

Yunnan: One at CAS Tropical BG, Mengla on 8 December [SXL].

#### 0183# 蓝喉蜂虎 Blue-throated Bee-eater Merops viridis

河南: 5月18日, 罗山董寨自然保护区, 7只[LY];

安徽: 5月5日, 潜山潜河, 12只[QH];

浙江:7月9日,江山老虎山,1只[WJB];

江西: 7月3日, 婺源全县, 5只[LJ];

Henan: Seven at Dongzhai NR, Luoshan on 18 May [LY].

Anhui: 12 at Qianhe, Qianshan on 5 May [QH].

Zhejiang: One at Laohushan, Jiangshan on 9 July [WJB].

Jiangxi: Five at Wuyuan on 3 July [LJ].

#### 0184# 栗喉蜂虎 Blue-tailed Bee-eater Merops philippinus

海南: 8月5日, 大田自然保护区有记录 [YYT];

福建:4月24日,厦门万石植物园,30只[HZY],5月21日,漳浦古雷,20只[HXJ],6月11日,莆田东圳水库,1只[XMBWS];

Fujian: 30 at Wanshi BG, Xiamen on 24 April [HZY]; 20 at Gulei, Zhangpu on 21 May [HXJ] and one at Dongzhen Reservoir, Putian on 11 June [XMBWS].

Hainan: One at Datian NR on 5 August [YYT].

#### 0185# 黄喉蜂虎 European Bee-eater Merops apiaster

新疆: 5月3日,新源到伊宁沿线,15只[WCB];7月21日,奎屯五五新镇,9只;7月22日,额敏167团,6只;7月23日,额敏至铁厂沟,4只;7月24日,北屯额尔奇斯河谷,6只;7月25日,福海乌伦古湖,8只[GJun];

Xinjiang: 15 between Xinyuan and Yiing on 3 May [WCB]; nine at Wuwuxinzhen, Kuitun on 21 July; six at No. 167 Corps, Emin on 22 July; four between Emin and Tiechanggou on 23 July; six at Erqisi Valley, Beitun on 24 July and eight at Wulungu Hu, Fuhai on 25 July [GJun].

#### 0186# 栗头蜂虎 Chestnut-headed Bee-eater Merops leschenaulti

云南: 3月29日, 盈江铜壁关, 10只[MK];

Yunnan: Ten at Tongbiguan, Yingjiang on 29 March [MK].

#### 鹃形目CUCULIFORMES>杜鹃科 Cuculidae

#### 0188# 红翅凤头鹃 Chestnut-winged Cuckoo Clamator coromandus

河南: 5月28日, 罗山董寨保护区, 2只[TXD];

江苏: 6月22日, 江浦, 1只[LJ];

江西: 4月13日, 龙南九连山, 6只[LCK];

上海: 5月21日, 松江天马山, 2只[WM];

浙江: 5月2日, 泰顺乌岩岭, 1只[LiX];

广东: 5月1日, 郁南同乐大山保护区, 1只[LXD];

海南: 11月12日, 大田自然保护区, 1只[ZJ], 较晚的秋季记录;

Henan: Two at Dongzhai NR on 28 May [TXD].

Jiangsu: One at Jiangpu on 22 June [LJ], a rare recent record from the province.

Jiangxi: Six at Jiulianshan NNR, Longnan on 13 April [[LCK].

Shanghai: Two at Tianmashan, Songjiang on 21 May [WM].

Zhejiang: One at Wuyanling, Taishun on 2 May [LiX].

Guangdong: One at Dashan NR, Tongle, Yunan on 1 May [LXD].

Hainan: One at Datian NR on 12 November [ZJ], an unusual late autumn record from Hainan.

#### 0189# 鷹鹃 Large Hawk Cuckoo Cuculus sparverioides

河北: 5月16日, 山海关角山, 1只; 5月12日, 乐亭快乐岛, 1只[PH et al.]; 5月18日和19日, 秦皇岛祖山森林公园, 都是2只[PH et al.]; 5月28日, 兴隆雾灵山保护区, 1只[LHY];

北京: 5月22日, 怀柔怀沙河, 1只[LHT]; 6月5日, 八达岭, 1只[PH et al]

陕西: 5月底和6月初,太白山森林公园,5天内1-3只之间[PH et al.].

河南: 5月28日, 罗山董寨保护区, 1只[TXD];

四川: 5月22日,峨眉山, 3只[LHua]; 6月20日-25日, 4日内, 3只—6只之间; 6月26日-29日, 卧龙自然保护区,每日有2只-3只; 7月1日,米亚罗鹧鸪山垭口上,1只; 7月4日-7日,九寨沟自然保护区,每日1只[PH et al.].

湖北: 4月17日, 大悟仙居顶林场, 1只[LY];

福建: 6月11日, 莆田东圳水库, 1只[XMBWS];

广东: 4月2日, 广州良田镇沙田村, 1只[GGW];

澳门: 4月3日, 离岛湿地, 3只[CCA]:

海南: 5月12日, 琼中鹦哥岭, 3只[YCC];

西藏: 6月21日, 林芝, 1只[ZGF et al.];

Hebei: Singles on Happy Island, Laoting on 12th & Jiao Shan, Shanhaiguan on 16 May; two at Old Peak FP, Qinhuangdao on both 18th & 19 May [PH et al.]. singles at Wulingshan NR on 28th [LHY], 30th & 31 May [PH et al.].

Beijing: One at Huaishahe, Huairou on 22 May [LHT], one at Badaling on 5 June [PH et al.].

Shaanxi: At Taibaishan FP between one & three birds were noted on five dates during late May-early June [PH et al.].

Henan: One at Dongzhai NR on 22 May [TXD].

Hubei: One at Xianjuding FF, Dawu on 17 April [LY].

Sichuan: Three at Emei Shan on 22 May [LHua] & between three & six birds there on four dates 20-25 June; two or three daily at Wolong NP 26-29 June; one on the Zhegushan Pass above Miyaluo on 1 July; singles daily in Jiuzhaigou NP 4-7 July [PH et al.].

Fujian: One at Dongzhan Reservoir on 11 June [XMBWS].

Guangdong: One at Shatian, Guangzhou on 2 April [GGW].

Macao: Three at Taipa-Coloane Wetland on 3 April [CCA].

Hainan: Three at Yinggeling, Qiongzhong on 12 May [YCC].

Tibet: One at Linzhi on 21 June [ZGF et al.].

0190# 普通鹰鹃 Common Hawk Cuckoo Hierococcyx varius

西藏: 5月28日, 墨脱, 3只[ZGF et al.];

Tibet: Three at Motuo on 28 May [ZGF et al.].

#### 0191.1# 北方鹰鹃 Northern Hawk Cuckoo Cuculus hyperythrus

河北: 乐亭快乐岛, 5月17、19日, 各1只, 18日, 2只[BB et al.]; 5月31日, 兴隆雾灵山自然保护区, 听到1只[PH];

Hebei: One at Happy Island, Laoting on 17 and 19 May, two there on 18th [BB et al.] and one heard at Wulingshan NR, Xinglong on 31 May [PH].

0191.2# 霍氏鹰鹃 Hodgson's Hawk Cuckoo Cuculus nisicolor

云南: 3月29日, 盈江铜壁关, 听到1只[MK];

Yunnan: One at Tongbiguan, Yingjiang on 29 March [MK].

0192# 四声杜鹃 Indian Cuckoo Cuculus micropterus

## 无重要记录

No significant records.

# 0193# 大杜鹃 Common Cuckoo Cuculus canorus

无重要记录

No significant records.

#### 0194.2# 中杜鹃Oriental Cuckoo Cuculus saturatus

北京: 6月12日,白草畔,1只[LiX]; 6月18日,延庆松山保护区,1只[LiX]; 8月7日, 怀柔怀沙河,1只[ZJ];

河北: 6月4日, 兴隆雾灵山保护区, 1只 [LHY];

陕西: 5月27日, 太白山森林公园,至少听见3只[BA];

湖北: 4月14日,广水中华山森林公园, 2只[LY]:

广东: 5月6-7日, 乳源南岭国家森林公园, 听见1只[BA];

西藏: 5月15日, 林芝察隅, 3只[DJT];

云南: 3月27日, 瑞丽铜壁关, 1只[MK]; 8月30日, 大理苍山, 1只[WRQ];

编者注:在2004年的报告中,河北和北京的记录被认为是北方中杜鹃Cuculus horsfieldi,根据叫声的音节数、实为本种。

Beijing: Singles at Baicaopan on 12 June [LiX], Songshan NR, Yanqing on 18 June [LiX] and Huaishahe, Huairou on 7 August [ZJ].

Hebei: One at Wulingshan NR on 4 June [LHY].

Shaanxi: At least three heard singing at Taibaishan FP on 27 May [BA].

Hubei: Two at Zhonghuashan FP, Guangshui on 14 April [LY].

Guangdong: One heard at Nanling NNR, Ruyuan on 6-7 May [BA].

Tibet: Three at Chayu, Linzhi on 15 May [DJT]

Yunnan: Singles at Tongbiguan NR, Ruili on 27 March [MK] and Cangshan, Dali on 30 August [WRQ].

2004: Records from Beijing and Hebei published in China Bird Report 2004 as *Cuculus horsfieldi* are now thought referrable to *C. saturatus*.

## 0195# 小杜鹃 Asian Lesser Cuckoo Cuculus poliocephalus

河北: 5月19日,秦皇岛祖山森林公园,1只[PH et al.];5月19日,乐亭快乐岛,1只[BB et al.];5月31日,兴降雾灵山,1只[PH et al.].

陕西: 5月27日, 太白山低海拔处, 听见数只[BA];

江苏: 5月21-7月19日,南京各处有零星记录[ZYu];

四川: 6月20日-25日之间, 峨眉山, 2只—6只, 6月28日, 卧龙自然保护区, 1只, 7月1日, 米亚罗鹧鸪山垭口上, 1只[PH et al.];

Hebei: Singles at Old Peak FP, Qinhuangdao [PH et al.] & on Happy Island, Laoting on 19 May [BB et al.], one at Wulingshan, Xinglong on 31 May [PH et al.].

Shaanxi: Up to five a day at Taibaishan FP on during late May to early June [BA, PH et al.].

Jiangsu: Singles recorded at different sites in Nanjing during 21 May-19 July [ZYu].

Sichuan: Between two & six at Emei Shan during 20-25 June; one at Wolong NP on 28 June;

one on the Zhegushan Pass above Miyaluo on 1 July [PH et al.].

# 0196# 栗斑杜鹃 Banded Bay Cuckoo Cacomantis sonneratii

云南: 3月26日,瑞丽莫里森林公园,听到1只[MK];

Yunnan: One heard at Moli FP, Ruili on 26 March [MK].

#### 0197# 八声杜鹃 Plaintive Cuckoo Cacomantis merulinus

福建: 4月15日, 厦门万石植物园, 1只[ZLin];

广东: 2月13日, 广州番禺新垦, 1只[YHY];

江西: 5月9日, 铅山武夷山自然保护区, 1只[YCC];

西藏: 5月15日, 林芝察隅, 3只[DJT]; 5月28日, 墨脱, 13只[ZGF et al.];

Fujian: One at Wanshi BG, Xiamen on 15 April [ZLiin].

Jiangxi: One atWuyishan NR, Yanshan on 9 May [YCC].

Guangdong: One at Xinken, Panyu on 13 February [YHY].

Tibet: Three at Chayu, Linzhi on 15 May [DJT] and 13 at Motuo on 28 May [ZGF et al.].

# 0198# 翠金鹃 Asian Emerald Cuckoo Chrysococcyx maculatus

云南: 3月26日, 瑞丽莫里森林公园, 27日, 瑞丽铜壁关, 各1只[MK];

Yunnan: Singles at Moli FP, Ruili and Tongbiguan, Ruili on 26 and 27 March, respectively [MK].

## 0199# 紫金鹃 Violet Cuckoo Chrysococcyx xanthorhynchus

云南: 12月8日, 勐腊中科院热带植物园, 1只[SXL].

Yunnan: One at CAS Tropical BG, Mengla on 8 December [SXL].

## 0200# 乌鹃 Drongo Cuckoo Surniculus lugubris

广东: 5月6-7日, 乳源南岭国家森林公园, 听见1只, 看见1只[BA];

云南: 3月26-27日瑞丽莫里森林公园和蓝京里,3月28日,盈江,各1只[MK];3月30日,盈江铜壁关,听到3只[MK];

海南: 5月12日, 琼中鹦哥岭, 3只[YCC];

Hainan: Three at Yinggeling, Qiongzhong on 12 May [YCC].

Guangdong: One heard and one seen at Nanling FP, Ruyuan on 6-7 May [BA].

Yunnan: Singles at Moli FP and Nanjingli, Ruili on 26-27 March and near Yingjiang city on

28 March [MK]. also three heard at Tongbiguan, Yingjiang on 30 March [MK].

#### 0201# 噪鹃 Asian Koel Eudynamys scolopacea

陕西: 5月27日,太白山森林公园,听见10只[BA];

北京: 5月22日, 怀柔怀沙河, 2只[LHT];

Notable records were:

Shaanxi: Ten heard at Taibaishan FP on 27 May [BA].

Beijing: Two at Huaishahe, Huairou on 22 May [LHT].

# 0202# 绿嘴地鹃 Green-billed Malkoha Phaenicophaeus tristis

广西: 1月21日, 靖西底定保护区, 1只[JAW];

海南: 1月15日, 昌江霸王岭自然保护区, 1只[BA]; 11月11日, 昌江霸王岭自然保护区, 3只[LY];

云南: 3月25日, 瑞丽南京里, 3只; 3月29日, 盈江铜壁关, 1只[MK]; 4月18日, 沧源 孟定, 3只[OB];

Guangxi: One at Diding NR, Jingxi on 21 January [JAW].

Yunnan: Three at Nanjingli, Ruili on 25 March [MK], one at Tongbiguan, Yingjiang on 29 March [MK] and three at Mengding, Cangyuan on 18 April [OB].

Hainan: One at Bawangling NR on 15 January [BA] and three at Datian NR on 11 November [LY].

# 鹃形目 CUCULIFORMES> 鸦鹃科 Centropodidae

## 0203# 褐翅鸦鹃 Greater Coucal Centropus sinensis

福建: 4月14日, 厦门坂头水库, 5只[ZLin];

广东: 2月9日,石门国家森林公园,1只[DJT],4月23日,广州竹料镇,3只[PYS],10月28日,始兴车八岭,2只[YHY];12月3日,深圳福田红树林,3只[LXD];

澳门: 4月3日, 离岛湿地, 1只[CCA].

海南: 11月12日, 东方大田保护区, 3只[WJY];

云南: 3月26日, 瑞丽姐勒水库, 1只[MK], 4月18日, 沧源孟定, 2只[OB], 12月9日, 勐腊绿石林, 1只[LS];

Fujian: Five at Bantou Reservoir, Xiamen on 14 April [Zlin].

Guangdong: One at Shimen FP on 9 February [DJT]; three at Zhuliao, Huangzhou on 23 April [PYS]; two at Chebaling, Shixing on 28 October [YHY] and three at Futian NR, Shenzhen on 3 December [LXD].

Macao: One at Taipa-Coloane Wetland on 3 April [CCA].

Yunnan: One heard at Jiele Reservoir, Ruili on 26 March [MK]; two at Mengding, Cangyuan on 18 April [OB] and one at Lushilin. Mengla on 9 December [LS].

Hainan: Three at Datian NR, Dongfang on 12 November [WJY].

#### 0204# 小鸦鹃 Lesser Coucal Centropus bengalensis

河南: 5月28日, 罗山石山口水库, 6只[JH & LY];

安徽: 5月4日, 鹞落坪自然保护区, 1只[YZD];

浙江: 6月26日, 德清下渚湖, 6只[QH];

江苏: 5月21-22日, 南京老山狮子岭, 2只, 7月4日, 南京金牛湖, 2只[ZYu];

广东: 12月10日, 深圳坝光盐灶村, 1只[ZengY];

广西: 10月5日, 崇左生杰公园, 1只[TSX];

海南: 1月20日, 东寨港自然保护区, 1只[YCC];

云南: 4月18日, 沧源孟定, 2只[OB].

Henan: Six at Shishankou Reservoir, Luoshan on 28 May [JH & LY].

Anhui: One at Yaoluoping NR on 4 May [YZD].

Zhejiang: Six at Xiazhu Hu, Deqing on 26 June [QH].

Jiangsu: Two at Shiziling, Laoshan, Nanjing on 21-22 May and two at Jinniuhu, Nanjing on 4 July [ZYu].

Guangdong: One at Yanbacun, Baguang, Shenzhen on 10 December [ZengY].

Guangxi: One at Chongzuo Ecological Park on 5 October [TSX].

Yunnan: Two at Mengding, Cangyuan on 18 April [OB]. Hainan: One at Dongzhaigang NR on 20 January [YCC].

#### 鹦形目PSITTACIFORMES > 鹦鹉科Psittacidae

# 0207.a# 蓝腰短尾鹦鹉 Blue-Rumped Parrot Psittinus cyanurus

云南: 5月4日, 思茅菜阳河自然保护区, 1雄[HFQ & LJS], 中国新记录, 但与已知分布地(中南半岛南部)相距甚远, 其在中国的具体分布情况还需进一步考察;

Yunnan: One male at Caiyanghe NR, Simao on 4 May [HFQ & LJS]. The first record for China, but since this sighting is far away from it's known range (south Thailand is considered to be the nearest) this individual was most likely an escaped cage bird.

#### 0209# 灰头鹦鹉 Grey-headed Parakeet Psittacula finschii

青海: 6月14日,囊谦1只,可能是青藏高原的第一笔记录[JH];

云南: 12月31日, 高黎贡山百花岭, 1只[PH];

Qinghai: A juvenile near Nangqian on 14 June, possibly the first record for Qinghai/Tibet. Cheng (1987) lists it only for W and SW Sichuan (Kangding and Huidong, respectively) and Yunnan.

Yunnan: One at Baihualing, Gaoligongshan on 31 December [PH].

## 0211# 大紫胸鹦鹉 Derbyan Parakeet Psittacula derbiana

西藏: 5月7-21日, 林芝地区, 208只[DJT];

Tibet: 208 bird-days at Linzhi during 7-21 May [DJT].

#### 0212# 绯胸鹦鹉 Red-breasted Parakeet Psittacula alexandri

云南: 10月29日, 瑞丽附近, 超过21,000只, 最大的一群超过7,000[JH].

西藏: 5月7日, 林芝察隅, 2只[DJT];

Tibet: Two at Chayu, Linzhi on 7 May [DJT].

Yunnan: Roost flights totalling approximately 21,000 individuals near Ruili on 29 October, including a single flock of about 7000 [JH].

# 雨燕目APODIFORMES > 雨燕科Apodidae

# 0214# 短嘴金丝燕 Himalayan Swiftlet Collocalia brevirostris

湖北: 7月19日, 神农架自然保护区, 350只[YZD];

四川: 4月16日,平武王朗自然保护区,17只[ZYF];6月20日,峨眉山,20只[PH];

西藏: 5月15日, 林芝察隅, 120只[DJT];

云南: 3月30日,盈江铜壁关,15只[MK];7月27日,个旧贾沙丫沙底,10只[WC];12月3日,高黎贡山百花岭,5只[JH et al.]

Hubei: 350 at Shennongjia NR on 19 July [YZD].

Sichuan: 17 at Wanglang NR, Pingwu on 16 April [ZYF] and 20 at Emeishan on 20 June [PH]. Tibet: 120 at Chayu, Linzhi on 15 May [DJT].

Yunnan: 15 at Tongbiguan, Yingjiang on 30 March [MK], 10 at Yashadi, Jiasha, Gejiu on 27 July [WC] and five at Baihualing, Gaoligongshan on 3 December [JH et al.].

## 0216# 白喉针尾雨燕 White-throated Needletail Hirundapus caudacutus

黑龙江: 5月7日, 伊春带岭北山, 15只[LJY];

河北: 5月5-20日, 乐亭快乐岛, 有六天有记录, 其中最大数量是20日, 7只[BB et al.]:

5月11日-17日,秦皇岛北戴河,观察到3天共计5只[PH et al.].

河南: 5月8日, 罗山董寨自然保护区, 1只[LY];

湖北: 4月17日, 大悟仙居顶林场, 2只[LY], 9月10日, 武汉新洲区接天山, 80只 [ZMH];

四川: 6月下旬至7月初, 峨眉山, 九寨沟和卧龙有零星记录, 1只或2只[PH et al.];

Heilongjiang: 15 at Beishan, Dailing, Yichun on 7 May [LJY]

Hebei: Birds were recorded on six days at Happy Island, Laoting between 5-20 May, with a maximum of seven on 20th [BB et al.]. up to five birds were noted on three dates 11-17 May at Beidaihe, Qinhuangdao [PH et al.].

Henan: One at Dongzhai NR, Luoshan on 18 May [LY].

Hubei: Two at Xianjuding FF, Dawu on 17 April [LY]. 80 at Jietianshan, Wuhan on 10 September [ZMH].

Sichuan: One or two at Emei Shan, Jiuzhaigou and Wolong during late June and early July [PH et al.].

#### 0217# 灰喉针尾雨燕 Silver-backed Needletail Hirundapus cochinchinensis

海南: 7月30-8月6日, 昌江霸王岭自然保护区有记录[YYT];

Hainan: One at Bawangling NR between 30 July and 6 August [YYT].

# 0218# 棕雨燕 Asian Palm Swift Cypsiurus balasiensis

海南: 11月9日, 昌江霸王岭自然保护区, 10只[LY];

云南: 3月28、29日, 盈江附近, 28只[MK]; 12月8日, 中科院热带植物园, 6只[SXL]; 12月9日, 勐腊绿石林, 2只[LS]; 12月14日, 景洪勐养野象谷, 50只[LS];

Hainan: 10 at Bawangling NR on 9 November [LY].

Yunnan: Up to 28 near Yingjiang on 28-29 March [MK]; 6 at CAS Tropical BG, Mengla on 8 December [SXL]; two at Lushilin, Mengla on 9 December [LS] and 50 at Yexianggu, Mengyang, Jinghong on 14 December [LS].

#### 0220# 普通楼燕 Common Swift Apus apus

北京: 4月28日, 昌平沙河水库, 8只[WRQ]; 5月8日, 顺义汉石桥, 5只[LHY]; 6月1

日, 颐和园, 200只[PH et al.];

河北: 5月4日,秦皇岛北戴河,13只[WRQ];

甘肃: 5月15日, 酒泉卫星发射基地, 4只[CYD];

湖北: 7月17日, 十堰武当山, 3只[YZD];

青海: 7月26日, 班玛到温泉沿线,, 3只[ZYong];

新疆: 8月5日, 喀什附近, 40只[PH];

High counts &unusual reports included:

Beijing: The first arrivals of this common summer visiting breeder were late - eight at Shahe

Reservoir, Changping on 28 April [WRQ] & the next were apparently five at Hanshiqiao,

Shunyi on 8 May [LHY]. 200 at the Summer Palace on 1 June [PH et al.].

Hebei: 13 at Beidaihe on 4 May [WRQ] was the only report received;

Gansu: Four at Jiuquan on 15 May [CYD].

Hubei: Three at Wudangshan, Shiyan on 17 July [YZD].

Qinghai: Three between Banma and Wenquan on 26 July [ZYong].

Xinjiang: 40 near Kashi on 5 August [PH].

# 0221# 白腰雨燕 Pacific Swift Apus pacificus

河北: 5月20日, 乐亭快乐岛, 30只[BB et al.];

北京: 4月9日, 怀柔水库, 5只[LJY];

陕西: 5月底6月初,太白山森林公园,4天有10-20只;6月7日,汉中附近,

80只[PH et al.].

广东: 4月9日, 韶关丹霞山, 100只[WXL];

海南: 11月9日, 昌江霸王岭自然保护区, 50只[LY];

贵州: 5月28日, 贵阳高坡, 74只[YL];

青海: 7月22日, 玛可河林场, 30只[WQ];

四川: 8月13日, 若尔盖, 50只[WJY];

西藏: 5月7日, 拉萨机场, 120只[DJT];

Hebei: 30 at Happy Island, Laoting on 20 May [BB et al.].

Beijing: Five at Huairou Reservoir on 9 April [LJY].

Shaanxi: At Taibaishan FP between 10-20 birds were noted on four dates in late May-early

June; 80 near Hanzhong on 7 June [PH et al.]

Guangdong: 100 at Danxiashan, Shaoguan on 9 April [WXL].

Hainan: 50 at Bawangling NR on 9 November [LY].

Guizhou: 74 at Gaopo, Guiyang on 28 May [YL].

Qinghai: 30 at Makehe FF on 22 July [WQ].

Sichuan: Birds were widely reported & the highest count was 50 at Ruoergai on 13 August

[WJY].

Tibet: 120 at Lhasa Airport on 7 May [DJT].

# 0222# 小白腰雨燕 House Swift Apus affinis

安徽: 7月24日, 祁门, 20只[WJ];

广东: 11月30日,广州白云山风景区,10只[YHY];

广西: 12月11日, 合浦山口红树林保护区, 30只[JAW];

海南: 1月27日, 昌江霸王岭, 20只[LG];

陕西: 6月5日, 西安火车站附近, 1只[PH et al.];

四川: 6月底,成都及峨眉山脚,分别是1只和一小群,共计4只[PH et al.];

云南: 3月26日, 瑞丽姐勒水库, 100只[MK]; 10月9日, 腾冲和顺侨乡,70只[ZMH];

江西: 11月2日, 九连山自然保护区, 10只[RWL et al.];

Anhui: 20 at Qimen on 24 July [WJ].

Jiangxi: Ten at Jiulianshan NR on 2 November [RWL et al.].

Guangdong: 10 at Baiyunshan, Guangzhou on 30 November [YHY].

Guangxi: 30 at Shankou Mangrove NR, Hepu on 11 December [JAW].

Hainan: 20 at Bawangling, Changjiang on 27 January [LG].

Shaanxi: One near Xian Railway Station on 5 June [PH], the first record for the province.

Sichuan: Singles & parties of up to four birds in Chengdu and Emei City in late June [PH et al.].

Yunnan: 100 at Jiele Reservoir, Ruili on 26 March [MK] and 70 at Heshun, Tengchong on 9 October [ZMH].

#### New-4# 暗背雨燕 Dark-rumped Swift Apus acuticauda

云南: 11月3日, 高黎贡山, 1只飞过, 可能是中国的第一笔记录[JH];

Yunnan: One over Gaoligongshan on 3 November [JH]. Cheng (1987) did not include the species for China and doubt has recently been expressed concerning previous Chinese reports. The species has still not been formally documented for the country.

#### 雨燕目 APODIFORMES> 树燕科 Hemiprocnidae

## 0223# 凤头树燕 Crested Treeswift Hemiprocne coronata

云南: 12月8日, 勐腊中科院热带植物园, 8只[SXL]; 12月14日, 景洪勐养野象谷, 10 只[LS].

Yunnan: Eight at CAS Tropical BG, Mengla on 8 December [SXL]; and 10 at Yexianggu, Mengyang, Jinghong on 14 December [LS].

# 鸮形目 > 草鸮科

# 0225# 草鸮 Grass Owl Tyto capensis

山东: 6月13日, 黄河三角洲自然保护区, 2幼[DYBWS];

Shandong: Two juveniles at Yellow River Delta NR on 13 June [DYBWS].

## 鸮形目STRIGIFORMES > 草鸮科 Tytonidae

# 0227# 黄嘴角鸮 Mountain Scops Owl Otus spilocephalus

江西: 4月8-10日, 铅山武夷山, 听见1只[BA];

海南: 5月12日, 琼中鹦哥岭, 1只[YCC];

云南: 3月22-23日, 高黎贡山百花岭, 听到1只; 3月26日, 瑞丽姐勒水库, 1只[MK];

Hainan: One at Yinggeling, Qiongzhong on 12 May [YCC].

Jiangxi: One heard at Wuyishan, Qianshan during 8-10 April [BA].

Yunnan: Singles heard at Baihualing, Gaoligongshan on 22 and 23 March and at Jiele

Reservoir, Ruili on 26 March [MK]

# 0228# 纵纹角鸮 Pallid Scops Owl Otus brucei

新疆: 8月2日, 喀什附近, 1只[PH];

Xinjiang: One at Cityla near Kashi on 2 August [PH].

## 0230# 红角鸮 (东方角鸮) Oriental Scops Owl Otus sunia

辽宁: 5月10日, 大连旅顺, 2只[LXD];

北京: 4月13日, 北京大学, 1只[HD]; 7月2日, 百花山, 1只[LHY];

河北: 5月7日, 9日, 14日, 北戴河每日1只[PH et al, LHY], 5月10日-12日, 乐亭快乐

岛, 这3日, 1只-2只[PH et al.]; 5月28日, 兴隆雾灵山保护区, 1只[LHY]; 10月2日,

北戴河, 2只[PH, et, al.]; 10月3日, 乐亭京唐港, 1只[ZLi];

河南: 5月21日, 罗山董寨保护区, 1只[ZYong];

湖北: 4月17日, 大悟仙居顶林场, 2只[LY];

广东: 10月16日,广州番禺新垦,1只[GGW];

广西: 12月11日, 合浦山口红树林保护区, 1只[JAW];

Liaoning: Two at Lushun, Dalian on 10 May [LXD].

Beijing: One at Beijing University on 13 April [HD]. one at Baihuashan on 2 July [LHY].

Hebei: Singles at Beidaihe on 7th, 9th & 14 May [PH et al., LHY]. one or two on Happy

Island, Laoting on all three days 10-12 May [PH et al.], one at Wulingshan NR on 28 May

[LHY]. two at Beidaihe on 2 October [PH et al.]. one at Jingtanggang, Laoting on 3 October

Henan: One at Dongzhai NR on 21 May [ZYong].

Hubei: Two at Xianjuding FF, Dawu on 17 April [LY].

Guangdong: One at Xinken, Fanyu, Guangzhou on 16 October [GGW].

Guangxi: One at Shankou Mangrove NR. Hepu on 11 December [JAW].

#### 0232# 领角鸮 Collared Scops Owl Otus bakkamoena

江西: 5月9日, 铅山武夷山自然保护区, 1只[YCC];

四川: 6月21日, 峨眉市附近, 3只[PH et al.];

海南: 11月9日, 昌江霸王岭, 1只[WJY];

云南: 11月18日, 开远东山姑娘洞, 1只[LYang]; 12月29日和31日, 高黎贡山百花岭, 毎日1只, [PH & WOY].

Sichuan: Three near Emei City on the 21 June [PH et al.].

Jiangxi: One at Wuyishan NR on 9 May [YCC].

Hainan: One at Bawangling, Changjiang on 9 November [WJY].

Yunnan: One at Dongshan, Kaiyuan on 18 November [LYang]. one above Baihualing,

Gaoligongshan on both 29th & 31 December [PH & WQY]

# 0233# 雕鸮 Eurasian Eagle Owl Bubo bubo

黑龙江: 9月30日, 伊春带岭碧水保护区, 1只[WXL].

北京: 10月22日, 延庆野鸭湖, 1只[ZLi];

河南: 3月2日, 董寨保护区, 1只[LY];

青海: 8月10日, 斑玛, 1只[ZGF et al.], 9月20日, 共和日月山垭口附近, 1只[PH et al.].

四川: 7月1日, 红原和鹧鸪山, 各1只[PH et al.]; 12月6日, 马尔康红原龙日坝, 1只[SY];

西藏: 7月27日, 芒康周边, 1只[ZGF et al.];

新疆: 3月5日, 昌吉五家渠103团, 1只[GJun]; 3月28日, 卡拉麦里保护区, 1只 [MM]; 12月10日, 五家渠青格达湖, 1只[GJun];

Heilongjiang: One at Bishui NR, Dailing, Yichun on 30 September [WXL].

Beijing: One at Wild Duck Lake, Yanging on 22 October [ZLi].

Henan: One at Dongzhai NR, Luoshan on 11 March [LY].

Qinghai: One at Banma on 10 August [ZGF et al.]. one near the Sun-Moon Mountain Pass, Gonghe on 20 September [PH et al.]

Sichuan: Two singles between the Zhegushan Pass & Hongyuan on 1 July [PH et al.]. one at Longriba, Hongyuan, Maerkang on 6 December [SY].

Tibet: One near Mangkang on 27 July [ZGF et al.].

Xinjiang: One at 103 Corps, Wujiaqu, Changji on 5 March [GJun]. One at Kalamaili NR on 28 March [MM]; One at Qinggeda, Wujiaqu on 10 December [G Jun];

#### 0240# 褐林鸮 Brown Wood Owl Strix leptogrammica

江西: 4月13日, 龙南九连山, 1只[LCK]; 5月5日, 婺源, 1只[HXJ];

云南: 10月3日,大理苍山,听到1只[JHo & JW], 12月31日,高黎贡山百花岭,听到1只[PH];

Jiangxi: Singles at Jiulian Shan NR on 13 April [LCK] and Wuyuan on 5 May [HXJ].

Yunnan: Singles heard at Cangshan, Dali on 3 October [JHo & JW] and Baihualing, Gaoligongshan on 31 December [PH].

## 0241# 灰林鸮 Tawny Owl Strix aluco

亚种nivicola:

陕西: 1月19日, 佛坪三官庙, 1只[LY]; 5月24&28日, 太白山森林公园, 听见1[PH et al,]&2只[BA];

四川: 10月15日, 王朗自然保护区, 2只[LS]; 10月22日, 卧龙自然保护区, 2只[LS]; 云南: 12月2日, 高黎贡山百花岭, 听到1只[BA];

Race nivicola:

Shaanxi: One at Sanguanmiao, Foping on 19 January [LY]. one & two heard at Taibaishan FP on 24th [PH et al.] & 28 May [BA].

Sichuan: Two at Wanglang NR on 15 October [LS]. two at Wolong NR on 22 October [LS]. Yunnan: One was heard at Baihualing, Gaoligongshan on 2 December [BA].

# 0242# 长尾林鸮 Ural Owl Strix uralensis

黑龙江: 伊春带岭为较常见留鸟, 有多笔记录;

Heilongjiang: Noted at Dailing, Yichun.

#### 0247# 领鸺鹠 Collared Owlet Glaucidium brodiei

河南: 2月26日, 罗山董寨保护区, 3只[LY];

湖北: 4月17日, 大悟仙居顶林场, 2只[LY];

江西: 3月20日, 婺源, 1只[CJZ]; 10月30日-11月2日, 龙南九连山国家自然保护区, 每日听到2只[RWL et al.];

海南: 11月9日, 昌江霸王岭, 4只[WJY];

贵州: 7月19日, 兴义顶效, 1只[YL];

云南: 3月21-23日, 高黎贡山百花岭, 3月27日, 瑞丽南京里, 3月27-29日, 盈江铜壁 关,各听到1只[MK];

西藏: 12月21日, 日喀则, 2只[ZGF et al.], 可能是西藏第一笔记录;

Henan: Three at Dongzhai on 26 February [LY].

Hubei: Two at Xianjuding FF, Dawu on 17 April [LY].

Jiangxi: One at Wuyuan on 20 March [CJZ] and up to two heard daily at Jiulianshan NNR,

Longnan between 30 October and 2 November [RWL et al.].

Hainan: Four at Bawangling on 9 November [WJY].

Guizhou: One at Dingxiao, Xingyi on 19 July [YL].

Tibet: Two at Rikaze on 21 December [ZGF et al.], possibly the first record for Tibet.

Yunnan: Singles heard daily at Baihualing, Gaoligongshan during 21-23 March [MK] and at Tongbiguan NR, Yingjiang during 27-29 March; also another at Nanjingli, Ruili on 27 March [MK].

#### 0248# 斑头鸺鹠 Asian Barred Owlet Glaucidium cuculoides

华南地区不罕见;

陕西: 1月11日, 佛坪瓦寨子村, 1只[LY]; 6月6日, 汉中附近, 1只[PH et al.];

四川: 1月31日, 峨眉山, 1只[DK]; 6月20日-26日, 峨眉山, 4日1只-3只之间[PH et al.];

云南: 3月21日, 高黎贡山百花岭, 3月29日, 盈江铜壁关, 各听到1只[MK];

西藏: 5月28日, 墨脱, 4只[ZGF et al.];

Not rare in south China.

Shaanxi: One at Wazhaizicun, Foping on 11 January [LY]. one near Hanzhong on 6 June [PH et al.].

Sichuan: One at Emei Shan on 31 January [DK] with between one & three there on four dates between 20-26 June [PH et al.].

Yunnan: Singles at Baihualing, Gaoligongshan on 21 March and Tongbiguan NR, Yingjiang on 29 March [MK].

Tibet: Four at Motuo on 28 May [ZGF et al.].

#### 0249# 纵纹腹小鸮 Little Owl Athene noctua

吉林: 6月3日, 通榆向海自然保护区以北, 3只[PH et al.];

辽宁: 12月31日, 大连植物园, 1只[LY];

河北: 1月14日,秦皇岛北戴河,1只[WRQ]和9月29日,1只[PH et al.];

北京: 1月11日, 人民日报院, 1只[ZJ], 2月26日, 温榆河, 1只[SM], 11月19日, 延庆 妫水河及沿岸, 5只[ZLi],

天津: 4月2日,团泊洼水库,1只[YY];5月30日,兴隆附近,1只[PH et al.];12月22

日,塘沽北塘水库,1只;12月23日,大港井区,1只[PH& WQY];

河南: 9月23日, 洛阳周山森林公园, 1只[DQ];

青海:7月26日, 班玛到温泉沿线,5只[ZYong]:

四川: 5月1日, 若尔盖, 1只[YHY]; 7月2日, 若尔盖, 3只[PH et al.];

新疆: 3月28日, 卡拉麦里保护区, 1只[MM], 8月1日, 乌鲁木齐附近, 1只[PH& WQY],

Jilin: Three north of Xianghai NR, Tongyu on 3 June [PH et al.].

Liaoning: One at Dalian BG on 31 December [LY].

Hebei: Singles at Beidaihe on 14 January [WRQ] & 29 September [PH et al.].

Beijing: One in the yard of People's Daily Newspaper on 11 January [ZJ]. one at Wenyuhe on 26 February [SM]. five along the Guishuihe, Yanqing on 19 November [ZLi].

Tianjin: One at Tuanbowa Reservoir on 2 April [YY]. one near Xinglong on 30 May [PH et al.]. one at Beitang Reservoir, Tanggu on 22 December; one at Jing Qu, Dagang on 23 December [PH& WOY].

Henan: One at Zhoushan FP, Luoyang on 23 September [DQ].

Qinghai: Five between Banma and Wenquan on 26 July [ZYong] was the highest day count received;

Sichuan: One at Ruoergai on 1 May [YHY] and three there on 2 July [PH et al.].

Xinjiang: One at Kalamaili NR on 28 March [MM], one near Urumqi on 1 August [PH& WOY].

# 0252.1# 北方鹰鸮 Northern Boobok Ninox japonica

河北: 5月12日, 唐山快乐岛, 3只[CLiang]; 5月13日, 仍见其中2只[PH et al.].

Hebei: Three on Happy Island, Tianshan on 12 May [CLiang] with two still there the following day [PH et al.].

## 0252.2# 鹰鸮Brown Boobok Ninox scutulata

河南: 4月15日, 罗山董寨自然保护区, 2只[LY];

湖北: 4月14日,广水中华山森林公园, 2只[LY];

江苏:7月18日, 江浦老山林场, 5只[ZYu];

江西: 7月3日, 婺源, 1只[LJ];

浙江:7月2日,磐安大盘山自然保护区,1只[QH];

Henan: A pair heard at Dongzhai NR, Luoshan on 15 April [LY].

Hubei: Two at Zhonghuashan FP, Guangshui on 14 April [LY].

Jiangsu: Five at Laoshan FF, Jiangpu on 18 July [ZYu].

Zhejiang: One at Dapanshan NR, Pan'an on 2 July [QH].

Jiangxi: One at Wuyuan on 3 July [LJ].

# 0253# 长耳鸮 Long-eared Owl Asio otus

辽宁: 2月3日, 沈阳辽宁大学, 15只[ZYong];

北京: 1月16日, 天坛, 2只[ZYQ]; 11月19日, 孔庙, 11只[ZLei];

山东: 10月2日, 长岛大黑山岛, 1只[LHY];

湖南: 12月3-5日, 岳阳君山, 最高记录到10只[RWL & MK];

新疆: 3月28日、卡拉麦里保护区、1只[MM]:

Xinjiang: One at Kalamaili on 28 March [MM].

Liaoning: 15 at Liaoning University, Shenyang on 3 February [ZYong].

Beijing: Two at Tiantan Park on 16 January [ZYQ] and 11 at Kongmiao on 19 November [ZLei].

Shandong: One at Daheishan Dao, Changdao on 2 October [LHY].

Hunan: Up to 10 present at a roost at Junshan, Yueyang during 3-5 December [RWL & MK].

#### 0254# 短耳鸮 Short-eared Owl Asio flammeus

河北: 5月1日, 北戴河, 1只[BB et al.];

北京: 10月15日, 昌平沙河水库, 1只[ZLi]; 10月30日, 昌平沙河水库, 1只[TZ]; 延

庆妫水河及沿岸: 11月5日, 1只[WC]; 11月19日, 1只[ZLi];

陕西: 2月17日, 潼关黄河风景区, 1只[LXD];

四川: 11月6日, 广汉鸭子河, 1只[WQian];

Hebei: One at Beidaihe on 1 May [BB et al.].

Beijing: Singles at Shahe Reservoir, Changping on 15th and 30 October [ZLi] and Guishuihe,

Yanqing on 5 and 19 November [WC, ZLi].

Shaanxi: One at Huanghe, Tongguan on 17 February [LXD].

Sichuan: One at Yazi He on 6 November [WQian].

#### 夜鹰目CAPRIMULGIFORMES > 夜鹰科 Caprimulgidae

#### 0257# 普通夜鷹 Grey Nightjar Caprimulgus indicus

无重要记录

No significant records.

# 0258# 欧夜鹰 Eurasian Nightjar Caprimulgus europaeus

新疆: 8月9日,喀什西克日尔水库对面,1只[PH&WQY];

Xinjiang: One besides Xikerer Reservoir, Kashi on 9 August [PH &WQY].

#### 0262# 林夜鹰 Savannah Nightjar Caprimulgus affinis

云南: 3月24日, 百花岭至南亢, 听到1只[RWL & MK];

Yunnan: One heard between Baihualing and Nankang on 24 March [RWL & MK].

#### 鸽形目COLUMBIFORMES > 鸠鸽科Columbidae

0263# 原鸽 Rock Pigeon Columba livia

新疆: 各处普遍易见。

Xinjiang: Reported as common and widespread.

# 0264# 岩鸽 Hill Pigeon Columba rupestris

北京: 2月3日, 密云白河峡谷, 20只[WQ]; 3月17日, 密云水库周围, 50只[PH&WOY];

河南: 2月10日, 孟津黄河湿地保护区, 40只[DO]:

甘肃: 4月23日, 定西十八里铺, 4只[XL]:

青海: 省内东部众多地点有记录; 9月24日, 江西沟附近, 150只, 为最高数目[PH et al.].

四川: 6月18日, 康定丹巴, 4只[CLiang];

新疆: 8月7日, 塔什库尔干附近, 至少150只[PH];

Beijing: 20 at Baihe Valley, Miyun on 3 February [WQ]. 50 around Miyun Reservoir on 17 March [PH & WQY].

Henan: 40 at Huanghe wetland, Mengjin on 10 February [DQ].

Gansu: Four at Shibalipu, Dingxi on 23 April [XL].

Qinghai: Birds were reported from numerous sites in the eastern part of the province with 150 near Jiangxigou on 24 September [PH et al.] being the highest count;

Sichuan: Four at Danba, Kangding on 18 June [CLiang].

Xinjiang: Fairly common & widespread – the highest count was 150 in and around Taxkorgan on 7 August [PH].

#### 0265# 雪鸽 Snow Pigeon Columba leuconota

四川: 5月3日, 马尔康若尔盖, 5只[YL]; 5月24日, 巴朗山, 2只[DK], 6月27日和28日, 巴朗山, 分别是10只和5只[PH et al.]; 10月23日, 康定新都桥, 30只[DK];

青海: 7月28日, 囊谦尕尔寺, 2只[KHL];

西藏: 5月11日, 扎囊山南地区, 50只[DJT]; 5月15日, 林芝察隅, 1只[DJT]; 12月21日, 日喀则地区, 3只[ZGF et al.];

云南: 10月29日, 德钦, 90只[JHo & JW];

Sichuan: Five at Ruoergai on 3 May [YL]; two, ten & five at Balangshan on 24 May [DK] & 27th & 28 June [PH et al.] respectively; 30 at Xinduqiao, Kangding on 23 October [DK]. Qinghai: Two at Ga'er Si, Nangqian on 28 July [KHL].

Tibet: 50 at Shannan, Za'nang on 11 May [DJT]. one at Chayu, Linzhi on 15 May [DJT]. three at Rikaze on 21 December [ZGF et al.].

Yunnan: 90 at Degin on 29 October [JHo & JW].

## 0266# 欧曾 Stock Pigeon Columba oenas

新疆: 3月28日, 卡拉麦里保护区, 2只[MM]; 10月2日, 库尔勒沙漠公路沿线, 4只 [GJun]. 7月30日, 尼勒克喀什河河谷, 4只[GJun]. 8月12日, 阿克苏附近, 4只; 8月15 和18日, 库尔勒境内, 10只和4只[PH];

Xinjiang: Two at Kalamaili NR on 28 March [MM]. four at Kashi He vally, Nilka on 30 July [GJun]. four at Shanli Reservoir near Aksu on 12 August & 10 & four near Korla on 15th &

18 August respectively [PH]. four along the road in Korla on 2 October [GJun].

# 0269# 点斑林鸽 Speckled Wood Pigeon Columba hodgsonii

四川: 10月22日, 卧龙自然保护区, 50只[LS]; 10月23日, 康定新都桥, 40只[DK]; 云南: 3月28日, 盈江附近, 8只[MK & RWL]; 12月3日, 高黎贡山百花岭, 9只[BA et

al.]; 12月8日, 勐腊中科院热带植物园, 2只[SXL];

西藏: 5月28日, 墨脱, 4只[ZGF et al.];

Sichuan: Particularly high counts were 50 at Wolong NR on 22 October [LS] & 40 at Xinduqiao, Kangding on 23 October [DK]. Birds were also reported from Emei Shan & Jiuzhaigou NP;

Yunnan: Eight near Yijiang on 28 March [MK & RWL]. nine at Baihualing, Gaoligongshan on 3 December [BA et al.]. two at CAS Tropical BG, Mengla on 8 December [SXL].

Tibet: Four at Motuo on 28 May [ZGF et al.].

## 0270# 灰林鸽 Ashy Wood Pigeon Columba pulchricollis

西藏: 5月28日, 墨脱, 1只[ZGF et al.];

云南: 3月27日,个旧马吃水前后川,3只[WC]:

Tibet: One at Motuo on 28 May [ZGF et al.].

Yunnan: Three in the western mountainous areas of Gejiu on 27 March [WC].

# 0273# 欧斑鸠 EuropeanTurtle Dove Streptopelia turtur

新疆: 8月2日,喀什附近,4只,8月4日,喀什附近,1只幼鸟,8月12日,阿克苏附近,1只,8月15日,库尔勒境内,3只[PH];

Xinjiang: Four at Cityla near Kashi on 2 August; one juvenile nearby on 4 August; one near Aksu on 12 August; three near Korla on 15 August [PH].

# 0274# 山斑鸠 Oriental Turtle Dove Streptopelia orientalis

华东各地常见。

西藏: 5月7日, 拉萨机场, 50只[DJT];

Common, especially in east China but widespread with records also from Xinjiang...

Tibet: 50 at Lhasa Airport on 7 May [DJT].

# 0275# 棕斑鸠 Laughing Dove Streptopelia senegalensis

新疆: 7月6日, 鄯善经吐鲁番至库尔勒, 40只[MKW et al.];

Xinjiang: The highest count was 40 between Shanshan and Korla via Turpan on 6 July [MKW et al.].

## 0276# 珠颈斑鸠 Spotted Dove Streptopelia chinensis

华东各地常见。

云南: 2月8日, 昆明西华公园, 20只[WM];

海南: 11月12日, 东方大田保护区, 30只[WJY];

Common in southern China. Frequently reported in West China, including the following

records:

Yunnan: 20 at Xihua Park, Kunming on 8 February [WM].

Hainan: 30 at Datian NR on 12 November [WJY].

# 0277# 火斑鸠 Red Collared Dove Streptopelia tranquebarica

内蒙古: 6月2日, 图牧吉, 1只[PH et al.];

山东: 8月25日, 莱州, 2只[ZXX].

上海: 夏季有多笔记录, 数量最大的8月25日, 奉贤, 43只[YGJ];

福建: 5月21日, 漳浦古雷, 7只[HXJ];

广东: 4月23日,广州竹料镇,2只[PYS],10月22日,惠州水产科学研究所,2只[WYY],

海南: 11月12日,大田自然保护区,6只[ZJ];

广西: 12月11日, 合浦山口红树林保护区, 2只[JAW];

贵州: 10月28日, 息烽集中营, 8只[ZhuY];

四川: 10月15日, 平武王朗自然保护区, 1只[LS];

青海: 7月19日, 湟中塔尔寺, 2只[ZJ], 9月23日, 茶卡附近, 2只[PH et al.]

西藏: 5月15日, 林芝察隅, 1只[DJT];

Nei Mongol: One at Tumuji on 2 June [PH et al.].

Shandong: Two at Laizhou on 25 August [ZXX].

Shanghai: Noted on a number of dates in summer, including 43 at Fengxian on 25 August [YGJ].

Fujian: Seven at Gulei, Zhangpu on 21 May [HXJ].

Guangdong: Two at Zhuliao, Guangzhou on 23 April [PYS] and two at Aquatic Product

Academic Institution, Huizhou on 22 October [WYY].

Guangxi: Two at Shankou Mangrove NR, Hepu on 11 December [JAW].

Hainan: six at Datian NR on 12 November [ZJ]

Guizhou: Eight at the ruins of a concentration camp at Xifeng on 28 October [ZhuY].

Sichuan: One at Wanglang NR on 15 October [LS].

Qinghai: Two at Taer Si on 19 July [ZJ] and two at Chaka on 23 September [PH et al.].

Tibet: One at Chayu, Linzhi on 15 May [DJT].

# 0278# 灰斑鸠 Eurasian Collared Dove Streptopelia decaocto

辽宁: 9月11日, 东港石桥油库, 2只[BQQ];

北京: 4月2日, 密云白河峡谷, 2只[HP]; 8月7日, 怀柔怀沙河, 2只[ZJ];

河北: 5月4日,秦皇岛北戴河,2只[WRQ];

河南: 7月21日, 三门峡陕州故城风景区, 2只[DQ];

浙江: 5月2日,秦顺乌岩岭,1只[LiX],长江以南地区唯一的记录;

甘肃: 1月23日, 兰州大学, 3只[ZLY];

青海: 7月18日, 大通东峡林场, 1只[FZ];

新疆: 2月18日, 乌鲁木齐市区, 452只[GJun]; 12月4日, 乌鲁木齐柴窝堡湖-乌拉

泊, 400只[GJun];

Liaoning: Two at Donggang on 11 September [BQQ].

Beijing: Two at Baihe Valley, Miyun on 2 April [HP]. two at Huaishahe, Huairou on 7 August [ZJ].

Hebei: Two at Beidaihe on 4 May [WRQ] was the only report received;

Henan: Two at Sanmenxia on 21 July [DQ].

Zhejiang: One at Wuyanling, Taishun on 2 May [LiX]

Gansu: Three at Lanzhou University on 23 January [ZLY].

Qinghai: One at Dongxia FF, Datong on 18 July [FZ].

Xinjiang: Particularly high counts included 452 at Urumqi on 18 February & 400 there on 4 December [GJun].

# 0279# 斑尾鹃鸠 Barred Cuckoo Dove Macropygia unchall

福建: 4月9日, 永泰, 2只[FJBWS];

海南: 11月9日, 昌江霸王岭自然保护区, 10只[ZhuY & LY];

云南: 3月29日, 盈江铜壁关, 听到1只[MK];

Fujian: Two at Yongtai on 9 April [FJBWS].

Yunnan: One at Tongbiguan, Yingjiang on 29 March [MK].

Hainan: 10 at Bawangling NR on 9 November [ZhuY & LY].

# 0282# 绿翅金鸠 Emerald Dove Chalcophaps indica

江西: 10月29日, 龙南九连山自然保护区, 1只[RWL et al.], 可能是该省的第一笔记录:

广东: 2月11日, 广州龙洞水库, 1只[XZW]; 9月18日, 中山大学, 1只[YHY];

广西: 10月3日, 弄岗国家自然保护区, 1只[TSX];

海南: 11月9-11日, 昌江霸王岭自然保护区, 4只[LY];

云南: 3月26日,瑞丽莫里森林公园,1只亚成体;3月27、29日,盈江铜壁关有记录,

最多时4只[MK]; 12月8日, 勐腊中科院热带植物园3只[SXL].

Jiangxi: One at Jiulianshan NNR, Longnan on 29 October [RWL et al.], probably the first record for the province.

Guangdong: Singles at Longdong Reservoir, Guangzhou on 11 February [XZW] and Zhongshan University, Guangzhou on 18 September [YHY].

Guangxi: One at Nonggang NR on 3 Ocotber [TSX].

Yunnan: A juvenile at Moli FP, Ruili on 26 March, up to four at Tongbiguan, Yingjiang on 27 and 29 March [MK] and three at CAS Tropical BG, Mengla on 8 December [SXL].

Hainan: four at Bawangling NR during 9-11 November [LY].

#### 0285# 厚嘴绿鸠 Thick-billed Green Pigeon Treron curvirostra

云南: 9月29日, 个旧贾沙丫沙底, 1只[WC];

海南: 11月9日, 昌江霸王岭自然保护区, 12只[LJY];

Yunnan: One at Yashadi, Jiasha, Gejiu on 29 September [WC].

Hainan: 12 at Bawangling NR, Changjiang on 9 November [LJY].

## 0287# 针尾绿鸠 Pin-tailed Green Pigeon Treron apicauda

云南: 4月24日, 沧源班洪, 1只[OB];

Yunnan: One at Banhong, Cangyuan on 24 April [OB].

# 0288# 楔尾绿鸠 Wedge-tailed Green Pigeon Treron sphenura

四川: 6月23、25日, 峨眉山, 分别15、1只[PH et al.];

西藏: 5月15日, 林芝察隅, 9只[DJT], 5月28日, 墨脱, 15只[ZGF et al.]; 7月2日, 日

喀则, 9只[ZGF et al.];

云南: 7月24日, 开远长沟, 1只[LYang];

Sichuan: 15 & one at Emei Shan on 23rd & 25 June respectively [PH et al.].

Tibet: Nine at Chayu, Linzhi on 15 May [DJT]. 15 at Motuo on 28 May [ZGF et al.]. nine at Rikaze on 2 July [ZGF et al.].

Yunnan: One at Changgou, Kaiyuan on 24 July [LYang].

# 0289# 红翅绿鸠 White-bellied Green Pigeon Treron sieboldii

上海: 3月27日, 南汇浦东机场, 1只[ZLin]; 3月6日, 世纪公园, 2只[XL];

内蒙古: 7月10日, 贺兰山南寺, 1雌, 该省第一笔记录, 国内罕见, 距已知分布北限 (陕西秦岭) 约600公甲[BA];

云南: 11月5日, 高黎贡山, 2只, 可能是云南的新记录[JH];

Shanghai: One at Pudong Airport on 27 March [ZLin] and two at Shiji Park on 3 March [XL]. Nei Mongol: A female at Nan Si, Helanshan on 10 July [BA], the first record for Nei Mongol. The Helanshan mountains lie about 600 km north of the Qinling range, where the nearest population of this rare species is known and the endemic subspecies fopingensis occurs.

Yunnan: Two in the Gaoligongshan on 5 November, probably the first record for Yunnan [JH].

## 0293# 山皇鸠 Mountain Imperial Pigeon Ducula badia

海南: 12月25日, 昌江霸王岭自然保护区, 32只[LG];

云南: 1月27日,河口边防站红河沿岸,1只[WC]; 3月25日,瑞丽南京里,29日,盈江铜壁关,各1只[MK];

Yunnan: Singles at the frontier defence station, Hekou on 27 January [WC], Nanjingli, Ruili on 25 March and Tongbiguan, Yingjiang on 29 March [MK].

Hainan: 32 at Bawangling NR, Changjiang on 25 December [LG].

#### 鹤形目GRUIFORMES > 鸨科Otididae

#### 0295# 大鸨 Great Bustard Otis tarda VU I

内蒙古: 6月2日, 图牧吉自然保护区, 5只[PH];

北京:延庆野鸭湖,4月3日,19只[LHY];4月17日,12只[BA];4月10日,3只[HP];11月6日,12只[ZLi];11月12日,4只[TZ];11月25日,21只[BA];11月13日,延庆妫水河及沿岸,3只[LiX];

河北: 11月13日, 北戴河莲峰山, 2只[QZZ & LXZ];

山东: 11月22日, 黄河三角洲自然保护区, 3只[CHY];

河南: 1月2日, 孟津扣马镇黄河附近, 44只[CM]; 1月17日, 孟津扣马北滩, 48只

[MCH], 2月1日, 孟津扣马至白鹤黄河岸, 35只[DQ]; 2月10-14日, 孟津黄河湿地保护区, 35只[DQ]; 2月27日, 孟津扣马北滩, 26只[MCH];

新疆: 7月22日, 额敏167团, 5只[GJun];

Nei Mongol: Five at Tumuji NR on 2 June [PH].

Beijing: At Wild Duck Lake, counts of 19 on 3 April [LHY], three on 10 April [HP], 12 on 17 April [BA], 12 on 6 November [ZLi], four on 12 November [TZ] and 21 on 25 November [BA]. also three at Guishui He, Yanqing on 13 November [LiX].

Hebei: Two flying over Lianfengshan (Lotus Hills), Beidaihe on 22 November [QZZ & LXZ]. Shandong: Three at Yellow River Delta NR on 22 November [CHY].

Henan: 44 near the Yellow River at Kouma, Mengjin on 2 January [CM], 48 at Beitan, Kouma on 17 January [MCH], 35 at the Yellow River between Kouma and Baihe, Mengjin on 1 February [DQ], 35 at Yellow River Wetland NR, Mengjin during 10-14 February [DQ] and 26 at Beitan, Kouma, Mengjin on 27 February [MCH].

Xinjiang: Five at No. 167 Corps, Emin on 22 July [GJun].

## 鹤形目GRUIFORMES > 鹤科Gruidae

#### 0297# 白鹤 Siberian Crane Grus leucogeranus CR I

黑龙江: 5月11日, 扎龙自然保护区, 5只[LJY];

吉林: 10月6-7日,通榆向海自然保护区,2群各3只,10月8日,镇赉莫莫格保护区,28只[PH];

河北: 4月2-3日,秦皇岛北戴河,13只[ZJ];北戴河莲峰山,10月22日-11月15日,累计24只,最高数量8只(10月22日)[QZZ&LXZ];

山东: 10月29-11月10日, 黄河三角洲自然保护区有记录, 最大数量19只[CHY];

湖南: 12月3-6日, 岳阳君山后湖, 2只[TXD, RWL & MK];

江西: 2月15-17日, 鄱阳湖国家级自然保护区, 2674只[WWF-China];

Heilongjiang: Five at Zhalong NR on 11 May [LJY].

Jilin: Two flocks of six individuals at Xianghai NR, Tongyu on 6-7 October and 28 at Melmeg NR. Zhenlai on 8 October [PH].

Hebei: 13 at Beidaihe, Qinhuangdao on 2-3 April [ZJ] and a total of 24 birds flying over Lianfengshan (Lotus Hills), Beidaihe between 22 October and 15 November, with a peak count of eight on 22 October [QZZ & LXZ].

Shandong: Up to 19 noted at Yellow River Delta NR between 29 October and 10 November [CHY].

Hunan: Two present at Junshanhou Hu (East Dongting), Yueyang during 3-6 December [TXD, RWL & MK].

Jiangxi: 2674 logged at Poyang Hu NR during 15-17 February [WWF-China].

## 0299# 白枕鹤 White-naped Crane Grus vipio VU I

黑龙江:5月11日,扎龙自然保护区,1只[LJY];

吉林: 6月3日, 通榆向海自然保护区, 2只[PH];

内蒙古: 5月4-6日, 克什克腾旗达里诺尔, 5只[YY];

北京: 4月3日,延庆野鸭湖,4只[LHY];4月10日,1只[HP];

天津: 3月26-27日, 武清大黄堡自然保护区, 12只[YY];

山东: 10月8-11月10日, 黄河三角洲自然保护区有记录, 最大数量60只[CHY];

江西: 2月15-17日, 鄱阳湖国家级自然保护区, 1491只[WWF-China]; 12月31日, 新建南矶山, 6只[YHY];

Heilongjiang: One at Zhalong NR on 11 May [LJY].

Jilin: Two at Xianghai NR, Tongyu on 3 June [PH].

Nei Mongol: Five at Dalinor NR, Keshiketeng on 4-6 May [YY].

Beijing: Four at Wild Duck Lake, Yanqing on 3 April [LHY] and one there on 10 April [HP].

Tianjin: 12 at Dahuangbao NR, Wuqing during 26-27 March [YY].

Shandong: Up to 60 at Yellow River Delta NR between 8 October and 10 Novermber [CHY].

Jiangxi: 1491 counted at Poyang Hu NR between 15 and 17 February [WWF-China] and six at Naniishan NR, Xinjian on 31 December [YHY].

0301# 蓑羽鹤 Demoiselle Crane Grus virgo

内蒙古: 5月4-6日, 克什克腾旗达里诺尔, 14只[YY];

吉林: 6月2日, 图牧吉自然保护区, 2只[PH et al.];

新疆: 5月4日, 博乐赛里木湖, 28只[GJun]; 7月22日, 额敏167团, 8只[GJun];

青海: 9月22日, 鸟岛、黑马河、茶卡共三群, 280只, 9月23日, 茶卡, 41只, 黑马河

附近, 1350只[PH];

Nei Mongol: 14 at Dalinor NR, Keshiketeng on 4-6 May [YY].

Jilin: Two at Tumuji on 2 June [PH et al.].

Xinjiang: 28 at Sailimu Hu, Bole on 4 May [GJun] and eight at 167 Corps, Emin on 22 July [GJun].

Qinghai: 280 birds, in three flocks between Niaodao, Heimahe & Chaka on 22 September; 41

at Chaka & 1350 near Heimahe on 23 September [PH et al.].

0302# 灰鹤 Common Crane Grus grus

内蒙古: 5月4-6日, 克什克腾旗达里诺尔, 6只[YY];

吉林: 10月5日, 通榆向海自然保护区, 17只[PH];

河北: 1月1-2日,秦皇岛北戴河,17只[WQ];12月22日,昌黎沿海,600只越冬[QZZ & LXZ];

北京: 3月19日,北京延庆野鸭湖,139只[LS];10月22日-11月19日,延庆康西草原一直有记录,最大数量为11月13日500只[LiX];11月26日,密云水库,600只[FJP];

河南: 1月2日, 孟津扣马镇黄河附近, 30只[CM];

上海: 11月20日, 崇明东滩, 7只[YJ];

湖北: 3月1-2日, 武汉沉湖自然保护区, 391只[WWF-China], 12月17日, 武汉沉湖, 164只[TXD];

湖南: 2月15-24日, 东洞庭湖国家级自然保护区, 360只[WWF-China];

江西: 2月15-17日, 鄱阳湖国家级自然保护区, 261只; 2月16日-24日, 鄱阳湖南昌部

分,238只,2月18-22日,鄱阳湖上饶段,323只,[WWF-China],2月21日,波阳表恩

岛大莲子湖, 220只[CLiang]; 2月25日, 新建南矶山保护区 300只[CLiang];

贵州: 2月11日, 威宁草海, 74只[YL];

云南: 2月12日,丽江拉市海,20只[WM];11月28日,80只[ZYong];

新疆: 5月2日,和静巴音布鲁克,16只[GJun],9月17日,昌吉五家渠八一水库,5只[WCB];

Jilin: 17 at Xianghai NR, Tongyu on 5 October [PH].

Nei Mongol: Six at Dalinor NR, Keshiketeng during 4-6 May [YY].

Beijing: 139 at Wild Duck Lake, Yanqing on 19 March [LS]. regularly encountered near the Kangxicaoyuan during 22 October and 19 November with a peak of 500 there on 13 November [LiX]. 600 at Miyun Reservoir on 26 November [FJP].

Hebei: 17 at Beidaihe, Qinhuangdao during 1-2 January [WQ] and 600 along the Changli coast on 22 December [QZZ & LXZ].

Henan: 30 near Huanghe River, Koumazhen, Mengjin on 2 January [CM].

Shanghai: Seven at Dongtan NR, Chongming on 20 November [YJ].

Hubei: 391 at Chen Hu NR, Wuhan on 1-2 March [WWF-China] and 164 there on 17 December [TXD].

Hunan: 360 counted at East Dongting Hu NR during 15-24 February [WWF-China].

Jiangxi: Totals of 261 at Poyang Hu NR during 15-17 February, 238 in the Nanchang section of Poyang Hu, during 16-24 February, 323 in the Shangrao section of Poyang Hu during 18-22 February, 220 at Dalianzi Hu, Biaoen Dao, Boyang on 21 February [CLiang] and 300 at Nanjishan NR, Xinjian on 25 February [CLiang].

Guizhou: 74 at Cao Hai, Weining on 11 February [YL].

Yunnan: 20 at Lashi Hai, Lijiang on 12 February [WM] and 80 there on 28 November [ZYong].

Xinjiang: 16 at Bayinbuluk, Hejing on 2 May [GJun] and five at Bayi Reservoir, Wujiaqu, Changji on 17 September [WCB].

## 0303# 白头鹤 Hooded Crane Grus monacha VU I

内蒙古: 5月4-6日, 克什克腾旗达里诺尔, 2只[YY];

北京: 3月19日, 延庆野鸭湖, 2只[LS];

山东: 11月10日, 黄河三角洲自然保护区, 6只[CHY];

上海: 1月3日-3月28日, 崇明东滩一直有记录, 3月10日最大记录126只[ZLin], 11月6日-12月10日, 崇明东滩一直有记录, 11月20日最大记录123只[YJ];

安徽: 2月18-20日, 升金湖自然保护区, 253只, 2月20-22日, 菜子湖自然保护区, 319 只[WWF-China];

湖北: 2月20-21日, 龙感湖自然保护区, 44只[WWF-China], 11月20日, 武汉沉湖, 3 只[TXD]; 12月17日, 7只[TXD];

江西: 2月15-17日,鄱阳湖国家级自然保护区,382只[WWF-China];2月25日,新建南矶山保护区,150只[CLiang];12月31日,30只[LXD];

Nei Mongol: Two at Dalinor NR, Keshiketeng on 4-6 May [YY].

Beijing: Two at Wild Duck Lake, Yanging on 19 March [LS].

Shandong: Six at Yellow River Delta NR on 10 November [CHY].

Shanghai: Reliably reported in the first winter period (3 January-28 March) with a maximum of 126 there on 10 March [ZLin]. Equally reliable in the second winter period (6 November-10

December) with a maximum of 123 on 20 November [YJ].

Anhui: Counts of 253 at Shengjinhu NR during 18-20 February and 319 at Caizihu NR during 20-22 February [WWF-China].

Hubei: 44 at Longgan Hu NR on 20-21 February [WWF-China], three at Chen Hu, Wuhan on 20 November [TXD] and seven there on 17 December [TXD].

Jiangxi: 382 at Poyang Hu NR during 15-17 February [WWF-China], 150 at Nanjishan NR, Xinjian on 25 February [CLiang] and 30 there on 31 December [LXD].

# 0304# 黑颈鹤 Black-necked Crane Grus nigricollis VU I

青海: 6月8日, 玛多降落岭, 2只[TJ]; 6月9-10日, 玉树玛多之间, 4只[TJ]; 7月29日, 共和青海湖, 2只[FZ]; 7月29日, 共和小北湖, 2只[RKY]; 7月30日-8月7日, 玛多国道214沿线, 7只[CLiang]; 8月10-16日, 斑玛和久治, 3只[ZGF et al.]; 9月20日, 21日, 和24日, 青海湖, 分别是10只, 2只, 2只[PH et al.];

四川: 5月2日, 若尔盖, 12只[YL]; 5月4日, 1只[YL]; 7月1日, 红原附近, 1只, 7月2日, 红原和若尔盖之间, 大坝方向的路上, 15只, 7月3日, 若尔盖附近, 2只[PH et al.]; 8月13-16日, 4只[WJY]; 9月27-29日, 若尔盖唐克乡, 3只[GLQ];

贵州: 1月25日, 威宁草海, 24只[YL]; 2月11日, 202只[YL];

云南: 11月19日,中甸纳帕海,150只[WC];12月28日,中甸甘丹松赞林寺,2只[RWL];

西藏: 7月7日, 日喀则多庆错, 52只[ZGF et al.];

Qinghai: Two at Jiangluo Ling, Maduo on 8 June [TJ]. four between Yushu and Maduo on 9-10 June [TJ]. two at Koko Nur, Gonghe on 29 July [FZ]. two at Xiaobeihu, Koko Nur, Gonghe on 29 July [RKY]. seven at 'No.204 State Road', Maduo between 30 July-7 August [CLiang]. three at Banma and Jiuzhi on 10-16 August [ZGF et al.]. ten, two & two besides Koko Nur on 20th, 21st & 24 September respectively [PH et al.]

Sichuan: 12 at Ruoergai on 2 May [YL], one there on 4 May [YL], one near Hongyuan on 1 July, 15 between Hongyuan, Ruoergai & part-way towards Da Ba on 2 July & two elsewhere near Ruoergai on 3 July [PH et al.]. four during 13-16 August [WJY]. three at Tangke, Ruoergai during 27-29 September [GLQ].

Guizhou: 24 at Cao Hai, Weining on 25 January [YL] and 202 on 11 February [YL].

Yunnan: 150 at Napa Hai, Zhongdian on 19 November [WC] and two near Gandansongzanling monastery, Zhongdian on 28 December [RWL].

Tibet: Totals of 52 at Duoqingcuo, Rikaze during 7 July [ZGF et al.]

## 0305# 丹顶鹤 Red-crowned Crane Grus japonensis EN I

黑龙江:5月11日,扎龙自然保护区,15只[LJY];

吉林: 6月3日,通榆向海自然保护区,2只[PH],10月5日和6日,分别是4只和2只[PH],

辽宁: 3月26日,盘锦双台河自然保护区 22只[WRQ];

河北:北戴河莲峰山,10月17日-11月20日,累计316只,最高数量120只(11月20日)[QZZ&LXZ];

山东: 2月6-4月14日, 黄河三角洲自然保护区有记录,最大数量92只于3月16日

[CHY];

江苏: 射阳盐城自然保护区, 1月14日, 100只[PH], 12月13日, 26只[YLi];

Heilongjiang: 15 at Zhalong NR on 11 May [LJY].

Liaoning: 22 at Shuangtaihe NR, Panjin on 26 March [WRQ].

Jilin: Two at Xianghai NR, Tongyu on 3 June [PH et al.] with four & two there on 5th & 6 October respectively [PH].

Hebei: A total of 316 birds logged flying over Lianfengshan (Lotus Hills), Beidaihe between 17 October and 20 November, with a peak count of 120 on 20 November [OZZ & LXZ].

Shandong: Noted at Yellow River Delta NR between 6 February and 14 April, with a peak count of 92 on 16 March [CHY].

Jiangsu: 100 at Yancheng NR, Sheyang on 14 January [PH] and 26 there on 13 December [YLi].

#### 額形目GRUIFORMES > 秧鸡科Rallidae

## 0306# 花田鸡 Swinhoe's Yellow Rail Coturnicops exquisitus VU

河北: 5月13日, 乐亭快乐岛, 1只[BB et al.]:

湖南: 12月5日, 君山后湖的草丛中惊起一只[RWL & MK], 湖南省第一笔记录;

Hebei: One at Happy Island, Laoting on 13 May [BB et al.].

Hunan: One flushed from the grassy shore of Junshanhou, East Dongtinghu NNR on 5 December [RWL & MK], the first record for the province.

#### 0309# 蓝胸秧鸡 Slaty-breasted Rail Gallirallus striatus

浙江: 7月4日, 杭州三墩, 2只[ZhuY]; 8月16日, 杭州江滨, 2只[QH];

广东: 12月18日, 广州番禺新垦, 1只[YHY];

海南: 11月25日, 海口东寨港, 1只[LQX];

云南: 6月7日, 开远泸江公园附近农田, 1只[LYang];

Zhejiang: Two at Sandun, Hangzhou on 4 July [ZhuY] and two at Jiangbin, Hangzhou on 16 August [OH].

Guangdong: One at Xinken, Panyu on 18 December [YHY].

Yunnan: One at Farmland near Lujiang Park, Kaiyuan on 7 June [LYang].

Hainan: One at Dongzhaigang NR, Haikou on 25 November [LQX].

#### 0310# 普通秧鸡 Water Rail Rallus aquaticus

河北: 5月6日, 乐亭快乐岛, 1只[BB et al.];

江苏: 1月13日, 射阳盐城自然保护区, 1只[PH];

上海: 1月21日, 崇明东滩, 1只[ZLin]; 12月10-11日, 2只[LJ];

湖北: 3月1-2日, 沉湖自然保护区, 2只[WWF-China]; 10月22日, 武汉潭湖, 2只[TYZ];

新疆: 8月17日, 博斯腾湖的莲花湖, 1只, 8月19日, 大海子水库, 3只[PH & WQY]

Hebei: One at Happy Island, Laoting on 6 May [BB et al.].

Jiangsu: One at Yancheng NR, Sheyang on 13 January [PH].

Shanghai: One at Dongtan NR, Chongming, on 21 January [ZLin] and two there on 10-11

December [LJ].

Hubei: Two at Chen Hu NR on 1-2 March [WWF-China] and two at Tan Hu, Wuhan on 22 October [TYZ].

Xinjiang: One at Bosten Hu, Korla on 17 August and two at Dahaizi Reservoir, Korla on 19 August [PH & WOY].

#### 0312# 红脚苦恶鸟 Brown Crake Amaurornis akool

在江苏、浙江、安徽、湖北、江西、贵州等南方各省均有记录,其中数量较多的有:

安徽: 7月17日, 祁门阊江, 5只[WJ];

湖北: 11月13-14日, 武汉潭湖, 5只[TYZ];

湖南: 2月21日, 采桑湖, 2只[WWF-China];

江西: 12月31日,新建南矶山,20只[LXD];

Anhui: Five at Changjiang, Qimen on 17 July [WJ].

Hubei: Five at Tan Hu, Wuhan during 13-14 November [TYZ].

Hunan: Two at Caisang Hu on 21 February [WWF-China].

Jiangxi: 20 counted at Nanjishan NR, Xinjian on 31 December [LXD].

Also reported from Jiangsu, Zhejiang and Guizhou.

# 0313# 白胸苦恶鸟 White-breasted Waterhen Amaurornis phoenicurus

河北: 5月14-15日,秦皇岛北戴河,1只[LHY],5月17日,1只[PH et al.];9月17-18日,1只[LS];

北京: 5月29日, 昌平沙河水库, 2只[WJ]; 5月25日, 颐和园, 2只[SG]; 6月2日, 1只 [ZYong]; 8月19日,海淀上庄水库,1只[WJ]; 9月25日,延庆野鸭湖,1只[ZLi];

西藏: 5月15-18日, 林芝察隅, 2只[DJT]; 5月28日-6月21日, 林芝墨脱, 1只[ZGF et al.], 为西藏新记录;

此外在河南、江苏、上海、安徽、浙江、江西、湖北、湖南、福建、广东、广西、四川、贵州、云南均有记录,其中数量较大的有:

江苏: 7月4日, 六合金牛湖, 11只[ZYu];

安徽: 8月3日, 砀山宴嬉台, 5只[LM];

福建: 12月3-4日, 长乐鳝鱼滩, 6只[HZY];

广东: 4月15日, 深圳市区, 15只[ZGF et al.];

广西: 12月11-20日, 合浦山口红树林保护区, 8只[JAW];

云南: 11月12日, 昆明金碧路废弃工地, 6只[WC];

Described as common in the following provinces: Henan, Jiangsu, Shanghai, Anhui, Zhejiang, Jiangxi, Hubei, Hunan, Fujian, Guangdong, Guangxi, Sichuan, Guizhou & Yunnan. Notable records were as follows:

Hebei: Singles at Beidaihe, Qinhuangdao during 14-15 May [LHY] & 17 May [PH et al.] and another there on 17-18 September [LHY].

Beijing: Two at Shahe Reservior, Changping on 29 May [WJ]. two at the Summer Palace on 25 May [SG] and one there on 2 June [ZYong]. one at Shangzhuang Reservior, Haidian on 19 August [WJ]. one at Wild Duck Lake, Yanqing on 25 September [ZLi].

Tibet: Two at Chayu, Linzhi during 15-18 May [DJT]. one at Motuo, Linzhi between 28 May

and 21 June [ZGF et al.]. These are the first records for Tibet.

Jiangsu: 11 at Jinniu Hu, Liuhe on 4 July [ZYu].

Anhui: Five at Yanxitai, Dangshan on 3 August [LM].

Fujian: Six at Shanyutan, Changle during 3-4 December [HZY].

Guangdong: 15 at Shenzhen on 15 April [ZGF et al.].

Guangxi: Eight at Shankou Mangrove NR, Hepu during 11-20 December [JAW].

Yunnan: Six at Jinbi Road, Kunming on 12 November [WC].

#### 0314# 棕背田鸡 Black-tailed Crake Porzana bicolor

云南: 3月30日, 盈江铜壁关, 2只[MK]: 12月23日, 丽江机场附近, 1只[RWL]:

Yunnan: Two at Tongbiguan, Yingjiang on 30 March [MK] and one near Lijiang airport on 23 December [RWL].

#### 0316# 小田鸡 Baillon's Crake Porzana pusilla

北京: 5月1日,海淀上庄水库,1只[WJ];

河北: 5月7日-19日,北戴河,有4天在1只和3只之间[PH et al.]. 10月1日,1只.

Beijing: One at Shangzhuang Reservoir, Haidian on 1 May [WJ].

Hebei: Between one & three on four dates at Beidaihe on 7-19 May; 1 there on 1 October [PH et al].

## 0318# 红胸田鸡 Ruddy-breasted Crake Porzana fusca

河北: 5月21日, 北戴河新开河, 3只[BB et al.];

北京: 5月21日, 颐和园, 1只[[PH et al.]; 10月15日, 延庆妫水河及沿岸, 1只[ZLi];

广东: 3月29日,深圳红树林东鱼塘区,1只[DJT],5月1-4日,郁南同乐大山保护区,8只[XZW],

贵州: 2月25日, 贵阳花溪公园, 2只[YL]; 8月12日, 贵阳贵州大学, 1只[YL];

云南: 8月4日, 开远泸江公园附近农田, 1只[LYang];

Hebei: Three at Xinkai He Reservoir, Beidaihe on 21 May [BB et al.].

Beijing: One in the Summer Palace on 21 May [PH et al]. one at Guishui He, Yanqing on 15 October [ZLi].

Guangdong: One at Futian Mangrove NR, Shenzhen on 29 March [DJT]. eight at Dashan NR, Tongle, Yu'nan on 1-4 May [XZW].

Guizhou: Two at Huaxi Park, Guiyang on 25 February [YL] and one at Guizhou University, Guiyang on 12 August [YL].

Yunan: One in the fields near Lujiang park, Kaiyuan on 4 Augest[LYang]

## 0319# 斑胁田鸡 Band-bellied Crake Porzana paykullii

河北: 5月2日, 北戴河新开河, 2只[BB et al.]; 5月4-7日, 乐亭快乐岛, 1只, 5月10日, 有另外一只[BB et al.];

Hebei: Two at Xinkai He Reservoir, Beidaihe on 2 May [BB et al.] and singles at Happy Island Lao Ting during 4-7 May and on 10 May [BB et al.].

# 0321# 董鸡 Watercock Gallicrex cinerea

北京: 5月20日, 坝河湿地, 1只[ZJ]; 5月22日, 怀柔怀沙河, 1只[LHT];

河南: 5月28日, 罗山石山口水库, 2只[JH & LY];

安徽: 6月27日, 黄山徽州, 6只[FZ];

浙江: 7月4日, 杭州三墩, 1只[ZhuY];

广东: 5月21日, 海丰公平大湖自然保护区, 1只[GLQ];

Beijing: Singles at Bahe Wetland on 20 May [ZJ] and Huaisha He, Huairou on 22 May [LHT].

Henan: Two at Shishankou Reservoir, Luoshan on 28 May [JH & LY].

Anhui: Six at Huizhou, Huangshan on 27 June [FZ].

Zhejiang: One at Sandun, Hangzhou on 4 July [ZhuY]

Guangdong: One at Gongping Dahu NR, Haifeng on 21 May [GLQ].

## 0322# 紫水鸡 Purple Swamphen Porphyrio porphyrio

广东: 1月22-23日, 饶平, 16只[ZKH]; 5月21日, 海丰公平大湖自然保护区, 1只 [GLQ];

四川: 1月16日, 西昌巩海, 16只[YYi]

Sichuan: 16 at Gonghai, Xichang on 16 January [YYi]

Guangdong: 16 at Jingzhou, Raoping on 22-23 January [ZKH] and one at Gongping Dahu NR, Haifeng on 21 May [GLO].

## 0323# 黑水鸡 Common Moorhen Gallinula chloropus

北方较早的记录有:

北京: 4月17日, 昌平沙河水库, 10只[WRQ];

新疆: 4月16日, 昌吉五家渠青格达湖, 12只[GJun];

北方较晚的记录有:

河北: 10月5-7日, 秦皇岛北戴河, 3只[WRQ];

北京: 10月22日, 延庆野鸭湖, 1只[ZLi];

南方各省一年内均有普遍记录,全国范围内数量较大的记录有:

北京: 5月29日, 昌平沙河水库, 400只[WJ]; 9月25日, 400只[WJ];

江苏: 11月20日, 南京江心洲, 50只[LM];

上海: 1月8日, 崇明东滩, 55只[ZWQ];

安徽: 2月17日, 望江县武昌湖, 305只[WWF-China];

湖北: 2月15-16日, 洪湖自然保护区, 860只, 2月20-21日, 龙感湖自然保护区, 791只 [WWF-Chinal:

福建: 1月8日, 厦门集美兑山, 50只[XMBWS];

云南: 8月25日, 弥勒湖泉生态园, 100只[WC];

Notable records were as follows:

Xinjiang: 12 at Qinggeda Hu, Wujiaqu, Changji on 16 April [GJun].

Hebei: Three at Beidaihe, Qinhuangdao on 5-7 October.

Beijing: Noted between 17 April, when 10 were present at Shahe Reservoir, Changping [WRQ], and 22 October, when was one at Wild Duck Lake, Yanqing [WRQ], with a peak count of 400 on 29 May and again on 25 September, both at Shahe Reservoir, Changping [WJ].

Jiangsu: 50 at Jiangxinzhou, Nanjing on 20 November [LM].

Shanghai: 55 at Dongtan NR, Chongming on 8 January [ZWO].

Anhui: 305 at Wuchanghu, Wangjiang on 17 February [WWF-China].

Hubei: Counts of 860 at Hong Hu NR on 15-16 February and 791 at Longgan Hu NR on

20-21 February [WWF-China].

Fujian: 50 at Dui Shan, Jimei, Xiamen on 8 January [XMBWS].

Yunnan: 100 at Huquan Ecological Garden, Mile on 25 August [WC].

#### 0324# 骨顶鸡 Common Coot Fulica atra

春季北方较早的记录有:

北京: 4月2日, 昌平沙河水库, 2只[LYY];

新疆: 4月16日, 昌吉五家渠青格达湖, 3只[GJun];

秋季北方较晚的记录有:

北京: 10月5日, 昌平沙河水库, 20只[WJ]; 10月10日, 密云水库, 35只[PH].

新疆: 10月4日,和田友谊水库,300只[GJun];

春季南方较晚的记录有:

广东: 4月9日,广州番禺新垦,8只[LXD];

秋季南方较早的记录有:

贵州: 10月10日, 贵阳花溪公园, 5只[Skuang];

上海: 10月7日, 宝钢水库, 2只[ZLin];

数量较大的记录有:

吉林: 10月5日-7日期间, 通榆向海自然保护区, 共计320只[PH];

山东: 2月6-25日, 黄河三角洲自然保护区, 1000只[CHY];

江苏: 12月13-14日, 射阳盐城自然保护区, 200只[KHL];

上海: 1月8日, 崇明东滩, 381只[MZJ];

安徽: 2月16日, 枞阳县白荡湖, 371只[WWF-China];

浙江: 11月13日, 海宁东西湖, 300只[QC];

湖北: 2月20-21日, 龙感湖自然保护区, 3790只[WWF-China];

江西: 12月31日-1月2日,新建南矶山,300只[YHY];2月19日,泗洪县洪泽湖自然保

护区, 5315只[WWF-China];

广东: 1月22-23日, 饶平, 320只[ZKH];

青海: 9月20日, 青海湖小北湖, 300只[PH];

贵州: 2月11-15日, 威宁草海, 249只[YL];

云南: 11月6日, 丽江拉市海, 800只[JHo & JW];

靠南的记录有:

福建: 12月4日, 闽江口, 1成2幼[FJBWS];

Mostly reported from North China in summer and South China in winter. Notable records were as follows:

Jilin: Up to 320 at Xianghai NR, Tongyu during 5-7 October [PH].

Xinjiang: Three at Qinggeda Hu, Wujiaqu, Changji on 16 April [GJun] and 300 at Youyi Reservoir, Hotan on 4 October [GJun].

Qinghai: 300 at Xiaobeihu, Koko Nur on 20 September [PH].

Beijing: Two at Shahe Reservoir, Changping on 2 April [LYY] and 20 there on 5 October [WJ].

Elsewhere there were 35 at Miyun Reservoir on 10 October [PH].

Shandong: 1000 logged at Yellow River Delta NR during 6-25 February [CHY].

Jiangsu: 200 at Yancheng NR, Sheyang on 13-14 December [KHL].

Shanghai: 381 at Dongtan NR, Chongming on 8 January [MZJ]. And two at Baogang

Reservoior on 7 October [Zlin].

Anhui: 371 at Baidanghu, Zongyang on 16 February [WWF-China].

Zhejiang: 300 at Dongxi Hu, Haining on 13 November [OC].

Hubei: 3790 counted at Longgan Hu NR on 20-21 February [WWF-China].

Jiangxi: 5315 at Hongze Hu NR, Sihong on 19 February [WWF-China], the highest count ever made in the province, and 300 at Nanjishan NR, Xinjian between 2 January and 31 December [YHY].

Fujian: Three at Minjiang Estuary on 4 December [FJBWS].

Guangdong: 320 at Jingzhou, Raoping on 22-23 January [ZKH] and eight at Xinken, Panyu on 9 April [LXD].

Guizhou: 249 at Caohai, Weining during 11-15 February [YL] and five at Huaxi Park, Guiyang on 10 October [Skuang].

Yunnan: 800 at Lashihai, Lijiang on 6 November [JHo & JW].

# 鹳形目CICONIIFORMES > 沙鸡科Pteroclidae

0325# 西藏毛腿沙鸡 Tibetan Sandgrouse Syrrhaptes tibetanus

青海:5月12日,长江源姜古迪如冰川,5只[ZCX];

新疆: 8月6日, 喀什到塔什库尔干途中, 1对[PH];

Qinghai: Five photographed at Jianggudiru Glacier, Yangtze River on 12 May [ZCX].

Xinjiang: A pair seen between Kashi and Taxkorgan on 6 August [PH].

#### 0326# 毛腿沙鸡 Pallas's Sandgrouse Syrrhaptes paradoxus

内蒙古: 5月4-6日, 克什克腾旗达里诺尔, 4只[YY];

北京: 4月3日, 延庆野鸭湖, 2只[LHY];

青海: 7月28日, 乌兰茶卡, 2只[ZYong]和9月23日[PH et al.].

新疆: 3月28-30日, 吉木萨尔卡拉麦里保护区, 3只[MM], 7月21日, 塔岔口至托里沿线, 12只[GJun];

Nei Mongol: Four at Dalinor NR, Keshiketeng on 4-6 May [YY].

Beijing: Two at Wild Duck Lake, Yanging on 3 April [LHY].

Qinghai: Two at Chaka, Wulan on 28 July [Zyong] & 23 September [PH et al.]

Xinjiang: Three at Kalamaili NR, Jimusar on 28-30 March [GJun]. 12 between Tachakou and Toli on 21 July [GJun].

0327# 黑腹沙鸡 Black-bellied Sandgrouse Pterocles orientalis

新疆: 7月14日, 喀什至喀什库尔干, 2只[MKW et al.]; 7月21日, 塔岔口至托里沿线, 10只[GJun];

Xinjiang: Two between Kashi and Taxkorgan on 14 July [MKW et al.] and ten between Tachakou and Toli on 21 July [GJun].

# 鹳形目CICONIIFORMES > 丘鹬科 Scolopacidae

# 0328# 丘鹬 Eurasian Woodcock Scolopax rusticola

黑龙江:5月11日,扎龙自然保护区,5只[LJY];

河北: 5月7日和5月13日, 乐亭快乐岛, 各1只[BB et al.和PH]; 9月30日和10月1日, 乐亭快乐岛, 分别是4只和1只[PH et al.]; 10月3-5日, 乐亭京唐港, 1只[ZLi];

北京: 4月30日,海淀上庄水库,2只[CLiang];5月1日,延庆妫水公园,1只[ZY];10月5日,海淀颐和园,1只[LX];

江苏: 3月13日,南京江心洲,1只[ZYu];12月13-14日,射阳盐城自然保护区,2只[XL];

上海: 3月20日,奉贤钱桥镇,1只[YZD];12月25日,松江天马山,1只[ZLin];

湖北: 1月15日, 大悟仙居顶林场, 1只[TXD];

江西: 5月9日, 铅山武夷山自然保护区, 1只[YCC];

海南: 1月15日, 昌江霸王岭自然保护区, 1只[BA];

广西: 10月8-10日, 桂林猫儿山, 1只[JAW];

四川: 10月2-5日, 理县孟屯, 1只[SY];

Heilongjiang: Five at Zhalong NR on 11 May [LJY].

Hebei: Singles on Happy Island, Laoting on 7 May[BB et al.] & 13 May with four & one there on 30 September & 1 October respectively [BB et al.and PH]. one at Jingtanggang, Laoting on 3-5 October [ZLi].

Beijing: Two at Shangzhuang Reservoir, Haidian on 30 April [CLiang]. one at Guishui Park, Yanqing on 1 May [ZY]. one at Summer Palace, Haidian on 5 October [LX].

Jiangsu: One at Jiangxinzhou, Nanjing on 13 March [ZYu]. two at Yancheng NR, Sheyang on 13-14 December [XL].

Shanghai: One at Qianqiaozhen, Fengxian on 20 March [YZD]. one at Tianma Shan, Songiiang on 25 December [ZLin].

Hubei: One at Xianjuding FF, Dawu on 15 January [TXD].

Jiangxi: One at Wuyishan NR, Yanshan on 9 May [YCC].

Hainan: One at Bawangling NR on 15 January [BA].

Guangxi: One at Maoer Shan, Guilin on 8-10 October [JAW].

Sichuan: One at Mengtun, Lixian during 2-5 October [SY].

#### 0329# 孤沙锥 Solitary Snipe Gallinago solitaria

北京: 12月25日, 房山区拒马河, 1只[LiX];

新疆: 2月11日, 乌鲁木齐乌拉泊, 1只[MM];

青海: 9月23日, 茶卡附近, 1只[PH];

Xinjiang: One at Wulapo, Urumqi on 11 February [MM].

Qinghai: One near Chaka on 23 September [PH].

Beijing: One at Juma He, Fangshan on 25 December [LiX].

## 0331# 林沙锥 Wood Snipe Gallinago nemoricola VU

四川: 6月28日, 巴郎山, 3只[PH];

云南: 3月30日, 盈江铜壁关, 2只[MK]; 11月7日, 高黎贡山, 1只[JH];

Sichuan: Three at Balangshan on 28 June [PH].

Yunnan: Two at Tongbiguan, Yingjiang on 30 March [MK] and one flushed near Gaoligongshan on 7 November [JH].

## 0332# 针尾沙锥 Pintail Snipe Gallinago stenura

天津: 10月15日, 北大港水库, 从非法捕鸟网上解救1只[LY], 为全年唯一确认的记录;

Tianjin: One was rescued and released from illegal mist net near Beidagang Reservoir on 15 October[LY], the only proved record of the year.

## 针尾/大沙锥 Pintail/Swinhoe's Snipe Gallinago stenura/megala

河北: 5月9日-17日,秦皇岛北戴河,有7天是1只和14只之间[PH et al.];5月17-18日,乐亭快乐岛,100只[BB et al.];

北京: 8月27日,延庆野鸭湖,1只[ZLi];10月5日,坝河湿地,1只[ZJ];

天津: 7月30日, 有17只向南飞[PH et al.].

江苏: 8月31日,南京江心洲,10只[LM]

浙江: 10月15日, 镇海镇北涂, 1只[LYou];

上海: 8月12-14日, 崇明东滩, 1只[YZD]; 9月10日, 川沙三甲港, 4只[ZWQ];

湖北: 3月13日, 武汉沉湖, 1只[TXD];

云南: 10月2日, 开远大庄乡三角海水库, 3只[LYang];

Hebei: Between one & 14 at Beidaihe, Qinhuangdao on seven dates 9-17 May [PH et al.]. 100 at Happy Island, Laoting on 17-18 May was an exceptional count [BB et al.].

Beijing: One at Wild Duck Lake, Yanqing on 27 August [ZLi]. one at Bahe Wetland on 5 October [ZJ].

Tianjin: 17 flew south on 30 July [PH].

Jiangsu: 10 at Jiangxinzhou, Nanjing on 31 August [LM].

Zhejiang: One at Zhenbeitu, Zhenhai on 15 October [LYou].

Shanghai: One at Dongtan NR, Chongming on 12-14 August [YZD]. four at Sanjiagang, Chuansha on 10 September [ZWQ].

Hubei: One at Chen Hu, Wuhan at 13 March [TXD].

Yunnan: Three at Sanjiaohai Reservoir, Shangzhuang, Kaiyuan on 2 October [LYang].

## 0334# 扇尾沙锥 Common Snipe Gallinago gallinago

黑龙江: 5月10日, 大庆龙凤湿地, 60只[LJY];

河北: 5月1日, 衡水衡水湖, 20只[YY], 5月4-8日, 秦皇岛北戴河, 16只[WRQ], 5月17-18日, 乐亭快乐岛, 500只[BB et al.];

北京: 4月17日, 坝河湿地, 30只[ZJ]; 4月24日, 延庆野鸭湖, 100只[LHY]; 5月8日, 顺义汉石桥, 20只[LHY];

江苏: 1月2日, 溧水石臼湖, 18只[YJ],

上海: 11月24日, 奉贤奉新, 31只[YZD]; 12月10-11日, 崇明东滩, 20只[LJ];

江西: 12月31日,新建南矶山,30只[LXD];

Heilongjiang: 60 at Longfeng Wetland, Daqing on 10 May [LJY].

Hebei: 20 at Hengshui Hu, Hengshui on 1 May [YY], 16 at Beidaihe, Qinhuangdao during 4-8

May [WRQ] and 500 on Happy Island, Laoting on 17-18 May [BB et al.].

Beijing: 30 at Bahe Wetland on 17 April [ZJ], 100 at Wild Duck Lake, Yanqing on 24 April [LHY] and 20 at Hanshiqiao, Shunyi on 8 May [LHY].

Jiangsu: 18 at Shijiu Hu, Lishui at 2 January [YJ].

Shanghai: 31 at Fengxin, Fengxian on 24 November [YZD] and 20 at Dongtan NR, Chongming Dao on 10-11 December [LJ].

Jiangxi: 30 at Nanjishan NR, Xinjian on 31 December [LXD].

#### 0335# 姬鹬 Jack Snipe Lymnocryptes minimus

北京: 8月21日, 延庆野鸭湖, 2只[LHT];

Beijing: Two at Wild Duck Lake, Yanqing on 21 August [LHT].

#### 0336# 黑尾塍鹬 Black-tailed Godwit Limosa limosa

内蒙古: 5月4-6日, 克什克腾旗达里诺尔, 500只[YY];

北京: 4月24日, 延庆野鸭湖, 200只[LHY]; 9月30日, 300只[LJY];

河北: 5月8日,秦皇岛北戴河,80只[PH et al.].

天津: 4月3日, 汉沽沿海, 2000只[YY]; 4月9日, 上古林至汉沽沿海, 2000只[LHY];

4月11日, 黄港水库, 18000只[WRQ]; 4月16日, 上古林至汉沽沿海, 10000只[LHY];

5月3日, 北塘附近, 200只[CJZ];

江西: 2月16日-24日, 鄱阳湖南昌部分, 2000只[WWF-China]; 12月31日, 新建南矶山, 300只[YHY];

广东: 4月16日, 深圳红树林东鱼塘区, 30只[ZengY];

四川: 5月2日, 若尔盖, 1只[ZMH];

云南: 9月30日,蒙自长桥海, 3只[WC]; 1926年以来的云南第一笔记录。

青海: 9月21日和24日, 青海湖, 分别是40只和120只[PH et al.].

新疆: 6月22日, 昌吉五家渠青格达湖, 230只[GJun];

Nei Mongol: 500 at Dalinor NR, Keshiketeng during 4-6 May [YY].

Beijing: At Wild Duck Lake, Yanqing there were 200 on 24 April [LHY] and 300 on 30 September [LJY].

Hebei: 80 at Beidaihe, Qinhuangdao on 8 May [PH et al.].

Tianjin: 2000 at Hangu on 3 April [YY]. Between Shanggulin and Hangu there were 2000 on 9 April and 10,000 on 16 April [LHY]. a massive 18,000 at Huanggang Reservoir on 11 April [WRQ]. 200 near Beitang on 3 May [CJZ].

Jiangxi: 2000 at Nanchang parts of Poyang Hu between 16-24 February [WWF-China]. 300 at Nanjishan NR, Xinjian between 31 December 2005 [YHY].

Guangdong: 30 at Futian Mangrove NR, Shenzhen on 16 April [ZengY].

Sichuan: One at Ruoergai on 2 May [ZMH].

Yunnan: Three at Changqiaohai, Mengzi on 30 September. Possibly the first record in Yunnan since 1926 [WC].

Qinghai: 40 & 120 at Koko Nur on 21st & 24 September respectively [PH et al.].

Xinjiang: 230 at Qinggeda Hu, Wujiqu, Changji on 22 June [GJun].

#### 0337# 斑尾塍鹬 Bar-tailed Godwit Limosa lapponica

辽宁: 4月3日, 丹东鸭绿江湿地保护区, 4000只; 4月17日, 3000只; 4月25-26日, 1000只[BQQ];

河北: 5月10日-12日, 乐亭快乐岛, 在这期间共计400只[PH et al.]; 5月3-8日, 秦皇岛 北戴河, 250-300只[LHY et al.]; 5月17日, 350只[PH et al.]; 9月17-18日, 35只[LS], 9月29日, 40只[PH et al.].

天津: 5月3日, 北塘附近, 15只[CJZ], 7月28 日和29日, 塘沽附近, 分别是83只和86 只[PH].

上海: 3月28日, 崇明东滩, 10只[ZLin];

Liaoning: At Yalu Jiang Wetland NR, Dandong there were 4000 on 3 April, 3000 on 17 April and 1000 on 25-26 April [BQQ].

Hebei: On Happy Island, Laoting there were up to 400 during 10-12 May [PH et al.]. at Beidaihe, Qinhuangdao there were 250-300 on 3-8 May [LHY et al.], 350 on 17 May [PH et al.], 35 on 17-18 September [LS] & 40 on 29 September [PH et al.].

Tianjin: 15 near Beitang on 3 May [CJZ]. 83 & 86 near Tanggu on 28th & 29 July respectively [PH].

Shanghai: 10 at Dongtan NR, Chongming on 28 March [ZLin].

#### 0338# 小杓鹬 Little Curlew Numenius minutus

河北: 京唐港附近农田, 5月2日, 500只; 5月6日, 300只[LHT];

山东: 3月20-4月21日, 黄河三角洲自然保护区有记录, 最大数量72只于4月2日 [CHY];

上海: 4月17日,崇明东滩, 200只[BP et al.]; 8月13日,崇明东滩, 3只[QH]; 9月17日,川沙三甲港,1只[LW];

广东: 4月15日, 深圳, 2只[ZGF et al.];

Hebei: 500 in farmland near Jingtanggang on 2 May and 300 in the same area on 6 May [LHT]. Shandong: Recorded at Yellow River Delta NR between 20 March and 21 April, with a peak day count of 72 on 2 April [CHY].

Shanghai: 200 at Dongtan, Chongming Dao on 17 April [BP et al.], three at Dongtan NR, Chongming Dao on 13 August [QH] and one at Sanjiagang, Chuansha on 17 September [LW]. Guangdong: Two at Shenzhen on 15 April [ZGF et al.].

## 0339# 中杓鹬 Whimbrel Numenius phaeopus

辽宁: 4月25日,丹东鸭绿江湿地保护区,30只[BQQ]; 5月10日,大连旅顺,16只 [LXD]; 9月17日,丹东鸭绿江湿地保护区,15只[BQQ];

河北: 5月4-8日,秦皇岛北戴河,84只[WRQ];9月17日,15只[LS];5月8日,乐亭七里海,100只;5月10日,乐亭捞鱼尖,共计100只[PH et al.].

天津: 4月27日, 北塘附近, 12只[ZYong]; 7月29日, 塘沽以南, 15只[PH].

上海: 4月23-24日, 崇明东滩, 600只[YJ]; 8月27-28日, 35只[YJ];

浙江: 9月10日, 杭州下沙, 10只[ZhuY];

Liaoning: At Yalu Jiang Wetland NR, Dandong there were 30 on 25 April [BQQ] and 15 on 17 September [BQQ]. 16 at Lushun, Dalian on 10 May [LXD].

Hebei: At Beidaihe, Qinhuangdao there were 84 during 4-8 May [WRQ] and 15 on 17 September [LS]. 100 at Qilihai, Laoting on 8 May; up to 100 near Laoyujian, Laoting on 10 May [PH et al.].

Tianjin: 12 near Beitang on 27 April [ZYong]. 15 south of Tanggu on 29 July [PH].

Shanghai: At Dongtan NR, Chongming there were 600 on 23-24 April [YJ] and 35 on 27-28 August [YJ].

Zhejiang: 10 at Xiasha, Hangzhou on 10 September [ZhuY].

#### 0340# 白腰杓鹬 Eurasian Curlew Numenius arquata

内蒙古: 5月4-6日, 克什克腾旗达里诺尔, 20只[YY];

辽宁: 10月16日, 丹东鸭绿江湿地保护区, 570只[BQQ];

河北: 5月8日, 乐亭七里海, 100只, 5月10日-12日期间, 乐亭快乐岛, 共计100只[PH et al.], 9月17-18日, 秦皇岛北戴河, 50只[LS],

天津: 3月6日,汉沽彩虹桥附近,563只[WN];4月16-17日,上古林至汉沽沿海,215只[LHY];汉沽沿海,9月17-18日,503只[LHY];10月15日,451只[LY];12月23日,大港海滨,750只[PH];

上海: 11月19日, 崇明北湖, 80只[YJ];

浙江: 1月15日, 椒江农场, 60只[WXM];

福建: 12月3-4日, 长乐鳝鱼滩, 59只[HZY];

广东: 12月16日, 珠海淇澳岛, 11只[HK];

海南: 3月27日, 东方四更镇四必湾, 12只[YCC];

青海: 9月20日-24日, 青海湖, 共计15只[PH et al.].

新疆: 5月4日, 博乐赛里木湖, 13只[GJun];

Nei Mongol: 20 at Dalinor NR, Keshiketeng on 4-6 May [YY].

Liaoning: 570 at Yalu Jiang Wetland NR, Dandong on 16 October [BQQ].

Hebei: 100 at Qilihai, Laoting on 8 May; up to 100 on Happy Island, Laoting during 10-12 May [PH et al.]. 50 at Beidaihe, Qinhuangdao on 17-18 September [LS].

Tianjin: 563 near Caihongqiao, Hangu on 6 March [WN]. 215 between Shanggulin and Hangu on 16-17 April [LHY]. Hangu coast, 503 on 17-18 September [LHY] and 451 on 15 October [LY]. 750 on the Dagang coast on 23 December [PH].

Shanghai: 80 at Bei Hu, Chongming on 19 November [YJ].

Zhejiang: 60 at Jiaojiang Farm on 15 January [WXM].

Fujian: 59 at Shanyutan, Changle on 3-4 December [HZY].

Guangdong: 11 at Oi'ao Dao, Zhuhai on 16 December [HK].

Hainan: 12 at Sibi Bay, Sigeng, Dongfang on 27 March [YCC].

Qinghai: Up to 15 at Koko Nur 20-24 September [PH et al.].

Xinjiang: 13 at Sailimu Hu, Bole on 4 May [GJun].

Also reported from Jilin.

# 0341# 大杓鹬 Eastern Curlew Numenius madagascariensis EN

内蒙古: 5月4-6日, 克什克腾旗达里诺尔, 50只[YY];

辽宁: 丹东鸭绿江湿地保护区,3月28日-4月25日—直有记录,4月3日最大数量300只,6月14日,160只,9月17日-10月16日—直有记录,9月24日最多数量为300只[BQQ],3月26-28日,盘锦双台河自然保护区,12只[WRQ],6月18-19日,庄河湾,20只[BQO];

河北:秦皇岛北戴河,4月2-3日,200只[ZJ];5月3日,1只[LHY];5月4-8日,30只 [WRQ];另外一处,5月8日和17日,七里海,分别是27只和42只,5月10日,乐亭捞鱼尖,30只[PH et al.].5月13-15日,6只[WRQ];9月17-18日,62只[LS];10月5-7日,8只 [WRQ];5月12-14日,乐亭快乐岛,1只[CLiang];9月17日,乐亭捞鱼尖,62只[LS];9月28日和30日,北戴河,分别是20只和15只[PH et al.].10月3-5日,乐亭京唐港,1只 [ZLi];

北京: 4月10日, 延庆野鸭湖, 1只[ZYong];

天津: 4月9日, 黄港水库, 70只[GJ]; 4月16-17日, 上古林至汉沽沿海, 2只[LHY]; 5月3日, 北塘附近, 2只[CJZ]; 汉沽沿海, 5月3日, 30只[CJZ]; 9月17日, 18只[LHY]; 7月29日, 塘沽, 81只, 认为这是在这个地方较为罕见的大数目[PH].

上海: 崇明东滩, 3月26-27日, 2只[WYC]; 8月27-28日, 1只[YJ]; 8月16日, 川沙三 甲港, 1只[YZD]; 崇明北湖, 10月4日, 32只[WJY]; 12月10日, 1只[YJ]; 奉贤星火农 场, 9月18日, 3只[YZD]; 10月27日, 4只[YZD];

浙江: 10月15日, 镇海镇北涂, 1只[LYou];

广东: 8月7日, 珠海唐家, 1只[HK]; 12月16日, 珠海淇澳岛, 2只[HK];

青海: 9月21日和24日, 青海湖, 分别是2只和3只[PH et al.].

Nei Mongol: 50 at Dalinor NR, Keshiketeng on 4-6 May [YY].

Liaoning: At Yalu Jiang Wetland NR, Dandong spring passage birds were counted between 28 March-25 April with a maximum of 300 there on 3 April. 160 birds were still present on 14 June. In autumn birds were counted between 17 September-16 October with a maximum of 300 on 24 September [BQQ]. Elsewhere there were 12 at Shuangtai He NR, Panjin on 26-28 March [WRQ] and 20 at Zhuanghe Bay on 18-19 June [BQQ].

Hebei: At Beidaihe, Qinhuangdao there were 200 on 2-3 April [ZJ] – an exceptional local count, one on 3 May [LHY], 30 during 4-8 May [WRQ] and six on 13-15 May [WRQ]. In autumn there were 62 on 17-18 September [LS] and eight on 5-7 October [WRQ]. Elsewhere there were 27 & 42 at Qilihai, Laoting on 8th & 17 May respectively, 30 at Laoyujian, Laoting on 10 May [PH et al.]. one at Happy Island, Laoting on 12-14 May [CLiang]. 62 at Laoyujian, Laoting on 17-18 September [LS]. 20 & 15 at Beidaihe on 28th & 30 September respectively [PH et al.]. one at Jingtanggang, Laoting on 3-5 October [ZLi].

Beijing: One at Wild Duck Lake, Yanqing on 10 April [ZYong].

Tianjin: 70 at Huanggang Reservoir on 9 April [GJ]. two between Shanggulin and Hangu on 16-17 April [LHY]. two near Beitang on 3 May [CJZ]. At Hangu there were 30 on 3 May [CJZ] and 18 on 17 September [LHY]. 81 on 29 July at Tanggu was thought to be en unusually high number for this site [PH].

Shanghai: At Dongtan NR, Chongming there were two on 26-27 March [WYC] and one on 27-28 August [YJ]. one at Sanjiagang, Chuansha on 16 August [YZD]. At Bei Hu, Chongming there were 32 on 4 October [WJY] & one on 10 December [YJ]. At Xinghuo Farm, Fengxian there were three on 18 September [YZD] and four on 27 October [YZD].

Zhejiang: One at Zhenbeitu, Zhenhai on 15 October [LYou].

Guangdong: One at Tangjia, Zhuhai on 7 August; two at Qi' ao Dao, Zhuhai on 16 December [HK].

Qinghai: Two & three at Koko Nur 21st & 24 September respectively [PH et al.].

## 0342# 鹤鹬 Spotted Redshank Tringa erythropus

吉林: 10月5-7日,通榆向海自然保护区数群,一天最大数量345只;10月8日,镇赉莫 草格保护区,535只[PH];

河北: 10月3-5日, 乐亭京唐港, 100只[ZLi];

北京: 9月30日, 延庆野鸭湖, 300只[LJY];

天津: 4月16-17日,上古林至汉沽沿海,50只[LHY];10月15日,汉沽沿海,152只,塘沽沿海,127只[LY];

江苏: 1月2日, 溧水石臼湖, 500只[YJ];

上海: 10月4日, 崇明北湖, 200只[YJ];

江西: 2月15-17日, 鄱阳湖国家级自然保护区, 303只, 2月17日-24日, 鄱阳湖九江部分, 4563只, 2月16日-24日, 鄱阳湖南昌部分, 1820只, 2月18-23日, 鄱阳湖上饶部分, 594只[WWF-China],

湖北: 11月20日, 武汉沉湖, 580只[TXD];

湖南: 12月3-4日, 岳阳东洞庭湖自然保护区, 260只[TXD];

广东: 3月29-30日, 深圳红树林东鱼塘区, 65只[DJT];

四川: 12月10日, 广汉鸭子河, 17只[CLiang];

新疆: 9月17日, 昌吉五家渠八一水库, 50只[GJun];

Jilin: Several flocks at Xianghai NR, Tongyu during 5-7 October with 345 as the maximum day count: also 535 at Melmeg NR. Zhenlai on 8 October [PH].

Heibei: 100 on Jingtanggang, Laoting during 3-5 October [ZLi].

Beijing: 300 at Wild Duck Lake, Yanging on 30 September [LJY].

Tianjin: 50 between Shanggulin and Hangu on 16-17 April [LHY]. 152 at Hangu and 127 at Tanggu respectively on 15 October [LY].

Jiangsu: 500 at Shijiu Hu, Lishui on 2 January [YJ].

Shanghai: 200 at Bei Hu, Chongming Dao on 4 October [YJ].

Jiangxi: Counts of 303 at Poyang Hu NR during 15-17 February, 4563 at Jiujiang, Poyang Hu during 17-24 February, 1820 at Nanchang, Poyang Hu during 16-24 February and 594 at Shangrao, Poyang Hu during 18-23 February [WWF-China].

Hubei: 580 at Chen Hu, Wuhan on 20 November [TXD].

Hunan: 260 at East Dongting Hu NR, Yueyang on 3-4 December [TXD].

Guangdong: 65 at Futian Mangrove NR, Shenzhen on 29-30 March [DJT].

Sichuan: 17 at Yazi He, Guanghan on 10 December [CLiang].

Xinjiang: 50 at Bayi Reservoir, Wujiaqu, Changji on 17 September [GJun].

## 0343# 红脚鹬 Common Redshank Tringa totanus

辽宁: 3月26-28日, 盘锦双台河自然保护区, 40只[WRQ]; 6月14日, 丹东鸭绿江湿地保护区, 60只[BQQ];

河北: 5月7日,秦皇岛北戴河,25只[LJ];

安徽: 2月18日, 东至县下湖, 2只 [WWF-China];

广东: 4月16日, 深圳红树林东鱼塘区, 50只[ZengY];

四川: 8月13日, 若尔盖, 40只[WJY]:

青海: 6月9-10日, 玉树玛多之间, 32只[TJ]; 9月20日, 青海湖, 80只[PH et al.].

西藏: 5月8日, 拉萨哲蚌寺, 35只[DJT];

新疆: 5月2日,和静巴音布鲁克,85只[GJun];5月3日,伊宁68团伊犁河边,80只[GJun];6月22日,昌吉五家渠青格达湖,3000只[GJun];7月24日,福海乌伦古湖,200只[GJun];

Liaoning: 40 at Shuangtai He NR, Panjin on 26-28 March [WRQ]. 60 at Yalu Jiang Wetland NR, Dandong on 14 June [BQQ].

Hebei: 25 at Beidaihe, Qinhuangdao on 7 May [LJ].

Anhui: Two at Xiahu, Dongzhi County on 18 February [WWF-China].

Guangdong: 50 at Futian Mangrove NR, Shenzhen on 16 April [ZengY].

Sichuan: 40 at Ruoergai on 13 August [WJY].

Qinghai: 32 between Yushu and Maduo on 9-10 June [TJ]. 80 at Koko Nur on 20 September [PH et al.]. Tibet: 35 at Zhebang Si, Lhasa on 8 May [DJT].

Xinjiang: 85 at Bayinbuluk, Hejing on 2 May [GJun]. 80 near Yili He, 68 Corps., Yining on 3 May [GJun]. an impressive 3000 at Qinggeda Hu, Wujiaqu, Changji on 22 June [GJun]. 200 at

Wugulun Hu, Fuhai on 24 July [GJun].

## 0344# 泽鹬 Marsh Sandpiper Tringa stagnatilis

黑龙江: 5月10日, 大庆龙凤湿地, 10只[LJY];

辽宁: 9月17日, 丹东鸭绿江湿地保护区, 80只[BQQ];

河北: 9月17日, 乐亭捞鱼尖, 50只[LS];

北京: 9月30日, 延庆野鸭湖, 50只[LJY];

天津: 4月3日, 汉沽沿海, 100只[CJZ]; 4月11日, 黄港水库, 12000只[WRQ]; 4月

16-17日,上古林至汉沽沿海,505只[LHY],4月27-28日,北塘附近,200只[ZYong],7

月的最后一个星期期间,塘洁,900只到1450只之间[PH & WQY].

上海: 4月2日, 崇明东滩, 170只[YJ];

浙江: 10月15日, 镇海镇北涂, 45只[LYou];

广东: 12月3日, 深圳福田红树林, 40只[LXD];

海南: 1月20日, 海口东寨港, 25只[YCC];

四川: 11月26日, 广汉鸭子河, 7只[CLiang];

新疆: 7月12日, 昌吉五家渠青格达湖, 25只[GJun];

Heilongjiang: 10 at Longfeng Wetland, Daqing on 10 May [LJY].

Liaoning: 80 at Yalu Jiang Wetland NR, Dandong on 17 September [BQQ].

Hebei: 50 at Laoyujian, Laoting on 17 September [LS].

Beijing: 50 at Wild Duck Lake, Yanqing on 30 September [LJY].

Tianjin: 100 at Hangu on 3 April [CJZ]. an incredible 12,000 on Huanggang Reservoir on 11 April [WRQ]. 505 between Shanggulin and Hangu on 16-17 April [LHY]. 200 near Beitang on 27-28 April [ZYong]. between 900-1450 at Tanggu during the last week of July [PH & WOY].

Shanghai: 170 at Dongtan NR, Chongming on 2 April [YJ].

Zhejiang: 45 at Zhenbeitu, Zhenhai on 15 October [LYou].

Guangdong: 40 at Futian Mangrove NR, Shenzhen on 3 December [LXD].

Hainan: 25 at Dongzhaigang NR, Haikou on 20 January [YCC].

Sichuan: Seven at Yazi He, Guanghan on 26 November [CLiang].

Xinjiang: 25 at Qinggeda Hu, Wujiaqu, Changji on 12 July [GJun].

#### 0345# 青脚鹬 Common Greenshank Tringa nebularia

辽宁: 丹东鸭绿江湿地保护区, 4月25日, 50只[BQQ]; 9月17日, 50只[BQQ];

河北: 9月17日, 乐亭捞鱼尖, 110只[LS];

北京: 9月30日,延庆野鸭湖,150只[LJY];

天津: 9月17日, 汉沽沿海, 1027只[LHY];

江苏: 2月1日, 溧水石臼湖, 200只[ZYu];

上海; 1月8日, 崇明东滩, 80只[YJ]; 10月19日, 崇明北湖, 318只[WJY];

浙江: 10月15日, 镇海镇北涂, 120只[LYou];

湖北: 11月20日, 武汉沉湖, 31只[TXD];

广东: 3月29-30日, 深圳红树林东鱼塘区, 30只[DJT];

澳门: 4月3日, 离岛湿地, 30只[CCA];

海南: 1月20日, 海口东寨港, 25只[YCC];

云南: 3月25日, 瑞丽江, 3只; 3月29日, 盈江, 1只[MK];

新疆: 8月9日,喀什和巴楚之间,27只[PH];9月17日,昌吉五家渠八一水库,20只[GJun];

Liaoning: 50 at Yalu Jiang Wetland NR, Dandong on 25 April [BQQ] and 50 there on 17 September [BQQ].

Hebei: 110 at Laoyujian, Laoting on 17 September [LS].

Beijing: 150 at Wild Duck Lake, Yanging on 30 September [LJY].

Tianjin: 1027 at Hangu on 17 September [LHY].

Jiangsu: 200 at Shijiu Hu, Lishui on 1 February [ZYu].

Shanghai: 80 at Dongtan NR, Chongming Dao on 8 January [YJ] and 318 at Bei Hu,

Chongming Dao on 19 October [WJY].

Zhejiang: 120 at Zhenbeitu, Zhenhai on 15 October [LYou].

Hubei: 31 at Chen Hu, Wuhan on 20 November [TXD].

Guangdong: 30 at Futian Mangrove NR, Shenzhen on 29-30 March [DJT].

Macao: 30 at Taipa-Coloane Wetland on 3 April [CCA].

Yunnan: Three on the Ruili River, Ruili on 25 March and one on the Yingjiang River,

Yingjiang on 29 March [MK].

Hainan: 25 Dongzhaigang NR, Haikou on 20 January [YCC].

Xinjiang: 27 between Kashi & Bachu on 9 August[PH]. 20 at Bayi Reservoir, Wujiaqu, Changji on 17 September [GJun].

# 0346# 小青脚鹬 Nordmann's Greenshank Tringa guttifer EN

上海: 4月23日, 崇明东滩, 1只[GXJ];

Shanghai: One at Chongming Dao, Dongtan on 23 April [GXJ].

#### 0348# 白腰草鹬 Green Sandpiper Tringa ochropus

全国大部分地区均有记录,数量较多的有:

河北: 5月4日,秦皇岛北戴河,6只[WRQ];

北京: 5月8日, 顺义汉石桥, 52只[LHY]; 11月5日, 延庆妫水河及沿岸, 6只[WC];

河南: 2月10日, 孟津黄河湿地保护区, 6只[DQ]; 7月21日, 三门峡陕州故城风景区, 8只[DQ];

江苏: 11月20日, 南京江心洲, 6只[LM];

上海: 4月16日, 江湾机场, 13只[YJ];

江西: 12月31日,新建南矶山,15只[LXD];

广西: 12月11-20日, 合浦山口红树林保护区, 8只[JAW];

西藏: 12月21日-1月4日, 日喀则地区, 10只[ZGF et al.];

新疆: 7月17-18日, 昌吉五家渠青格达湖, 5只[GJun];

Reported from widespread areas. Significant records were as follows:

Xinjiang: Five at Qinggeda Hu, Wujiaqu, Changji on 17-18 July [GJun].

Heibei: Six at Beidaihe, Qinhuangdao on 4 May [WRQ].

Beijing: 52 at Hanshiqiao, Shunyi on 8 May [LHY] and six at Guishui He, Yanqing on 5 November [WC].

Henan: Six at Yellow River Wetland NR, Mengjin on 10 February [DQ] and eight at Shanzhou Scenic Spot, Sanmenxia on 21 July [DQ].

Jiangsu: Six at Jiangxinzhou, Nanjing on 20 November [LM].

viangos. on at viangiments, rianjing on 20 110 vemoer [211

Shanghai: 13 at Jiangwan Airport on 16 April [YJ].

Jiangxi: 15 at Najishan NR, Nanchang on 31 December [LXD].

Guangxi: Eight at Shankou Mangrove NR, Hepo during 11-20 November [JAW].

Tibet: Ten logged at Shigatse between 21 December and 4 January [ZGF et al.].

#### 0349# 林鹬 Wood Sandpiper Tringa glareola

黑龙江: 5月10日, 大庆龙凤湿地, 20只[LJY];

北京: 5月8日, 顺义汉石桥, 30只[LHY]; 8月21日, 延庆野鸭湖, 50只[LHT];

河北: 5月17日, 北戴河以北, 500只飞过[PH et al.].

天津: 4月27-28日, 北塘附近, 20只[ZYong]; 7月30日, 塘沽附近, 40只[PH & WQY].

上海: 5月2日, 奉贤星火农场, 72只[YZD];

广东: 12月3日, 深圳福田红树林, 30只[YHY]; 12月30日, 深圳华侨城湿地, 30只[LJY];

海南: 9月24日, 东方八所镇, 52只[LG];

Heilongjiang: 20 at Longfeng Wetland, Daging on 10 May [LJY].

Beijing: 30 at Hanshiqiao, Shunyi on 8 May [LHY]. 50 at Wild Duck Lake, Yanqing on 21 August [LHT].

Hebei: 500 flew north at Beidaihe on 17 May [PH et al.].

Tianjin: 20 near Beitang on 27-28 April [ZYong]. 40 near Tanggu on 30 July [PH & WQY].

Shanghai: 72 at Xinghuo Farm, Fengxian on 2 May [YZD].

Guangdong: 30 at Futian Mangrove NR, Shenzhen on 3 December [YHY]. 30 at

Huaqiaocheng Wetland, Shenzhen on 30 December [LJY].

Hainan: 52 at Basuo, Dongfang on 24 September [LG].

## 0350# 翘嘴鹬 Terek Sandpiper Xenus cinerea

东部沿海地区有记录,数量较多的有:

辽宁: 6月14-16日, 丹东鸭绿江湿地保护区, 16只[BQQ];

河北: 5月14-15日,秦皇岛北戴河, 20只[LHY], 5月18日, 乐亭快乐岛, 25只[BB et al.],

上海: 8月27-28日, 崇明东滩, 25只[YJ];

浙江: 10月15日, 镇海镇北涂, 32只[LYou];

广东: 4月16日, 深圳红树林东鱼塘区, 18只[ZengY];

新疆:7月17-18日,昌吉五家渠青格达湖,4只[GJun];8月11日,阿克苏附近,2只;8

月20日, 博斯腾湖, 1成5幼[PH];

Reported from widespread areas. Significant records were as following:

Xinjiang: Four at Qinggeda Hu, Wujiaqu, Changji on 17-18 July [GJun], two near Aksu on 11

August and six including five juveniles at Bosten Hu on 20 August [PH].

Liaoning: 16 at Yalu Jiang Wetland NR, Dandong during 14-16 June [BQQ].

Hebei: 20 at Beidaihe, Qinhuangdao on 14-15 May [LHY] and 25 at Happy Island, Laoting on 18 May [BB et al.].

Shanghai: 25 at Dongtan NR, Chongming Dao on 27-28 August [YJ].

Zhejiang: 32 at Zhenbeitu, Zhenhai on 15 Ocotober [LYou].

Guangdong: 18 at Futian Mangrove NR, Shenzhen on 16 April [ZengY].

# 0351# 矶鹬 Common Sandpiper Actitis hypoleucos

全国大部分地区均有记录,数量较多的有:

河北: 5月13-15日,秦皇岛北戴河,40只[WRQ];

北京: 5月8日, 顺义汉石桥, 20只[LHY];

天津: 5月21日, 北大港水库, 7只[CJZ];

上海: 5月2日, 崇明东滩, 13只[GJ];

浙江: 10月15日, 镇海镇北涂, 40只[LYou];

福建: 10月31日, 厦门坂美鱼塘, 6只[HZY];

广东: 11月5日, 珠海三灶, 8只[HK];

海南: 11月7日, 海口万绿园, 20只[ZhuY];

四川: 1月22日,彭山仙女山,10只[SY];11月20日,广汉鸭子河,12只[CQQ];

云南: 10月2日, 开远大庄乡三角海水库, 7只[LYang];

新疆: 7月12日, 昌吉五家渠青格达湖, 40只[GJun];

Reported from widespread areas. Significant records were as following:

Xinjiang: 40 at Oinggeda Hu, Wujiaqu, Changji on 12 July [GJun].

Hebei: 40 at Beidaihe, Qinhuangdao during 13-15 May [WRQ].

Beijing: 20 at Hanshiqiao, Shunyi on 8 May [LHY].

Tianjin: Seven at Beidagang Reservoir on 21 May [CJZ].

Shanghai: 13 at Dongtan NR, Chongming Dao on 2 May [GJ].

Zhejiang: 40 at Zhenbeitu, Zhenhai on 15 October [LYou].

Fujian: Six at Banmei Fish Farm, Xiamen on 31 October [HZY].

Guangdong: Eight at Sanzao, Zhuhai on 5 November [HK].

Hainan: 20 at Wanluyuan, Haikou on 7 November [ZhuY].

Sichuan: 10 at Xiannu Shan, Pengshan on 22 January [SY] and 12 at Yazi He, Guanghan on

20 November [CQQ].

Yunnan: Seven at Sanjiaohai Reservoir, Dazhuang, Kaiyuan on 2 October [LYang].

## 0352# 灰尾漂鹬 Grey-tailed Tattler Heteroscelus brevipes

辽宁: 6月14-16日, 丹东鸭绿江湿地保护区, 3只[BQQ];

河北:秦皇岛北戴河,春季最早记录是5月7日,1只[PH];5月13-15日,6只[WRQ];8月12-14日,30只[BA];9月17日,5只[ZLi];

天津: 7月29日,塘沽机场附近,17只,是最大的一笔数目[PH & WQY];

上海: 8月9日,奉贤星火农场,4只[YZD];8月16日,川沙三甲港,3只[YZD];

浙江: 9月18日, 椒江农场, 8只[WXM];

海南: 11月8日, 海口东寨港, 1只[WJY];

Liaoning: Three at Yalu Jiang Wetland, Dandong on 14-16 June [BQQ].

Hebei: At Beidaihe, Qinhuangdao the first bird of the spring was noted on 7 May [PH et al.] & there were six on 13-15 May [WRQ] & 30 between 12-14 August [BA]. five on 17 September [ZLi].

Tianjin: The highest count was of 17 near Tanggu airport on 29 July [PH & WQY].

Shanghai: Four at Xinghuo Farm, Fengxian on 9 August [YZD]. three at Sanjiagang, Chuansha on 16 August [YZD].

Zhejiang: Eight at Jiaojiang Farm on 18 September [WXM].

Hainan: One at Dongzhaigang NR, Haikou on 8 November [WJY].

#### 0354# 翻石鹬 Ruddy Turnstone Arenaria interpres

吉林: 6月3日, 通榆向海自然保护区, 40只[PH];

辽宁: 丹东鸭绿江湿地保护区, 4月25-26日, 5只[BQQ]; 6月14-16日, 5只[BQQ];

河北: 5月7日-19日,秦皇岛北戴河,有8天在4只和1只之间[PH et al.]; 5月14-15日,秦皇岛北戴河,2只[HP];

天津: 5月3日, 北塘附近, 5只[CJZ]; 7月30日, 汉沽, 4只; 7月31日, 塘沽, 4只 [PH&WOY]:

上海: 9月10日, 川沙三甲港, 60只[ZWQ];

浙江: 8月7日, 椒江农场, 10只[WXM];

广东: 4月16日, 深圳红树林东鱼塘区, 1只[ZengY];

青海: 9月20日, 青海湖, 1只[PH et al.].

新疆: 9月4日, 昌吉五家渠八一水库, 1只[GJun];

Jilin: 40 at Xianghai NR, Tongyu on 3 June [PH et al.].

Liaoning: At Yalu Jiang Wetland NR, Dandong there were five on 25-26 April [BQQ] and again on 14-16 June [BQQ].

Hebei: At Beidaihe, Qinhuangdao there were between one & four on eight dates 7-19 May [PH et al]. Two there on 14-15 May [PH]

Tianjin: Five near Beitang on 3 May [CJZ]. 4 at Hangu on 30 July; four at Tanggu on 31 July [PH & WQY].

Shanghai: 60 at Sanjiagang, Chuansha on 10 September [ZWQ].

Zhejiang: 10 at Jiaojiang Farm on 7 August [WXM].

Guangdong: One at Futian Mangrove NR, Shenzhen on 16 April [ZengY].

Qinghai: One at Koko Nur on 20 September [PH et al.].

Xinjiang: One at Bayi Reservoir, Wujiaqu, Changji on 4 September [GJun].

# 0355# 长嘴鹬 Long-billed Dowitcher Limnodromus scolopaeus

上海: 4月23日, 崇明东滩, 2只[GXJ];

Shanghai: Two were photoed at Dongtan, Chongming Dao on 23 April [GXJ].

# 0356# 半蹼鹬 Asian Dowitcher Limnodromus semipalmatus

河北:秦皇岛北戴河,5月3-4日,3只[LHY],5月8日和17日,乐亭七里海,分别是1只和2只[PH et al.];5月14-15日,3只[LHY];5月14日,乐亭快乐岛,261只和156只[PH et al.]和[BB et al.];9月29日,秦皇岛七里海,1只[PH et al.];10月3日,乐亭京唐港,1只[ZLi];

天津: 5月1日,汉沽彩虹桥附近,500只[LHT],7月30日,秋季较少数目,最大数目是85只[PH & WQY]

上海: 4月2-3日, 崇明东滩, 2只[YJ];

Hebei: At Beidaihe, Qinhuangdao there were three on 3-4 May and again on 14-15 May [LHY]. one & two at Qilihai, Laoting on the 8th & 17 May respectively [PH et al.]. 261 & 156 at Happy Island, Laoting on 14 May [PH et al. & BB et al. respectively]. one at Qilihai, Qinhuangdao on 29 September [PH et al.], one at Jingtanggang, Laoting on 3 October [ZLi].

Tianjin: 500 on saltpans near Caihongqiao, Hangu on 1 May [LHT]. Fewer birds were noted in autumn with a maximum of 85 there on 30 July [PH & WQY].

Shanghai: Two at Dongtan NR, Chongming on 2-3 April [YJ].

#### 0357# 大滨鹬 Great Knot Calidris tenuirostris

辽宁: 4月17日, 丹东鸭绿江湿地保护区, 9000只[BQQ];

河北: 5月3-4日,秦皇岛北戴河,30只[LHY],5月11日和12日,乐亭快乐岛,分别是2500只和2000只[PH et al.].

天津: 9月17日, 汉沽沿海, 30只[LHY];

上海: 3月28日, 崇明东滩, 40只[ZLin]; 4月17日, 崇明东滩, 200只[BP et al.];

广东: 11月5日, 珠海三灶, 1只[HK];

Liaoning: 9000 at Yalu Jiang Wetland NR, Dandong on 17 April [BQQ].

Hebei: 30 at Beidaihe, Qinhuangdao on 3-4 May [LHY]. 2500 & 2000 on Happy Island,

Laoting on the 11th & 12 May respectively [PH et al.].

Tianjin: 30 at Hangu on 17 September [LHY].

Shanghai: 40 at Dongtan NR, Chongming on 28 March [ZLin]. 200 at Dongtan, Chongming

Dao on 17 April [BP et al.].

Guangdong: One at Sanzao, Zhuhai on 5 November [HK].

#### 0358# 红腹滨鹬 Red Knot Calidris canutus

吉林: 6月3日, 通榆向海自然保护区, 2只[PH et al.];

河北: 5月3-4日,秦皇岛北戴河,1只[LHY];5月7日和5月10日,乐亭快乐岛,分别有20

只[BB et al.& PH et al.respectively]; 8月12-14日, 北戴河, 30只, 绝大部分为亚成体[BA];

北京: 5月8日, 顺义汉石桥, 1只[LHY];

天津: 4月16-17日,上古林至汉沽沿海,5只[LHY],5月3日,北塘附近,300只[CJZ],

海南: 9月24日, 东方八所镇, 1只[LG];

Jilin: Two at Xianghai NR, Tongyu on 3 June [PH et al.].

Hebei: One at Beidaihe, Qinhuangdao during 3-4 May [LHY]. 20 at Happy Island, Laoting on both 7th & 10 May [BB et al. & PH et al. respectively]. 30, mostly juveniles, at Beidaihe between 12-14 August [BA].

Beijing: One at Hanshiqiao, Shunyi on 8 May [LHY].

Tianjin: Five at Shanggulin to Hangu during 16-17 April [LHY], 300 near Beitang on 3 May [CJZ].

Hainan: One at Basuo, Dongfang on 24 September [LG]

#### 0359# 三趾滨鹬 Sanderling Calidris alba

河北: 5月7日,秦皇岛北戴河,2只;5月12日,乐亭快乐岛,10只[PH et al.].

上海: 9月13日, 宝钢水库, 7只[ZLin];

浙江: 椒江农场, 8月17日, 1只[WXM]; 9月18日, 20只[WXM];

福建: 12月3-4日, 长乐鳝鱼滩, 1只[HZY];

Hebei: Two at Beidaihe, Qinhuangdao on 7 May; 10 on Happy Island, Laoting on 12 May [PH

et al.1.

Shanghai: Seven at Baogang Reservoir on 13 September [ZLin].

Zhejiang: At Jiaojiang Farm one on 17 August [WXM] and 20 on 18 September [WXM].

Fujian: One at Shanyutan, Changle on 3-4 December [HZY].

#### 0361# 勺嘴鹬 Spoon-billed Sandpiper Euryorhynchus pygmeus EN

上海: 4月23日, 崇明东滩, 1只[GXJ];

Shanghai: One at Chongming Dao, Dongtan on 23 April [GXJ].

#### 0362# 小滨鹬 Little Stint Calidris minuta

河北: 5月14日, 北戴河, 1只[PH et al.]; 9月12日, 北戴河, 1只[JH];

天津: 7月21日, 塘沽, 1只成体[PH & WQY];

新疆: 8月17日&8月20日, 博斯腾湖, 分别6只&8只[PH&WQY];

Hebei: Singles at Beidaihe on 14 May [PH et al.] & 12 September [JH].

Tianjin: One adult at Tanggu on 21 July [PH].

Xinjiang: Six & eight at Bosten Hu on 17th & 20 August respectively [PH & WQY].

#### 0363# 红颈滨鹬 Red-necked Stint Calidris ruficollis

河北:秦皇岛北戴河,5月8日,20只[LJ]和5月20日,100只[PH et al.];8月12-14日,200只[BA];9月17日,20只[ZLi]和9月27日,27只[PH et al.].

北京: 8月27日, 延庆野鸭湖, 3只[ZLi];

天津: 4月27-28日, 北塘附近, 10只[ZYong]; 7月28日, 30日, 31日, 分别是5950只, 5000只和4600只, 这是初秋塘沽数目最高的记录[PH & WQY].

上海: 10月4日, 崇明北湖, 50只[YZD];

浙江: 5月5-7日, 椒江农场,50只[WXM];9月18日,杭州下沙,30只[QH];10月15日,镇海镇北涂,20只[LYou];

四川: 12月10日, 广汉鸭子河, 1只[CLiang];

新疆: 9月10日, 昌吉五家渠八一水库, 5只[GJun];

此外, 辽宁、吉林也有记录。

Hebei: At Beidaihe, Qinhuangdao there were 20 on 8 May [LJ] & 100 on 20 May [PH et al.], 200 between 12-14 August [BA], 20 on 17 September [ZLi] & 27 on 29 September [PH et al]. Beijing: Three at Wild Duck Lake, Yanqing on 27 August [ZLi].

Tianjin: 10 near Beitang Reservoir, Tanggu on 27-28 April [ZYong]. High numbers were recorded at Tanggu in the early autumn with day counts of 5950, 5000 & 4600 there on the 28th, 30th & 31 July respectively [PH & WQY].

Shanghai: 50 at Bei Hu, Chongming on 4 October [YZD].

Zhejiang: 50 at Jiaojiang Farm on 5-7 May [WXM]. 30 at Xiasha, Hangzhou on 18 September [QH]. 20 at Zhenbeitu, Zhenhai on 15 October [LYou].

Sichuan: One at Yazi He, Guanghan on 10 December [CLiang].

Also reported from Liaoning and Jilin.

Xinjiang: Five at Bayi Reservoir, Wujiaqu, Changji on 10 September [G Jun];

#### 0364# 青脚滨鹬 Temminck's Stint Calidris temminckii

北京: 4月24日,延庆野鸭湖,10只[LHY],5月8日,顺义汉石桥,15只[LHY],

天津: 4月16-17日,上古林至汉沽沿海,20只[LHY];7月的最后4天,初秋在塘沽再次看到大数目,分别是62只,78只,222只,234只[PH & WQY];9月17日,汉沽沿海,13只[LHY];

上海: 3月17日, 青浦淀山湖, 7只[ZLin];

浙江: 11月12日, 海宁东西湖, 20只[QH];

广西: 12月11-20日, 合浦山口红树林保护区, 50只[JAW];

海南: 11月8日, 海口东寨港, 40只[WJY];

新疆: 8月20日, 博斯腾湖, 60只[PH & WQY]

青海: 7月28日, 共和青海湖, 30只[RKY], 9月底 (21日止), 共计60只[PH et al.].

Beijing: 10 at Wild Duck Lake, Yanqing on 24 April [LHY]. 15 at Hanshiqiao, Shunyi on 8 May [LHY].

Tianjin: 20 between Shanggulin and Hangu on 16-17 April [LHY]. Large numbers were seen again near Tanggu in the early autumn with 62, 78, 222 & 234 there on the last four days of July [PH & WQY]. 13 at Hangu on 17 September [LHY].

Shanghai: Seven at Dianshan Hu, Qingpu on 17 March [ZLin].

Zhejiang: 20 at Dongxi Hu, Haining on 12 November [QH].

Guangxi: 50 at Shankou Mangrove NR, Hepu during 11-20 December [JAW].

Hainan: 40 at Dongzhaigang NR, Haikou on 8 November [WJY].

Xinjiang: 60 at Bosten Hu on 20 August [PH & WOY].

Qinghai: 30 at Koko Nur, Gonghe on 28 July [RKY] with up to 60 there in late September (peak on 21st) [PH et al.].

# 0365# 长趾滨鹬 Long-toed Stint Calidris subminuta

河北: 5月5日-20日期间,秦皇岛北戴河,共计5只[PH et al.];

北京: 5月21日,延庆野鸭湖,3只[BA];8月21日,延庆野鸭湖,1只[LHT];

天津: 7月的最后一个星期, 在塘沽看到较大数目, 最大数目是7月30日, 36只[PH,WQY].

上海: 9月3日, 川沙三甲港, 12只[YZD];

浙江: 9月18日, 杭州下沙, 15只[QH];

广东: 1月5日, 珠海三灶, 12只[HK];

海南: 11月8日, 海口东寨港, 120只[WJY];

Hebei: Up to five at Beidaihe, Qinhuangdao during 5-20 May [PH et al.].

Beijing: Three at Wild Duck Lake, Yanqing on 21 May [BA] & one there on 21 August [LHT].

Tianjin: Good numbers were seen near Tanggu in the last week of July with a peak of 36 there on 30 July [PH,WOY].

Shanghai: 12 at Sanjiagang, Chuansha on 3 September [YZD].

Zhejiang: 15 at Xiasha, Hangzhou on 18 September [QH].

Guangdong: 12 at Sanzao, Zhuhai on 5 January [HK].

Hainan: An impressive 120 at Dongzhaigang NR, Haikou on 8 November [WJY].

#### 0369# 尖尾滨鹬 Sharp-tailed Sandpiper Calidris acuminata

吉林: 6月3日, 通榆向海自然保护区, 30只[PH et al.];

辽宁: 8月11-12日, 盘锦双台河自然保护区, 2只[LZY];

河北: 5月3-4日,秦皇岛北戴河,30只[LHY];5月13日,乐亭七里海附近,25只[PH et al.].

北京: 8月27日, 延庆野鸭湖, 15只[ZLi];

天津: 4月16-17日, 上古林至汉沽沿海, 21只[LHY]; 4月27-28日, 北塘附近, 30只[ZYong];

数目最大的记录来自7月的最后一个星期,于塘沽附近,其中最大的数目是7月30日,

555只[PH et al.]

上海: 4月2-3日, 崇明东滩, 10只[YJ];

浙江: 5月5日, 椒江农场, 50只[WXM];

Jilin: 30 at Xianghai NR, Tongyu on 3 June [PH et al.].

Liaoning: Two at Shuangtaine NR, Panjin on 11-12 August [LZY].

Hebei: 30 at Beidaihe, Qinhuangdao on 3-4 May [LHY]. 25 near Qilihai, Laoting on 13 May

[PH et al.].

Beijing: 15 at Wild Duck Lake, Yanqing on 27 August [ZLi].

Tianjin: 21 between Shanggulin and Hangu on 16-17 April [LHY]. 30 near Beitang on 27-28 April [ZYong]. Good numbers were noted near Tanggu in the last week of July with a peak of 555 there on the 30th [PH & WQY].

Shanghai: 10 at Dongtan NR, Chongming on 2-3 April [YJ].

Zhejiang: 50 at Jiaojiang Farm on 5 May [WXM].

#### 0371# 黑腹滨鹬 Dunlin Calidris alpina

辽宁: 丹东鸭绿江湿地保护区, 4月17日, 1500只[BQQ]; 9月17日, 2000只[BQQ];

河北: 5月12日, 乐亭快乐岛, 200只[PH et al.]; 10月5-7日, 秦皇岛北戴河, 120只[WRO];

天津: 4月3日,汉沽沿海,100只[CJZ]; 9月28日,塘沽附近,810只和12月23日,大港海滨,2165只[PH & WOY].

江苏: 1月2日,溧水石臼湖,400只[YJ],12月13-14日,射阳盐城保护区,200只[YLi];

上海: 崇明东滩, 2月15-18日, 2028只[WWF-China]; 4月23日, 1420只[GXJ]; 1月9日, 奉贤五四农场, 1000只[YZD]; 10月19日, 崇明北湖, 1293只[LH]; 12月18日, 崇明东滩1602只[YJ];

安徽: 2月20-22日, 菜子湖自然保护区, 10709只[WWF-China];

浙江: 1月15日, 椒江农场, 2000只[WXM]; 11月17日, 海宁东西湖, 300只[ZhuY];

湖北: 2月24-27日, 新洲涨渡湖, 615只, 3月1-2日, 沉湖自然保护区, 790只[WWF-China], 11月20日, 武汉沉湖, 2600只[TXD],

湖南: 2月15-24日, 东洞庭湖国家级自然保护区, 7525只[WWF-China], 12月3-4日, 岳阳东洞庭, 1500只[TXD],

江西: 2月16日-24日, 鄱阳湖南昌部分, 15200只[WWF-China];

福建: 12月3日,长乐鳝鱼滩,1000只[HZY];

新疆: 8月20日, 博斯腾湖, 1只[PH & WQY].

青海: 9月21日, 青海湖, 1只[PH et al.].

Liaoning: 1500 at Yalu Jiang Wetland NR, Dangong on 17 April [BQQ] and 2000 there on 17 September [BQQ].

Hebei: 200 on Happy Island on 12 May [PH et al.]; 120 at Beidaihe, Qinhuangdao on 5-7 October [WRQ].

Tianjin: 100 at Hangu on 3 April [CJZ]. 810 near Tanggu on 28 September; 2165 on the Dagang coast on 23 December [PH & WQY].

Jiangsu: 400 at Shijiu Hu, Lishui on 2 January [YJ]. 200 at Yancheng NR, Sheyang on 13-14 December [YLi].

Shanghai: 1000 at Wusi Farm, Fengxian on 9 January [YZD]. 2028 at Dongtan, Chongming Dao during 15-18 February [WWF-China]. 1420 at Chongming Dao, Dongtan on 23 April [GXJ]. 1293 at Bei Hu, Chongming on 19 October [LH]. 1602 at Dongtan NR, Chongming on 18 December [YJ].

Anhui: 10,709 at Caizihu NR during 20-22 February [WWF-China].

Zhejiang: 2000 at Jiaojiang Farm on 15 January [WXM]. 300 at Dongxi Hu, Haining on 17 November [ZhuY].

Jiangxi: 15,200 at Nanchang parts of Poyang Hu between 16-24 February [WWF-China].

Hubei: 615 at Zhangdu Hu, Xinzhou between 24-27 February; 790 at Chen Hu NR on 1-2

March [WWF-China]; 2600 at Chen Hu, Wuhan on 20 November [TXD].

Hunan: 7525 at Dong Dongting Hu NR between 15-24 February [WWF-China]. 1500 at East

Dongting Hu NR, Yueyang on 3-4 December [TXD].

Fujian: 1000 at Shanyutan, Changle on 3 December [HZY].

Xinjiang: One at Bosten Hu on 20 August [PH & WQY].

Qinghai: One on Koko Nur 21 September [PH et al.].

# 0372# 弯嘴滨鹬 Curlew Sandpiper Calidris ferruginea

吉林: 6月3日, 通榆向海自然保护区, 20只[PH et al.];

北京: 8月27日, 延庆野鸭湖, 15只[ZLi]; 9月30日, 延庆妫河, 8只[Cliang];

河北: 5月12日, 乐亭快乐岛, 100只[PH et al.]

天津: 4月16-17日,上古林至汉沽沿海,14只[LHY],4月27-28日,北塘附近,30只

[ZYong]; 7月下旬期间,塘沽附近,共计40只(21日)[PH & WQY].

浙江: 5月5-7日, 椒江农场, 10只[WXM];

广西: 12月11-20日, 合浦山口红树林保护区, 10只[JAW];

青海: 9月20日, 21日和24日, 青海湖, 分别是30只, 2只和1只[PH et al.].

新疆: 7月17-18日, 昌吉五家渠青格达湖, 102只[GJun];

Jilin: 20 at Xianghai NR, Tongyu on 3 June [PH et al.].

Beijing: 15 at Wild Duck Lake, Yanqing on 27 August [ZLi]. eight at Guihe, Yanqing on 30 September [CLiang].

Hebei: 100 on Happy Island, Laoting on 12 May [PH et al.].

Tianjin: 14 between Shanggulin and Hangu on 16-17 April [LHY]. 30 near Beitang on 27-28

April [ZYong]. up to 40 (on 21st) near Tanggu during the latter half of July [PH & WQY].

Zhejiang: 10 at Jiaojiang Farm on 5-7 May [WXM].

Guangxi: 10 at Shankou Mangrove NR, Hepu during 11-20 November [JAW].

Qinghai: 30, two & one at Koko Nur on 20th, 21st & 24 September respectively [PH et al.].

Xinjiang: 102 at Qinggeda Hu, Wujiangqu, Changji on 17-18 July [GJun].

#### 0375# 阔嘴鹬 Broad-billed Sandpiper Limicola falcinellus

辽宁: 4月25-26日, 丹东鸭绿江湿地保护区, 5只[BQQ];

河北: 5月12、16日, 乐亭快乐岛, 各6只[BB et al.], 5月9日-21日, 秦皇岛北戴河, 有4天是1

只和6只之间[PH et al.]; 9月29日, 碧海浴场, 35只[PH]; 10月3-5日, 乐亭京唐港, 1只[ZLi];

北京: 8月21日, 延庆野鸭湖, 3只[LHT];

天津: 7月底,塘沽附近有记录,其中最高记录仅为28只于28号[PH&WQY]

山东: 7月18日, 莱州湾, 8只[ZXX];

上海: 10月19日, 崇明北湖, 1只[WJY];

海南: 3月22日, 海口万绿园, 6只[LG]; 3月27日, 东方四更镇四必湾, 7只[YCC];

新疆: 8月20日, 博斯腾湖, 1只幼鸟[PH];

Liaoning: Five at Yalu Jiang Wetland NR, Dandong on 25-26 April [BQQ].

Hebei: Six at Happy Island, Laoting on both 12th and 16 May [BB et al.]; between one & six at Beidaihe, Qinhuangdao on four dates 9-21 May [PH et al.]. 35 at Bihaiyuchang on 29 September [PH et al.]. one at Jingtanggang, Laoting on 3-5 October [ZLi].

Beijing: Three at Wild Duck Lake, Yanqing on 21 August [LHT].

Tianjin: Unremarkable numbers were noted near Tanggu in late July with a peak of only 28 birds there on 28th of that month [PH& WOY].

Shandong: Eight at Laizhou Wan on 18 July [ZXX].

Shanghai: One at Bei Hu, Chongming on 19 October [WJY].

Hainan: Six at Wanluyuan, Haikou on 22 March [LG] and seven at Sibi Bay, Sigeng, Dongfang on 27 March [YCC].

Xinjiang: One juvenile at Bosten Hu on 20 August [PH].

#### 0376# 流苏鹬 Ruff Philomachus pugnax

黑龙江: 5月10日, 大庆龙凤湿地, 4只[LJY], 可能为该省的第二笔记录;

北京: 8月27日,延庆野鸭湖,1只[ZLi];

天津: 上古林至汉沽沿海, 4月9-10日, 17只[LHY]; 4月16-17日, 38只[LHY];

上海: 9月3日, 川沙三甲港, 2只[YZD];

浙江: 9月18日, 椒江农场, 3只[WXM];

广东: 12月30日, 深圳华侨城湿地, 4只[LJY];

四川: 11月6日,广汉鸭子河,1只[WQian],为四川省的第一笔记录;

青海: 7月28日, 共和青海湖, 15只[RKY], 9月21日和24日, 在这分别有3只和2只[PH et al.].

新疆: 4月23日, 昌吉五家渠青格达湖, 45只[GJun];

Heilongjiang: Four at Longfeng Wetland, Daqing on 10 May [LJY]. Apparently the second record for thr province.

Beijing: One at Wild Duck Lake, Yanqing on 27 August [ZLi].

Tianjin: 17 between Shanggulin and Hangu on 9-10 April [LHY] with 38 there on 16-17 April [LHY].

Shanghai: Two at Sanjiagang, Chuansha on 3 September [YZD].

Zhejiang: Three at Jiaojiang Farm on 18 September [WXM].

Guangdong: Four at Huaqiaocheng Wetland, Shenzhen on 30 December [LJY].

Sichuan: One at Yazi He, Guanghan on 6 November. The first record for Sichuan. [WQian].

Qinghai: 15 at Koko Nur, Gonghe on 28 July [RKY] with three & two there on 21st & 24 September respectively [PH et al.].

Xinjiang: 45 at Qinggeda Hu, Wujiaqu, Changji on 23 April [GJun].

0377# 红颈瓣蹼鹬 Red-necked Phalarope Phalaropus lobatus

山东: 9月22日, 莱州河套水库, 1只[ZXX];

上海: 8月12-14日, 崇明东滩, 1只[YZD]; 9月13日, 川沙三甲港, 1只[XL];

广东: 4月10日, 汕头龙湖区泰山路东侧, 22只[ZKH];

云南: 11月29日, 个旧湖, 1只[WC], 唯一的迁徙期之外的记录;

新疆: 9月4日, 昌吉五家渠八一水库, 28只[GJun]; 9月10日, 3只[GJun];

浙江: 5月15日, 台州沿海, 1只[WBX];

Xinjiang: 28 at Bayi Reservoir, Wujiaqu, Changji on 4 September [GJun] and three there on 10 September [GJun].

Shandong: One at Hetao Reservoir, Laizhou on 22 September [ZXX].

Shanghai: One at Dongtan NR, Chongming Dao on 12-14 August [YZD] and one at

Sanjiagang, Chuansha on 13 September [XL].

Guangdong: 22 at Taishan Road, Longhu, Shantou on 10 April [ZKH].

Yunnan: One at Gejiu Hu on 29 November [WC], was the only record in the country outside the spring or autumn migration seasons:

Zhejiang: One at Taizhou Coast on 15 May[WBX].

#### 鹳形目CICONIIFORMES > 彩鹬科 Rostratulidae

#### 0379# 彩鹬 Greater Painted-snipe Rostratula benghalensis

吉林: 5月10、11日,通榆向海自然保护区,1只[JH];

北京: 5月26日, 坝河湿地, 2只[ZJ];

湖北: 武汉潭湖, 6月12日, 3只[TXZ]; 11月13日, 2只[TYZ];

湖南: 7月29-31日, 长沙沙坪镇钟石村, 2只[LJY];

广东: 3月29日,深圳红树林东鱼塘区,1只[DJT];

云南: 2月17日, 开远泸江公园附近农田, 1只[LYang];

Jilin: Singles at Xianghai NR on 10 and 11 May [JH].

Beijing: Two at Bahe Wetland on 26 May [ZJ].

Hubei: Three at Tan Hu, Wuhan on 12 June [TXZ] and two there on 13 November [TXZ].

Hunan: Two at Zhongshi, Shaping, Changsha during 29-31 July [LJY].

Guangdong: One at Futian Mangrove NR, Shenzhen on 29 March [DJT].

Yunnan: One at Farmland near Lujiang Park, Kaiyuan on 17 February [LYang].

# 鹳形目 CICONIIFORMES > 雉鸻科 Jacanidae

0380# 水雉 Pheasant-tailed Jacana Hydrophasianus chirurgus

安徽: 8月16-17日, 安庆石塘湖, 10只[WJ];

江苏: 10月16日, 六合金牛湖, 2只[ZLin];

上海: 5月24-25日, 崇明东滩, 2只[ZLin];

浙江: 6月26日, 德清下渚湖, 52只[QH]; 7月3日, 东阳东阳江, 10只[QH];

湖北: 6月11-12日, 武汉沉湖, 10只[ZYQ];

广东: 9月11日, 肇庆永安镇江溪村, 50只[YHY]; 12月3日, 深圳福田红树林, 20只[YHY];

云南: 3月28日, 盈江附近, 8只[MK];

Anhui: 10 at Shitang Hu, Anqing on 16-17 August [WJ].

Jiangsu: Two at Jinniu Hu, Liuhe on 16 October [ZLin].

Shanghai: Two at Dongtan NR, Chongming Dao on 24-25 May [ZLin].

Zhejiang: 52 at Xiazhu Hu, Deqing on 26 June [QH] and 10 at Dongyang Jiang, Dongyang on 3 July [QH].

Hubei: 10 at Chen Hu, Wuhan on 11-12 June [ZYQ].

Guangdong: 50 at Jiangxi, Yong'an, Zhaoqing on 11 September [YHY] and 20 at Futian

Mangrove NR, Shenzhen on 3 December [YHY].

Yunnan: Eight near Yingjiang on 28 March [MK].

# 鹳形目 CICONIIFORMES > 鸻科 Charadriidae

#### 0384# 蛎鹬 Eurasian Ovstercatcher Haematopus ostralegus

osculans 亚种:

辽宁: 3月26-28日, 盘锦双台河自然保护区, 4只[WRQ]; 6月14-16日, 丹东鸭绿江湿地保护区, 8只[BQQ];

河北: 4月2-3日,秦皇岛北戴河,2只[ZJ];5月7日和17日,秦皇岛北戴河,都是1只,5月10日,乐亭捞鱼尖,4只[PH et al.];10月3-5日,乐亭京唐港,75只[ZLi];

天津: 7月29日, 塘沽, 1只[PH].

山东: 12月29日, 莱州湾, 12只[ZXX].

江苏: 射阳盐城自然保护区,1月14日,179只[PH];12月13-14日,4只[YLi];

广东: 12月9日, 珠海横琴岛, 1只[HK];

亚种: longipes

新疆: 7月24日, 福海乌伦古湖, 2只[GJun];

Subspecies osculans:

Liaoning: Four at Shuangtaihe NR, Panjin during 26-28 March [WRQ] and eight at Yalu Jiang Wetland NR, Dandong during 14-16 June [BOO].

Hebei: Two at Beidaihe, Qinhuangdao on 2-3 April [ZJ]. singles at Beidaihe, Qinhuangdao on both 7th & 17 May; 4 at Laoyujian, Laoting on 10 May [PH et al.]. an impressive 75 at Jingtanggang, Laoting on 3-5 October [ZLi]. The latter is probably a provincial record

Tianjin: 1 at Tanggu on 29 July [PH];

Shandong: 12 at Laizhou Wan on 29 December [ZXX].

Jiangsu: 179 at Yancheng NR, Sheyang on 14 January [PH] and four there on 13-14 December [YLi]

Guangdong: One at Hengqing Dao, Zhuhai on 9 December [HK].

Subspecies longipes:

Xinjiang: Two at Wulungu Hu, Fuhai on 24 July [GJun].

#### 0385# 鹮嘴鹬 Ibisbill Ibidorhyncha struthersii

北京: 1月9日, 白河峡谷, 7只[BA]; 3月27日, 密云白河峡谷, 2只[LJY]; 11月26-27日, 怀柔水库, 6只[LY]; 12月24日, 房山拒马河, 1只[LX];

山西: 10月23日, 原平关山水库, 2只[GJJ];

四川: 4月8日, 绵阳平武, 1只[LS]; 10月23日, 康定新都桥, 1只[DK];

青海: 6月9-10日, 玉树玛多之间, 4只[TJ]; 6月10-13日, 玉树囊谦, 6只[TJ]; 8月10-16日, 班玛和久治, 5只[ZGF et al.];

西藏: 5月7日, 拉萨机场-拉萨, 3只[DJT]; 5月15-18日, 林芝察隅, 1只[DJT]; 12月24-26日, 日喀则地区, 20只[ZGF et al.];

Beijing: Seven at Baihe Gorge, Miyun on 9 January [BA] and two there on 27 March [LJY]; six at Huarou Reservoir on 26-27 November [LY] and one at Juma He, Fangshan on 24 December [LX].

Shanxi: Two at Guanshan Reservoir, Yuanping on 23 October [GJJ].

Sichuan: One at Pingwu, Mianyang on 8 April [LS] and one at Xinduqiao, Kangding on 23 October [DK].

Qinghai: Four between Yushu and Maduo on 9-10 June [TJ]; six at Nangqian, Yushu during 10-13 June [TJ] and five between Banma and Jiuzhi during 10-16 August [ZGF et al.].

Tibet: Three between Lhasa Airport and Lhasa on 7 May [DJT]; one at Chayu, Linzhi during 15-18 May [DJT] and 20 at Rikaze between 24 and 26 December [ZGF et al.]

#### 0386# 黑翅长脚鹬 Black-winged Stilt Himantopus himantopus

黑龙江: 5月10日, 大庆龙凤湿地, 100只[LJY];

吉林: 6月3日, 通榆向海自然保护区, 100只[PH et al.].

河北: 5月4-8日,秦阜岛北戴河,60只[WRO]: 9月17日,乐亭捞鱼尖,65只[LS];

北京: 4月24日, 延庆野鸭湖, 100只[LHY];

天津: 4月3日,汉沽沿海,500只[CJZ];4月9-10日,上古林至汉沽沿海,1025只[LHY];4月11日,黄港水库,1500只[WRQ];7月29日,塘沽附近,739只[PH & WOY];

山东: 4月21日, 黄河三角洲自然保护区, 700只[CHY];

上海: 4月2-3日, 崇明东滩, 62只[YJ];

浙江: 4月2日, 椒江农场, 52只[WXM];

广东: 4月16日,深圳红树林东鱼塘区,200只[ZengY],12月30日,深圳华侨城湿地,20只[LJY];

海南: 9月24日, 东方八所镇, 60只[LG];

四川: 5月2日, 若尔盖, 3只[YL];

新疆: 6月22日, 昌吉五家渠青格达湖, 1000只[GJun], 7月24日, 福海乌伦古湖, 100只[GJun], 8月11日, 阿克苏以南, 150只[PH].

Heilongjiang: 100 at Longfeng Wetland, Daging on 10 May [LJY].

Jilin: 100 at Xianghai NR, Tongyu on 3 June [PH et al.].

Hebei: 60 at Beidaihe, Qinhuangdao during 4-8 May [WRQ]. 65 at Laoyujian, Laoting on 17 September [LS].

Beijing: 100 at Wild Duck Lake, Yanging on 24 April [LHY].

Tianjin: 500 at Hangu on 3 April [CJZ]. 1025 between Shanggulin and Hangu on 9-10 April [LHY]; 1500 at Huanggang Reservoir on 11 April [WRQ]. 739 near Tanggu on 29 July [PH & WQY].

Shandong: 700 at Yellow River Delta NR on 21 April [CHY].

Shanghai: 62 at Dongtan NR, Chongming on 2-3 April [YJ].

Zhejiang: 52 at Jiaojiang Farm on 2 April [WXM].

Guangdong: 200 at Futian Mangrove NR, Shenzhen on 16 April [ZengY]. 20 at Huaqiaocheng

Wetland, Shenzhen on 30 December [LJY].

Hainan: 60 at Basuo, Dongfang on 24 September [LG].

Sichuan: Three at Ruoergai on 2 May [YL].

Xinjiang: 1000 at Qinggeda Hu, Wujiaqu, Changji on 22 June [GJun]. 100 at Ulungur Lake,

Fuhai on 24 July [GJun]. 150 south of Aksu on 11 August [PH].

#### 0387# 反嘴鹬 Pied Avocet Recurvirostra avosetta

河北: 4月2-3日,秦皇岛北戴河,1300只[ZJ];

天津: 4月3日, 汉沽沿海, 5000只[CJZ]; 4月9-10日, 上古林至汉沽沿海, 2500只 [LHY]; 4月11日, 黄港水库, 1000只[HP]; 4月27-28日, 北塘附近, 500只[ZYong];

安徽: 2月20-22日, 菜子湖自然保护区, 9174只[WWF-China];

江苏: 12月13-14日, 射阳盐城自然保护区, 400只[YLi];

江西: 2月15-17日, 鄱阳湖自然保护区, 3561只, 2月17日-24日, 鄱阳湖九江部分, 5747只[WWF-China]; 新建南矶山自然保护区, 2月25-26日, 100只[CLiang]; 12月31

日,500只[YHY];

湖北: 12月17日, 武汉沉湖, 500只[TXD];

湖南: 2月15-24日, 东洞庭湖自然保护区, 835只[WWF-China];

广东: 12月12日, 深圳福田红树林, 100只[SM];

新疆: 7月17-18日, 昌吉五家渠青格达湖, 200只[GJun]; 9月10日, 昌吉五家渠八一水库, 200只[GJun];

Xinjiang: 200 at Qinggeda Hu, Wujiaqu, Changji on 17-18 July [GJun] and 200 at Bayi Reservoir, Wujiaqu, Changji on 10 September [GJun].

Hebei: 1300 at Beidaihe, Qinhuangdao on 2-3 April [ZJ].

Tianjin: 5000 at Hangu on 3 April [CJZ]; 2500 between Shanggulin and Hangu on 9-10 April [LHY]; 1000 at Huanggang Reservoir on 11 April [HP] and 500 near Beitang on 27-28 April [ZYong].

Anhui: 9174 at Caizihu NR during 20-22 February [WWF-China].

Jiangsu: 400 at Yancheng NR, Sheyang on 13-14 December [YLi].

Jiangxi: 3561 at Poyang Hu NR during 15-17 February; 5747 at Jiujiang, Poyang Hu, during 17-24 February [WWF-China], 100 at Nanjishan NR, Xinjian on 25-26 February [CLiang] and 500 there on 31 December [YHY].

Hubei: 500 at Chen Hu, Wuhan on 17 December [TXD].

Hunan: 835 at East Dongting Hu NR during 15-24 February [WWF-China].

Guangdong: 100 at Futian Mangrove NR, Shenzhen on 12 December [SM].

#### 0388# 金斑鸻 Pacific Golden Plover Pluvialis fulva

辽宁: 10月16日, 丹东鸭绿江湿地保护区, 1只[BQQ];

河北: 5月7日-17日,秦皇北戴河,每日平均30只[PH et al.]; 9月17-18日,秦皇岛北戴河,10只[LS]; 9月28日和30日,分别是100只和30只[PH et al.].

北京: 9月25日, 延庆野鸭湖, 3只[ZLi];

天津: 5月3日, 北塘附近, 1只[CJZ];

上海: 9月3日, 川沙三甲港, 200只[YZD];

广东: 11月5日, 珠海三灶, 1只[HK];

广西: 12月11-20日, 合浦山口红树林保护区, 5只[JAW];

海南: 11月8日, 海口东寨港, 10只[WJY];

新疆: 8月17日, 库尔勒以北, 7只, 8月20日, 博斯腾湖, 1只[PH]; 9月25日, 昌吉五

家渠八一水库, 6只[GJun];

Liaoning: One at Yalu Jiang Wetland NR, Dandong on 16 October [BQQ].

Hebei: At Beidaihe, Qinhuangdao there were up to 30 daily 7-17 May [PH et al.] with 10 there

on 17-18 September [LS] & 100 & 65 on 28th & 30 September respectively [PH et al.]

Beijing: Three at Wild Duck Lake, Yanging on 25 September [ZLi].

Tianjin: One near Beitang on 3 May [CJZ].

Shanghai: 200 at Sanjiagang, Chuansha on 3 September [YZD].

Guangdong: One at Sanzao, Zhuhai on 5 November [HK].

Guangxi: Five at Shankou Mangrove, Hepu during 11-20 November [JAW].

Hainan: 10 at Dongzhaigang NR, Haikou on 8 November [WJY].

Xinjiang: Seven north of Korla on 17 August; one at Bosten Hu on 20 August [PH]. six at

Bayi Reservoir, Wujiangqu, Changji on 25 September [GJun].

## 0389# 灰斑鸻 Grey Plover Pluvialis squatarola

辽宁: 丹东鸭绿江湿地保护区, 4月17日, 1000只[BQQ]; 9月17日, 80只[BQQ];

天津: 4月16-17日,上古林至汉沽沿海,40只[LHY];7月29日,塘沽,248只;12月21日,塘沽海滨浴场,348只[PH];

河北: 5月10日-12日, 乐亭快乐岛, 每日200只[PH et al.].

山东: 9月22日, 莱州湾, 1556只[ZXX];

上海: 11月19日, 崇明北湖, 170只[YJ];

浙江: 1月15日, 椒江农场, 200只[WXM];

湖南: 2月15-24日, 东洞庭湖国家级自然保护区, 974只[WWF-China];

江西: 2月25日,南矶山候鸟保护区,30只[CLiang];

福建: 12月3日, 长乐鳝鱼滩, 15只[HZY];

广东: 1月1-2日,海丰公平大湖自然保护区,20只[YHY];

海南: 1月20日, 海口东寨港, 13只[YCC];

青海: 9月24日, 青海湖, 1只[PH et al.].

新疆: 9月17日, 昌吉五家渠八一水库, 12只[GJun];

Liaoning: 1000 at Yalu Jiang Wetland NR, Dandong on 17 April [BQQ] and 80 there on 17 September [BOO].

Tianjin: 40 between Shanggulin and Hangu on 16-17 April [LHY]. 248 at Tanggu on 29 July;

348 at Haibinyuchang, Tanggu on 21 December [PH].

Hebei: 200 on Happy Island, Laoting daily 10-12 May [PH et al.].

Shandong: 1556 at Laizhou Wan on 22 September [ZXX].

Shanghai: 170 on Bei Hu, Chongming on 11 November [YJ].

Zhejiang: 200 at Jiaojiang Farm on 15 January [WXM].

Hunan: 974 at Dong Dongting Hu NR from 15-24 February [WWF-China].

Jiangxi 30 at Nanjishan NR, Xinjian on 25 February [CLiang].

Fujian: 15 at Shanyutan, Changle on 3 December [HZY].

Guangdong: 20 Gongpingdahu NR, Haifeng on 1-2 January [YHY].

Hainan: 13 at Dongzhaigang NR, Haikou on 20 January [YCC].

Qinghai: One at Koko Nur on 24 September [PH et al.].

Xinjiang: 12 at Bayi Reservoir, Wujiaqu, Changji on 17 September [GJun].

#### 0390# 剑德 Common Ringed Plover Charadrius hiaticula

河北: 5月3日, 京唐港, 1只[WQ];

上海: 4月1日, 崇明东滩, 1只[GXJ];

青海: 9月20、21日, 青海湖, 1只[PH et al.];

Hebei: One at Jingtanggang on 3 May [WQ].

Shanghai: One at Dongtan, Chongming Dao on 1 April [GXJ].

Qinghai: Singles besides Koko Nur on both 20th & 21 September [PH et al.].

## 0391# 长嘴剑鸻 Long-billed Plover Charadrius placidus

河北: 7月2日, 北戴河海滨, 6只成体[JH];

北京: 3月5日, 房山十渡, 7只[LF]; 3月16日, 11日, 19日和12月26日, 通州河, 分别

是4只, 20只, 26只和21只[PH & WQY]; 12月25日, 房山拒马河, 20只[LiX];

山东: 7月15日,济南锦绣川水库,6只[ZLin];

河南: 2月12日, 孟津黄河大桥桥头, 2只[ZJ];

浙江: 1月18日, 杭州如意尖, 2只[QH];

安徽: 5月5-6日, 潜山潜河, 2只[QH];

湖北: 2月10日, 武汉植物园, 4只[TXD];

福建: 12月20日, 厦门大嶝岛, 1只[ZYQ];

四川: 3月26日,都江堰景区,2只[BA];11月25日,广汉鸭子河,6只[WQian];

云南: 2月4日, 弥勒湖泉生态园, 2只[WC];

Hebei: Six adults at Beidaihe on 2 July [JH].

Beijing: Four, 20, 26 & 21 besides the Tongzhou He on 16, 11th, 19th March & 26th

December respectively [PH & WOY], seven at Shidu, Fangshan on 5 March [LF], 20 at Juma

He, Fangshan on 25 December [LiX].

Shandong: Six at Jinxiuchuan Reservoir, Jinan on 15 July [ZLin].

Henan: Two at Yellow Rive Bridge, Mengjin on 12 February [ZJ].

Zhejiang: Two at Ruyijian, Hangzhou on 18 January [QH].

Anhui: Two at Qian He, Qianshan on 5-6 May [QH].

Hubei: Four at Wuhan BG on 10 February [TXD].

Fujian: One at Dacheng Dao, Xiamen on 20 December [ZYQ].

Sichuan: Two at Dujiangyan Park on 26 March [BA]. six at Yazi He, Guanghan on 25

November [WQian].

Yunnan: Two at Huquan Ecological Garden, Mile on 4 February [WC].

## 0392# 金眶鸻 Little Ringed Plover Charadrius dubius

各省均有较多记录,数量较大的记录有:

辽宁: 3月31日-4月1日, 东港合隆水库, 250只[BQQ], 9月24日, 丹东鸭绿江湿地保护区, 80只[BQQ],

河北: 5月14-15日,秦皇岛北戴河,50只[WJ];

北京: 4月17日, 坝河湿地, 50只[ZJ]; 4月17日, 延庆野鸭湖, 100只[BA]; 4月24日, 延庆野鸭湖, 200只[LHY];

天津: 4月16-17日,上古林至汉沽沿海,100只[LHY],9月17日,汉沽沿海,120只[LHY];

山东: 4月10日, 昌邑潍河, 50只[lidove];

上海: 3月29日, 奉贤星火农场, 60只[YZD];

浙江: 9月18日, 椒江农场, 50只[WXM]; 10月15日, 镇海镇北涂, 50只[LYou];

广东: 12月3-4日, 深圳福田红树林, 30只[LXD];

广西: 12月11-20日, 合浦山口红树林保护区, 80只[JAW];

海南: 9月24日, 东方八所镇, 21只[LG];

青海: 7月28日, 共和青海湖, 10只[RKY];

新疆: 6月22日, 昌吉五家渠青格达湖, 100只[GJun];

Reported from widespread areas. Significant records were as follows:

Liaoning: 250 at Helong Reservoir, Donggang between 31 March and 1 April [BQQ] and 80 at Yalu Jiang Wetland, Dandong on 24 September [BQQ].

Hebei: 50 at Beidaihe, Qinhuangdao on 14-15 May [WJ].

Beijing: 50 at Bahe Wetland on 17 April [ZJ], 100 at Wild Duck Lake, Yanqing on 17 April [BA] and 200 at Wild Duck Lake, Yanqing on 24 April [LHY].

Tianjin: 100 between Shanggulin and Hangu on 16-17 April [LHY] and 120 at Hangu on 17 September [LHY].

Shandong: 50 at Wei He, Changyi on 10 April [lidove].

Shanghai: 60 at Xinghuo Farm, Fengxian on 29 March [YZD].

Zhejiang: 50 at Jiaojiang Farm on 18 September [WXM] and 50 at Zhenbeitu, Zhenhai on 15 October [LYou].

Guangdong: 30 at Futian Mangrove NR, Shenzhen on 3-4 December [LXD].

Guangxi: 80 at Shankou Mangrove NR, Hepu during 11-20 December [JAW].

Hainan: 21 at Basuo, Dongfang on 24 September [LG].

Qinghai: 10 at Koko Nur, Gonghe on 28 July [RKY].

Xinjiang: 100 at Qinggeda Hu, Wujiaqu, Changji on 22 June [GJun].

#### 0393# 环颈鸻 Kentish Plover Charadrius alexandrinus

辽宁: 4月3日, 丹东鸭绿江湿地保护区, 100只[BQQ];

河北: 9月17日, 乐亭捞鱼尖, 400只[LS]; 9月17-18日, 秦阜岛北戴河, 444只[ZLi];

天津: 4月3日, 汉沽沿海, 200只[CJZ]; 4月9-10日, 上古林至汉沽沿海, 800只 [LHY]; 4月11日, 黄港水库, 300只[WRQ]; 4月27-28日, 北塘附近, 200只[ZYong];

非常庞大的数目是在7月底,塘沽附近,该月的28日和29日,分别是6000只和5000只 [PH & WQY],10月15日,汉沽沿海,1339只 [LY];

山东: 4月21日, 黄河三角洲自然保护区, 1100只[SK];

江苏: 2月20日, 高邮市高邮湖自然保护区, 3200只[WWF-China]; 12月13-14日, 射阳

盐城珍禽保护区, 100只[YLi];

上海: 3月26-27日, 崇明东滩, 150只[YJ]; 10月19日, 崇明北湖, 1256只[WJY];

浙江: 10月15日,镇海镇北涂,300只[LYou];12月17日,椒江农场,100只[WXM];

湖北: 11月20日, 武汉沉湖, 100只[TXD];

广西: 12月11-20日, 合浦山口红树林保护区, 300只[JAW];

新疆: 6月22日, 昌吉五家渠青格达湖, 400只[GJun], 8月11日, 阿克苏附近, 256只 [PH], 9月17日, 昌吉五家渠八一水库, 300只[GJun];

Liaoning: 100 at Yalu Jiang Wetland NR, Dandong on 3 April [BQQ].

Hebei: 400 at Laoyujian, Laoting on 17 September [LS]. 444 on Beidaihe, Qinhuangdao on 17-18 September [ZLi].

Tianjin: 200 at Hangu on 3 April [CJZ]. 800 between Shanggulin and Hangu on 9-10 April [LHY]. 300 at Huanggang Reservoir on 11 April [WRQ]. 200 near Beitang on 27-28 April [ZYong]. Very large numbers were near Tanggu in late July with 6000 & 5000 there on 28th & 29 of that month [PH & WOY] and 1339 at Hangu coast on 15 October [LY].

Shandong: 1100 at Yellow River Delta NR on 21 April [SK].

Jiangsu: 3200 at Gaoyou Hu NR, Gaoyou City on 20 February [WWF-China]. 100 at Yancheng NR, Sheyang on 13-14 December [YLi].

Shanghai: 150 at Dongtan NR, Chongming on 26-27 March [YJ]. 1256 at Bei Hu, Chongming on 19 October [WJY].

Zhejiang: 300 at Zhenbeitu, Zhenhai on 15 October [LYou]. 100 at Jiaojiang Farm on 17 December [WXM].

Hubei: 100 Chen Hu, Wuhan on 20 November [TXD].

Guangxi: 300 at Shankou Mangrove NR, Hepu during 11-20 December [JAW].

Xinjiang: 400 at Qinggeda Hu, Wujiaqu, Changji on 22 June [GJun]. 256 at Duolang Reservoir near Aksu on 11 August [PH]. 300 at Bayi Reservoir, Wujiaqu, Changji on 17 September [GJun].

#### 0395# 蒙古沙鸻 Lesser Sand Plover Charadrius mongolus

黑龙江: 5月10日, 大庆龙凤湿地, 2只[LJY];

辽宁: 丹东鸭绿江湿地保护区, 4月25-26日, 5只[BQQ]; 6月14-16日, 6只[BQQ];

河北: 5月10日, 乐亭捞渔尖, 60只[PH et al.], 秦皇岛北戴河, 5月14-15日, 50只 [LHY], 9月17-18日, 2只[ZLi], 9月24日, 北戴河洋河口, 30只[BA],

上海: 3月10日, 宝钢水库, 3只[WYC]; 8月12-14日, 崇明东滩, 2只[YZD];

浙江: 9月18日, 椒江农场, 5只[WXM];

青海: 7月28日, 共和青海湖, 10只[RKY]; 7月28日, 共和橡皮山, 4只[FZ];

新疆:7月17-18日,昌吉五家渠青格达湖,2只[GJun];

Heilongjiang: Two at Longfeng Wetland, Daging on 10 May [LJY].

Liaoning: Five at Yalu Jiang Wetland NR, Dandong on 25-26 April [BQQ] and six there on 14-16 June [BQQ].

Hebei: 60 at Laoyujian, Laoting on 10 May [PH et al.]. At Beidaihe, Qinhuangdao 50 on 14-15 May [LHY], two on 17-18 September [ZLi] & 30 on 24 September [BA].

Shanghai: Three at Baogang Reservoir on 10 March [WYC]. two at Dongtan NR, Chongming

on 12-14 August [YZD]

Zhejiang: Five at Jiaojiang Farm on 18 September [WXM].

Qinghai: 10 at Koko Nur, Gonghe on 28 July [RKY]. four at Xiangpi Shan, Gonghe on 28 July [FZ].

Xinjiang: Two at Qinggeda Hu, Wujiaqu, Changji on 17-18 July [GJun].

#### 0396# 铁嘴沙鸻 Greater Sand Plover Charadrius leschenaultii

河北: 5月14-15日,秦皇岛北戴河,10只[HP];

天津: 4月16-17日, 上古林至汉沽沿海, 12只[LHY];

上海: 8月12-14日, 崇明东滩, 10只[YZD]; 9月10日, 川沙三甲港, 30只[ZWQ];

浙江: 8月7日, 椒江农场, 20只[WXM];

海南: 3月22日,海口万绿园,120只[LG];3月27日,东方四更镇四必湾,40只

[YCC]; 11月8日,海口东寨港,20只[WJY];

新疆: 8月14日, 昌吉五家渠青格达湖, 2只[GJun];

Xinjiang: Two at Qinggeda Hu, Wujiaqu, Changji on 14 August [GJun].

Hebei: 10 at Beidaihe, Qinhuangdao on 14-15 May [HP].

Tianjin: 12 between Shanggulin and Hangu on 16-17 April [LHY].

Shanghai: 10 at Dongtan, Chongming Dao on 12-14 August [YZD] and 30 at Sanjiagang,

Chuansha on 10 September [ZWQ].

Zhejiang: 20 at Jiaojiang Farm on 7 August [WXM].

Hainan: 120 at Wanluyuan, Haikou on 22 March [LG]; 40 at Sibi Bay, Sigeng, Dongfang on

27 March [YCC] and 20 at Dongzhaigang NR, Haikou on 8 November [WJY].

#### 0398# 东方德 Oriental Plover Charadrius veredus

吉林: 5月8日, 白城附近, 4雄2雌[JH];

北京: 3月27日, 密云水库, 2只[LJY]; 4月3日, 延庆野鸭湖, 9只[LHY];

上海: 3月28日, 崇明东滩, 2只[ZLin]; 9月3日, 川沙三甲港, 1只[YZD];

浙江: 9月12日, 杭州下沙, 1只[QC];

陕西: 5月5日, 洋县朱鹮保护站, 1只[RJ];

青海: 6月3日, 青海湖, 1只, 可能是青藏高原的第一笔记录[JH];

四川: 4月17日, 广汉鸭子河, 1只, 该省的首个记录[CDBWS];

Jilin: Six (four males and two females) near Baicheng on 8 May [JH].

Beijing: Two at Miyun Reservoir on 27 March [LJY] and nine at Wild Duck Lake, Yanqing on 3 April [LHY].

Shanghai: Two at Dongtan NR, Chongming Dao on 28 March [ZLin] and one at Sanjiagang, Chuansha on 3 September [YZD].

Zhejiang: One at Xiasha, Hangzhou on 12 September [QC].

Shaanxi: One near Crested Ibis Centre, Yangxian on 5 May [RJ].

Qinghai: One seen well and heard calling on migration at Koko Nur on 3 May [JH], apparently the first record for Oinghai/Tibet.

Sichuan: One at Guanghan on 17 April, the first record for the province [CDBWS].

0400# 凤头麦鸡 Northern Lapwing Vanellus vanellus

内蒙古: 5月4-6日, 克什克腾旗达里诺尔, 100只[YY]:

辽宁: 3月26-28日, 盘锦双台河自然保护区, 250只[WRQ];

吉林: 10月5-7日,通榆向海自然保护区数群,一天最大数量250只,10月8日,镇赉莫 莫格保护区,250只[PH];

北京:延庆野鸭湖,4月2日,300只;10月22日,380只[ZLi];3月27日,密云水库,60只[LJY];10月15日,延庆妫水河及沿岸,70只[ZLi];

天津: 3月26-27日, 武清大黄堡自然保护区, 183只[YY];

江苏: 1月2日, 溧水石臼湖, 50只[YJ],

上海: 1月8-9日, 崇明东滩, 65只[ZWQ]; 11月12日, 崇明北湖, 70只[YJ];

安徽: 2月24日, 宿松县黄湖, 1070只[WWF-China];

江西: 2月15-17日,鄱阳湖国家级自然保护区,1920只;2月18-23日,鄱阳湖上饶部分,921只[WWF-China];2月21日,波阳表恩岛大莲子湖,100只[CLiang];12月31日,新建南矶山,500只[LXD];

湖北: 3月1-2日, 沉湖自然保护区, 1246只[WWF-China]; 3月13日, 武汉沉湖, 200只 [TXD];

湖南: 2月15-24日, 东洞庭湖国家级自然保护区, 728只[WWF-China];

四川: 11月26日, 广汉鸭子河, 50只[CLiang];

青海: 9月20日-24日, 青海湖, 30只-100只[PH et al.];

新疆: 5月2日, 和静巴音布鲁克, 60只[GJun]; 6月22日, 昌吉五家渠青格达湖, 1000 只[GJun];

Nei Mongol: 100 at Dalinor NR, Keshiketeng during 4-6 May [YY].

Liaoning: 250 at Shuangtai He NR, Panjin during 26-28 March [WRQ].

Jilin: Several flocks at Xianghai NR, Tongyu during 5-7 October with 250 as the peak day count; also 250 at Melmeg NR, Zhenlai on 8 October [PH].

Beijing: 300 at Wild Duck Lake, Yanqing on 2 April [BA] and 380 there on 22 October [ZLi], 60 at Miyun Reservoir on 27 March [LJY] and 70 at Guishui He, Yanqing on 15 October [ZLi].

Tianjin: 183 at Dahuangbao NR, Wuqing on 26-27 March [YY].

Jiangsu: 50 at Shijiu Hu, Lishui on 2 January [YJ].

Shanghai: 65 at Dongtan NR, Chongming Dao on 8-9 January [ZWQ] and 70 at Bei Hu, Chongming Dao on 12 November [YJ].

Anhui: 1070 at Huanghu, Susong County on 24 February [WWF-China].

Jiangxi: 1920 at Poyang Hu NR during 15-17 February, 921 at Shangrao, Poyang Hu during 18-23 February [WWF-China] and 100 at Dalianzi Hu, Biaoen Dao, Boyang on 21 February [CLiang]. also 500 at Nanjishan NR, Xinjian between 31 December [LXD].

Hubei: 1246 at Chen Hu NR, Wuhan on 1-2 March [WWF-China] and 200 there on 13 March [TXD].

Hunan: 728 at East Dongting Hu NR during 15-24 February [WWF-China].

Sichuan: 50 at Yazi He, Guanghan on 26 November [CLiang].

Qinghai: 30-100 at Koko Nur on 20-24 September [PH et al.].

Xinjiang: 60 at Bayinbuluk, Hejing on 2 May [GJun] and 1000 at Qinggeda Hu, Wujiaqu, Changji on 22 June [GJun].

#### 0401# 距翅麦鸡 River Lapwing Vanellus duvaucelii

云南: 3月28、29日, 盈江附近, 各2只[MK];

Yunnan: Two near Yingjiang on 28-29 March [MK].

# 0402# 灰头麦鸡 Grey-headed Lapwing Vanellus cinereus

内蒙古: 5月4-6日, 克什克腾旗达里诺尔, 4只[YY];

河北:秦皇岛北戴河,5月20日,春季较晚的记录[PH et al.],9月17-18日,42只[ZLi],

10月1日, 60只[PH et al.].

河南: 5月28-30日, 罗山董寨保护区, 4只[WRQ];

江苏: 10月16日, 六合金牛湖, 4只[ZLin];

浙江: 2月14日, 仙居南峰山山麓, 5只[WXM];

安徽: 6月27-28日, 黄山徽州, 15只[FZ];

湖北: 3月13日, 武汉沉湖, 10只[TXD];

云南: 3月25日, 瑞丽江, 2只[MK];

Nei Mongol: Four at Dalinor NR, Keshiketeng during 4-6 May [YY].

Hebei: A slightly late bird at Beidaihe, Qinhuangdao on 20 May [PH et al.]; 42 there on 17-18

September [ZLi] & 60 on 1 October [PH et al.]

Henan: Four at Dongzhai NR, Luoshan during 28-30 May [WRQ].

Jiangsu: Four at Jinniu Hu, Liuhe on 16 October [ZLin].

Zhejiang: Five at Nanfeng Shan, Xianju on 14 February [WXM].

Anhui: 15 at Huizhou, Huangshan on 27-28 June [FZ].

Hubei: 10 at Chen Hu, Wuhan on 13 March [TXD].

Yunnan: Two at Ruili River, Ruili on 25 March [MK]

## 鹳形目 CICONIIFORMES > 燕鸻科 Glareolidae

#### 0404# 领燕鸻 Collared Pratincole Glareola pratincola

新疆: 昌吉五家渠青格达湖, 6月22日, 13只[GJun], 7月12日, 2只[GJun], 7月17-18日, 30只[GJun],

Xinjiang: At Qinggeda Hu, Wujiaqu, Changji, 13 on 22 June [GJun], two at 12 July [GJun] and 30 on 17-18 July [GJun].

# 0405# 普通燕德 Oriental Pratincole Glareola maldivarum

黑龙江:5月11日,扎龙自然保护区,10只[LJY];

吉林: 6月3日, 通榆向海自然保护区, 9只[PH et al.];

河北: 5月12-14日, 乐亭快乐岛, 8只[CLiang]; 9月29日, 北戴河, 25只[PH et al.];

北京; 5月14日, 延庆野鸭湖, 100只[BA];

天津: 4月16-17日,上古林至汉沽沿海,300只[LHY],5月2日,北大港水库,50只[CJZ];

上海: 9月13日,川沙三甲港,84只[XL]:10月2-4日,崇明东滩,24只[QH];

浙江: 10月30日, 杭州江滨, 2只[QH];

Heilongjiang: 10 at Zhalong NR on 11 May [LJY].

Jilin: Eight at Xianghai NR, Tongyu on 3 June [PH et al.].

Hebei: Up to eight at Happy Island, Laoting during 12-14 May [Cliang et al.]. 25 at Beidaihe on 29 September [PH et al.].

Beijing: 100 at Wild Duck Lake, Yanqing on 14 May [BA].

Tianjin: 300 between Shanggulin and Hangu on 16-17 April [LHY]. 50 at Beidagang

Reservoir on 2 May [CJZ].

Shanghai: 84 at Sanjiagang, Chuansha on 13 September [XL] and 24 at Dongtan NR, Chongming on 2-4 October [OH].

Zhejiang: Two at Jiangbin, Hangzhou on 30 October [QH].

#### 0406# 灰燕德 Small Pratincole Glareola lactea

云南: 3月29日, 盈江附近, 81只[MK];

Yunnan: 81 near Yingjiang on 29 March [MK].

# 鹳形目 CICONIIFORMES > 鸥科 Laridae

# 0413# 黑尾鸥 Black-tailed Gull Larus crassirostris

辽宁: 5月10-16日, 大连旅顺, 60只[LXD]; 6月17日, 庄河青堆子湾, 1170只[BQQ]; 6月18-19日, 庄河湾, 800只[BQQ]; 9月17日, 丹东鸭绿江湿地保护区, 1000只[BQQ];

河北: 5月14日和20日,秦皇岛北戴河,分别是60只和100只[PH et al.]; 9月17日,乐亭 捞鱼尖,75只[LS]; 9月29日和30日,秦皇岛北戴河,分别是150只和250只[PH et al.]; 10月5-7日,秦皇岛北戴河,40只[WRQ];

北京: 10月5日, 昌平沙河水库, 10只[WJ],

天津: 4月11日, 黄港水库, 15只[WRQ]; 7月28日和29日, 塘沽至海滨浴场, 各有755和1000只[PH]; 9月17日, 汉沽沿海, 78只[LHY];

上海: 3月24日, 奉贤五四农场, 12只[LJ];

浙江: 1月29日,镇海镇北涂,10只[LYou];9月18日,椒江农场,20只[WXM];

福建: 5月13-15日,福鼎星仔列岛,500只[XMBWS];12月3-4日,长乐鳝鱼滩,34只[HZY];

Liaoning: 60 at Lushun, Dalian during 10-16 May [LXD]. 1170 at Qingduizi Bay, Zhuanghe on 17 June [BQQ]. 800 at Zhuanghe Bay on 18-19 June [BQQ]. 1000 at Yalu Jiang Wetland NR, Dandong on 17 September [BQQ].

Hebei: 60 & 100 at Beidaihe, Qinhuangdao on 14th & 20 May respectively [PH et al.]. 75 at Laoyujian, Laoting on 17 September [LS]. 150 & 250 at Beidaihe, Qinhuangdao on 29th & 30 September [PH et al.] with 40 there on 5-7 October [LHY].

Beijing: 10 at Shahe Reservoir, Changping on 5 October [WJ].

Tianjin: 15 at Huanggang Reservoir on 11 April [WRQ]. 755 & 1000 between Tanggu & Haibin Yuchang on 28th & 29 July respectively [PH]. 78 at Hangu on 17 September [LHY].

Shanghai: 12 at Wusi Farm, Fengxian on 24 March [LJ].

Zhejiang: 10 at Zhenbeitu, Zhenhai on 29 January [LYou]. 20 at Jiaojiang Farm on 18

September [WXM].

Fujian: 300 at Xingzai Islets, Fuding city between 13-15 May [XMBWS]. 34 at Shanyutan, Changle on 3-4 December [HZY].

## 0414# 海鸥 Mew Gull Larus canus

黑龙江: 5月10日, 大庆龙凤湿地, 10只[LJY];

辽宁: 4月3日, 丹东鸭绿江湿地保护区, 100只[BQQ];

河北: 1月1-2日,秦皇岛北戴河,200只[WQ],5月17日,2只,较晚的春季记录[PH et al.]

北京: 11月6日, 昌平沙河水库, 3只[ZLi];

天津: 1月8-9日,塘沽海滨,200只[LHY];3月6日,汉沽彩虹桥附近,355只[WN];4 月9-10日,上古林至汉沽沿海,20只[LHY];9月17日,汉沽沿海,48只[LHY];12月23 日,塘沽海滨,140只[PH];

陕西: 1月9日, 西安泾渭湿地, 8只[LY];

上海: 1月8-9日, 崇明东滩, 7只[ZWQ];

青海: 6月15日, 1只亚成鸟, 以往该地的记录多为亚种heinei[JH];

Heilongjiang: 10 at Longfeng Wetland, Daqing on 10 May [LJY].

Liaoning: 100 at Yalu Jiang Wetland, Dandong on 3 April [BQQ].

Hebei: 200 at Beidaihe, Qinhuangdao on 1-2 January [WQ]. Two there on 17 May[PH et al.]

Beijing: Three at Shahe Reservoir, Changping on 6 November [ZLi].

Tianjin: 200 at Tanggu on 8-9 January [LHY], 355 near Caihongqiao, Hangu on 6 March [WN], 20 between Shanggulin and Hangu on 9-10 April [LHY], 48 at Hangu on 17 September [LHY] and 140 at Tanggu coast on 23 December [PH].

Shanxi: Eight at Jingwei Wetland, Xian on 9 January [LY].

Shanghai: Seven at Dongtan NR, Chongming on 8-9 January [ZWQ].

Qinghai: A first-winter kamtschatschensis at Koko Nur on 15 June [JH]. Previous records from Qinghai have appeared to be of the subspecies *heinei* (JH pers obs), although it should be noted that separation of these two taxa in the field is difficult.

#### 0416# 北极鸥 Glaucous Gull Larus hyperboreus

辽宁: 丹东鸭绿江湿地保护区, 1月11-12日, 2只[BQQ]; 12月31日, 1只[BQQ];

河北: 10月5-7日,秦皇岛北戴河,1只[WRQ];

山东: 12月24日, 莱州湾, 2只[ZXX].

Liaoning: Two at Yalu Jiang Wetland NR, Dandong on 11-12 January [BQQ] and one there on 31 December [BQQ].

Hebei: One at Beidaihe, Qinhuangdao on 5-7 October [WRQ].

Shandong: Two at Laizhou Wan on 24 December [ZXX].

## 0417# 灰背鸥 Slaty-backed Gull Larus schistisagus

辽宁: 12月31日, 丹东鸭绿江湿地保护区, 4只[BQQ];

江苏: 1月14日, 射阳盐城自然保护区, 1只第二冬个体[PH];

福建: 1月8日, 闽江口, 1亚成体[JHD];

Liaoning: Four at Yalu Jiang Wetland NR, Dandong on 31 December [BQQ].

Jiangsu: A second-winter at Yancheng NR, Sheyang on 14 January [PH].

Fujian: An immature at Minjiang estuary on 8 January [JHD].

# 0419# 乌灰银鸥(灰林银鸥) Heuglin's Gull Larus heuglini

辽宁: 12月31日, 大连植物园附近海域, 2只[LY];

河北: 5月2日, 洋河口, 30只[BB et al.];

江苏:1月14日、射阳盐城自然保护区、4只[PH];

上海: 12月10日, 崇明东滩, 1只[LJ];

Liaoning: Two at coast near Dalian BG on 31 December [LY].

Hebei: 30 at Yanghe river estuary on 2 May [BB et al.].

Jiangsu: Four at Yancheng NR, Sheyang on 14 January [PH].

Shanghai: One at Dongtan NR, Chongming on 10 December [LJ].

## 0420# 西伯利亚银鸥(织女银鸥)Vega Gull Larus vegae

辽宁: 3月31日-4月1日, 东港合隆水库, 60只[BQQ]; 9月17日, 丹东鸭绿江湿地保护区, 1000只[BQQ]; 12月31日, 大连植物园附近海域, 150只[LY];

河北: 1月14日,秦皇岛北戴河,53只[WRQ];9月30日,北戴河,100只[PH et al.]

天津: 3月6日, 汉洁彩虹桥附近, 371只[WN];

江苏: 12月13-14日, 射阳盐城自然保护区, 20只[YLi];

上海: 1月8日, 崇明东滩, 650只[ZWQ]; 2月24日, 奉贤奉新, 100只[YZD];

浙江: 1月29日, 镇海镇北涂, 10只[LYou];

Liaoning: 60 at Helong Reservoir, Donggang between 31 March and 1 April [BQQ]; 1000 at Yalu Jiang Wetland NR, Dandong on 17 September [BQQ] and 150 at coast near Dalian BG on 31 December [LY].

Hebei: 53 at Beidaihe, Qinhuangdao on 14 January [WRQ] and 100 at Beidaihe sandflats on 30 September [PH et al.].

Tianjin: 371 near Caihonggiao, Hangu on 6 March [WN].

Jiangsu: 20 at Yancheng NR, Sheyang on 13-14 December [YLi].

Shanghai: 650 at Dongtan NR, Chongming on 8 January [ZWQ] and 100 at Fengxin, Fengxian on 24 February [YZD].

Zhejiang: 10 at Zhenbeitu, Zhenhai on 29 January [LYou].

## 0421# 蒙古银鸥(黄脚银鸥) Mongolian Gull Larus mongolicus

辽宁: 3月26-28日, 盘锦双台河自然保护区, 650只[WRQ];

河北: 9月17日, 乐亭捞鱼尖, 40只[LS];

北京: 3月19日, 延庆野鸭湖, 20只[HD];

天津: 3月26-27日, 武清大黄堡自然保护区, 1000只[YY]; 4月3日, 汉沽沿海, 100只[YY];

4月11日, 黄港水库, 60只[HP]; 10月15日, 汉沽沿海, 192只; 塘沽沿海, 435只[LY];

河南: 2月10日, 孟津黄河湿地保护区, 130只[DQ], 2月12日, 孟津黄河大桥桥头, 67 只[ZJ];

陕西: 1月9日, 西安泾渭湿地, 10只[LY];

江苏: 1月14日,射阳盐城自然保护区,80只[PH];12月13-14日,射阳盐城自然保护区,100只[YLi];

上海: 1月22-23日, 崇明东滩, 200只[YJ]; 2月24日, 奉贤奉新, 100只[YZD]; 12月17日, 崇明北湖, 150只[YJ];

湖北: 12月17日, 武汉沉湖, 44只[TXD];

亚种cachinnans:

新疆:7月12日,昌吉五家渠青格达湖,1000只[GJun];8月19日,库尔勒,106只[PH];9月10日,昌吉五家渠八一水库,500只[GJun];

Liaoning: 650 logged at Shuangtai He NR, Panjin during 26-28 March [WRQ].

Hebei: 40 at Laoyujian, Laoting on 17 September [LS].

Beijing: 20 at Wild Duck Lake, Yanqing on 19 March [HD].

Tianjin: 1000 at Dahuangbao NR, Wuqing on 26-27 March [YY], 100 at Hangu on 3 April [YY] and 60 at Huanggang Reservoir on 11 April [HP]. 192 at Hangu coast and 435 at Tanggu coast respectively on 15 October [LY].

Henan: 130 at Yellow River Wetland NR, Mengjin on 10 February [DQ] and 67 at Yellow River Bridge, Mengjin on 12 February [ZJ].

Shaanxi: 10 at Jingwei Wetland, Xi'an on 9 January [LY].

Jiangsu: 80 at Yancheng NR, Sheyang on 14 January [PH] and 100 there on 13-14 December [YLi].

Shanghai: 200 at Dongtan NR, Chongming on 22-23 January [YJ], 100 at Fengxin, Fengxian on 24 February [YZD] and 150 at Bei Hu, Chongming on 17 December [YJ].

Hubei: 44 at Chen Hu, Wuhan on 17 December [TXD].

Xinjiang: the taxon *cachinnans* is presumed to be involved in the following records: 1000 at Qinggeda Hu, Wujiaqu, Changji on 12 July [GJun]; 106 at Korla on 19 August [PH] and 500 at Bayi Reservoir, Wujiaqu, Changji on 10 September [GJun].

#### 0422# 渔鸥 Pallas's Gull Larus ichthyaetus

河北: 5月14-15日,秦皇岛北戴河,1只[WJ],可能是这种鸟在该省唯一的春季记录;北戴河,9月9、11日,各1只,9月12日,有两只在迁徙中,所有均为当年的亚成体[JH];9月29日,秦阜岛大浦河,1只幼鸟[PH et al.];

河南: 2月10-14日, 孟津黄河湿地保护区, 25只[DQ];

上海: 12月10日, 崇明北湖, 1只[YJ];

湖北: 2月24-27日, 新洲涨渡湖, 4只, 3月2日, 沉湖自然保护区, 1只[WWF-China], 3月13日, 武汉沉湖, 1只[TXD],

湖南, 2月24日, 上红旗湖, 4只[WWF-China];

江西:1月29日,鄱阳湖自然保护区大湖池,1只成年个体,第二天有另一只个体出现 [PH et al.],为江西省新记录鸟种;

福建: 1月8日, 闽江口, 1亚成体[JHD];

四川: 8月13-16日, 若尔盖, 7只[WJY];

宁夏: 10月3日,中卫腾各里湖保护区,3只[LiX];

青海: 7月28日, 共和青海湖, 50只[RKY]; 9月20日-24日, 同一地点, 40只-150只[PH et al.];

西藏: 1月16日, 拉萨拉鲁湿地, 20只[ZLY]; 12月21-23日, 拉萨至日喀则, 20只

[ZGF et al.];

新疆: 3月20日, 昌吉五家渠沙山子水库, 200只[GJun], 7月12日, 昌吉五家渠青格达湖, 1500只[GJun], 9月17日, 昌吉五家渠八一水库, 400只[GJun], 10月4日, 和田友谊水库, 300只[GJun],

Hebei: One at Beidaihe, Qinhuangdao on 14-15 May [WJ] was probably the first spring record for the province. More typical autumn records of this rare, but regular, mid-autumn visitor involved four bird-days at Beidaihe during 9-12 September – singles on 9th & 11th & two (heading off on migration separately) on 12th. All were first calendar-year birds [JH]. one juvenile at Dapuhe, Qinhuangdao on 29 September [PH et al.].

Henan: 25 at Yellow River Wetland NR, Mengjin on 10-14 February [DQ].

Shanghai: One at Bei Hu, Chongming on 10 December [YJ].

Hubei: One at Chen Hu, Wuhan on 13 March [TXD], four at Zhangdu Hu, Xinzhou on 24-27 February and one at Chen Hu NR on 2 March [WWF-China].

Hunan: Four at Shanghonggi Hu NR on 24 February [WWF-China].

Jiangxi: An adult-winter at Dahuchi, Poyang NNR on 29 January, and another adult-winter there the next day. These are the first records for Jiangxi[PH et al.].

Fujian: An immature at Minjiang estuary on 8 January [JHD].

Sichuan: Seven at Ruoergai during 13-16 August [WJY].

Ningxia: Three at Tenggeli Hu NR, Zhongwei on 3 October [LiX].

Qinghai: 50 at Koko Nur on 28 July [RKY] with between 40-150 there 20-24 September [PH et al.].

Tibet: 20 at Lalu Wetland, Lhasa on 16 January [ZLY] and 20 between Lhasa and Rikaze during 21-23 December [ZGF et al.].

Xinjiang: 200 at Shashanzi Reservoir, Wujiaqu, Changji on 20 March [GJun]; 1500 at Qinggeda Hu, Wujiaqu, Changji on 12 July [GJun], 400 at Bayi Reservoir, Wujiaqu, Changji on 17 September [GJun] and 300 at Youyi Reservoir, Hotan on 4 October [GJun].

## 0423# 棕头鸥 Brown-headed Gull Larus brunnicephalus

河北: 9月9、13日, 北戴河海滨, 各1只[JH];

四川: 5月2日, 若尔盖, 2只[YL];

青海: 7月28日, 共和青海湖, 200只[RKY]; 7月29日, 共和小北湖, 12只[RKY];

西藏: 5月7日, 拉萨机场-拉萨, 50只[DJT], 7月2-14日, 日喀则地区, 40只[ZGF et al.];

云南: 3月31日, 昆明滇池, 1只[MK];

Hebei: Single first year birds at Beidaihe on 9 and 13 September [JH].

Sichuan: Two at Ruoergai on 2 May [YL].

Qinghai: 200 at Koko Nur, Gonghe on 28 July [RKY] and 12 at Xiaobei Hu, Gonghe on 29 July [RKY].

Tibet: 50 between Lhasa Airport and Lhasa on 7 May [DJT] and 40 logged at Rikaze during 2-14 July [ZGF et al.].

Yunnan: One at Dianchi Lake, Kunming on 31 March [MK].

## 0424# 红嘴鸥 Common Black-headed Gull Larus ridibundus

全国多个省份有记录,其中各省数量较大的记录有:

黑龙江:5月10日,大庆龙凤湿地,300只[LJY];5月11日,扎龙自然保护区,500只[LJY];

辽宁: 9月9日, 丹东沿鸭绿江的景观路, 2500只[BQQ]; 10月16日, 丹东鸭绿江湿地保护区, 1600只[BQQ];

内蒙古: 5月4-6日, 克什克腾旗达里诺尔, 100只[YY];

河北: 4月2-3日,秦皇岛北戴河,20000只[ZJ];5月2日,洋河口,3000只[BB et al.];9月17-18日,乐亭捞鱼尖,510只[LS];

北京: 9月30日,延庆野鸭湖, 200只[LJY];

天津: 4月27-28日, 北塘附近, 2000只[ZYong]; 7月29日, 塘沽和海滨浴场之间, 2500只[PH & WQY]; 9月17日, 汉沽沿海, 756只[LHY];

山东: 10月2-5日, 长岛大黑山岛, 300只[LHY];

上海: 3月3日,奉贤星火农场, 100只[YZD];

江西: 2月17日-24日, 鄱阳湖九江部分, 572只; 2月18-23日, 鄱阳湖上饶部分, 581只 [WWF-China];

湖北: 2月15-18日, 梁子湖自然保护区, 1712只; 2月21-22日, 沙市长湖, 680只;

2月21日, 黄梅县太白湖, 821只; 2月24-27日, 新洲涨渡湖, 13204只[WWF-China];

湖南: 12月3-4日, 岳阳东洞庭, 1200只[TXD];

福建: 1月8日, 厦门集美兑山, 100只[XMBWS];

广东: 1月22-23日, 饶平, 350只[ZKH];

云南: 12月5日, 昆明翠湖公园, 2000只[SXL];

西藏: 1月16日, 拉萨拉鲁湿地, 1只[ZLY];

新疆: 7月12日, 昌吉五家渠青格达湖, 5000只[GJun]; 9月17日, 昌吉五家渠八一水库, 1000只[GJun];

Recorded in most provinces. Significant records were as follows:

Heilongjiang: 300 at Longfeng Wetland, Daqing on 10 May [LJY] and 500 at Zhalong NR on 11 May [LJY].

Liaoning: 2500 at Jingguan Road along the Yalu Jiang, Dandong on 9 September [BQQ] and 1600 at Yalu Jiang Wetland NR, Dandong on 16 October [BQQ].

Nei Mongol: 100 at Dalinor NR, Keshiketeng on 4-6 May [YY].

Hebei: 20,000 at Beidaihe, Qinhuangdao on 2-3 April [ZJ]; 3000 at Yanghe river estuary on 2 May [BB et al.] and 510 at Laoyujian, Laoting on 17-18 September [LS].

Beijing: 200 at Wild Duck Lake, Yanqing on 30 September [LJY].

Tianjin: 2000 near Beitang on 27-28 April [ZYong];2500 between Tanggu & Haibinyuchang on 29 July [PH &WQY] and 756 at Hangu on 17 September [LHY].

Shandong: 300 at Daheishan Dao, Changdao during 2-5 October [LHY].

Shanghai: 100 at Xinghuo Farm, Fengxian on 3 March [YZD].

Jiangxi: Totals of 572 and 581 logged in the Jiujiang and Shangrao sections of Poyang Hu during 17th-24th and 18-23 February, respectively [WWF-China].

Hubei: Totals of 1712 at Liangzi Hu NR during 15-18 February, 680 at Chang Hu, Shashi on 21-22 February, 821 at Taibai Hu, Huangmei County on 21 February and 13,204 at Zhangdu Hu, Xinzhou during 24-27 February [WWF-China].

Hunan: 1200 at East Dongting Hu NR, Yueyang on 3-4 December [TXD].

Fujian: 100 at Dun Shan, Jimei, Xiamen on 8 January [XMBWS].

Guangdong: 350 at Jingzhou, Raoping on 22-23 January [ZKH].

Yunnan: 2000 at Cuihu Park, Kunming on 5 December [SXL].

Tibet: One at Lalu Wetland, Lhasa on 16 January [ZLY].

Xinjiang: 5000 at Oinggeda Hu, Wujiaqu, Changji on 12 July [GJun] and 1000 at Bayi

Reservoir, Wujiaqu, Changji on 17 September [GJun].

#### 0426# 黑嘴鸥 Saunders's Gull Larus saundersi VU

辽宁: 盘锦双台河自然保护区,3月26-28日,65只[WRQ];8月11-12日,10只[LZY]; 丹东鸭绿江湿地保护区,4月3日,25只[BQQ];6月14日,60只[BQQ];9月17日,9只 [BQQ];10月16日,7只[BQQ];

河北:秦皇岛北戴河,5月4日,6只[WRQ](其中一只有脚旗,左红右黄,编号36);5月14-15日,1只[LHY];5月12-14日,乐亭快乐岛,8只[CLiang];9月17日,乐亭捞鱼尖,4只[LS];

天津:1月8-9日,塘沽海滨,1只[LHY];12月23日,大港海滨,864只,非常罕见的较大数量的越冬种群[PH];

山东: 6月6日,黄河三角洲自然保护区,230只[SK];12月24日,莱州湾,522只[ZXX].

江苏: 1月15日, 射阳附近, 71只[PH]; 2月17日, 扬州大明寺, 1只[QH];

上海:崇明北湖,10月4日,7只[WJY](其中2只成鸟冬羽,5只亚成体);10月19日,173只[KHL];

福建: 12月3-4日, 长乐鳝鱼滩, 43只[HZY];

浙江: 12月25日, 台州浅滩, 500只[WBX]

Liaoning: 65 at Shuangtai He NR, Panjin on 26-28 March [WRQ] and ten there during 11-12 August [LZY]. 25 at Yalu Jiang Wetland NR, Dandong on 3 April [BQQ]; 60 there on 14 June [BQQ], nine there on 17 September [BQQ] and seven there on 16 October [BQQ].

Hebei: Six including a leg-flagged individual (red on left leg, yellow on right leg, No. 36) at Beidaihe, Qinhuangdao on 4 May [WRQ], one there on 14-15 May [LHY]; eight at Happy Island, Laoting during 12-14 May [CLiang] and four at Laoyujian, Laoting on 17 September [LS].

Tianjin: One at Tanggu on 8-9 January [LHY] and 864 at Dagang coast on 23 December, a surprisingly high number in winter at this locality [PH].

Shandong: 230 at Yellow River Delta NR on 6 June [SK] and 522 at Laizhou Wan on 24 December [ZXX].

Jiangsu: 71 near Sheyang on 15 January [PH] and one at Daming Si, Yangzhou on 17 February [OH].

Shanghai: Two adult-winter birds and five first-winters at Bei Hu, Chongming on 4 October [WJY] and 173 there on 19 October [KHL].

Fujian: 43 at Shanyutan, Changle on 3-4 December [HZY].

Zhejiang: 500 at Taizhou coast on 25 December[WBX].

## 0427# 遗鸥 Relict Gull Larus relictus VU

北京: 9月18日,延庆野鸭湖,1只当年的亚成体[BA];

河北: 乐亭快乐岛: 5月12-14日: 10只[CLiang]; 5月11日, 48只[PH]; 5月16日, 47只 [BB et al.]; 9月17-18日,秦皇岛北戴河,9只[LS]; 9月28日,29日和10月1日,在那分别有6只,5只和2只[PH et al.];

天津: 1月8日,塘沽海滨,2只[LHY];汉沽沿海,4月3日,20只[CJZ];9月17日,27只[LHY];黄港水库,4月9日,6只[GJ];4月11日,25只[WRQ];上古林至汉沽沿海,4月9日,33只[LHY](其中30只为繁殖羽);4月16日,200只[LHY];7月29日,塘沽至海滨浴场,152只[PH];10月15日,汉沽沿海,759只[LY];12月21日,塘沽海滨浴场,360只;12月23日,大港海滨,7880只,世界上数量最大的越冬种群[PH];山东:12月24日,莱州湾,56只[ZXX];

上海: 2月25日, 浦东九段沙, 2只[WWF-China];

Beijing: One first-winter at Wild Duck Lake, Yanging on 18 September [BA].

Hebei: At Happy Island, Laoting there were 10 on 12-14 May [CLiang], 48 on 11 May [PH et al] & 47 on 16 May [BB et al.]. nine at Beidaihe, Qinhuangdao on 17-18 September [LS] with six, five & two there on 28th & 29 September & 1 October respectively [PH et al.].:

Tianjin: Two at Tanggu on 8 January [LHY]. at Hangu 20 on 3 April [CJZ] and 27 on 17 September [LHY]. at Huanggang Reservoir six on 9 April [GJ] and 25 on 11 April [WRQ]. between Shanggulin and Hangu 33 on 9 April (including 30 breeding plumaged birds) [LHY] and 200 on 16 April [LHY]. 152 between Tanggu & Haibinyuchang on 29 July; 759 at Hangu coast on 15 October [LY].360 at Haibinyuchang, Tanggu on 21 December and a massive count of 7880 two days later on the Dagang coast. The latter is undoubtedly the largest wintering congregation of the world [PH] and demonstrates the importance of this site;

Shandong: 56 at Laizhou Wan on 24 December [ZXX].

Shanghai: Two at Jiuduansha, Pudong on 25 February [WWF-China]

## 0428.a# 弗氏鸥Franklin's Gull Larus pipixca

河北: 9月18日, 北戴河东海滩, 1只, 中国大陆的第二笔记录[JH];

Hebei: An adult at East Sandflat, Beidaihe on 18 September [JH], only the second record for continental China.

# 0431# 三趾鸥 Black-legged Kittiwake Rissa tridactyla

天津: 1月8-9日,塘沽海滨,1只(第一年冬羽)[WN];

Tianjin: a first-winter at Tanggu on 8-9 January [WN].

#### 0432# 鸥嘴噪鸥 Gull-billed Tern Gelochelidon nilotica

河北: 5月期间,秦皇岛北戴河,1只或2只[WRQ和PH et al.];异常的数目出现在5月10日和12日,乐亭快乐岛,分别是525只和251只[PH et al.];9月29日,秦皇岛七里海,2只[PH et al.];5月4-8日,秦皇岛北戴河,1只[WRQ];5月12-14日,乐亭快乐岛,1只[CLiang];

天津: 9月17日, 汉沽沿海, 10只[LHY]; 7月28日, 塘沽, 36只[PH&WQY];

山东: 9月17日, 莱州湾, 25只[ZXX].

上海: 10月2-4日, 崇明东滩, 23只[QH]; 10月4日, 崇明北湖, 20只[WJY];

浙江: 10月15日, 镇海镇北涂, 200只[LYou];

新疆: 8月17日和20日, 博斯腾湖, 各1只[PH];

Hebei: One or two at Beidaihe, Qinhuangdao during May [WRQ & PH et al.]. Exceptional numbers were noted on Happy Island, Laoting with 525 & 251 on the 10th & 12 May respectively [PH et al.]. two at Qilihai, Qinhuangdao on 29 September [PH et al.]. One at Beidaihe dao during 4-8 May[WRQ]; One at Kuailedao, Laoting during 12-14 May[CLiang].

Tianjin: 10 at Hangu on 17 September [LHY]. 36 at Tanggu on 28 July [PH &WQY].

Shandong: 25 at Laizhou Wan on 17 September [ZXX].

Shanghai: 23 at Dongtan NR, Chongming on 2-4 October [QH] and 20 at Bei Hu, Chongming on 4 October [WJY].

Zhejiang: 200 at Zhenbeitu, Zhenhai on 15 October [LYou].

Xinjiang: Singles at Bosten Hu on both 17th & 20 August [PH].

#### 0433# 红嘴巨鸥 Caspian Tern Hydroprogne caspia

内蒙古: 5月4-6日, 克什克腾旗达里诺尔, 30只[YY];

河北: 9月17日,秦皇岛北戴河,12只[LS],9月29日,秦皇岛七里海,13只[PH et al.],10月3-5日,乐亭京唐港,20只[ZLi];

天津: 4月9-10日,上古林至汉沽沿海,15只[LHY],7月29日,塘沽和海滨浴场之间,44只[PH&WQY],

江苏: 12月13-14日, 射阳盐城自然保护区, 2只[YLi];

上海: 10月30日, 崇明北湖, 5只[XL];

浙江: 10月15日, 镇海镇北涂, 3只[LYou];

海南: 3月27日, 东方四更镇四必湾, 9只[YCC];

新疆: 9月10日, 昌吉五家渠八一水库, 3只[GJun];

Nei Mongol: 30 at Dalinor NR, Keshiketeng on 4-6 May [YY].

Hebei: 12 at Beidaihe, Qinhuangdao on 17 September [LS]. 13 at Qilihai, Qinhuangdao on 29 September [PH et al.]. 20 at Jingtanggang, Laoting on 3-5 October [ZLi].

Tianjin: 15 between Shanggulin and Hangu on 9-10 April [LHY]. 44 between Tanggu & Haibinyuchang on the 29 July [PH&WOY].

Jiangsu: Two at Yancheng NR, Sheyang on 13-14 December [YLi].

Shanghai: Five at Bei Hu, Chongming on 30 October [XL].

Zhejiang: Three at Zhenbeitu, Zhenhai on 15 October [LYou].

Hainan: Nine at Sibi Bay, Sigeng, Dongfang on 27 March [YCC].

Xinjiang: Three at Bayi Reservoir, Wujiaqu, Changji on 10 September [GJun].

#### 0434# 黄嘴河燕鸥 River Tern Thalasseus aurantia

云南: 3月25日, 瑞丽江, 1只; 3月30日, 盈江, 2只[MK];

Yunnan: One at Ruili river on 25 March and two at Yingjiang on 30 March [MK].

# 0436# 大凤头燕鸥 Great Crested Tern Thalasseus bergii

福建: 稳定的记录集中在闽江口,6月4日26只[JHD]、7月22日53只[CZH]、8月28日160 只[JHD]; Fujian: All records received from Minjiang River Mouth with respectively 26 on 4 June[JHD],53 on 22 July[CZH] and 160 on 28 August[JHD].

## 0437# 黑嘴端凤头燕鸥 Chinese Crested Tern Thalasseus bernsteini CR

福建:记录集中在6-8月,均在闽江口,显示出这片湿地对这种世界濒危鸟类的保护价值,最多目击数量是8月28日,2只[JHD],6月4日、18日、7月22日,各1只[CZH & JHD]

Fujian: All records of the year were from Minjiang River Mouth and mainly concentrated between June and August, with largest sightings of two on 28 August[JHD]. Single indidividuals on 4 and 18 June and 22 July[CZH & JHD]. Therefore the above records indicate the high conservation value of Minjiang River Mouth for this world critically endangered species.

#### 0438# 粉红燕鸥 Roseate Tern Sterna dougallii

福建: 5月21-22日, 漳浦古雷, 15只[CZH], 7月2日, 漳州六鳌, 6只[CZH], 8月28日, 闽江口, 10只[JHD],

Fujian: 15 at on Gulei, Zhangpu on 21-22 May [CZH], six at Liuao, Zhangzhou on 2 July[CZH] and Up to ten at Minjiang River Mouth on 28 August[JHD].

# 0439# 黑枕燕鸥 Black-naped Tern Sterna sumatrana

福建: 漳浦古雷, 5月7日, 6只 [HZY]; 5月21-22日, 10只[GLQ];

广东: 7月17-18日, 珠海外伶仃岛, 10只[WYY],

海南: 7月5-6日, 三亚, 6只[YZD];

Fujian: Six at Gulei, Zhangpu on 7th and 10 at 21-22 May [HZY, GLO].

Guangdong: Ten at Wailingding Dao, Zhuhai on 17-18 July [WYY].

Hainan: Six at Sanya on 5-6 July [YZD].

# 0440# 普通燕鸥 Common Tern Sterna hirundo

河北: 5月3-4日,秦皇岛北戴河,多达40只[LHY & PH et al.], 8月12-14日,北戴河,500只 [BA]:

北京: 4月29日, 昌平沙河水库, 30只[ZYQ];

天津: 4月27-28日, 北塘附近, 30只[ZYong]; 7月28日和29日, 塘沽, 分别是225只和258只[PH & WQY]

山东: 7月13日, 黄河三角洲自然保护区, 1050只[SK];

上海: 8月27-28日, 崇明东滩, 10只[YJ];

福建: 8月28日, 闽江口, 200只[JHD];

四川: 5月2日, 若尔盖, 23只[YL];

青海: 7月28日, 共和橡皮山, 20只[FZ];

西藏: 5月7日, 拉萨机场-拉萨, 15只[DJT]; 7月2-14日, 日喀则地区, 20只[ZGF et al.];

新疆: 5月5日, 博乐艾比湖, 38只[GJun]; 5月6日, 沙湾千泉湖, 25只[GJun]; 6月22

日, 昌吉五家渠青格达湖, 80只[GJun]; 8月9日, 阿图什托卡额依水库, 100只; 8月10

日, 小海子水库, 170只; 8月11日, 阿克苏附近, 180只; 8月12日, 阿克苏南面, 90

只;8月19日,库尔勒,180只[PH];

Hebei: Up to 40 at Beidaihe, Qinhuangdao during May [LHY & PH et al.] & 500 there between 12-14 August [BA].

Beijing: 30 at Shahe Reservoir, Changping on 29 April [ZYQ].

Tianjin: 30 near Beitang on 27-28 April [ZYong]. 225 & 258 at Tanggu on 28th & 29 July respectively [PH & WOY].

Shandong: 1050 at Yellow River Delta NR on 13 July [SK].

Shanghai: 10 at Dongtan NR, Chongming on 27-28 August [YJ].

Fujian: 200 at Minjiang River Mouth on 28 August[JHD].

Sichuan: 23 at Ruoergai on 2 May [YL]

Qinghai: 20 at Xiangpi Shan, Gonghe on 28 July [FZ].

Tibet: 15 between Lhasa Airport and Lhasa on 7 May [DJT]. 20 at Rikaze during 2-14 July [ZGF et al.].

Xinjiang: 38 at Ebinur Hu, Bole on 5 May [GJun]. 25 at Qianquan Hu [GJun]. 80 at Qinggeda Hu, Wujiaqu, Changji on 22 June [GJun]. 100 at Tuokaeyi Reservoir, Artux on 9 August; 170 on Xiaohaizi Reservoir on 10 August; 180 near Aksu on 11 August; 90 south of Aksu on 12 August; 180 in Korla on 19 August [PH].

#### 0441# 白额燕鸥 Little Tern Sterna albifrons

#### 亚种sinensis:

辽宁: 6月14-16日, 丹东鸭绿江湿地保护区, 40只[BQQ];

河北: 5月3-4日,秦皇岛北戴河,30只[LHY]和5月17日[PH et al.];5月11日,乐亭快乐岛,100只,5月8日,乐亭七甲海,100只[PH et al.];

天津: 5月2日,北大港水库,10只[CJZ];7月28日和29日,塘沽和海滨浴场之间,分别是105只和202只[PH & WQY];

山东: 6月7日, 黄河三角洲自然保护区, 60只[CHY];

上海: 8月27-28日, 崇明东滩, 80只[YJ];

青海: 9月20日, 青海湖, 1只[PH et al.];

浙江: 5月6日, 椒江农场, 8只[WXM];

#### 亚种albifrons

新疆:6月22日,昌吉五家渠青格达湖,50只[GJun];8月9日,阿图什托卡额依水库,8只,8月11日和12日,多朗水库,分别是40只和30只,8月11日和12日,上游水库,分别是20只和40只,8月19日,库尔勒以南大石海子水库,50只[PH&WQY];9月17日,昌吉五家渠八一水库,12只[GJun];

#### Race sinensis

Liaoning: 40 at Yalu Jiang Wetland NR, Dandong on 14-16 June [BQQ].

Hebei: 30 at Beidaihe, Qinhuangdao on 3-4 May [LHY] & 17 May [PH et al.]. 100 on Happy Island, Laoting on 11 May; 100 at Qilihai, Laoting on 8 May [PH et al.].

Tianjin: 10 at Beidagang Reservoir on 2 May [CJZ]. 105 & 202 between Tanggu & Haibinyuchang on 28th & 29 July respectively [PH &WQY].

Shandong: 60 at Yellow River Delta NR on 7 June [CHY].

Shanghai: 80 at Dongtan NR, Chongming on 27-28 August [YJ].

Qinghai: One at Koko Nur on 20 September [PH et al.] Zhejiang: Eight at Jiaojiang Farm on 6 May [WXM].

# Race albifrons

Xinjiang: 50 at Qinggeda Hu, Wujiaqu, Changji on 22 June [GJun]. eight on Tuokaeyi Reservoir, Artux on 9 August; 40 & 30 on Duolang Reservoir on 11th & 12 August respectively; 20 & 40 at Shangyou Reservoir on 11th & 12 August respectively; 50 on Dashihaizi Reservoir south of Korla on 19 August [PH]. 12 at Bayi Reservoir, Wujiaqu, Changji on 17 September [GJun].

# 0444# 褐翅燕鸥 Bridled Tern Onychopriona anaethetus

福建: 5月21-22日, 漳浦古雷, 4只[GLQ]; 7月2日, 漳州六鳌, 4只[CZH];

Fujian: Up to four at Gulei, Zhangzhou on 21-22 May [GLQ] and Liu'ao, Zhangzhou on 2 July[CZH].

# 0445# 乌燕鸥 Sooty Tern Onychopriona fuscata

福建: 10月3日,长乐文物砂,1只[FJBWS];

Fujian: One at Wenwusha, Changle on 3 October [FJBWS].

# 0446# 须浮鸥 Whiskered Tern Chlidonias hybrida

黑龙江: 5月10日, 大庆龙凤湿地, 50只[LJY];

吉林: 6月3日, 通榆向海自然保护区, 25只[PH et al.];

辽宁: 8月11-12日, 盘锦双台河自然保护区, 10只[LZY];

河北: 5月, 秦皇岛北戴河, 共计100只[PH et al.];

天津: 5月23日, 静海团泊洼水库, 50只[CJZ];

河南: 7月21日, 三门峡陕州故城风景区, 15只[DQ];

上海: 6月16日,奉贤燎原农场,240只[YZD],9月18日,奉贤星火农场,310只[YZD];

安徽: 8月16-17日,安庆石塘湖,30只[WJ];

湖北: 6月11-12日, 武汉沉湖, 30只[ZYQ];

广东: 1月22-23日, 饶平, 80只[ZKH];

新疆:最大秋季数目是8月19日,库尔勒大石海子,34只[PH & WQY].

青海: 9月20日和24日, 在青海湖都是3只[PH et al.];

Heilongjiang: 50 at Longfeng Wetland, Daging on 10 May [LJY].

Jilin: 25 at Xianghai NR, Tongyu on 3 June [PH et al.].

Liaoning: 10 at Shuangtai He NR, Panjin on 11-12 August [LZY].

Hebei: Up to 100 at Beidaihe, Qinhuangdao in May [PH et al].

Tianjin: 50 at Tuanbowa Reservoir, Jinghai on 23 May [CJZ].

Henan: 15 at Shanzhou Scenic Spot, Sanmenxia on 21 July [DQ].

Shanghai: 240 at Liaoyuan Farm, Fengxian on 16 June [YZD] and 310 at Xinghuo Farm,

Fengxian on 18 September [YZD].

Anhui: 30 at Shitang Hu, Anging on 16-17 August [WJ].

Hubei: 30 at Chen Hu, Wuhan on 11-12 June [ZYQ].

Guangdong: 80 at Jingzhou, Raoping on 22-23 January [ZKH].

Xinjiang: Highest autumn count was 34 on Dashihaizi Reservoir, Korla on 19 August [PH & WOY].

Qinghai: Three at Koko Nur on both 20th & 24 September [PH et al.].

# 0447# 白翅浮鸥 White-winged Tern Chlidonias leucoptera

吉林: 6月3日, 通榆向海自然保护区, 38只[PH];

辽宁: 6月14-16日, 丹东鸭绿江湿地保护区, 10只[BQQ];

河北: 5月12-14日, 乐亭快乐岛, 20只[CLiang], 5月14-15日, 秦皇岛北戴河, 500只 [LHY];

天津: 9月17日,汉洁沿海,63只[LHY],7月28日和30日,塘沽附近,分别是143只和200只[PH & WQY]

江苏: 8月9-10日, 昆山周庄, 700只[ZYu];

上海: 9月3日, 川沙三甲港, 150只[YZD]; 9月18日, 奉贤星火农场, 750只[YZD];

浙江: 5月5日, 椒江农场, 50只[WXM]; 9月18日, 杭州下沙, 45只[QH];

青海: 9月20日和21日, 青海湖, 分别是4只和6只[PH et al.];

新疆: 7月24日, 福海乌伦古湖, 3只[GJun]; 8月9日, 阿图什托卡额依水库, 1只, 8月

17日, 博斯腾湖, 1只, 8月19日, 库尔勒以南, 恰拉水库, 2只[PH & WQY]

Jilin: 38 at Xianghai NR, Tongyu on 3 June [PH et al.].

Liaoning: 10 at Yalu Jiang Wetland NR, Dandong on 14-16 June [BQQ].

Hebei: 20 at Happy Island, Laoting on 12-14 May [CLiang]. 500 at Beidaihe, Qinhuangdao on 14-15 May [LHY].

Tianjin: 63 at Hangu on 17 September [LHY]. 143 & 200 near Tanggu on 28th & 30 July respectively [PH].

Jiangsu: 700 at Zhouzhuang, Kunshan on 9-10 August [ZYu].

Shanghai: 150 at Sanjiagang, Chuansha on 3 September [YZD]. 750 at Xinghuo Farm, Fengxian on 18 September [YZD].

Zhejiang: 50 at Jiaojiang Farm on 5 May [WXM]. 45 at Xiasha, Hangzhou on 18 September [OH].

Qinghai: Four & six at Koko Nur on 20th & 21 September respectively [PH et al.].

Xinjiang: Three at Ulungur Lake, Fuhai on 24 July [GJun]. one at Tuokaeyi Reservoir, Artux on 9 August; one at Bosten Hu on 17 August; two at Qiala Reservoir, south of Korla on 19 August [PH, WQY].

#### 0448# 黑浮鸥 Black Tern Chlidonias niger

新疆: 7月3日, 北屯至青河, 3只[MKW et al.]; 昌吉五家渠青格达湖, 7月12日, 2只 [GJun]; 7月17-18日, 2只[GJun]; 7月23日, 额敏到铁厂沟沿线, 3只[GJun]; 7月24日, 福海乌伦古湖, 4只[GJun];

Xinjiang: Three between Beitun and Qinghai on 3 July [MKW et al.]. two at Qinggeda Hu, Wujiaqu, Changji on 12th and 17-18 July [GJun], three between Emin and Tiechanggou on 23 July [GJun] and four at Ulungur Lake, Fuhai on 24 July [GJun].

#### 0450# 白玄鸥 White Tern Gygis alba

福建: 6月16-17日, 宁德鸟岛, 1只[FJBWS]; 本鸟种为中国极为罕见的迷鸟, 在1905年9月20日, 曾有一小群白玄鸥被记录于澳门(Vaughan and Jones 1913), 现在看来有可能是错误鉴定。

Fujian: One at Niao Dao, Ningde on 16-17 June [FJBWS]. There is one previous claim of this species from mainland China - a small flock seen at Macao on 20 September 1905 during a period of strong north-easterly winds (Vaughan and Jones 1913) - but this now seems likely to be based on a mis-identification.

# 鹳形目CICONIIFORMES > 鹰科 Accipitridae

# 0455# 鹗 Osprey Pandion haliaetus

北京: 4月有6笔记录, 数量最大是4月24日, 延庆 野鸭湖, 4只[LHY];

河北: 5月4日,北戴河,1只[WRQ];9月28日和29日,北戴河,都是1只[PH et al.]

天津: 4月9日, 上古林至汉洁沿海, 2只[LHY];

浙江: 11月-12月, 海宁东西湖共5笔单只记录;

福建: 12月10日, 长乐鳝鱼滩, 1只[ZJ];

海南: 1月20日, 东寨港自然保护区, 1只[YCC]; 11月12日, 东方大田保护区, 1只 [WJY];

新疆: 8月19日, 库尔勒以南, 恰拉水库, 1只[PH et al.], 9月17日, 昌吉五家渠青格达湖, 1只[GJun];

此外,还有来自上海和广东的记录。

Beijing: Reported on six dates in April, with a peak of four at Wild Duck Lake on 24th [LHY]. Hebei: One at Beidaihe on 4 May [WRQ] and singles at Beidaihe on 28th & 29

September [PH et al].

Tianjin: Two on the coast at Hangu on 9 April [LHY].

Zhejiang: Singles at Dongxi Hu, Haining on five dates in November and December.

Fujian: One at Shanyutan, Changle on 10 December [ZJ].

Hainan: Singles at Dongzhaigang NR on 20 January [YCC] and Datian NR on 12 November [WJY].

Xinjiang: One at Qinggedahu, Wujiaqu, Changji on 17 September [GJun] and one at Qiala Reservoir, south of Korla on 19 August [PH].

Also record were from Shanghai and Guangdong.

#### 0456# 褐冠鹃隼 Jerdon's Baza Aviceda jerdoni

云南: 12月17日, 瑞丽附近, 1只[JH];

Yunnan: One near Ruili on 17 December [JH].

# 0457# 黑冠鹃隼 Black Baza Aviceda leuphotes

安徽: 5月4日, 潜山天柱山, 4只[YJ];

河南: 5月3日-28日,罗山董寨保护区共有4笔记录,其中数量最大的记录为5只[ZYong];

江苏: 5月-7月, 江宁南山湖、老山林场、江浦、溧水 无想寺风景区共有6笔记录, 其中数量最大的为5月21日, 老山林场, 4只[ZYu]:

浙江: 5月2日, 泰顺乌岩岭, 1只[LiX]; 7月2日, 磐安大盘山自然保护区, 1只[QH];

江西: 4月13日, 龙南九连山, 3只[LCK];

广东: 4月23日,广州白云区竹料镇,70只[PYS],5月1日,郁南同乐大山保护区,35只[LXD],7月2日,深圳梅林水库,5只[TSX],

四川: 6月20日, 峨眉山, 3只[PH];

云南: 8月2日, 昆明黑龙潭公园, 1只[QC];

西藏: 5月28日, 林芝墨脱, 1只[ZGF et al.], 可能是西藏的第一笔记录;

Anhui: Four at Tianzhu Shan, Qianshan on 4 May [YJ].

Henan: Up to five at Dongzhai NR on four dates in May [ZYong].

Jiangsu: Noted at Laoshan FF on six dates from May to July, with a peak day count of four on 21 May [ZYu].

Zhejiang: Singles at Wuyanling, Taishun on 2 May [LiX] and Dapanshan NR, Pan'an on 2 July [QH].

Jiangxi: Three at Jiulianshan NR on 13 April [LCK].

Guangdong: 70 at Zhuliao, Guangzhou on 23 April [PYS], 35 at Dashan NR, Tongle, Yu'nan on 1 May [LXD] and five at Meilin Reservoir, Shenzhen on 2 July [TSX].

Sichuan: Three at Emeishan on 20 June [PH].

Yunnan: One at Heilongtan park, Kunming on 2 August [QC].

Tibet: One at Motuo on 28 May [ZGF et al.], possibly the first record for Tibet.

## 0458# 凤头蜂鹰 Oriental Honey-buzzard Pernis ptilorhyncus

河北:5月21日,秦皇岛北戴河,整个5月有小数目的来到海滨,最大数目是29只[PH et al.];5月28日,兴隆雾灵山保护区,1只[LHY],10月2日,1只[PH et al.];

北京: 5月22日,怀柔怀沙河,23只[LHT]; 6月27日,东灵山地区,1只[WJ]; 9月-10月,百望山共有7笔记录,其中数量最大为9月17日,140只[HD]; 9月18日,天安门广场,6只[PH et al.]; 10月5日,昌平沙河水库,8只[WJ]; 9月13日,密云水库,15只[PH et al.]

天津: 9月17日, 汉沽沿海, 1只[LHY];

山东: 10月2日, 长岛大黑山岛, 100只[LHY]

河南: 4月12日, 信阳鸡公山, 1只[LY];

上海: 10月6日, 崇明东滩, 28只[YJ]; 10月7日, 宝钢水库, 3只[ZLin];

浙江: 10月7日, 杭州江滨, 1只[ZhuY];

广东: 5月1日, 郁南同乐大山保护区, 2只[LXD];

广西: 10月21日, 临桂安江坪, 1只[LZY];

海南: 1月27日, 昌江霸王岭, 1只[LG]; 3月5日, 琼中湾岭, 1只[YCC];

青海: 9月19日, 西宁北山, 3只飞过, 9月21日和22日, 黑马河附近, 都是1只, 9月26日, 互助北山, 1只[PH et al.].

四川: 6月20日和21日, 峨眉山脚下附近, 都是2只[PH et al.]

云南: 3月25-30日,盈江铜壁关保护区和瑞丽附近均有记录,最高数量3月29日,盈江附近,4只[MK]; 4月18日,沧源孟定,2只[OB]; 8月27日,昆明西山,1只[WRQ]; 10月4日,个旧贾沙丫沙底,1只[WC];

Hebei: Small numbers were noted along the coast throughout May with the highest count being 29 over Beidaihe, Qinhuangdao on the 21 May [PH et al.]; one at Wulingshan on 28 May [LHY] and one on 2 October [PH et al.].

Beijing: 23 at Huaishahe, Huairou on 22 May [LHT]; one at Donglingshan on 27 June [WJ]; seven records received at Baiwangshan during September and October with 140 as the maximum day count on 17 September [HD]; 15 over Miyun Reservoir on 13 September; six over Tian'anmen Square on 18 September [PH et al.]. eight at Shahe Reservoir, Changping on 5 October [WJ].

Tianjin: One at Hangu coast on 17 September [LHY].

Shandong: 100 at Daheishan Dao, Changdao on 2 October [LHY].

Henan: One at Jigong Shan, Xinyang on 12 April [LY].

Shanghai: 28 at Dongtan, Chongming Dao on 6 October [YJ]. Three at Baogang Reservoir on 7 October [ZLin].

Zhejiang: One at Jiangbin, Hangzhou on 7 October [ZhuY].

Guangdong: Two at Dashan NR, Tongle, Yu'nan on 1 May [LXD].

Guangxi: One at Anjiangping, Lingui on 21 October[LZY].

Hainan: One at Bawangling NR on 27 January [LG]. one at Wanling, Qiongzhong on 5 March [YCC].

Qinghai: Three over Beishan, Xining on 19 September; singles near Heimahe on both 21st & 22 September; one at Huzhu Beishan on 26 September [PH et al.].

Sichuan: Two near the base of Emei Shan on both 20th & 21 June [PH et al.].

Yunnan: Fourteen bird-days around Ruili and Tongbiguan NR Yingjiang during 25-30 March, with a peak count of four near Yingjiang on 29 March [MK]; Also two at Mengding, Cangyuan on 18 April [OB] and singles at Xishan, Kunming on 27 August [WRQ] and Yashadi, Jiasha, Gejiu on 4 October [WC].

## 0459# 黑翅鸢 Black-shouldered Kite Elanus caeruleus

山东: 11月10日, 黄河三角洲自然保护区, 2只[SK];

江西: 2月25日, 南矶山自然保护区, 3只[CLiang], 4月13日, 龙南九连山, 2只 [LCK],

福建:1月8日,厦门集美兑山,2只[XMBWS];12月3日,长乐鳝鱼滩,2只[HZY];12月16日,坑内水库,1只[ZYQ];

广西: 4月16日,柳州沙塘君武森林公园,1只[YDH];9月27日,弄岗保护区,1只[JAW];12月12日,合浦山口红树林保护区,4只[JAW];12月11日,广西大学,1只[JAW];

海南: 1月20日,海口东寨港,5只[YCC];11月,东寨港、昌江霸王岭、东方大田保护区均有记录,其中数量最多一次为11月12日,东方大田保护区,10只[WJY];12月24日,海口至霸王岭途中,5只[CM & SS];

云南: 3月25-27日,瑞丽、盈江附近农田均有记录,最高数量3月27日,7只,盈江附近,3月28日,3只[MK]; 9月3日,丽江机场路,1只[WRQ]; 11月28日,拉市海,1只 [ZYong]; 12月27日,大理至丽江途中,统计到26只[RWL];

Shandong: Two at Yellow River Delta NR on 10 November [SK].

Jiangxi: Three at Nanjishan NR on 25 February [CLiang] and two at Jiulianshan, Longnan on 13 April [LCK].

Fujian: Two at Duishan, Jimei, Xiamen on 8 January [XMBWS], two at Shanyutan, Changle on 3 December [[HZY] and one at Kengnei Reservoir on 16 December [[ZYQ].

Guangxi: One at Junwu FP, Liuzhou on 16 April [YDH], one at Nonggang NR on 27 September [JAW], four at Shankou Mangrove NR, Hepu on 12 December [JAW] and one at Guangxi University on 11 December [JAW].

Hainan: Noted on at least three dates at Dongzhaigang NR, with a peak count of five on 20 January [YCC]. also 10 at Datian NR on 12 November [WJY] and five logged between Haikou and Bawangling NR on 24 December [CM & SS].

Yunnan: Fourteen bird-days in agricultural land around Ruili during 25-27 March, with a peak of seven on 27 March, and three in the Yingjiang Valley on 28 March [MK]. also, singles at Lijiang on 3 September [WRQ] and Lashihai on 28 November [ZYong] and 26 counted during the journey from Dali to Lijiang on 27 December [RWL].

### 0461# 黑耳鸢 Black-eared Kite Milvus lineatus

各地常见。数量最大的记录为

新疆: 3月27日, 昌吉五家渠青格达湖, 207只[MM];

The only significant record received of this species was as follows:

Xinjiang: 207 at Qinggeda Hu, Wujiaqu, Changji on 27 March [MM]..

## 0463# 白腹海雕 White-bellied Sea Eagle Haliaeetus leucogaster

广东: 6月25日, 珠海担杆岛, 1只[HK]: 7月17日, 外伶仃岛, 2只[WYY]:

Guangdong: One at Dangang Dao, Zhuhai on 25 June [HK] and two at Wailingding Dao on 17 July [WYY].

## 0464# 玉带海雕 Pallas's Fish Eagle Haliaeetus leucoryphus VU I

青海: 6月16日, 玛多附近, 1只[JH]; 9月21日, 青海湖, 2只 (很可能是2龄亚成鸟) [PH et al.].

新疆:3月20日、6月22日、7月12日,在昌吉五家渠沙山子水库、青格达湖有3笔单只记录;12月24日,青格达湖,4只;记录者均为[GJun];8月10日,小海子水库,2只(很可能是2龄亚成鸟),8月11日,多朗水库,不同的两只鸟,1只成鸟和8月12日的1只幼鸟,8月18日,库尔勒以南,1只亚成鸟,8月19日,大石海子水库,3只(1只成鸟,1只亚成鸟和另外一只2龄亚成鸟)[PH&WQY].

云南: 3月27日, 瑞丽南京里, 1只[MK].

Qinghai: One adult near Maduo on 16 June [JH]; two (both possibly second-calendar year birds) at Koko Nur on 21 September [PH et al.].

Xinjiang: Singles at Shashanzi Reservoir and Qinggeda Hu, Changji on 20 March, 22 June & 12 July [GJun]. two (an adult & a possible second calendar-year bird) at Xiaohaizi Reservoir on 10 August; two different birds at Duolang Reservoir – an adult on 11 August & a juvenile on 12 August; a juvenile south of Korla on 18 August; three singles (an adult, a juvenile & another possible second calendar-year) at Dashihaizi Reservoir on 19 August [PH & WQY].

four at Qinggeda Hu, Changji on 24 December [GJun].

Yunnan: One near Nanjingli, Ruili on 27 March [MK]

## 0465# 白尾海雕 White-tailed Sea Eagle Haliaeetus albicilla I

辽宁: 1月8日, 丹东沿鸭绿江景观路, 1只[BQQ]; 3月16日, 东港合隆水库, 1只[BQQ];

北京: 1月3日, 昌平十三陵水库, 1只[ZY], 2月27日, 拒马河, 2只[WRQ]; 11月6日, 延庆野鸭湖, 1只[BA]; 12月24日, 拒马河, 1只[LX];

河南: 1月2日, 扣马镇黄河附近, 1只[CM]; 2月10日, 黄河湿地保护区, 1只[DQ]; 新疆: 12月4日, 乌鲁木齐 柴窝堡湖-乌拉泊, 2只[GJun]; 8月9日, 阿图什托卡额依水库, 1只第一年夏季鸟, 8月19日, 库尔勒以南, 大石海子水库, 1只成鸟[PH& WQY]; 12月10日, 昌吉五家渠青格达湖, 1只[GJun];

云南: 12月24日, 会泽大桥乡, 1只[LLW]; 12月28日, 中甸松赞林寺, 1只[RWL]; Liaoning: One at Jingguanlu, Dandong on 8 January [BQQ]; one at Helong Reservoir on 16 March [BOO].

Beijing: One at Shisanling Reservoir on 3 January [ZY]; two at Jumahe on 27 February [WRQ]. one at Wild Duck Lake, Yanqing on 6 November [BA]; one at Jumahe on 24 December [LX]. Henan: One at Koumazhen on 2 January [CM]; one at Yellow River Wetland NR on 10 February [DQ].

Xinjiang: Two at Urumqi on 4 December [GJun]; a first-summer bird at Tuokaeyi Reservoir, Artux on 9 August; an adult at Dashihaizi Reservoir, south of Korla on 19 August [PH & WQY] and one at Qinggeda Hu, Changji on 10 December [GJun].

Yunnan: One at Daqiao Town near Huize on 24 December[LLW] and one near Gadansongzanling monastery, Zhongdian on 28 December [RWL].

## 0468# 胡兀鹫 Lammergeier Gypaetus barbatus I

四川: 5月3日,马尔康若尔盖,16只[YL];5月24日,汶川卧龙巴朗山,2只[DK];9月27日,若尔盖唐克乡,5只[HXJ];10月22日,卧龙自然保护区,1只[LS];10月23日,康定新都桥,3只[DK];

青海: 6月-8月,由北至南: 共和、兴海、玛多、玉树、杂多沿线线以及东南方向的班玛(玛可河)、久治有多笔记录,其中数量最大的记录为7月31日,杂多县城附近和扎青乡、8只[CLiang];

西藏: 5月11日, 扎囊山南地区, 1只[DJT]; 6月21日, 林芝地区, 3只[ZGF et al.]; 10月5日, 纳木措, 3只[LZY];

新疆: 8月16日, 库尔勒北部, 3只[PH];

Sichuan: Recorded at Ruoergai, Wolong, Balang Shan and Kangding, the peak count being 16 at Ruoergai on 3 May [YL].

Qinghai: Noted between June and August, with a peak count of eight near HeZhaqing, Zaduo on 31 July [CLiang].

Tibet: One at Shannan, Zhanang on 11 May [DJT], three at Linzhi on 21 June [ZGF et al.] and three at Namucuo on 5 October [LZY].

Xinjiang: Three north of Korla on 16 August [PH]

## 0470# 高山兀鹫 Himalayan Griffon Gyps himalayensis

新疆: 各地有零星记录, 数量最大的是8月16日, 库尔勒北部, 24只[PH];

青海: 6月-8月,由北至南: 共和、贵德、兴海、玉树(囊谦、尕尔寺)、杂多沿线线以及东南方向的班玛(玛可河)、甘德、玛沁有多笔记录,其中数量最大的记录: 8月10日, 斑玛,久治,64只[ZGF et al.];

四川: 若尔盖有多笔记录,其中最大数量为5月3日,46只[YL];5月24日,巴朗山,5只[DK];8月13日,康定新都桥,50只[WJY];10月22日,卧龙自然保护区,15只[LS];

西藏: 各地有零星记录, 数量最大的是7月27日, 芒康周边, 32只[ZGF et al.];

云南: 5月3日, 六库, 2只[OB]; 11月19日, 中甸纳帕海, 2只[WC]; 12月28日, 中甸松辔林寺, 10只[RWL];

Xinjiang: 24 north of Korla on 16 August [PH].

Qinghai: Noted between June and August, with a peak count of 64 at Banma and Jiuzhi on 10 August [CLiang].

Sichuan: Noted at Ruoergai, with a peak count of 46 on 3 May [YL]. also five at Balang Shan on 24 May [DK], 50 at Xinduqiao, Kangding on 13 August [WJY] and 15 at Wolong NR on 22 October [LS].

Tibet: 32 near Mangkang on 27 July [ZGF et al.].

Yunnan: Two at Liuku on 3 May [OB], two at Napahai, Zhongdian on 19 November [WC] and ten near Gadansongzanling monastery, Zhongdian on 28 December [RWL].

## 0472# 秃鹫 Cinereous Vulture Aegypius monachus

辽宁: 11月12日, 丹东郊区, 1只[BQQ];

北京: 1月、3月、12月, 拒马河有零星记录; 2月27日, 门头沟小龙门林场, 2只 [BA];

河北: 1月15日, 抚宁董家口, 1只[WRQ];

青海: 8月10日, 斑玛、久治, 2只[ZGF et al.]; 9月20日, 日月山垭口和倒淌河之间, 2个单只[PH et al.];

四川: 5月1日, 若尔盖, 1只[YHY]; 5月24日, 汶川卧龙巴朗山, 1只[DK];

新疆: 10月15日, 卡拉麦里保护区, 1只[GJun];

Liaoning: One on the outskirts of Dandong on 12 November [BQQ].

Beijing: Single birds were recorded at Jumahe in January, March and December; two at Xiaolongmen FP. Mentougou on 27 February [BA].

Hebei: One at Dongjiakou, Wuning on 15 January [WRQ].

Qinghai: Two between Banma and Jiuzhi on 10 August [ZGF et al.]; two singles between the Sun-Moon Mountain Pass & Daotanghe on 20 September [PH et al.].

Sichuan: One at Ruoergai on 1 May [YHY]. one at Balangshan, Wolong on 24 May [DK].

Xinjiang: One at Kalamaili on 15 October [GJun].

## 0474# 短趾雕 Short-toed Snake Eagle Circaetus gallicus

北京: 10月6日, 怀柔水库, 成鸟1只[LY], 可能是北京第五笔记录;

Beijing: One adult at Huairou Reservior on 6 October[LY], probably the fifth record for Beijing.

## 0475# 蛇雕 Crested Serpent Eagle Spilornis cheela

东南地区不难见到。

湖北: 4月14日,广水中华山森林公园,1只[LY],湖北省第一笔记录;

四川: 6月20日, 峨眉山脚下附近的报国寺, 1只[PH et al.], 7月23日, 崇州鞍子河自然保护区, 1只[SY];

云南: 3月27-30日, 盈江三个地点各记录到1只[MK], 7月28日, 个旧马吃水前后山, 2只[WC], 9月29日, 个旧贾沙丫沙底, 1只[WC],

西藏: 5月28日, 林芝墨脱, 1只[ZGF et al.], 西藏第一笔记录;

Records outside of Southeast China, where this species is frequently reported, were as follows: Hubei: One at Zhonghuashan FP,Guangshui on 14 April[LY],the first record for Hubei.

Sichuan: One at Baoguo Si near the base of Emei Shan on 20 June [PH et al.] and one at Anzihe NR, Chongzhou on 23 July [SY].

Yunnan: Singles at three different sites in Yingjiang during 27-30 March [MK], two at Gejiu on 28 July [WC] and one at Yashadi, Jiasha, Gejiu on 29 September [WC].

Tibet: One at Motuo on 28 May [ZGF et al.], possibly the first for Tibet.

## 0476# 白头鹞 Western Marsh Harrier Circus aeruginosus

青海: 6月3日,青海湖,1只亚成体[JH];9月21日和24日,青海湖,都有1只幼鸟[PH et al.];新疆:7月3日,北屯至青河,1只[MKW et al.];7月31日,乌鲁木齐附近,1只;8月15日,库尔勒,1只;8月20日,博斯腾湖,2只[PH];

Qinghai: One first calendar-year at Koko Nur, Gonghe on 3 June [JH]. a juvenile at Koko Nur on both 21st & 24 September [PH et al.].

Xinjiang: One between Beitun and Qinghe on 3 July [MKW et al.]. one near Urumqi on 31 July; one at Korla on 15 August; two at Bosten Hu on 20 August [PH].

### 0477# 白腹鹞 Eastern Marsh Harrier Circus spilonotus

辽宁: 3月27日, 双台子河自然保护区, 2只[WRQ];

吉林: 6月3日, 通榆向海自然保护区, 10只[PH et al.];

河北: 5月8日, 乐亭快乐岛, 20只[BB et al.];

北京: 4月8日, 昌平沙河水库, 1只[ZYQ], 8月21日-11月6日, 延庆野鸭湖有多笔记录, 其中数量最大的为10月22日, 3只[Zli];

天津: 4月9日, 上古林至汉洁沿海, 1只[LHY];

上海: 4月23日, 崇明东滩, 1只[YZD]; 11月6日, 1只[ZLin];

湖北: 10月2日, 武汉武湖, 1只[TXD];

广东: 1月1日,海丰公平大湖自然保护,3只[YHY]: 1月22日,饶平,3只[ZKH];

青海: 9月24日, 青海湖, 1只[PH et al.];

Liaoning: Two at Shuangtaizihe NR, Panjin on 26 March [WRQ].

Jilin: 10 at Xianghai NR, Tongyu on 3 June [PH et al.].

Hebei: 20 at Happy Island, Laoting on 8 May [BB et al.] was the highest spring count;

Beijing: One at Shahe Reservoir on 8 April [ZYQ]. Several records from Wild Duck Lake, Yanqing during the period 21 August-6 November, with three on 22 October being the maximum count [ZLi].

Tianjin: One at Hangu coast on 9 April [LHY].

Shanghai: Singles at Dongtan, Chongming Dao on 23 April [YZD] & 6 November [ZLin].

Hubei: One at Wu Hu, Wuhan on 2 October [TXD].

Guangdong: Three at Gongping Dahu, Haifeng on 1 January [YHY]. three at Raoping on 22 January [ZKH].

Qinghai: One at Koko Nur on 24 September [PH et al.].

## 0478# 白尾鹞 Hen Harrier Circus cyaneus

辽宁: 8月11日, 盘锦双台子河自然保护区, 1只[LZY];

吉林: 10月5日-7日,向海自然保护区,1只-13只之间,10月8日,镇赉莫莫格自然保护区,11只[PH & WOY];

内蒙古: 10月4日, 图牧吉, 14只[PH &WQY]

北京: 3月-4月,9月-12月,沙河水库、坝河湿地、十渡、野鸭湖及妫水河及沿岸有多笔记录,其中春季最晚记录:4月24日,百望山,1只[HD],秋季最早记录:8月27日,

野鸭湖, 1只[Zli]; 秋冬季数量最多的记录: 10月22日, 野鸭湖, 12只[Zli];

河北:春季和秋季迁徙季节,只有1只记录[PH]

天津: 迁徙季节, 只有1只记录, 12月22日, 北大港, 5只[PH &WQY]

安徽: 5月5日, 潜山潜河, 1只[QH];

江西: 5月9日,铅山武夷山自然保护区,1只[YCC],12月31日,南矶山自然保护区,10只[LXD];

湖北: 3月13日, 武汉沉湖, 2只[TXD]; 10月2日, 武汉武湖, 1只[TXD];

湖南: 12月3日,岳阳东洞庭湖,2只[TXD];

上海: 1月8日, 崇明东滩, 1只[ZWQ]; 5月22日, 松江天马山, 1只[YZD];

福建: 12月10日, 长乐鳝鱼滩, 2只[ZJ];

贵州: 2月11日, 威宁草海, 3只[YL]; 4月9日, 1只[YL];

青海: 9月20日-24日, 青海湖, 2只-5只之间[PH et al.];

新疆: 7月22日, 额敏167团, 2只[GJun]; 12月4日, 乌鲁木齐柴窝堡湖-乌拉泊, 1只 [GJun]:

Liaoning: One at Shuangtaizihe NR, Panjin on 11 August [LZY].

Jilin: Between one & 13 at Xianghai NR 5-7 October; 11 at Melmeg NR, Zhenlai on 8 October [PH, WOY].

Nei Mongol: 14 at Tumuji on 4 October [PH].

Beijing: Recorded at several different sites during March-April and September to December. The latest record in spring was one at Baiwangshan on 24 April [HD] while the earliest record in autumn was one at Wild Duck Lake on 27 August [;ZLi]. 12 at Wild Duck Lake on 22 October was the year's maximum day count [ZLi].

Hebei: Singles were noted during both spring & autumn migration seasons;

Tianjin: Singles during the migration season & five at Beidagang on 22 December [PH &WOY]

Anhui: One at Qianhe, Qianshan on 5 May [QH].

Jiangxi: One at Wuyishan NR on 9 May [YCC]. One at Wu Hu, Wuhan on 2 October [TXD].

Hunan: Two at Dongdongting Hu on 3 December [TXD].

Shanghai: One at Dongtan, Chongming Dao on 8 January [ZWQ]. one at Tianmashan, Songjiang on 22 May [YZD].

Fujian: Two at Shanyutan, Changle on 10 December [ZJ].

Guizhou: Three at Caohai, Weining on 11 February [YL] & one there on 9 April [YL].

Oinghai: Between two & five at Koko Nur 20-24 September [PH et al.].

Xinjiang: Two at '167 Corps.', Emin on 22 July [GJun], one at Urumqi on 4 December [GJun],

### 0479# 草原鹞 Pallid Harrier Circus macrourus

新疆: 7月24日, 福海乌伦古湖, 1只[GJun];

Xinjiang: One at Wulungu Hu, Fuhai on 24 July [GJun].

### 0480# 鹊鹞 Pied Harrier Circus melanoleucos

辽宁: 8月11日,盘锦双台子河自然保护区,1只[LZY];

北京: 4月10日,延庆野鸭湖,2只[HP];8月27日,野鸭湖,1只[Zli];5月8日,昌平沙河水库,1只[ZYQ];

天津: 5月21日, 北大港水库, 1只[CJZ];

河北: 5月11日, 北戴河, 1只[CLiang]; 9月16日, 乐亭祥云林场, 1只[CLiang];

山东: 6月20日, 黄河三角洲自然保护区, 5只[CHY];

湖北: 10月2日, 武汉武湖, 1只[TXD]; 11月13日, 武汉潭湖, 2只[TYZ];

湖南: 5月2日,岳阳君山,1只[HXJ];

Liaoning: One at Shuangtaizihe NR, Panjin on 11 August [LZY].

Beijing: Two at Wild Duck Lake on 10 April [HP], one there on 27 August [ZLi] and one at Shahe Reservoir, Changping on 8 May [ZYQ].

Tianjin: One at Beidagang Reservoir on 21 May [CJZ].

Hebei: Singles at Beidaihe on 11 May [Cliang] and Xiangyun FF, Laoting on 16 September [CLiang].

Shandong: Five at Yellow River Delta NR on 20 June [CHY].

Hubei: One at Wu Hu, Wuhan on 2 October [TXD] and two at Tan Hu, Wuhan on 13 November [TYZ].

Hunan: One at Junshan, Yuyang on 2 May [HXJ].

### 0482# 凤头鹰 Crested Goshawk Accipiter trivirgatus

浙江: 3月5日, 杭州如意尖, 1只[QH]; 5月29日, 杭州植物园, 1只[YJ];

江西: 4月2日, 九连山, 1只[ZGF et al.]; 12月18日, 婺源, 1只[HZY];

广东: 12月16日, 珠海淇澳岛, 1只[HK];

陕西: 6月6日, 洋县附近, 1只[PH et al.], 可能是陕西省第一笔记录;

四川: 8月31日, 青川唐家河自然保护区, 2只[QPJ];

海南: 1月27日, 昌江霸王岭, 1只[LG];

云南: 3月27日,瑞丽铜壁关自然保护区,1只,3月28、30日,盈江附近,各1

只[MK], 4月24日,沧源班洪,1只[OB],11月24日,瑞丽莫里热带雨林区,1只[ZYong],

西藏: 5月15日-5月28日,林芝八一、察隅、墨脱均有单只记录,记录者为[DJT];7月23日,日喀则,1只[ZGF et al.];

Zhejiang: Singles at Ruyijian, Hangzhou on 5 March [QH] and Hangzhou on 29 May [YJ].

Jiangxi: Singles at Jiulianshan on 2 April [ZGF et al.] and Wuyuan on 18 December [HZY].

Guangdong: One at Qi'ao Dao, Zhuhai on 16 December [HK].

Shaanxi: One at Yangxian on 6 June [PH], the first record for the province.

Sichuan: Two at Tangjiahe NR on 31 August [QPJ].

Yunnan: Singles at Tongbiguan NR, Ruili on 27 March, Fushan Dong Pass, Yingjiang on 28 March and near Yingjiang Town on 30 March [MK], Banhong, Cangyuan on 24 April [OB] and Moli FP, Ruili on 24 November [ZYong].

Tibet: Singles at Bayi, Chayu, Motuo during 15- 28 May [DJT] and Rikaze on 23 July [ZGF et al.], the first records for Tibet.

Hainan: One at Bawangling NR on 27 January [LG].

## 0484# 赤腹鹰 Chinese Sparrowhawk Accipiter soloensis

北京: 10月7日, 百望山, 2只[HD];

河南: 5月3日, 罗山董寨保护区, 2只[HXJ];

陕西: 5月25日和6月10日,太白山森林公园脚下附近,都是1只,6月6日,洋县附近,1只[PH et al.];

江西: 7月3日, 婺源, 6只[LJ];

江苏: 5-8月在不同的地方有单只记录;

安徽: 4-8月各处有零星记录:

浙江: 5月1日,临安西天目山,1只[ZYing];7月2日,磐安大盘山自然保护区,4只[QH];

上海: 4-8月各处有零星记录;

湖北: 4月14日,广水中华山森林公园, 3只[LY]; 大悟仙居顶林场同月也有单只记录;

福建: 4月24日, 厦门万石植物园, 2只[HZY];

Beijing: Two at Baiwangshan on 2 October [HD].

Henan: Two at Dongzhai NR on 3 May [HXJ].

Shaanxi: Singles near the foot of Taibaishan FP on both 25 May & 10 June; one near Yangxian on 6 June [PH et al.].

Jiangxi: Six at Wuyuan on 3 July [LJ].

Jiangsu: Singles recorded at various sites in May to August.

Zhejiang: One at Xitianmu Shan, Lin'an on 1 May [ZYing] and four at Dapanshan NR, Pan'an on 2 July [QH].

Shanghai: Singles noted in April to August.

Hubei: Three at Zhonghuashan FP, Guangshui on 14 April [LY] and one at Xianjuding FF, Dawu in April.

Anhui: Singles noted at various localities in April to August.

Fujian: Two at Wanshi BG on 24 April [HZY].

## 0485# 日本松雀鷹 Japanese Sparrowhawk Accipiter gularis

黑龙江: 5月8日, 伊春带岭东山, 1只[LJY];

北京:百望山,9月17日,3只[WJ];9月18日,1只,10月2、3、13、15日,各一只[WJ&HD],昌平沙河水库,10月5日,16日,各一只[WJ];

河北: 5月8日, 乐亭快乐岛, 30只[BB et al.];

山东: 10月2日, 长岛大黑山岛, 30只[LHY];

江苏: 11月13日,南京秦淮河-瀛洲湾,1只[LM];

广西: 9月15日, 弄岗保护区, 1只[LZY]; 10月8日, 桂林猫儿山, 3只[JAW]; 12月12日, 合浦山口红树林保护区, 1只[JAW];

Heilongjiang: One at Dongshan, Dailing, Yichun on 8 May [LJY].

Beijing: Baiwangshan,three on 17 September [WJ] and singles on 18 September, 2,3,13,15

October respectively[WJ & HD]. Shahe Reservoir, singles on 5 and 16 October[WJ].

Hebei: 30 at Happy Island, Laoting on 8 May [BB et al.].

Shandong: 30 at Daheishan Dao, Changdao on 2 October [LHY].

Jiangsu: One at Nanjing on 13 November [LM].

Guangxi: One at Nonggang NR on 15 September [LZY], three at Mao'er Shan, Guilin on 8 October [JAW] and one at Shankou Mangrove NR, Hepu on 12 December [JAW].

### 0486# 松雀鹰 Besra Accipiter virgatus

浙江: 10月1日, 杭州蒋村西溪, 1只[ZhuY];

江西: 11月1日, 九连山自然保护区, 1只[RWL];

海南: 7月5日, 三亚, 1只[YZD]; 11月9日, 昌江霸王岭, 2只[WJY];

广西: 3月13日,柳州沙塘君武森林公园,1只[YDH];

贵州: 6月11日, 贵阳三江农场, 2只[YL];

四川: 6月25日, 平武王朗自然保护区, 1只[LS];

青海:7月19日, 湟中塔尔寺至贵德, 1只[ZJ];

云南: 12月1、4日,高黎贡山百花岭,各1只[BA];12月8日,勐腊中科院热带植物园,1只[SXL].

西藏: 7月2日, 日喀则地区, 2只[ZGF et al.], 12月21日, 日喀则地区, 3只[ZGF et al.], 西藏第一笔记录;

Zhejiang: One at Jiangcun, Hangzhou on 1 October [ZhuY].

Jiangxi: One at Jiulianshan NR on 1 November [RWL].

Hainan: One at Sanya on 5 July [YZD] and two at Bawangling NR on 9 November [WJY].

Guangxi: One at Junwu FP, Liuzhou on 13 March [YDH].

Guizhou: Two at Sanjiang farm on 11 June [YL].

Sichuan: One at Wanglang NR on 25 June [LS].

Qinghai: One between Ta'er Si and Guide on 19 July [ZJ].

Yunnan: Singles at Baihualing, Gaoligongshan on 1 and 4 December [BA] and at CAS Tropic BG, Mengla on 8 December [SXL].

Tibet: Two at Rikaze on 2 July [ZGF et al.] and three there on 21 December [ZGF et al.], the first records for Tibet.

## 0487# 雀鷹 Eurasian Sparrowhawk Accipiter nisus

北京: 有多笔越冬记录;春季最晚记录:6月27日,东灵山地区,1只[WJ];秋季最早记录:8月27日,野鸭湖,1只[Zli];

四川: 7月23日,崇州鞍子河自然保护区,1只[SY];

青海: 7月20日, 贵德至玛沁沿线, 1只[ZYong]; 7月22日, 玛可河林场, 1只[WQ];

此外、黑龙江、辽宁、天津、河北、河南、山东、江苏、上海、湖北、山西、四川、

贵州、云南、新疆均有广泛的越冬过境记录,其中数量最大的记录:10月2日,山东长岛大黑山岛,100只[LHY];

Beijing: Noted in winter and on passage, the latest in spring being one at Donglingshan on 27 June [WJ] and the earliest in autumn one at Wild Duck Lake on 27 August [ZLi].

Sichuan: One at Anzihe NR, Chongzhou on 23 July [SY].

Qinghai: Singles between Guide and Maqin on 20 July [ZYong] and at Makehe FF on 22 July [WO].

Also received records from Heilongjiang, Liaoning, Tianjin, Hebei, Henan, Shandong, Jiangsu, Shanghai, Hubei, Shanxi, Sichuan, Guizhou, Yunnan, Xinjiang in migrant season and winter, among them the biggest count was 100 at Daheishan Dao, Changdao on 2 October [LHY].

## 0488# 苍鹰 Northern Goshawk Accipiter gentilis

辽宁: 12月29日, 宽甸白石砬子保护区, 1只[BQQ];

北京: 1月3日-4月16日,9月17-11月20日均有记录,其中数量最大的是11月20日, 拒马河,20只[ZLin];

河北: 10月3日, 乐亭京唐港, 1只[Zli];

山东: 10月2日, 长岛大黑山岛, 5只[LHY];

江苏: 12月3日, 江宁南山湖, 2只[ZYu]; 1月29日, 南京紫金山, 1只[ZYu];

上海: 11月24日, 奉贤奉新, 1只[YZD];

四川: 4月17日,平武王朗自然保护区,2只[LS],5月3日,理县米亚罗,1只[YHY],5月3日,郎木寺,2只[ZMH];

青海: 7月23日, 班玛玛可河林场, 1只[WQ]; 9月25日, 互助北山, 2只[PH];

西藏: 12月21日, 日喀则地区, 2只[ZGF et al.];

新疆: 12月4日, 乌鲁木齐板房沟(南山), 1只[GJun];

云南: 1月29日,个旧乌谷哨-牛灞荒,1只[WC];

Liaoning: One at Bashilazi NR, Kuandian on 29 December [BQQ].

Beijing: Noted between 3 January and 16 April and from 17 September to 20 November, the peak count being 20 at Jumahe on 20 November [Zlin].

Hebei: One at Jingtanggang, Laotiing on 3 Ocotber [ZLi].

Shandong: Five at Daheishan Dao, Changdao on 2 October [LHY].

Jiangsu: One at Zijinshan, Nanjing on 29 January [ZYu] and two at Nanshanhu, Jiangning on 3 December [ZYu].

Shanghai: One at Fengxin, Fengxian on 24 November [YZD].

Sichuan: Two at Wanglang NR on 17 April [LS], one at Miyaluo, Lixian on 3 May [YHY] and two at Langmu Si on 3 May [ZMH].

Qinghai: One at Makehe FF on 23 July [WQ] and two at Huzhubeishan, on 25 September [PH].

Tibet: Two at Rikaze on 21 December [ZGF et al.].

Xinjiang: One at Urumqi on 4 December [GJun].

Yunnan: One at Wugushao-niubahuang, Gejiu on 29 January [WC].

## 0491# 灰脸鵟鹰 Grey-faced Buzzard Butastur indicus

北京: 5月1日, 怀柔白河, 6只[BB et al.], 5月22日, 怀柔怀沙河, 1只[LHT], 9月3日, 延庆野鸭湖, 1只[Zli]; 10月2日, 百望山, 150只[HD];

河北: 5月16日, 山海关角山, 飞过3只[PH et al.]; 5月31日, 6月4日, 兴隆雾灵山保护区, 各1只[LHY];

陕西: 6月6日和7日, 汉中洋县附近, 都是1只[PH et al.];

山东: 10月2日, 长岛大黑山岛, 1只[LHY].

河南: 4月12日, 信阳鸡公山, 7只[LY]; 5月28日, 罗山董寨保护区, 2只[WRQ];

四川: 6月20日, 峨眉山脚下附近, 1只[PH et al.];

浙江: 4月22日, 嵊泗县大洋山岛, 25只[BP];

湖北:4月14日,广水中华山森林公园,21只[LY];4月17日,大悟仙居顶林场,3只[LY];

Beijing: Six near Bai He, Huairou on 1 May [BB et al.]. One at Huaishahe, Huairou on 22 May [LHT]. One at Wild Duck Lake on 3 September [ZLi]. A very impressive 150 at Baiwangshan on 2 October [HD].

Hebei: Three over Jiao Shan, Shanhaiguan on 16 May [PH et al.]. Singles at Wulingshan on 31 May [PH et al.] & 4 June [LHY].

Shaanxi: Singles near Yangxian Hanzhong on 6th & 7 June respectively [PH et al.].

Shandong: One at Daheishan Dao, Changdao on 2 October [LHY].

Henan: Seven at Jigong Shan, Xinyang on 12 April [LY]. Two at Dongzhai NR on 28 May [WRQ].

Sichuan: One near the base of Emei Shan on 20 June [PH et al.].

Zhejiang: 25 at Dayangshan Dao, Chengsi on 22 April [BP].

Hubei: 21 at Zhonghuashan FP on 14 April with three at Xianjuding FF, Dawu on 17 April [LY].

## 0492# 普通鵟 Common Buzzard Buteo buteo

北京: 1月-5月,9月-12月有多笔越冬过境记录,数量最大记录: 10月2日,百望山,50只[HD]:

山东: 10月2日, 长岛大黑山岛, 100只[LHY];

青海: 7月24日, 玛可河林场, 2只[WQ]; 9月27日, 互助北山, 1只[PH et al.];

四川:8月13日,马尔康若尔盖,8只[WJY],同样有鸟报告来自卧龙自然保护区,米亚罗鹧鸪山垭口附近和若尔盖与九寨沟之间。

新疆: 10月15日, 卡拉麦里保护区, 15只[GJun];

此外,各地有广泛越冬过境记录;

Beijing: Several records during the two winter periods: January-May & September-December. The maximum count was 50 at Baiwangshan on 2 October [HD].

Shandong: 100 at Daheishan Dao, Changdao on 2 October [LHY]

Qinghai: One at Makehe FF on 24 July [WQ]. one at Huzhu Beishan on 27 September [PH et al.].

Sichuan: The highest count was of eight at Ruoergai on 13 August [WJY]. Birds were also reported from Wolong NP, the Zhegushan Pass near Miyaluo & between Ruoergai & Jiuzhaigou;

Xinjiang: 15 at Kalamaili NR on 15 October [GJun].

Besides the above records the species is common in different parts of the country in winter and during the migrant seasons.

## 0493# 棕尾鵟 Long-legged Buzzard Buteo rufinus

新疆: 3月28日, 卡拉麦里保护区, 5只[MM], 7月22日, 额敏167团, 2只[GJun], 8月9日, 阿图什托卡额依水库, 2只, 8月10日, 小海子水库, 1只, 8月11日, 多朗水库, 1只, 8月12日, 阿克苏东南, 3只, 8月15日和16日, 库尔勒附近, 都是1只, 8月17日, 库尔勒北部, 9只, 8月19日, 库尔勒以南, 10只, 8月21日, 盆地, 1只[PH & WQY], 8月29日, 博乐赛里木湖, 5只[HXJ], 12月4日, 乌鲁木齐板房沟(南山), 3只[GJun],

Xinjiang: Five at Kalamail NR on 28 March [MM]. two at 167 Corps, Emin on 22 July [GJun]. two at Tuokaeyi Reservoir, Artux on 9 August; one at Xiaohaizi Reservoir on 10 August; one at Duolang Reservoir on 11 August; three southeast of Aksu on 12 August; singles near Korla on both 15th & 16 August; nine north of Korla on 17 August & 10 south of Korla on 19 August; one in the Pendi Depression on 21 August [PH& WQY]; five at Sailimu Hu, Bole on 29 August [HXJ]; three Urumqi on 4 December [GJun].

## 0494# 大鵟 Upland Buzzard Buteo hemilasius

内蒙古: 10月4日, 图牧吉, 4只[PH&WQY];

吉林: 6月2日和10月6日, 通榆向海自然保护区, 分别是1只和2只[PH et al.];

辽宁: 12月29日, 丹东沿鸭绿江的景观路, 1只[BQQ];

河北: 2月12日, 唐山古冶, 1只[ZY];

北京: 1月-5月, 10月-12月有多笔越冬过境记录,

天津: 3月26日, 武清大黄堡自然保护区, 1只[YY]; 12月22日, 大港, 2只[PH&WQY]; 12月23日, 北大港水库, 2只[LY];

河南: 1月2日, 孟津扣马镇黄河附近, 2只[CM];

青海: 6月-8月有多笔记录,其中数量最大的是: 7月30日,玛多国道214沿线,60只 [CLiang];

四川: 有多笔记录, 其中数量最大的是: 12月6日, 若尔盖热尔大坝, 30只[SY];

西藏: 12月21日, 日喀则地区, 13只[ZGF et al.];

云南: 1月29日, 个旧乌谷哨-牛灞荒, 1只[WC]; 12月9日, 高黎贡山白花岭, 1只[LLW];

Liaoning: One at Jingguanlu, Dandong on 29 December [BQQ].

Jilin: One & two at Xianghai NR, Tongyu on 2 June & 6 October [PH et al.] respectively; Nei Mongol: Four at Tumuji on 4 October [PH, WQY].

Beijing: Several records during the winter periods - January-May, September-December;

Hebei: One at Guye, Tangshan on 12 February [ZY].

Tianjin: One at Dahuangbao NR on 26 March [YY]; two in Dagang on 22 December [PH & WQY], two at Beidagang NR on 23 December [LY].

Henan: Two at Kouma, Mengjin on 2 January [CM].

Qinghai: Several records during June and August. The maximum count was 60 along route G214 near Maduo on 30 July [CLiang].

Sichuan: Several records were received, the highest count was 30 at Ruoergai on 6 December [SY].

Tibet: 13 near Rikaze on 21 December[ZGF et al.].

Yunnan: One at Gejiu on 29 January [WC]; one at Baihualing, Gaoligongshan on 9 December [LLW].

### 0495# 毛脚鵟 Rough-legged Buzzard Buteo lagopus

内蒙古: 10月4日, 图牧吉, 1只[PH];

辽宁: 12月31日, 大连植物园, 1只[LY];

北京: 1月3日, 昌平十三陵水库, 1只[ZY]; 11月6日, 延庆野鸭湖, 1只[BA];

河北: 2月11日, 唐山古冶, 1只[ZY];

天津: 12月23日, 北大港水库, 2只[LY];

新疆: 4月16日, 五家渠青格达湖, 1只[GJun]; 10月15日, 青河桦林公园, 1只 [GJun]; 11月27日, 乌鲁木齐南山, 2只[GJun];

Nei Mongol: One at Tumuji on 4 October [PH].

Liaoning: One at Dalian BG on 31 December [LY].

Beijing: Singles at Shisanling Reservoir, Changping on 3 January [ZY] and Wild Duck Lake, Yanqing on 6 November [BA].

Hebei: One at Guye, Tangshan on 11 February [ZY].

Tianjin: Two at Beidagang NR on 23 December [LY]

Xinjiang: Singles at Qinggeda Hu on 16 April [GJun] and Qinghe on 15 October [GJun] and two at Urumqi on 27 November [GJun].

## 0496# 林雕 Black Eagle Ictinaetus Malayensis

江西: 4月8-10日, 铅山武夷山自然保护区, 2只[BA];

福建: 12月6日, 武夷山保护区, 2只[ZJ]; 12月16日, 厦门坑内水库, 1只[ZYQ];

海南: 11月10日, 昌江霸王岭自然保护区, 2只[LY];

云南: 7月27日, 个旧贾沙丫沙底, 1只[WC]; 12月1日, 高黎贡山百花岭, 6只[BA et al.];

西藏: 5月15日, 林芝察隅, 1只[DJT]; 5月28日, 墨脱, 1只[ZGF et al.]; 12月21日, 日喀则地区, 1只[ZGF et al.], 为西藏新记录;

Jiangxi: Two at Wuyishan NR, Yanshan during 8-10 April [BA].

Fujian: Two at Wuyishan NR on 6 December [ZJ] and one at Kengnei Reservoir, Xiamen on 16 December [ZYQ].

Hainan: Two at Bawangling NR on 10 November [LY].

Yunnan: One at Gejiu on 27 July [WC] and six at Baihualing, Gaoligongshan on 1 December [BA et al.].

Tibet: Singles at Chayu, Linzhi on 15 May [DJT], Motuo on 28 May [ZGF et al.] and Rikaze on 21 December [ZGF et al.], the first records for Tibet.

## 0497# 乌雕 Greater Spotted Eagle Aquila clanga VU

吉林: 10月8日, 镇赉莫莫格保护区, 1只[PH];

北京: 5月4日, 百望山, 3只[HD];

广东: 1月1日,海丰公平大湖自然保护区,1只[YHY];

贵州: 1月23日, 威宁草海, 1只 fulvescens [PH];

新疆: 10月15日, 青河桦林公园, 1只[GJun];

云南: 3月26日,瑞丽莫里森林公园,1只[MK];

Jilin: One at Momoge NR, Zhenlai on 8 October [PH].

Beijing: Three at Baiwangshan on 4 May [HD].

Guangdong: One at Gongping Dahu, Haifeng on 1 January [YHY].

Guizhou: One 'fulvescens' at Caohai, Weining on 23 January [PH].

Xinjiang: One at Oinghe on 15 October [GJun].

Yunnan: One at Moli FP, Ruili on 26 March [MK].

## 0498# 草原雕 Steppe Eagle Aquila nipalensis

北京: 10月22日, 延庆野鸭湖, 1只[LHT];

新疆: 3月28日,卡拉麦里保护区,1只[MM];7月6日,鄯善经吐鲁番至库尔勒,2只[MKW et al.];8月31日,和静巴音布鲁京,2只[HXJ];

西藏: 12月21日, 日喀则地区, 1只[ZGF et al.], 可能是西藏的第一笔记录;

Beijing: One at Wild Duck Lake on 22 October [LHT].

Xinjiang: One at Kalamaili on 28 March [MM], two between Shanshan and Korla via Turpan on 6 July [MKW et al.] and two at Bayinbuluk, Hejing on 31 August [HXJ].

Tibet: One at Rikaze on 21 December [ZGF et al.], possibly the first record for Tibet.

### 0499# 白肩雕 Imperial Eagle Aquila heliaca VU I

江苏: 2月11日, 六合金牛湖, 1只[ZYu];

贵州: 2月11日, 威宁草海, 2只[YL];

Jiangsu: One at Jinniu Hu, Liuhe on 11 February [ZYu].

Guizhou: Two at Caohai, Weining on 11 February [YL].

### 0500# 金雕 Golden Eagle Aquila chrysaetos I

北京: 1月15日,北京大学,2只[LS];5月4日,百望山,2只[HD];6月18日延庆,松山保护区,4[LiX](为繁殖记录,四只为一雌一雄两亚成);9月13日,密云以北,3只(2只亚成,1只成鸟)[PH&WQY];

陕西: 1月19日, 佛坪三官庙, 1只[LY];

四川: 2月16日, 理县孟屯, 3只[SY]; 6月28日, 卧龙巴朗山垭口, 2只[PH et al.]; 7月7日, 王朗自然保护区, 1只[LS];

新疆: 3月24日, 昌吉五家渠青格达湖, 1只[GJun]; 8月16日, 库尔勒以北, 巴仑台和 落托之间, 2只[PH & WQY]; 10月22日, 乌鲁木齐 板房沟(南山), 3只[GJun];

青海: 8月10日, 斑玛\久治, 3只[ZGF et al.]; 9月22日, 黑马河附近, 1只[PH et al.]; 西藏: 5月10日, 扎囊桑耶镇青朴修行地, 1只[DJT]; 12月21日, 日喀则 地区, 6只 [ZGF et al.];

Beijing: Two at Beijing University on 15 January [LS]. Two at Baiwangshan on 4 May [HD]. Four, a pair and two juveniles, at Songshan NR, Yanqing on 18 June - a local breeding record [LiX]. Three (two juveniles & an adult) north of Miyun on 13 September [PH & WOY].

Shaanxi: One at Sanguanmiao, Foping on 19 January [LY].

Sichuan: Three at Mengtun, Lixian on 16 February [SY]. Two on the Balangshan Pass, Wolong on 28 June [PH et al.]. One at Wanglang NR on 7 July [LS].

Xinjiang: One at Qinggeda Hu on 24 March [GJun]. Two between Baluntai & the Luotuo Pass north of Korla on 16 August [PH & WQY]. Three at Urumqi on 22 December [GJun].

Qinghai: Three between Banma and Jiuzhi on 10 August [ZGF et al.]. One near Heimahe on 22 September [PH et al.].

Tibet: One at Zhanang on 10 May [DJT]. Six at Rikaze on 21 December [ZGF et al.].

### 0501# 白腹隼雕 Bonelli's Eagle Hieraaetus fasciata

湖北: 4月17日, 大悟仙居顶林场, 2只[LY];

广东: 1月1日,海丰公平大湖自然保护区,1只[YHY],2月9日,广州石门国家森林公园,1只[DJT].

西藏: 5月13日, 林芝八一, 1只[DJT], 西藏第一笔记录;

云南: 3月21日, 高黎贡山百花岭, 1只[MK], 11月5日, 高黎贡山百花岭山脚, 1只 [JH], 云南省较罕见的记录.

Hubei: Two at Xianjuding FF, Dawu on 17 April [LY].

Guangdong: Singles at Gongping Dahu, Haifeng on 1 January [YHY] and Shimen FP on 9 February [DJT].

Tibet: One at Bayi, Linzhi on 13 May [DJT], the first for Tibet.

Yunnan: One close to Baihualing, Gaoligongshan on 21 March [MK] and an immature in the Gaoligongshan foothills on 5 November [JH], rare records from this province.

## 0502# 靴隼雕 Booted Eagle Hieraaetus pennata

河北: 10月4日, 乐亭祥云岛林场, 1只[LHT];

新疆: 7月15日, 塔什库尔干至喀什, 1只[MKW et al.]; 8月18日, 库尔勒, 1成2幼[PH];

青海: 9月19日, 西宁北山, 1只[PH];

云南: 3月26-27日, 瑞丽铜壁关自然保护区, 各1只[MK];

Hebei: One at Xiangyundao FF on 4 October[LHT].

Xinjiang: One between Taxkorpan and Kashi on 15 July [MKW et al.] and three including two juveniles at Korla on 18 August [PH].

Qinghai: One flying over Beishan, Xining on 19 Setemper [PH].

Yunnan: Singles at Jiele Reservoir and Tongbiguan NR, Ruili on 26 and 27 March, respectively [MK].

### 0503# 棕腹隼雕 Rufous-bellied Hawk Eagle Hieragetus kienerii

云南: 3月25日, 瑞丽南京里1只[MK]; 10月29日, 瑞丽附近, 1只[JH];

Yunnan: Single adults at Nanjingli, Ruili on 25 March [MK] and near Ruili on 29 October [JH].

## 0504# 鷹雕 Mountain Hawk Eagle Spizaetus nipalensis

山东: 10月4日, 长岛大黑山岛, 2只[SXN];

陕西: 5月3日, 洋县长青自然保护区, 1只[RJ], 6月7日, 太白山森林公园, 2只[PH], 秦岭地区罕见留鸟;

四川: 6月26日, 卧龙附近[PH];

广东: 5月6-7日, 乳源南岭国家森林公园, 1对[BA];

海南: 11月10日, 昌江霸王岭自然保护区, 1只[LY];

云南: 3月26日,瑞丽莫里雨林公园,2只[MK],10月11日,剑川石宝山,1只[JHo & JW]:

Shandong: Two at Daheishandao, Changdao on 4 October[SXN].

Shaanxi: One at Changqing NR, Yangxian on 3 May [RJ] and two at Taibaishan FP on 7 June [PH].

Sichuan: One near Wolong on 26 June [PH].

Guangdong: A pair at Nanling FP, Ruyuan on 6-7 May [BA].

Hainan: One at Bawangling NR on 10 November [LY].

Yunnan: Two at Moli Tropical FP on 26 March [MK] and one at Shibaoshan, Jianchuan on 11 Octomber [JHo & JW].

### 鹳形目 > 隼科

0506# 白腿小隼 Pied Falconet Microhierax melanoleucos

江西: 2月22日, 婺源全县 5只[CLiang]; 5月5日, 婺源赋春镇, 2只[HXJ]; 7月3日, 3只[LJ]; 12月17日, 7只[HZY];

Jiangxi: Five at Quanxian, Wuyuan on 22 February [CLiang], two at Fuchunzhen, Wuyuan on 5 May [HXJ], three there on 3 July and seven there on 17 December [HZY].

### 0507# 黄爪隼 Lesser Kestrel Falco naumanni VU

新疆: 7月4日, 青河至奇台, 20只, 7月5日, 奇台至鄯善, 20只[MKW et al.]; 8月9日, 喀什阿图什, 1只[PH]; 8月31日, 和静巴音布鲁克, 30只[HXJ];

Xinjiang: 20 between Qinghe and Qitai on 4 July and 20 between Qitai and Shanshan on 5 July [MKW et al.], one at Artux, Kashi on 9 August [PH] and 30 at Bayinbuluk, Hejing on 31 August [HXJ].

# 0508# 红隼 Common Kestrel Falco tinnunculus

无重要记录

No significants records.

0509# 西红脚隼 Red-footed Falcon Falco vespertinus

青海: 9月23日, 茶卡附近, 2只当年鸟[PH], 青藏高原第一笔记录.

Qinghai: Two juveniles at Chaka on 23 September [PH], the first record for Qinghai/Tibet.

## 0510# 红脚隼 (阿穆尔隼) Amur Falcon Falco amurensis

内蒙古: 6月2日, 图牧吉, 50只[PH];

辽宁: 8月10日, 沈阳棋盘山森林公园, 2只[LZY]; 10月16日, 丹东鸭绿江湿地保护区, 5只[BOO];

吉林: 7月15日,吉林北山公园,1只[LiXD]. 10月5-7日,通榆向海自然保护区数群,一 天最大数量320只[PH];

河北: 5月8日,北戴河, 30只[PH et al.],这是春季迁徙在海滨的最高记录;5月30日和31日,兴隆附近,分别是10只和20只;[PH et al.];6月4日,兴隆雾灵山保护区,1只[LHY];9月28日-10月1日,北戴河,在4只和6只之间[PH et al.];10月3日,乐亭京唐港,1只[Zli];

北京: 5月14日,延庆玉渡山,4只[WZ];5月21日,圆明园,1只[WRQ];5月22日,怀柔怀沙河,40只[LHT],可能是该地最高记录;8月7日,怀柔县城附近,4只[SXN];8月27日,顺义汉石桥水库,1只[LHY];9月17日,怀柔水库,4只[LY];9月30日,延庆野鸭湖,5只[LJY];10月2日,百望山,3只[HD],

天津: 5月21日, 北大港水库, 1只[CJZ]; 9月17日, 汉洁沿海, 1只[LHY];

河南: 5月3日, 罗山董寨保护区, 2只[HXJ]; 7月22日, 陕县菜园乡, 2只[DQ]; 9月23日, 洛阳周山森林公园, 2只[DQ];

山东: 7月15日,济南锦绣川水库,1只[ZLin]; 10月2日,长岛大黑山岛,200只[LHY];

浙江: 5月2日, 泰顺乌岩岭, 1只[LiX];

福建: 10月16日, 福州市区, 1只[FJBWS];

宁夏: 10月2日, 青铜峡鸟岛, 50只[LiX];

四川: 7月3日, 若尔盖附近, 1只[PH et al.], 2004年夏天, 1只在同样地点被记录.

西藏: 5月28日, 林芝墨脱, 2只[ZGF et al.], 可能是西藏第一笔记录;

云南: 1月27日,河口边防站红河沿岸,7只[WC],为中国冬季罕见记录;

Nei Mongol: 50 at Tumuji on 2 June [PH].

Liaoning: Two at Qipanshan FP, Shenyang on 10 August [LZY] and five at Yalujiang Wetland NR, Dandong on 16 October [BQQ].

Jilin: One at Beishan park, Jilin on 15 July [LiXD] and day-counts of up to 320 at Xianghai NR, Tongyu during 5-7 October [PH].

Hebei: 30 at Beidaihe on 8 May [PH et al.] was the highest spring count of coastal migrants; 10 & 20 near Xinglong on 30th & 31 May respectively [PH et al.]. One at Wulingshan on 4 June [LHY]. between four & six birds at Beidaihe 28 September – 1 October [PH et al.]. One at Jingtanggang, Laoting on 3 October [ZLi].

Beijing: Four at Yudushan, Yanqing on 14 May[WZ], singles at Old Summer Palace on 21 May[WRQ]; day-counts of up to 40 at Huaishahe, Huairou on 22 May[LHT], probably the largest count in this area. Four also noted at town of Huairou County on 7 August[SXN] and singles at Hanshiqiao Reservior, Shunyi on 27 August[LHT]; Migration count of four also noted at Huairou Reservoir on 17 September[LY], five at Wild Duck Lake, Yanqing on 30 September and three at Baiwangshan on 2 October[HD].

Tianjin: Singles at Beidagang NR on 21 May [CJZ] and the coast of Hangu on 17 September [LHY].

Henan: two at Dongzhai NR on 3 May [HXJ], two at Caiyuanxiang, Shaanxian on 22 July [DQ] and two again at Zhoushan FP, Luoyang on 23 September [DQ].

Shandong: One at Jinxiuchuan Reservoir, Ji'nan on 15 July [ZLin] and 200 at Daheishan Dao, Changdao on 2 October [LHY].

Zhejiang: One at Wuyanling, Taishun on 2 May [LiX].

Fujian: One at Fuzhou on 16 October [FJBWS].

Ningxia: 50 at Qingtongxia on 2 October [LiX].

Sichuan: One near Ruoergai on 3 July [PH et al.] – a single was also noted at this same site in summer 2004;

Tibet: Two at Motuo, Linzhi on 28 May [ZGF et al.], probably the first record for Tibet.

Yunnan: Seven at the frontier defence station, Hekou on 27 January [WC], a very rare winter record from China.

### 0511# 灰背隼 Merlin Falco columbarius

北京:延庆野鸭湖,3月19日,1只[LS],10月22日,11月6日,各2只[ZLi];百望山,3月25日,1只,9月14日,10月7日,各2只[HD];10月16日,密云白河峡谷,1只[ZJ],12月3日,房山拒马河,1只[ZLi],12月17日,怀柔水库,1只[LX];

天津: 4月9日, 上古林至汉沽沿海, 1只[LHY]; 12月23日, 大港, 1只[PH & WQY];

上海: 10月2日, 崇明东滩, 1只[QH];

四川: 12月5日, 马尔康若尔盖阿西茸乡, 1只[SY];

青海: 9月23日, 茶卡, 2只幼鸟[PH et al.];

新疆: 3月5日, 昌吉五家渠103团, 1只[GJun]; 10月15日, 青河桦林公园, 1只[GJun];

吉林和内蒙古也有记录.

Beijing: Wild Duck Lake, Yanqing, singles at on 19 March[LS], two on 22 Ocotber and on 6 November[ZLi]; Baiwangshan, singles on 25 March and two on 14 September and 7 Ocotber respectively [HD]; singles at Baihe Valley, Miyun on 16 October [ZJ], one was also noted at Jumahe, Fangshan on 3 December [LHY] and Huairou Reservoir on 17 December [LX].

Tianjin: One on the Hangu coast on 9 April [LHY]. One at Dagang on 23 December [PH & WQY].

Shanghai: One at Dongtan, Chongming Dao on 2 October [QH].

Sichuan: One at Ruoergai on 5 December [SY].

Qinghai: Two juveniles at Chaka on 23 September [PH et al.].

Xinjiang: One at '103 Corps.', Changji on 5 March [GJun]. One at Qinghe on 15 October [GJun].

Also reported from Jilin & Nei Mongol.

## 0512# 燕隼 Eurasian Hobby Falco subbuteo

辽宁: 7月19日,抚顺清原县红透山镇,1只[ZY];8月10日,沈阳棋盘山森林公园,2只[LZY];

北京: 5月-6月、8月-10月有多笔记录,其中数量较大的记录是: 6月18日,松山保护区,6只[LiX],另外繁殖记录,7月2日,白草畔,2只[LiX],过境记录中,9月2日,昌平虎峪,2只[WJ],9月25日,野鸭湖,2只[ZLi],10月2日,百望山,2只[HD],10月5日,沙河水库,2只[WJ],

河北: 5月8日和9日,北戴河,分别是11只和20只[PH et al.]; 5月20日,乐亭快乐岛,5 只[BB et al.]; 9月16日,乐亭祥云林场,1只[CLiang]; 9月28日和10月1日,北戴河有1 只和4只之间[PH et al.];

山东: 10月2日, 长岛大黑山岛, 1只[LHY];

山西: 9月10日,太原汾河区段,1只[DQ];

河南: 8月7日, 洛宁陈吴村, 1只[DQ];

湖北: 10月16日, 武汉植物园, 1只[TXD];

四川: 6月18日, 康定丹巴, 1只[CLiang];

贵州: 6月11日,贵阳三江农场,1只[YL];

宁夏: 10月2日, 青铜峡鸟岛, 2只[LiX];

青海: 7月18日, 大通东峡林场, 1只[ZJ];

新疆: 3月6日, 乌鲁木齐柴窝堡湖-乌拉泊, 1只[GJun], 7月24日, 阿勒泰北屯额尔齐斯河谷, 1只[GJun];

Liaoning: One at Qingyuan, Fushun on 19 July [ZY]. Two at Qipanshan FP, Shenyang on 10 August [LZY].

Beijing: Several records during May-June and August-October. Six at Songshan on 18 June [LiX] was the maximum count. Two at Baicaopan on 2 July was a breeding record [LiX]. Records during the migration seasons were: two at Huyu, Changping on 2 September [WJ], two at Wild Duck Lake on 25 September[ZLi], two flew over Baiwangshan on 2 October and two at Shahe Reservoir on 5 October[WJ].

Hebei: 11 & 20 at Beidaihe on the 8th & 9 May respectively [PH et al.]. Five on Happy Island, Laoting on 20 May [BB et al.]. One at Xiangyun FF, Laoting on 16 September [CLiang]. between one & four at Beidaihe 28 September – 1 October [PH et al.].

Shandong: One at Daheishan Dao, Changdao on 2 October [LHY].

Shanxi: One at Fenhe, Taiyuan on 10 September [DO]

Henan: One at Chenwucun, Luoning on 7 August [DQ].

Hubei: One at Wuhan BG on 16 October [TXD].

Sichuan: One at Danba, Kangding on 18 June [Cliang].

Guizhou: One at Sanjiang farm, Guiyang on 11 June [YL].

Ningxia: Two at Qingtongxia on 2 October [LiX].

Qinghai: One at Dongxia FF, Datong on 18 July [ZJ].

Xinjiang: One at Urumqi on 6 March [GJun]. One at Altay on 24 July [GJun].

0513# 猛隼 Oriental Hobby Falco severus

云南: 7月25日, 个旧绿水河, 1只[WC];

Yunnan: One at Lushui He, Gejiu on 25 July [WC].

### 0514# 猎隼 Saker Falcon Falco cherrug EN

吉林: 10月6日和7日, 通榆向海自然保护区, 每日都有1只[PH & WQY];

河北: 5月6日, 秦皇岛北戴河, 1只[PH et al.];

北京: 9月3日, 野鸭湖, 1只[Zli]; 10月30日, 野鸭湖, 1只[BA]; 11月26日, 密云水库, 1只[LY];

新疆: 3月28日, 卡拉麦里保护区, 2只[MM]; 7月4日, 青河至奇台, 2只 [MKW et al.]; 8月16日, 库尔勒以北, 骆驼圈山顶, 1只[PH & WOY];

青海: 6月-9月有多笔记录, 其中数量最多的是: 7月26日, 班玛到温泉沿线, 5只 [ZYong];

四川: 5月24日, 巴朗山, 1只[DK]; 12月6日, 若尔盖热尔大坝, 3只[SY];

西藏: 5月20日, 林芝地区, 1只[DJT]; 12月21日, 日喀则地区, 3只[ZGF et al.];

Jilin: Singles at Xianghai NR, Tongyu on both 6th & 7 October [PH & WQY].

Hebei: One at Beidaihe, Qinhuangdao on 6 May [PH et al.].

Beijing: Singles at Wild Duck Lake on 3 September [ZLi] & 30 October [BA]. One at Miyun Reservoir on 26 November [LY].

Xinjiang: Two at Kalamaili NR on 28 March [MM]. Two between Qinghe and Qitai on 4 July [MKW et al.]. One at the summit of the Luotuo Juan Pass north of Korla on 16 August [PH & WQY].

Qinghai: Several records during June-September with five between Banma and Wenquan on 26 July [ZYong] being the largest;

Sichuan: One at Balangshan, Wolong on 24 May [DK]. Three at Ruoergai on 6 December [SY]. Tibet: One at Linzhi on 20 May [DJT]. Three at Rikaze on 21 December [ZGF et al.].

## 0516# 游隼 Peregrine Falcon Falco peregrinus

北至辽宁, 华东地区全年有零散记录

广西: 12月11日, 合浦山口红树林保护区, 1只[JAW];

四川: 11月6日,广汉鸭子河, 1只[WQian];

贵州: 4月9日, 威宁草海, 1只[YL]; 10月29日, 金华湖, 2只[YL]; 12月10日, 贵阳贵州大学, 1只[YL];

云南: 2月4日, 弥勒湖泉生态园, 2只[WC]; 3月21日, 高黎贡山百花岭, 3月25日, 瑞丽江, 3月26日, 瑞丽姐勒水库, 各1只[MK]; 9月9日, 个旧乌谷哨-牛灞荒, 2只[WC]:

新疆: 3月27日, 昌吉五家渠青格达湖, 1只[MM]; 10月22日, 乌鲁木齐南山, 1只 [GJun];

西藏: 5月13日, 林芝八一, 1只[DJT];

Singles noted in East China north to Liaoning. Elsewhere:

Xinjiang: Singles at Qinggeda Hu, Changji on 27 March [MM] and Urumqi on 22 October [GJun].

Sichuan: One at Yazihe, Guanghan on 6 November [WQian].

Guizhou: One at Caohai, Weining on 9 April [YL], two at Jinhua Hu on 29 October [YL] and one at Guizhou University on 10 December [YL].

Guangxi: One at Shankou Mangrove NR, Hepu on 11 December [JAW].

Yunnan: Two at Huquan Ecological Park, Mile on 4 February [WC], singles at Baihualing,

Gaoligongshan on 21 March, Ruili River on 25 March and Jielie Reservoir, Ruili on 26 March [MK], and two at Gejiu on 9 September [WC].

Tibet: One at Bayi, Linzhi on 13 May [DJT].

## 0517# 拟游隼 Barbary Falcon Falco pelegrinoides

青海: 9月20日-24日, 有4天黑马河附近, 1只或2只[PH et al.];

新疆: 7月4日, 青河至奇台, 1只[MKW et al.]; 8月7日, 塔什库尔干, 1幼[PH];

Oinghai: One or two near Heimahe on four dates 20-24 September [PH et al.].

Xinjiang: One between Qinghe and Qitai on 4 July [MKW et al.]. one juvenile at Taxkorgan on 7 August [PH].

## 鹳形目CICONIIFORMES > 䴙䴘科 Podicipedidae

0518# 小䴙䴘 Little Grebe Tachybapus ruficollis

全国辽宁、北京、河北、宁夏、山东、河南、安徽、江苏、四川、上海、浙江、江 西、湖南、云南、广东、广西、贵州、福建、海南、黑龙江、新疆、澳门均有记录, 重要记录有:

吉林: 10月8日,镇赉莫莫格保护区,115只[PH];

湖北: 2月21-22日,沙市长湖,732只[WWF-China];

湖南: 2月15-24日, 东洞庭湖国家级自然保护区, 418只[WWF-China];

江西: 2月15-17日, 鄱阳湖国家级自然保护区, 289只, 2月18-23日, 鄱阳湖九江部分, 787只[WWF-China];

Jilin: 115 at Momege NR, Zhenlai on 8 October [PH].

Hubei: 732 at Chang Hu, Shashi on 21-22 February [WWF-China]

Hunan: A total of 418 at East Dongting Hu NR logged during 15-24 February [WWF-China].

Jiangxi: Totals of 289 logged at Poyang Hu NR during 15-17 February and 787 on the Shangrao side of Poyang Hu during 18-23 February [WWF-China].

Also reported from Xinjiang, Ningxia, Heilongjiang, Liaoning, Beijing, Hebei, Shandong, Henan, Anhui, Jiangsu, Shanghai, Zhejiang, Jiangxi, Fujian, Guangdong including Macao, Sichuan, Guangxi, Guizhou, Yunnan and Hainan.

## 0519# 赤颈䴙䴘 Red-necked Grebe Podiceps grisegena

吉林: 5月11日, 通榆向海自然保护区, 2只[JH];

天津: 4月16日, 上古林至汉沽沿海, 1只[LHY];

Jilin: One at Xianghai NR on 11 May [JH].

Tianjin: One on the coast between Shanggulin and Hangu on 16 April [LHY].

## 0520# 凤头䴙䴘 Great Crested Grebe Podiceps cristatus

全国黑龙江、辽宁、新疆、青海、北京、河北、天津、河南、山东、四川、云南、湖南、湖北、江苏、浙江、上海、江西、福建、广东均有记录,多数为冬候鸟,数量较大的地区有:

吉林: 10月5-7日,通榆向海自然保护区数群,一天最大数量158只,10月8日,镇赉莫 莫格保护区,125只[PH];

天津: 10月15日, 北塘水库, 216只[LY];

湖北: 2月24-27日, 新洲涨渡湖, 269只, 2月28日, 蔡甸后官湖, 235只[WWF-China];

江西: 2月18-23日, 鄱阳湖上饶部分, 599只[WWF-China];

青海: 9月20日, 青海湖小北湖, 320只[PH];

新疆: 7月13日, 莎车至喀什, 222只[MKW et al.]; 8月12日, 阿克苏西南, 900只 [PH];

Jilin: Day-counts of up to 158 at Xianghai NR, Tongyu during 5-7 October, and 125 at Momege NR, Zhenlai on 8 October [PH].

Tianjin: 216 at Beitang Reservoir on 15 October[LY].

Hubei: Totals of 269 logged at Zhangdu Hu, Xinzhou during 24-27 February and 235 at Houguan Hu, Caidian on 28 February [WWF-China].

Jiangxi: A total of 599 logged on the Shangrao side of Poyang Hu between 18 and 23 February [WWF-China].

Xinjiang: 222 between Shache and Kashi on 13 July [MKW et al.] and 900 southeast of Aksu on 12 August [PH].

Oinghai: 320 at Xiaobeihu, Koko Nur on 20 September [PH].

Also reported from Heilongjiang, Liaoning, Xinjiang, Qinghai, Beijing, Hebei, Tianjin, Henan, Shandong, Sichuan, Yunnan, Hunan, Hubei, Jiangsu, Zhejiang, Shanghai, Fujian and Guangdong.

## 0521# 角䴙䴘 Horned Grebe Podiceps auritus

北京: 11月6日, 昌平沙河水库, 1只[ZLi];

天津: 4月27日, 北塘, 3只[ZYong];

上海: 3月10日, 宝钢水库, 1只[WYC];

新疆: 5月6日, 沙湾千泉湖, 5只[GJun];

Beijing: One at Shahe Reservoir, Changping on 6 November [ZLi].

Tianjin: Three at Beitan on 27 April [ZYong].

Shanghai: One at Baogang Reservoir on 10 March [WYC].

Xinjiang: Five at Oianguan Hu, Shawan on 6 May [GJun].

## 0522# 黑颈䴙䴘 Black-necked Grebe Podiceps nigricollis

辽宁: 9月17日, 丹东鸭绿江湿地保护区, 1只[BQQ];

河北: 5月8日,北戴河联峰山灯塔附近海域,5只[PH et al.];

北京: 4月17日, 昌平沙河水库, 3只[WRQ]: 10月22日, 延庆野鸭湖, 4只[HD];

天津: 4月9日,上古林至汉沽沿海,4只[LHY];4月27日,北塘,7只[ZLi];5月21日,大港区北大港水库,4只[CJZ];

山东: 11月12日, 莱州市莱州湾, 26只[ZXX];

河南: 1月1日, 孟津黄河大桥西, 3只[CM]; 12月3日, 罗山董寨自然保护区, 5只[ZMH];

江苏: 1月14日, 射阳盐城自然保护区, 10只[PH];

上海: 12月7日, 宝钢水库, 8只[XL];

浙江: 1月29日, 镇海镇北涂, 30只[LYou]; 3月8日, 杭州江滨, 3只[QH];

湖南: 12月3日,岳阳东洞庭自然保护区,3只[TXD];

广东: 12月3日, 深圳福田红树林, 2只[YHY];

新疆: 3月20日, 昌吉五家渠沙山子水库, 1只[GJun], 8月8日, 塔什库尔干和喀什之间的卡拉库里湖, 2只, 8月9日, 阿土仕托喀额依水库, 3只, 8月12日, 阿克苏以南, 山力水库, 5只[PH & WQY],

青海: 9月20日, 青海湖小北湖, 153只[PH];

四川: 3月6日, 崇州白塔湖, 3只[SY]; 11月25日, 广汉鸭子河, 1只[WQian];

云南: 12月28日, 保山大海子水库, 1只[PH&WOY];

Liaoning: One at Yalujiang Wetland NR, Dandong on 17 September [BQQ].

Hebei: Five on the sea off Lighthouse Point, Beidaihe on 8 May [PH et al.].

Beijing: Three at Shahe Reservoir, Changping on April 17 [WRQ] and four at Wild Duck Lake, Yanqing on 22 October [HD].

Tianjin: Four at the seaboard between Shanggulin and Hangu on 9 April [LHY], seven at Beitang on 27 April [ZLi] and four at Beidagang Reservoir, Dagang District on 21 May [CJZ]. Shandong: 26 at Laizhouwan, Laizhou on 12 November [ZXX].

Henan: Three west of Yellow River Bridge, Mengjin on 1 January [CM] and five at Dongzhai NR, Luoshan on 3 December [ZMH].

Jiangsu: 10 at Yancheng NR, Sheyang on 14 January [PH].

Shanghai: Eight at Baogang Reservoir on 7 December [XL].

Zhejiang: 30 at Zhenbeitu, Zhenhai on 29 January [LYou] and three at Jiangbin, Hangzhou on 8 March [OH].

Hunan: Three at East Dongting Lake NR, Yueyang on 3 December [TXD].

Guangdong: Two at Futian NR, Shenzhen on 3 December [YHY].

Xinjiang: One at Shashanzi Reservoir, Changji on 20 March [GJun]; two at Kalakuli Hu between Taxkorgan & Kashi on 8 August; three on Tuokaeyi Reservoir, Artux on 9 August; five on Shanli Reservoir, south of Aksu on 12 August [PH];

Qinghai: 153 at Xiaobeihu, Koko Nur on 20 September [PH].

Sichuan: Three at Baita Hu, Chongzhou on 6 March [SY] and one at Yazi He, Guanghan on 25 November [WQian].

Yunnan: One at Dahaizi Reservoir.Baoshan on 28 December[PH&WOY]

### 鹳形目 CICONIIFORMES> 鸬鹚科Phalacrocoracidae

0530# 黑颈鸬鹚 Little Cormorant Phalacrocorax niger

云南: 3月25日, 瑞丽江, 37只[MK];

Yunnan: 37 at Ruili River on 25 March [MK].

## 0531# 普通鸬鹚 Great Cormorant Phalacrocorax carbo

全国新疆、北京、河北、天津、河南、江苏、四川、上海、浙江、江西、湖北、湖南、云南、广东、福建、澳门有记录、重要记录包括:

吉林:10月5-7日,通榆向海自然保护区数群,一天最大数量450只,10月8日,镇赉莫 莫格保护区,150只[PH];

山东: 10月29日, 黄河三角洲自然保护区, 2500只[CHY];

湖北: 2月20-21日, 龙感湖自然保护区, 1068只; 2月26日, 咸宁斧头湖, 504只; 3月

1-2日, 沉湖自然保护区, 534只[WWF-China];

湖南: 2月15-24日, 东洞庭湖国家级自然保护区, 1478只[WWF-China];

江西: 2月17日-24日, 鄱阳湖九江部分, 1137只[WWF-China];

广东:9月18日,汕头市澄海区六合围,150只[ZKH],10月16日,深圳福田红树林,380只[XM];

青海: 9月20日和24日, 青海湖小北湖, 100只[PH et al.];

新疆: 3月27日, 昌吉五家渠, 1100只[MM], 8月19日, 库尔勒, 1330只[PH], 9月17日, 昌吉五家渠, 200只[GJun];

Xinjiang: Counts of 1100 at Wujiaqu, Changji on March 27 [MM], 1330 at Korla on 19 August [PH] and 200 at Wujiaqu, ChangJi on 17 September [GJun].

Jilin: Day-counts of up to 450 at Xianghai NR, Tongyu during 5-7 October and 150 at Melmeg NR, Zhenlai on 8 October [PH].

Shandong: 2500 at Yellow River Delta NR on 29 October [CHY].

Hubei: Counts of 1068 at Longgan Hu NR on 20-21 February, 504 at Futou Hu, Xianning on 26 February and 534 at Chen Hu NR on 1-2 March [WWF-China].

Hunan: A total of 1478 logged at Dong Dongting Hu NR from 15 to 24 February [WWF-China].

Jiangxi: 1137 at Jiujiang parts of Poyang Hu, between 17 and 24 February [WWF-China].

Guangdong: 150 at Liuhewei, Chenghai District (Shantou) on 18 September [ZKH] and 380 at Futian NR, Shenzhen on 16 October [XM].

Qinghai: 100 at Xiaobeihu, Koko Nur on 20th & 24 September respectively [PH et al.].

Also reported from Beijing, Hebei, Tianjin, Henan, Jiangsu, Shanghai, Jiangxi, Zhejiang, Fujian, Macao, Hunan, Hubei, Sichuan and Yunnan.

## 0534# 海鸬鹚 Pelagic Cormorant Phalacrocorax pelagicus

山东: 10月2日, 长岛大黑山岛, 9只[LHY];

Shandong: Nine at Daheishan Dao, Changdao, on October 2 [LHY],

## 鹳形目 CICONIIFORMES> 鹭科 Ardeidae

### 0535# 白鹭 Little Egret Egretta garzetta

全国辽宁、北京、河北、山东、河南、四川、上海、浙江、广东、广西、福建、海南、澳门均有记录:

江苏: 2月20日, 高邮市高邮湖自然保护区, 902只[WWF-China];

Jiangsu: 903 at Gaoyou Hu NR, Gaoyou on 20 February [WWF-China].

Also reported from Liaoning, Beijing, Hebei, Shandong, Henan, Sichuan, Shanghai, Zhejiang, Guangdong, Guangxi, Fujian, Hainan and Macao.

### 0536# 黄嘴白鹭 Swinhoe's Egret Egretta eulophotes VU

辽宁: 5月10日, 大连旅顺, 30只[LXD], 6月18日, 庄河湾, 180只[BQQ]; 9月24日,

丹东, 15只; 10月15日, 1只[BQQ];

河北: 5月5日-21日,北戴河,有9天注意到有1只-4只之间[PH et al.];5月4日,北戴河,4只[HP];北戴河,7月2日,3只;7月3、10日,分别1只,比较罕见的夏季记录[JH];8月27日,北戴河东海滩,2只[ZLing]和9月30日,1只幼鸟[PH et al.]。

天津: 7月21日,塘沽驴驹河,1只[PH & WQY]。

上海: 4月23日, 崇明东滩, 1只[GXJ]: 9月17日, 崇明东滩, 6只[ZLin];

福建: 5月21日, 漳浦古雷, 13只[GLQ]; 6月16-17日, 宁德鸟岛, 成鸟110只, 幼鸟149只[FJBWS]; 7月22日, 长乐闽江口, 2只[CZH]; 10月16日, 厦门同安, 3只[PZW];

Liaoning: 30 at Lushun, Dalian on 10 May [LXD]; 180 at Zhuanghewan on 18 June [BQQ]; 15 at Dandong on 24 September with one still there on 15 October [BQQ];

Hebei: Between one & four birds were noted on nine dates at Beidaihe 5-21 May [PH et al.]; four at Beidaihe on 4 May[HP]; three bird-days at Beidaihe in July, all relating to adults – three on 2nd & singles on 3rd & 10th, rare summer records [JH]; two more there on 27 August [ZLing] & a juvenile on 30 September [PH et al.]

Tianjin: One at Lujuhe, Tanggu on 21 July [PH & WQY];

Shanghai: One at Chongming Dao, Dongtan on 23 April [GXJ];Six there on 17 September[Z Lin]. Fujian: 13 at Gulei, Zhangpu on 21 May [GLQ]; 110 adults and 149 juveniles at Niao Dao, Ningde on 16-17 June [FJBWS]; two at Minjiang estuary, Changle on 22 July [CZH]; three at Tongan, Xiamen on 16 October [PZW].

## 0537# 岩鹭 Pacific Reef Heron Egretta sacra

福建: 4月30日,厦门大屿,1只[CZH];5月7日,漳浦古雷,2只[HZY];6月16日,宁德日屿,3只[YJ];7月31日,长乐闽江口,1只[JHD];

广东: 6月25日, 珠海担杆岛, 3只[HK]; 7月17日, 珠海外伶仃岛, 1只[WYY];

Fujian: One at Dayu, Xiamen on 30 April [CZH], two at Gulei, Zhangpu on 7 May [HZY], three at Riyu, Ningde on 16 June [YJ] and one at Minjiang estuary, Changle on 31 July [JHD]. Guangdong: Three at Dangan Dao, Zhuhai on 25 June [HaiFeng] and one at Wailingding Dao, Zhuhai on 17 July [WYY].

### 0539# 苍鹭 Grey Heron Ardea cinerea

全国新疆、辽宁、北京、天津、山东、河南、四川、上海、浙江、江西、湖南、云南、广东、贵州、福建、海南、澳门均有记录,重要的记录包括:

吉林: 10月8日,镇赉莫莫格保护区,110只[PH];

辽宁: 9月24日, 丹东鸭绿江湿地保护区, 130只[BQQ];

北京: 3月17日, 密云, 180只, 绝大部分在黑龙潭崖壁上.

天津: 9月17日, 汉沽沿海, 150只[LHY];

山东: 2月25日, 黄河三角洲自然保护区, 300只[CHY];

安徽: 2月20日, 贵池县下湖, 239只, 2月20-22日, 菜子湖自然保护区, 683只[WWF-China],

江苏: 2月20日, 高邮市高邮湖自然保护区, 241只, 2月24日, 常熟市尚湖, 490只 [WWF-China],

上海: 9月18日,奉贤区,126只[YZD]; 1-12月,崇明东滩均有记录;

湖北: 2月26日, 咸宁斧头湖, 317只[WWF-China];

湖南: 2月15-24日, 东洞庭湖国家级自然保护区, 576只[WWF-China];

江西: 2月17日-24日,鄱阳湖九江部分,525只;2月18-23日,鄱阳湖上饶部分,436只[WWF-Chinal:

广东: 3月13日,广州番禺新垦, 132只[WXL];

四川: 3月29日,成都大熊猫繁殖基地,100只[SY];

新疆: 7月17日, 昌吉五家渠, 120只[GJun]; 9月25日, 昌吉五家渠, 150只[GJun];

Recorded widely in the following provinces: Xinjiang, Liaoning, Beijing, Tianjin, Shandong,

Henan, Sichuan, Shanghai, Zhejiang, Jiangxi, Hunan, Yunnan, Guangdong, Guizhou, Fujian,

Hainan and Macao. Notable records were as follows:

Jilin: 110 at Melmeg NR, Zhenlai on 8 October [PH];

Liaoning: 130 at Yalu Jiang Wetland NR, Dandong on 24 September [BQQ];

Beijing: 180 at Miyun Reservoir – mostly on the cliff nesting colony at Heilongtan on 17 March [PH];

Tianjin: 150 on Hangu coast on 17 September [LHY];

Shandong: 300 at Yellow River Delta NR on 25 February [CHY];

Anhui: 239 at Xiahu, Guichi on 20 February; 683 at Caizihu NR from 20-22 February [WWF-China];

Jiangsu: 241 at Gaoyou Hu NR, Gaoyou on 20 February; 490 at Shang Hu, Changshu on 24 February [WWF-China];

Shanghai: Recorded throughout the year at Dongtan, Chongming. 126 at Fengxian District on 18 September [YZD];

Hubei: 317 at Futou Hu, Xianning on 26 February [WWF-China];

Hunan: 576 at Dong Dongting Hu NR from 15-24 February [WWF-China];

Jiangxi: 525 at Jiujiang parts of Poyang Hu between 17 and 24 February; 436 at Shangrao parts of Poyang Hu between 18-23 February [WWF-China];

Guangdong: 132 on Xinken, Fanyu District, Guangzhou on 13 March [WXL];

Sichuan: 100 at the Great Panda Breeding Centre, Chengdu on 29 March [SY];

Xinjiang: 120 at Wujiaqu, Changji on 17 July [GJun]; 150 at Wujiaqu, Changji on 25 September [GJun].

## 0541# 草鹭 Purple Heron Ardea purpurea

黑龙江: 5月10日, 大庆龙凤湿地, 1只[LZY];

吉林: 10月6日, 通榆向海自然保护区, 12只[PH];

辽宁:8月11日,盘锦双台河自然保护区,5只[LZY];10月15日,丹东鸭绿江保护区,3只[BQQ];

河北:此种是很普遍的春秋迁徙路过鸟,相当一部分记录来自北戴河,5月9日,23只

和5月19日,14只[PH et al.];另外的是,10月3日,乐亭京唐港,3只[ZLi];

北京: 5月22日, 怀柔怀沙河, 1只[LHT]; 9月3日, 延庆野鸭湖, 1只[ZLi];

天津: 5月23日, 北大港水库, 3只[CJZ];

山东: 3月20日, 黄河三角洲自然保护区, 37只[CHY];

上海: 4月15-18日, 崇明东滩, 15只[BP et al.]; 8月12日, 崇明东滩, 19只[YZD]; 9月17日, 崇明东滩, 6只[ZLin];

广东: 4月9日,广州番禺新垦,1只[LXD];

云南: 10月12日, 个旧乌谷哨-牛灞荒, 1只[WC];

Recorded in the following provinces: Heilongjiang, Liaoning, Beijing, Tianjin, Hebei, Shanghai, Guangdong & Yunnan.

Heilongjiang: One at Longfeng Wetland, Daqing on 10 May [LZY];

Jilin: 12 at Xianghai NR, Tongyu on 6 October [PH];

Liaoning: Five at Shuangtaihe NR, Panjin on 11 August [LZY]; three at Yalu Jiang Wetland NR, Dandong on 15 October [BOO];

Hebei: Rather few reports were received from Beidaihe where the species is a fairly common spring & autumn passage migrant – the counts were 23 on 9th & 14 on 19 May [PH et al.]. Elsewhere there were three at Jingtanggan, Laoting on 3 October [ZLi];

Beijing: One at Huaisha He, Huairou on 22 May [LHT]; one at Wild Duck Lake, Yanqing on 3 September [ZLi];

Tianjin: Three at Beidagang Reservoir on 23 May [CJZ];

Shandong: 37 at Yellow River Delta NR on 20 March [CHY];

Shanghai: 15 at Dongtan, Chongming Dao between 15-18 April [BP et al.]; 19 at Dongtan, Chongming Dao on 12 August [YZD]; six at Dongtan NR, Chongming on 17 September [ZLin];

Guangdong: One at Xinken, Fanyu, Guangzhou on 9 April [LXD];

Yunnan: One between Wugushao and Niubahuang, Gejiu on 12 October [WC].

## 0542# 大白鹭 Great Egret Casmerodius albus

全年的记录几乎分布于中国大陆各个省份, 重要的记录包括:

河北: 9月29日, 北戴河-大浦河-碧海浴场, 64只[PH et al.]。

山东: 2月25日, 黄河三角洲自然保护区, 150只[CHY];

江苏: 2月20日, 高邮市高邮湖自然保护区, 902只[WWF-China];

安徽: 2月20-22日, 菜子湖自然保护区, 1236只[WWF-China];

湖南: 2月15-24日, 东洞庭湖国家级自然保护区, 879只[WWF-China];

新疆: 7月17日, 新疆五家渠青格达湖, 100只[GJun];

Widely recorded almost in all provinces of Mainland China. Notable records were as follows:

Hebei: 64 in the Beidaihe-Dapuhe-Bihaiyuchang area on 29 September [PH et al.];

Shandong: 150 at Yellow River Delta NR on 25 February [CHY];

Jiangsu: 902 at Gaoyou Hu NR, Gaoyou City on 20 February [WWF-China];

Anhui: 1236 at Caizihu NR from 20-22 February [WWF-China];

Hunan: 879 at Dong Dongting Hu NR from 15-24 February [WWF-China];

Xinjiang: 100 at Qinggeda Hu, Wujiaqu on 17 July [GJun];

## 0543# 中白鹭 Intermediate Egret Mesophoyx intermedia

全国安徽、北京、福建、广东、广西、海南、河北、湖北、湖南、江苏、辽宁、上海、云南、浙江均有记录、重要的记录包括:

辽宁: 7月4日, 9月11日, 辽宁东港石桥油库, 700只, 200只[BQQ];

安徽: 8月16日,安徽安庆石塘湖,10只[WJ];

广东: 9月11日, 广东肇庆永安江溪, 13只[YHY];

云南: 8月5日, 大理洱海, 15只[QXJ];

Reported to be common over much of China including Anhui, Beijing, Fujian, Guangdong, Guangxi, Hainan, Hebei, Hubei, Hunan, Jiangsu, Liaoning, Shanghai, Yunnan and Zhejiang. Notable records were as follows:

Liaoning: 700 at Shiqiao Youku, Donggang on 4 July and 200 there on 11 September [BQQ].

Anhui: Ten at Shitang Hu, Anqing on 16 August [WJ].

Guangdong: 13 at Jiangxi, Yong'an, Zhaoqing on 11 September [YHY].

Yunnan: 15 at Erhai, Dali on 5 August [QXJ].

## 0544# 牛背鹭 Cattle Egret Bubulcus ibis

全国安徽、澳门、北京、福建、广东、贵州、海南、河北、河南、湖北、江苏、辽宁、青海、上海、四川、西藏、云南、浙江等均有记录,全年重要记录有:

辽宁: 7月4日, 东港石桥油库, 2000只[BQQ];

河北: 8月14-15日, 南戴河, 15只[BA];

安徽: 5月5日, 潜山潜河, 110只[QH];

江苏:7月9日,江浦老山林场,200只[YJ];

上海: 5月22日,松江天马山,120只[YZD],8月25日,奉贤五四农场,270只[YGJ];9

月3日,川沙三甲港,120只[YZD];9月8日,奉贤星火农场,170只[YZD];9月18日,

奉贤杭州湾北岸, 160只[YZD]; 10月16日, 东滩, 30只[ZKJ];

湖北: 6月4日, 京山三阳镇, 100只[TXD];

浙江: 5月5日, 杭州椒江农场, 50只[WJY], 6月26日, 德清下渚湖, 100只[QH], 10月1日, 杭州蒋村西溪, 80只[ZhuY].

广东: 4月28日,广州琶州会展中心,50只[LXD];

海南: 11月25日, 文昌名人山庄, 50只[LG];

Reported to be common over much of China including Anhui, Beijing, Fujian, Guangdong,

Guizhou, Hainan, Hebei, Henan, Hubei, Jiangsu, Liaoning, Macao, Qinghai, Shanghai,

Sichuan, Tibet, Yunnan and Zhejiang. Notable records were as follows:

Liaoning: 2000 at Shiqiaoyouku, Donggang on 4 July [BQQ].

Hebei: 15 at South Nandaihe on 14-15 August [BA].

Jiangsu: 200 at Laoshan FF, Jiangpu on 9 July [YJ].

Shanghai: 120 at Tianmashan, Songjiang on 22 May [YZD], 270 at Wusi Farm, Fengxian on 25 August [YGJ], 120 at Sanjiagang, Chuansha on 3 September [YZD], 170 at Xinghuo Farm,

Fengxian on 8 September [YZD] and 160 on the north shore of Hangzhouwan, Fengxian on

18 August [YZD], 30 at Dongtan on 16 October.

Hubei: 100 at Sanyangzhen, Jingshan on 4 June [TXD].

Anhui: 110 at Qianhe, Qianshan on 5 May [QH].

Zhejiang: 50 at Jiaojiang Farm, Hangzhou on 5 May [WJY], 100 at Xiazhe Hu, Deqing on 26

June [QH] and 80 at Xixi, Jiangcun, Hangzhou on 1 October [ZhuY].

Guangdong: 50 at Pazhou, Guangzhou on 28 April [LXD].

Hainan: 50 at Mingrenshanzhuang, Wenchang on 25 November [LG].

## 0545# 池鹭 Chinese Pond Heron Ardeola bacchus

全年的记录几乎分布于中国大陆各个省份, 重要的记录包括:

辽宁: 7月4日, 东港石桥油库, 300只[BQQ];

Recorded in almost every province of China. The highest count was as follows:

Liaoning: 300 at Shiqiaoyouku, Donggang on July 4 [BQQ].

### 0546# 绿鹭 Striated Heron Butorides striatus

全国安徽、北京、广东、广西、河北、海南、河南、湖北、湖南、江苏、江西、辽宁、上海、浙江均有记录、大部分记录月份在5-8月。

河北: 5月12日和17日, 乐亭快乐岛, 各1只; 5月7日-21日, 北戴河, 有4天1只-5只之间 [BB et al 和et al.];

数量最多记录浙江: 7月16日, 杭州九溪珊瑚沙, 12只[QH];

湖南: 8月4日, 长沙烈士公园, 10只[LJY];

Recorded widely with records from the following provinces: Anhui, Beijing, Guangdong, Guangxi, Hebei, Hainan, Henan, Hubei, Hunan, Jiangsu, Jiangxi, Liaoning, Shanghai and Zhejiang. Most of the records were between May and August. Notable records were as follows:

Hebei: Singles at Happy Island, Laoting on 12th & 17 May and between 1-5 birds at Beidaihe on four dates 7-21 May [BB et al. & PH et al.];

Zhejiang: 12 at Shanhusha, Jiuxi, Hangzhou on 16 July [QH];

Hunan: 10 at Martyrs Park, Changsha on 4 August [LJY].

## 0547# 夜鹭 Black-crowned Night Heron Nycticorax nycticorax

全国安徽、北京、福建、广东、海南、河北、河南、湖北、湖南、江苏、江西、辽宁、山东、上海、四川、天津、新疆、云南、浙江、重庆均有记录。重要记录包括辽宁:9月11日,东港石桥油库、800只[BQQ];

江苏: 2月24日, 常熟市尚湖, 16400只[WWF-China]可能是中国该种的最高记录;

湖南: 2月15-24日, 东洞庭湖国家级自然保护区, 500只[WWF-China];

青海: 6月10日, 格尔木, 1只亚成[JH];

Recorded widely in Anhui, Beijing, Fujian, Guangdong, Hainan, Hebei, Henan, Hubei, Hunan, Jiangsu, Jiangxi, Liaoning, Shandong, Shanghai, Sichuan, Tianjin, Xinjiang, Yunnan, Zhejiang and Chongqing. Notable records were as follows:

Liaoning: 800 at Shiqiaoyouku, Donggang on 11 September [BQQ].

Jiangsu: 16,400 at Shang Hu, Changshu on 24 February [WWF-China], thought to be the highest ever count of this species in China.

Hunan: 500 at East Dongting Hu NR from 15 to 24 February [WWF-China].

Qinghai: A juvenile at Golmud on 10 June [JH].

### 0548# 海南鳽 White-eared Night Heron Gorsachius magnificus EN

江西: 6月13日, 九连山自然保护区自然保护区, 3只[LCK];

Jiangxi: Three at Jiulianshan NR, Longnan on 13 June [LCK].

## 0551# 小苇鳽 Little Bittern Ixobrychus minutus

新疆:7月17日,昌吉五家渠青格达湖,16只[GJun];7月30日,乌鲁木齐,1只;8月11日,阿克苏附近,5只;8月17日,博斯腾湖,3只;8月20日,博斯腾湖,5只[PH];

Xinjiang: 16 at Qinggedahu, Wujiaqu, Changji on July 17 [GJun], one at Urumqi on 30 July, five near Aksu on 11 August, three at Bosten Hu on 17 August and five there on 20 August [PH].

### 0552# 黄苇鳽 Yellow Bittern Ixobrychus sinensis

全国安徽、北京、广东、河北、湖北、湖南、江苏、辽宁、宁夏、上海、四川、天津、云南、浙江、福建均有记录。记录时间大部分在4-10月,数量较多有:

辽宁: 6月14日, 丹东鸭绿江湿地保护区, 50只[BQQ], 8月11日, 盘锦双台河自然保护区, 10只[LZY];

河北: 5月21日, 北戴河新开河, 10只[BB et al.];

北京: 5月29日, 昌平沙河水库, 10只[WJ]; 8月19日, 海淀上庄水库, 15只[WJ];

上海: 5月26日-8月27日, 东滩记录9-50只[YZD];

浙江: 6月12日, 杭州西湖, 10只[QC];

Notable records were as follows:

Liaoning: 50 at Yalujiang wetland NR, Dandong on 14 June [BQQ] and 10 at Shuangtaihe NR, Panjin on 11 August [Hongerbei].

Hebei: Ten at Xinkai He Reservoir, Beidaihe on 21 May [BB et al.].

Beijing: Ten at Shahe Reservoir, Changping on 29 May [WJ] and 15 at Shangzhuang Reservoir, Haidian on 19 August [WJ].

Shanghai: Between nine and 50 birds at Dongtan, Chongming Dao on several dates from 26 May to 27 August [YZD].

Zhejiang: Ten at Xihu, Hangzhou on 12 June [QC].

Also reported in Anhui, Fujian, Guangdong, Hubei, Hunan, Jiangsu, Ningxia, Sichuan, Tianjin and Yunnan, mostly between April and October.

### 0553# 紫背苇鳽 Von Schrenck's Bittern Ixobrychus eurhythmus

辽宁: 6月14日, 丹东鸭绿江湿地保护区, 1只[BQQ];

北京: 5月29日, 昌平沙河水库, 1只[WJ];

河北: 5月14日,秦皇岛北戴河,1只[LHY];

江苏: 7月8日,南京功德园,1只[ZYu];

上海: 5月19日, 奉贤五四农场, 1只[YZD]; 10月2日, 崇明东滩, 2只[QH];

浙江: 5月1日, 杭州植物园, 1只[ZhuY];

Liaoning: One at Yalujiang wetland NR, Dandong on 14 June [BQQ].

Beijing: One at Shahe Reservoir, Changping on 29 May [WJ].

Hebei: One at Beidaihe, Qinhuangdao on 14 May [LHY].

Jiangsu: One at Gongdeyuan, Nanjing on 8 July [ZYu].

Shanghai: One at Wusi Farm, Fengxian on 19 May [YZD] and two at Dongtan, Chongming Dao on 2 October [QH].

Zhejiang: One at Hangzhou BG on 1 May [ZhuY].

### 0554# 栗苇鳽 Cinnamon Bittern Ixobrychus cinnamomeus

全国安徽、福建、广东、贵州、海南、湖北、江苏、江西、云南、浙江均有记录。数量较多有:

河北: 5月14日,秦皇岛北戴河,1只[PH et al.]。

江苏: 7月4日, 六合金牛湖, 3只[ZYu];

浙江: 6月26日, 德清下渚湖, 3只[QH]; 7月9日, 江山老虎山, 2只[WJB.];

安徽: 6月27日, 黄山徽州, 3只[FZ];

湖北: 6月11日, 武汉沉湖, 2只[ZYQ];

广东: 1月22日, 饶平, 2只[ZKH];

云南: 7月22日, 开远泸江公园附近农田, 3只[LYang];

Recorded from the following provinces: Anhui, Fujian, Guangdong, Guizhou, Hainan, Hubei, Jiangsu, Jiangsi, Shaanxi, Yunnan and Zhejiang. Notable records were as follows:

Hebei: One at Beidaihe, Qinhuangdao on 14 May [PH et al.];

Jiangsu: Three at Jinniuhu, Liuhe on 4 July [ZYu];

Zhejiang: Three at Xiazhehu, Deqing on 26 June [QH]; two at Laohushan, Jiangshan on 9 July [WJB];

Anhui: Three at Huizhou, Huangshan on 27 June [FZ];

Hubei: Two at Chenhu, Wuhan on 11 June [ZYQ];

Guangdong: Two at Bingzhou, Raoping on 22 January [ZKH];

Yunnan: Three in farmland beside Lujiang Park, Kaiyuan on 22 July [LYang].

## 0555# 黑鳽 Black Bittern Dupetor flavicollis

安徽: 6月27日, 黄山徽州, 4只[FZ]; 7月24日, 祁门县城闾江, 1只[WJ]; 8月4日, 祁门县城华侨, 1只[WJ]

湖北: 6月19日, 武汉潭湖, 5只[TXD]; 7月17日, 云梦316国道, 1只[YZD];

浙江: 5-8月在德清下渚湖、东阳东阳江、杭州西溪、九溪珊瑚沙、西湖、绍兴嵊州长 乐镇有记录,数量较多的有: 6月12日,杭州西湖,5只[LJian];

Anhui: Four at Huizhou, Huangshan on 27 June [FZ], one at Lujiang, Qimen on 24 July [WJ] and one at Huaqiao, Qimen on 4 August [WJ].

Hubei: Five at Tanhu, Wuhan on 19 June [TXD] and one at Yunmeng on July 17 [YZD].

Zhejiang: Five at Xihu, Hangzhou on 12 June [LJian]. Also in the province, unspecified numbers reported presumably during the summer at Xiazhehu, Deqing, Dongyangjiang, Dongyang, Xixi, Hangzhou, Shanhusha, Jiuxi and Xihu, Changlezhen, Chengzhou and Shaoxing.

## 0556# 大麻鳽 Great Bittern Botaurus stellaris

河北: 2月11日, 唐山古冶, 2只[ZY], 在这个季节如此早和较为北边属罕见, 典型的记录包括, 北戴河, 5月9日和12日, 9月29日和10月1日, 都是1只[PH et al.]

北京: 10月10日, 密云水库, 2只[PH], 10月22日, 延庆妫水河及沿岸, 3只[WC], 野鸭湖, 1只[ZLi];

天津: 5月2日,大港区北大港水库,2只[CJZ];

江苏: 12月13日, 射阳盐城自然保护区, 1只[YL];

上海: 1月3日, 崇明东滩, 3只[WJY]; 11月6日, 1只[ZLin]; 12月10日, 3只[LJ];

湖北: 11月20日, 武汉沉湖, 1只[TXD];

浙江: 1月8日,杭州蒋村西溪,1只[LJ];11月6日,长兴和平黄龙桥,3只[WBX];

湖南: 12月3日, 岳阳东洞庭, 1只[TXD];

江西: 12月31日,新建南矶川,2只[LXD];

广东: 9月18日, 汕头, 2只[ZKH], 罕见的较早的秋季过境记录;

云南: 1月29日,个旧乌谷哨-牛灞荒,2只[WC],弥勒湖泉生态园,1只[WC],

新疆: 3月27日, 4月23日, 昌吉五家渠青格达湖, 1只[MM & GJun], 8月17日, 博斯腾湖莲花湖, 1只[PH]

Hebei: Two at Guye, Tangshan on 11 February [ZY] were unusually far north for this early in the season. More typical records included singles at Beidaihe on 9th & 12 May & 29 September & 1 October [PH et al.];

Beijing: Two singles at Miyun on 10 October [PH]; three at Guishuihe [WC] and one at Wild Duck Lake, Yanqing on 22 October [ZLi].

Tianjin: Two at Beidagang Reservoir, Dagang on 2 May [CJZ].

Jiangsu: One at Yancheng NR, Sheyang on 13 December [YL].

Shanghai: Three at Dongtan NR, Chongming on 3 January [WJY], one there on November 6 [ZLin] and three there on 10 December [LJ].

Hubei: One at Chenhu, Wuhan on 20 November [TXD].

Zhejiang: One at Xixi, Jiangcun, Hangzhou on 8 January [LJ]; three at Huanglongqiao, Heping Changxing on 6 November [WBX].

Hunan: One at East Dongting Lake, Yueyang on 3 December [TXD].

Jiangxi: Two at Nanjishan, Nanchang on 31 December [LXD].

Guangdong: Two at Shantou on 18 September [ZKH], an unusually early autumn record for the province.

Yunnan: Two between Wugushao and Niubahuang, Gejiu on 29 January [WC] and one at Huquan Ecological Garden, Mile on 29 January [WC].

Xinjiang: Singles at Qinggedahu, Wujiaqu, Changji on 27 March and 23 April [MM and GJun] and one at Lianhua Hu, Bosten Hu on 17 August [PH].

# 鹳形目 CICONIIFORMES> 鹮科Threskiornithidae

### 0559# 黑头白鹮 Black-headed Ibis Threskiornis melanocephalus

浙江:11月17日,海宁东西湖,1只[ZhuY],三年在中国大陆收到的唯一记录;

Zhejiang: One at Dongxihu, Haining on 17 November [ZhuY], the only report of this species anywhere in Mainland China during the past three years.

## 0561# 朱鹮 Crested Ibis Nipponia nippon EN I

陕西: 洋县, 4月19日, 9只[CYL], 6月6日, 7只[PH et al.];

Shaanxi: Nine & seven at Yangxian on 19 April [CYL] & 6 June [PH et al.] respectively.

### 0562# 白琵鹭 Eurasian Spoonbill Platalea leucorodia

全国安徽、北京、广东、河北、河南、湖北、湖南、江苏、江西、上海、四川、天津、青海、新疆、浙江均有记录。数量较大的记录包括:

吉林: 10月5日, 通榆向海自然保护区, 156只[PH];

安徽: 2月20-22日, 菜子湖自然保护区, 1522只[WWF-China];

江苏: 1月12日, 射阳盐城自然保护区, 150只[PH];

湖北: 2月22-24日,阳新县网湖,246只,3月1-2日,沉湖自然保护区,641只[WWF-China];

湖南: 2月15-24日, 东洞庭湖国家级自然保护区, 821只[WWF-China];

江西: 2月15-17日, 鄱阳湖国家级自然保护区, 1192只; 2月16日-24日, 鄱阳湖南昌部分, 516只[WWF-China];

福建: 11月7日, 闽江口, 90只[FJBWS];

青海: 6月3、9日, 青海湖1成1亚成[JH];

Jilin: 156 at Xianghai NR, Tongyu on 5 October [PH].

Jiangsu: 150 at Yancheng NR, Sheyang on 12 January [PH].

Anhui: 1522 at Caizihu NR during 20-22 February [WWF-China].

Hubei: Totals of 246 at Wang Hu, Yangxin during 22-24 February and 641 at Chen Hu NR on 1-2 March [WWF-China].

Hunan: 821 logged at East Dongting Hu NR during 15-24 February [WWF-China].

Jiangxi: Totals of 1192 and 516 logged in the the Jiujiang and Shangrao sections of Poyang Hu NR during 15-24 February [WWF-China].

Fujian: 90 at Minjiang estuary on 7 November [FJBWS].

Qinghai: Probably the same two birds (an adult & a first-year) at Koko Nur, Gonghe on the 3rd & 9 June [JH].

Also reported from Beijing, Guangdong, Hebei, Henan, Shanghai, Sichuan, Tianjin, Xinjiang and Zhejiang.

### 0563# 黑脸琵鹭 Black-faced Spoonbill Platalea minor EN

吉林: 10月8日, 镇赉莫莫格保护区, 1只, 罕见的内陆湿地记录[PH];

辽宁: 6月18日, 庄河湾, 1只[BQQ];

上海:崇明东滩: 1月8日,4只[ZWQ];1月21日,8只[LJ];3月23日,55只[WJY];4月2日,29只[YJ];4月23日,11只[YJ];4月17日,22只[BP et al.];9月17日,北湖,13只10月4日,北湖,15只[WJY];12月4日,奉贤奉新,1只[YZD];

浙江: 10月15日, 镇海镇北涂, 1只[LYou]; 11月12日, 海宁东西湖, 1只[QH];

福建: 10月30日, 闽江口, 47只以上[FJBWS]; 12月3日, 长乐鳝鱼滩, 4只[HZY];

广东: 1月23日, 海丰公平大湖自然保护区, 40只[ZXW]; 12月10日, 深圳坝光盐灶村, 1只[ZengY]; 深圳福田红树林自然保护区: 3月26日, 3只[TSX]; 11月15日, 8只

[XDY]; 12月3日, 57只[LXD]; 12月18日, 64只[DJT];

澳门: 3月8日, 离岛, 39只[CCA];

广西: 12月12日, 合浦山口红树林保护区, 1只[JAW];

海南: 3月27日, 东方四更镇四必湾, 39只[YCC];

Jilin: One at Momoge NR, Zhenlai on 8 October, a rare inland record [PH].

Liaoning: One at Zhuanghewan on 18 June [BQQ].

Shanghai: Counts of four on 8 January [ZWQ], eight on 21 January [LJ], 55 on 23 March [WJY], 29 on 2 April [YJ], 11 on 23 April [YL] and 22 on 17 April [BP et al.], all at Dongtan NR, Chongming Dao; also 13 at Beihu, Chongming Dao on 17 September [WJY] and 15 there on 4 October [WJY] and one at Fengxin, Fengxian on 4 December [YZD].

Zhejiang: Singles at Zhenbeitu, Zhenhai on 15 October [LYou] and Dongxi Hu, Haining on 12 November [QH].

Fujian: At least 47 at Minjiang estuary on 30 October [FJBWS] and four at Shanyutan, Changle on 3 December [HZY].

Guangdong: 40 at Gongping Reservoir NR, Haifeng on 23 January [ZXW], three at Futian Mangrove NR, Shenzhen on 26 March [TSX], eight on 15 November [XDY] and 57 there on 3 December [LXD], one at Yanzaocun, Baguang, Shenzhen on 10 December [ZengY] and 64 at Futian Mangrove NR, Shenzhen on 18 December [DJT].

Macao: 39 at the Taipa-Coloane Wetland on 8 March [CCA].

Guangxi: one at Shankou Mangrove NR, Hepu on 12 December [JAW].

Hainan: 39 at Sibiwan, Dongfangsigengzhen on 27 March [YCC].

### 鹳形目CICONIIFORMES > 鹈鹕科 Pelecanidae

## 0565# 卷羽鹈鹕 Dalmatian Pelican Pelecanus crispus VU

北京: 4月24日,延庆野鸭湖,3只[LHY];10月22日,延庆野鸭湖,1只[ZLi];11月8、

25日,延庆野鸭湖,分别8只、1只[BA];

山东: 11月18日, 黄河三角洲自然保护区, 2只[SK & JJ];

浙江: 11月17日, 海宁东西湖, 10只[ZhuY]; 12月4日, 海宁东西湖, 3只[ZhuY];

福建: 3月20日, 厦门大学, 飞过14只[LTY];

广东: 1月23日, 海丰, 13只[ZXW];

Beijing: At Wild Duck Lake, Yanqing, three on 24 April [LHY], one on 22 October [ZLi], eight on 8 November and one on 25 November [BA].

Shandong: Two at Yellow River Delta NR on 18 November [SK and JJ].

Zhejiang: Ten at Dongxi Hu, Haining on 17 November and three there on 4 December [ZhuY].

Fujian: 14 flew over the Xiamen University on 20 March [LTY].

Guangdong: 13 at Haifeng on 23 January [ZXW].

### 鹳形目CICONIIFORMES > 鹳科 Ciconiidae

### 0568# 黑鹳 Black Stork Ciconia nigra

河北: 8月6日, 平山马凹, 6只[TXD];

北京: 1月21日, 房山区十渡, 10只[WQ]; 3月13日, 密云白河峡谷, 7只[LHY]; 11月

19日,延庆妫水河及沿岸,9只[ZLi];11月20日,房山区拒马河,12只[ZLin];

山东: 10月2日, 长岛大黑山岛, 3只[LHY];

湖南: 2月15-24日, 东洞庭湖国家级自然保护区, 13只[WWF-China]

江西: 2月16日-24日,鄱阳湖南昌部分,12只;2月18-23日,鄱阳湖上饶部分,15只WWF-

## China];

山西: 5月13日, 宁武芦芽山自然保护区, 2只[LJQ];

宁夏: 10月3日,中卫腾各里湖保护区,9只[LiX];

新疆: 5月4日,博乐赛里木湖,4只[GJun]; 8月2日和3日,喀什附近,分别是2只和1只,8月10日,小海子水库,4只,8月15日,库尔勒以西,3只,8月19日,库尔勒以南,1只[PH]; 9月25

日, 昌吉五家渠八一水库, 16只[GJun];

Hebei: Six at Ma'ao, Pingshan on August 6 [TXD].

Beijing: Ten at Shidu, Fangshan on January 21 [WQ], seven at Baihe canyon, Miyun on March 13 [LHY], nine at Guishuihe, Yanqing on November 19 [ZLi] and 12 at Juma He, Fangshan on November 20 [ZLin].

Shandong: Three at Daheishan Dao, Changdao on October 2 [LHY].

Hunan: A total of 13 logged at East Dongting Hu NR during 15-24 February [WWF-China].

Jiangxi: Totals of 12 and 15 in the Jiujiang and Shangrao sections of Poyang Hu during 16-24 February.

Shanxi: Two at Luyashan NR, Ningwu on 13 May [LJQ].

Ningxia: Nine at Tenggelihu NR, Zhongwei on 3 October [LiX].

Xinjiang: Four at Sailimu Hu, Bole on 4 May [GJun], two & one near Kashi on 2nd & 3 August respectively; four at Xiaohaizi Reservoir on 10 August; three west of Korla on 15 August; one south of Korla on 19 August [PH], and 16 at Bayi Reservoir in Wujiaqu, Changji on 25 September [GJun].

### 0570# 东方白鹳 Oriental Stork Ciconia bovciana EN I

吉林: 10月6日和7日,通榆向海自然保护区,分别是1只和8只,10月8日,镇赉莫莫格保护区,187只[PH];

河北: 北戴河联峰山飞过,10月22日-11月11日,累计1175只,最高500只(11月8日),超过全球数量1%的记录,10月22日,96只;11月9日7时10分,236只,9时35分,224只;11月9日,98只[QZZ&LXZ];

天津: 3月26日, 武清大黄堡自然保护区, 1只[YY]; 5月2日, 大港区北大港水库, 1只[CJZ];

山东: 4月21日,黄河三角洲自然保护区,60只[CHY];11月12日,莱州市莱州湾,1只[ZXX];

江苏: 11月6日, 射阳盐城自然保护区, 1只[CLiang];

上海: 11月20日, 崇明东滩, 3只[YJ]; 12月10日, 崇明东滩, 4只[LJing];

浙江: 11月20日, 海宁东西湖, 1只[YZD]; 12月25日, 台州浅滩, 3只[WBX];

安徽: 2月25日,望江县六户, 29只, 2月20-22日,菜子湖自然保护区,123只,2月24日,宿松县黄湖,128只[WWF-China],

湖北: 2月22-24日, 阳新县网湖, 36只[WWF-China];

湖南: 2月15-24日, 东洞庭湖国家级自然保护区, 44只[WWF-China];

江西: 2月15-17日, 鄱阳湖国家级自然保护区, 553只, 2月16日-24日, 鄱阳湖南昌部分, 41只 [WWF-China]; 12月31日, 南矶山保护区, 11只[LXD];

Jilin: One & eight at Xianghai NR, Tongyu on 6th & 7 October respectively; 187 at Momoge NR, Zhenlai on 8 October [PH].

Hebei: A total of 1175 birds logged flying over Lianfengshan (Lotus Hills), Beidaihe between 22 October and 11 November, highest counts being 96 on 22 October, 500 on 8 November (including flocks of 236 at 07:10h and 224 at 09:35h) and 98 on 9 November [QZZ and LXZ].

Tianjin: Singles at Dahuangbao NR, Wuqing on 26 March [YY] and Beidagang Reservoir, Dagang on 2 May [CJZ].

Shandong: 60 at Yellow River Delta NR on 21 April [CHY] and one at Laizhouwan, Laizhou on 12 November [ZXX].

Jiangsu: One at Yancheng NR, Sheyang on November 6 [CLiang].

Shanghai: Three at Dongtan NR, Chongming on 20 November [YJ] and four there on 10 December [LJing].

Anhui: Totals of 123 at Caizihu NR during 20-22 February, 128 at Huang Hu, Susong on 24 February and 29 at

Liuhu, Wangjiang on 25 February, [WWF-China].

Hubei: 36 at Wang Hu, Yangxin during 20-22 February [WWF-China].

Hunan: 44 at East Dongting Hu NR during 15-24 February [WWF-China].

Zhejiang: One at Dongxi Hu, Haining on November 20 [YZD]. Three at coast of Taizhou on 25 December [WBX]. Jiangxi: Totals of 553 at Poyang Hu NR during 15-17 February, 41 in another section of Poyang Hu during 16-24 February [WWF-China] and 11 at Nanjishan NR, Xinjian on 31 December [LXD].

### 糟形目CICONIIFORMES > 潜鸟科Gaviidae

### 0575# 红喉潜鸟 Red-throated Loon Gavia stellata

河北: 11月13日, 北戴河海滨, 1只向东方飞去[JH];

上海: 1月22日, 上海崇明东滩, 1只[ZWQ]; 2月3日, 宝钢水库, 2只[ZLin]; 3月24日, 奉贤五四农场, 2只[YZD];

浙江: 3月1日, 镇海后海塘, 1只[LYou];

Hebei: One flying east at Beidaihe on 13 November [JH].

Shanghai: One at Dongtan NR, Chongming Dao on 22 January [ZWQ], two at Baogang

Reservoir on 3 February [ZLin] and two at Wusi Farm, Fengxian on 24 March [YZD].

Zhejiang: One at Houhaitang, Zhenhai on 1 March [LYou].

## 0576# 黑喉潜鸟 Black-throated Loon Gavia arctica

上海: 3月3日, 宝钢水库, 1只[ZLin];

Shanghai: One at Baogang Reservoir on 3 March [ZLin].

#### 0579# 白嘴潜鸟 Yellow-billed Loon Gavia adamsii

四川: 12月13日, 广汉鸭子河救助1只, 中国罕见记录[ZJun];

Sichuan: One rescued at Yazi He, Guanghan on 13 December [ZJun], a rare record for China, especially at inland;

### 鹳形目CICONIIFORMES > 鹱科 Procellariidae

0583# 纯褐鸌 Bulwer's Petrel Bulweria bulwerii

福建: 7月20日, 福州, 2只, 因台风受伤吹到城区被救护[FJBWS]

Fujian: Two were taken near Fuzhou by typhoon and was rescued on 20 July [FKBWS]

## 雀形目PASSERIFORMES > 八色鸫科Pittidae

0602# 仙八色鸫 Fairy Pitta Pitta nympha VU



0638# 白尾地鸦 Xinjiang Ground-jay *Podoces biddulphi* 2005-10-2,新疆轮台,Luntai,Xinjiang 摄影者:王传波,Photo by Wang Chuanbo



0686# 小太平鸟 Japanese Waxwing Bombycilla japonica 2005-12-11,北京植物园,Beijing Botanical Garden 摄影者: 华军,Photo by Hua Jun



0694# 紫啸鸫 Blue Whistling Thrush *Myophonus caeruleus* 2005-6-4,河南罗山董寨保护区、Dongzhai NR,Luoshan,Henan 摄影者:张锡贤,Photo by Zhang Xixian



0696# 橙头地鸫 Orange-headed *Thrush Zoothera citrina* 2005-10-14,广东广州中山大学,Zhongshan University,Guangzhou,Guangdong 摄影者:付杰,Photo by Fu Jie



0713# 槲鸫 Mistle Thrush *Turdus viscivorus* 2005-5-4,新疆温泉,Wenquan,Xinjiang 摄影者:夏咏,Photo by Xia Yong



0755# 纯蓝仙鹟 Pale Blue Flycatcher *Cyornis unicolor* 2005-11-9,海南霸王岭,Bawanglin NR,Hainan 摄影者:朱英,Photo by Zhu Ying



0763# 红尾歌鸲 Rufous-tailed Robin *Luscinia sibilans* 2005-3-26, 广东广州中山大学,Zhongshan University,Guangzhou,Guangdong 摄影者:郝小林,Photo by Hao Xiaolin



0772# 蓝歌鸲Siberian Blue Robin *Luscinia cyane* 2005-4-19,浙江杭州植物园,Hangzhou Botanical Garden,Zhejiang 摄影者:郑永富,Photo by Zheng Yongfu



0808# 穗鸱 Northern Wheatear *Oenanthe oenanthe* 2005-6-11,新疆乌鲁木齐南山,Nanshan,Urumqi,Xinjiang 摄影者:苟军,Photo by Gou Jun



0820# 紫翅椋鸟 Common Starling *Sturnus vulgaris* 2005-4-19,新疆五家渠青格达湖,Qinggeda Hu,Wujiaqu,Xinjiang 摄影者:苟军,Photo by Gou Jun



0848# 鹪鹩 Wren *Troglodytes troglodytes* 2005-6-5,北京密云雾灵山,Wuling Shan,Miyun,Beijing 摄影者:王翀,Photo by Wang Chong



0861# 褐冠山雀 Grey-crested Tit *Lophophanesdichrous* 2005-4-21,四川松潘黄龙,Huanglong, Songpan, Sichuan 摄影者:孔思义 黄亚萍,Photo by John & Jemi Holmes



0902# 白喉红臀鹎 Sooty-headed Bulbul *Pycnonotus aurigaster* 2005-2-7,广东广州麓湖,Lu Hu,Guangzhou,Guangdong 摄影者:郝小林,Photo by Hao Xiaolin



0951# 斑背大尾莺 Japanese Swamp Wabler *Locustella pryeri* 2005-7-7,上海崇明东滩,Dongtan NR,Chongming,Shanghai 摄影者:王吉衣,Photo by Wang Jiyi



0971# 凤头雀莺 Crested Tit Warbler *Leptopoecile elegans* 2005-7-16,青海大通东峡林场,Dongxia FF,Datong,Qinghai 摄影者:张浩,Photo by Zhang Hao



1008# 棕脸鹟莺 Rufous-faced Warbler *Abroscopus albogularis* 2005-3-14,浙江杭州龙井,Longjing,Hangzhou,Zhejiang 摄影者:郑永富,Photo by Zheng Yongfu



1041# 橙翅噪鹛 Elliot's Laughingthrush *Garrulax elliotii* 2005-4-21,四川松潘黄龙,Huanglong,Songpan,Sichuan 摄影者:孔思义 黄亚萍,Photo by John & Jemi Holmes



1046# 紅头噪鹛 Chestnut-crowned Laughingthrus *Garrulax erythrocephalus* 2005-7-11,西藏日喀则,Rikaze,Tibet 摄影者:张高峰,Photo by Zhang Gaofeng



1068# 小鳞胸鹪鹛 Pygmy Wren Babbler *Pnoepyga pusilla* 2005-1-23,广东从化石门,Shimen,Conghua,Guangdong 摄影者:郝小林,Photo by Hao Xiaolin



1080# 纹胸巨鹛 Striped Tit Babbler *Macronous gularis* 2005-10-5,广西弄岗,Longgang NR,Chongzuo,Guangxi 摄影者:田穗兴,Photo by Tian Suixing



1085# 大草鹛 Giant Babax *Babax waddelli* 2005-5-18,西藏山南,Shannan,Tibet 摄影者:张浩辉,Photo by Cheung Ho-Fai



1116# 褐胁雀鹛 Rusty-capped Fulvetta Alcippe dubia 2005-12-4,云南昆明黑龙潭公园,Heilongtan Park,Kunming,Yunnan 摄影者:李立伟,Photo by Li Liwei



1140# 褐鸦雀 Brown Parrotbill *Paradoxornis unicolor* 2005-2-2,四川康定榆林乡,Yulin,Kangding,Sichuan 摄影者:董磊,Photo by Dong Lei



1158# 白喉林莺 Lesser Whitethroat *Sylvia curruca* 2005-7-26,新疆吉利湖, Jili Hu, Xinjiang 摄影者:徐捷, Photo by Xu Jie



1194# 黑顶麻雀 Saxaul Sparrow *Passer ammodendri* 2005-7-26,新疆艾里克湖,Ailike Hu,Xinjiang 摄影者:徐捷,Photo by Xu Jie



1210# 黄头鹡鸰 Citrine Wagtail *Motacilla citreola* 2005-4-22,山西太原汾河,Fen He,Taiyuan,Shanxi 摄影者:胡少荣,Photo by Hu Shaorong



1219# 北鹨 Pechora Pipit Anthus *gustavi* 2005-5-2,上海崇明东滩,Dongtan NR,Chongming,Shanghai 摄影者:王吉衣,Photo by Wang Jiyi



1226# 领岩鹨 Alpine Accentor *Prunella collaris* 2005-6-5,四川卧龙巴朗山,Balang Shan,Wolong,Sichuan 摄影者:董磊,Photo by Dong Lei



1245# 金额丝雀 Fire-fronted Serin *Serims pusillus* 2005-5-17,新疆天池,Tianchi,Xinjiang 摄影者:孔思义 黄亚萍,Photo by John & Jemi Holmes



1275# 斑翅朱雀 Three-banded Rosefinch *Carpodacus trifasciatus* 2005-2-1,四川康定榆林乡,Yulin Kangding,Sichuan 摄影者:董磊,Photo by Dong Lei




1286# 紅交嘴雀 Red Crossbill *Loxia curvirostra* 2005-8-18,甘肃莲花山,Lianhua shan, Gansu 摄影者:陈水华,Photo by Chen Shuihua



1289# 红头灰雀 Red-headed Bullfinch *Pyrrhula erythrocephala* 2005-12-28,西藏日喀则,Rikaze,Tibet 摄影者:张高峰,Photo by Zhang Gaofeng




1298# 金枕黑雀 Gold-naped Finch *Pyrrhoplectes epauletta* 2005-7-13,西藏日喀则,Rikaze,Tibet 摄影者:董江天,Photo by Dong Jiangtian



1302# 黄鹀 Yellowhammer *Emberiza citrinella* 2005-2-18,新疆乌鲁木齐南山,Nanshan,Urumqi,Xinjiang 摄影者:王传波,Photo by Wang Chuanbo



1303# 白头鹀 Pine Bunting *Emberiza leucocephalos* 2005-5-4,甘肃张掖马蹄寺,Mati Si,Zhangye,Gansu 摄影者:孔思义 黄亚萍,Photo by John & Jemi Holmes



1320# 褐头鹀 Red-headed Bunting *Emberiza bruniceps* 2005-5-15,新疆乌鲁木齐东山,Dongshan,Urumqi,Xinjiang 摄影者:苟军,Photo by Gou Jun

河南:5月下旬到6月上旬,罗川董寨自然保护区,定价到8个雄鸟鸣唱的领域[LY];

江苏: 6月22日, 江浦, 2只[LJ et al.]; 6月29日, 江浦, 2只[ZYu];

广东: 5月5日,始兴车八岭自然保护区,1只[BA];

海南: 5月12日, 琼中鹦哥岭, 1只[YCC];

Henan: It was estimated that there was a total of at least eight territorial males at Dongzhai

NR, Luoshan during late May to early June [LY].

Jiangsu: Two at Jiangpu on both 22nd [LJ et al.] and 29 June [ZYu].

Guangdong: One at Chebaling NR, Shixing on 5 May [BA].

Hainan: One at Yinggeling, Qiongzhong on 12 May [YCC].

## 雀形目PASSERIFORMES > 阔嘴鸟科Eurylaimidae

### 0604# 银胸丝冠鸟 Silver-breasted Broadbill Serilophus lunatus

海南: 3月11日, 尖峰岭保护区, 2只[YCC], 11月23日, 昌江霸王岭自然保护区, 6只 [JHo & JW],

云南: 3月26日, 瑞丽莫里森林公园, 1只[MK & RWL], 12月8日, 勐腊中科院热带植物园, 10只[SXL]; 12月9日, 勐腊绿石林, 5只[LS];

Hainan: Two at Jianfengling NR on 11 March [YCC]; six at Bawangling NR on 23 November [JHo & JW].

Yunnan: One at Moli FP, Ruili on 26 March [MK & RWL]; ten at CAS Tropical BG, Mengla on 8 December [SXL]; five at Lyshilin, Mengla on 9 December [LS].

## 0605# 长尾阔嘴鸟 Long-tailed Broadbill Psarisomus dalhousiae

云南: 3月29日, 盈江铜壁关自然保护区, 8只[MK & RWL]; 12月8日, 勐腊中科院热带植物园, 22只[SXL];

Yunnan: Eight at Tongbiguan, Yingjiang on 29 March [MK & RWL]; 22 at CAS Tropical BG, Mengla on 8 December [SXL].

# 雀形目PASSERIFORMES > 和平鸟科 Lrenidae

## 0606# 和平鸟 Asian Fairy Bluebird Irena puella

云南: 12月8日, 勐腊中科院热带植物园, 1只[SXL];

Yunnan: One at CAS Tropical BG, Mengla on 8 December [SXL].

### 0607# 蓝翅叶鹎 Blue-winged Leafbird Chloropsis cochinchinensis

广西: 1月21日, 靖西底定保护区, 1只[JAW];

云南: 1月13日, 勐腊, 5只[DC]; 3月29日, 盈江铜壁关自然保护区, 4只[MK & RWL]; 7月27日, 个旧, 5只[WC]; 12月14日, 景洪勐养野象谷, 2只[SXL];

Guangxi: One at Diding NR, Jingxi on 21 January [JAW].

Yunnan: Five at Mengla on 13 January [DC]; four at Tongbiguan, Yingjiang on 29 March [MK & RWL]; five at Gejiu on 27 July [WC]; two at Wild Elephant Valley, Mengyang, Jinghong on 14 December [SXL].

### 0609# 橙腹叶鹎 Orange-bellied Leafbird Chloropsis hardwickii

浙江:1月20日,开化古田山自然保护区,20只[WJB];3月25日,杭州植物园,2只[CJZ];该省西部和北部的首笔记录;

江西: 4月2日, 赣州九连山自然保护区,1只[SZBWS]; 10月29-11月2日,九连山自然保护区,每天至少12只[RWL et al.]; 12月17日,婺源,3只[HZY et al.];

福建: 10月8日, 明溪均峰山, 1只[XMBWS];

广东: 5月1日, 郁南同乐大山保护区, 2只[LXD], 10月1日, 肇庆鼎湖山风景区, 3只 [XZW],

广西: 10月21日, 临桂安江坪, 1只[LZY]; 1月21日, 靖西底定保护区, 1只[JAW];

云南: 3月25-27日,瑞丽附近,每天5只,3月29日,盈江铜壁关自然保护区,5只[MK]:12月8日,勐腊中科院热带植物园,5只[SXL]:

海南: 8月22日, 昌江霸王岭保护区, 11只[YCC]; 1月27日, 昌江霸王岭保护区, 14只

[LG]; 3月11日, 乐东尖峰岭保护区, 4只[YCC];

西藏: 5月28日-6月21日, 墨脱, 17只[DJT & ZGF];

Zhejiang: 20 at Gutianshan NR, Kaihua on 20 January and two at Hangzhou BG on 25 March [CJZ]; the first records from the north and west of the province.

Jiangxi: One at Jiulianshan NR, Ganzhou on 2 April [SZBWS]; up to 12 daily at Jiulianshan NR, Longnan between 29 October and 2 November [RWL et al.]; three at Wuyuan on 17 December [HZY et al.].

Fujian: One at Junfengshan, Mingxi on 8 October [XMBWS].

Guangdong: Two at Dashan NR, Tongle, Yu'nan on 1 May [LXD]; three at Dinghushan, Zhaoqing on 1 October [XZW].

Guangxi: One at Anjiangping, Lingui at 21 October [LZY]; one at Diding NR, Jingxi on 21 January [JAW].

Yunnan: Up to five daily around Ruili during 25-27 March, five at Tongbiguan NR, Yingjiang on 29 March [MK] and five at CAS Tropical BG, Mengla on 8 December [SXL].

Hainan: 11 at Bawangling, Changjiang on 22 August [YCC] and 14 there on 27 January [LG]; four at Jianfengling NR, Ledong at 11 March [YCC].

Tibet: 17 at Motuo during 28 May-21 June [DJT & ZGF].

### 雀形目PASSERIFORMES > 伯劳科Laniidae

0610# 虎纹伯劳 Tiger Shrike Lanius tigrinus

河北: 5月14日,秦阜岛北戴河,2只[LHY];5月19日,乐亭快乐岛,3只[BB et al.];

河南: 5月28日, 罗山董寨保护区, 15只[HP];

山东: 5月28日, 莱州大山林场, 2只[ZXX];

安徽: 8月15日,安庆长江北岸,1只[WJ];

四川: 5月22日, 峨眉山, 1只[LHua]和7月7日, 3只[PH et al.]; 9月10日, 崇州白塔湖, 1只[WQian et al.];

贵州: 5月22日, 贵阳贵州大学, 5只[YL];

湖北: 5月22日, 武汉农业大学, 2只[ZYQi];

湖南: 5月2日, 岳阳君山, 1只[XM];

广东: 5月1日, 郁南同乐大山保护区, 1只[LXD];

云南: 9月3日, 开远泸江公园, 1只[LYang];

此外无重要记录。

Notable records were as follows:

Hebei: Two at Beidaihe, Qinhuangdao on 14 May [LHY]; three on Happy Island, Laoting on 19 May [BB et al.].

Henan: 15 at Dongzhai NR, Luoshan on 28 May [HP].

Shandong: Two at Dashan FF, Laizhou on 28 May [ZXX].

Anhui: One at Anqing on 15 August [WJ].

Sichuan: One & three at Emei Shan on 22 May [LHua] & 7 July [PH et al.]; one at Baitahu,

Chongzhou on 10 September [WQian et al.].

Guizhou: Five at Guizhou University, Guiyang on 22 May [YL].

Hubei: Two at Agriculture University, Wuhan on 22 May [ZYQi].

Hunan: One at Junshan, Yueyang on 2 May [XM].

Guangdong: One at Dashan NR, Tongle, Yu'nan on 1 May [LXD].

Yunnan: One at Lujiang Park, Kaiyuan on 3 September [LYang].

## 0611# 牛头伯劳 Bull-headed Shrike Lanius bucephalus

辽宁: 8月10日, 沈阳棋盘山森林公园, 2只[LZY];

河北: 5月17日, 乐亭快乐岛, 1只[BB et al.];

河南: 3月3日, 罗山董寨保护区, 1只[LY];

江苏: 12月10日, 江浦狮子岭林场, 1只[ZYu];

江西: 12月18日, 婺源, 1只[HZY et al.];

浙江: 2月12日, 仙居下各镇, 1只[WXM];

福建: 12月10日, 长乐鳝鱼滩, 1只[ZJ];

Liaoning: Two at Qipanshan FP, Shenyang on 10 August [LZY].

Hebei: One on Happy Island, Laoting on 17 May [BB et al.].

Henan: One at Dongzhai NR, Luoshan on 3 March [LY].

Jiangsu: One at Shiziling FF, Jiangpu on 10 December [ZYu].

Jiangxi: One at Wuyuan on 18 December [HZY et al.].

Zhejiang: One at Xiagezhen, Xianju on 12 February [WXM].

Fujian: One at Shanyutan, Changle on 10 December [ZJ].

## 0613# 棕尾伯劳 Rufous-tailed Shrike Lanius isabellinus

新疆: 昌吉五家渠: 3月20日, 2只[WCB]; 7月12日, 40只[WCB]; 10月2日, 库尔勒, 2只[WCB]; 7月5日, 奇台至鄯善, 100只; 7月7日, 库尔勒至若羌, 100只[MKW et al.]; 7月29-8月23日, 多个地点常见[PH];

甘肃: 5月15日, 九泉卫星发射基地, 2只[CYD];

内蒙古: 7月9日, 阿拉善左旗至贺兰山自然保护区, 10只[BA];

青海: 9月22和23日, 茶卡附近, 1只[PH];

此外无重要记录。

Notable records were as follows:

Xinjiang: Two at Wujiaqu, Changji on 20 March and 40 there on 12 July [WCB]; two at Korla city on 2 October [WCB]; 100 between Qitai and Shanshan on 5 July and another 100 between Korla and Ruoqiang on the 7 July [MKW et al.]. Reported as common at several sites during 29 July and 23 August [PH].

Gansu: Two at Jiuquan Satellite Launch Base on 15 May [CYD];

Nei Mongol: About 10 between Bayan Hot and Helanshan NR on 9 March [BA];

Qinghai: Singles near Chaka on 22nd & 23 September [PH].

### 0614# 红尾伯劳 Brown Shrike Lanius cristatus

黑龙江: 5月8日, 伊春带岭, 3只, 其中一只是confusus亚种[LJY];

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是:5月9日,北戴河,100只[PH et al.]和5月19日,乐亭快乐岛,150只[BB et al.];11月18、19、26日,同一只个体出现在北戴河,非常晚的北方秋季记录[JH];

天津: 5月21日,大港区北大港水库,20只[CJZ];

北京: 5月1日,海淀上庄水库,1只[WJ];6月1日,颐和园,2只[PH et al.];10月22日,延庆野鸭湖,1只[LY];

上海: 5月19日,奉贤五四农场, 25只[YZD]; 9月23日,崇明东滩, 4只[XL];

云南: 11月6日, 开远泸江公园, 1只[LYang];

西藏: 5月15-18日, 林芝, 3只, 西藏新记录[CHF];

四川: 12月4-8日, 马尔康红原瓦切, 1只[SY];

贵州: 10月29日, 贵阳金华湖, 1只[YL];

此外, 东部地区自5月起至10月有广泛记录。

Reported to be widespread in eastern China from May to October.

Heilongjiang: Three, including one of race confusus, at Dailing, Yichun on 8 May [LJY].

Hebei: Several migration records at Beidaihe and Happy Island. The maximum counts were 100 at Beidaihe on 9 May [PH et al.] & 150 at Happy Island, Laoting on 19 May [BB et al.]; one first-year was at Beidaihe on 18th, 19th & 26 November, a very late autumn record [JH].

Tianjin: 20 at Beidagang Reservoir on 21 May [CJZ].

Beijing: One at Shangzhuang Reservoir on 1 May [WJ]; two at Summer Palace on 1 June [PH et al.]; one at Wild Duck Lake, Yanqing on 22 October [LY].

Shanghai: 25 at Wusi Farm, Fengxian on 19 May [YZD]; four at Dongtan, Chongming Dao on 23 September [XL].

Yunnan: One at Lujiang Park, Kaiyuan on 6 November [LYang].

Tibet: Three at Linzhi during 15-18 May. The first record for Tibet [CHF].

Sichuan: One at Waqie, Hongyuan, Ma'erkang during 4-8 December [SY].

Guizhou: One at Jinhuahu, Guiyang on 29 December [YL].

Also reported from Shaanxi.

## 0615# 栗背伯劳 Burmese Shrike Lanius collurioides

西藏: 5月15日, 林芝察隅, 2只, 西藏新记录[LKC];

广西: 12月29日, 金秀老山林场, 1只[JAW];

云南: 3月25日, 瑞丽南京里, 2只[MK & RWL]; 7月28日, 个旧, 1只[WC];

Tibet: Two at Chayu, Linzhi on 15 May. The first record for Tibet [LKC].

Guangxi: One at Laoshan FF, Jinxiu on 29 December [JAW].

Yunnan: Two at Nanjingli, Ruili on 25 March [MK & RWL]; one at Gejiu on 28 July [WC].

## 0616# 棕背伯劳 Long-tailed Shrike Lanius schach

安徽、江苏、上海、浙江、福建、江西、广东、广西、海南、河南、四川、重庆、贵州、云南、湖北、湖南、四川均有记录。

## 亚种erythronotus:

新疆:8月6和8日, 塔什库尔干北部,1只。中国罕见的亚种记录,此前的记录不超过6 笔[PH];

Widespread with records from the following provinces: Anhui, Jiangsu, Shanghai, Zhejiang, Fujian, Jiangxi, Guangdong, Guangxi, Hainan, Henan, Shaanxi, Sichuan, Chongqing, Guizhou, Yunnan, Hubei, Hunan & Sichuan.

## Race erythronotus:

Xinjiang: One north of Taxkorgan on both the 6th and 8 August., This taxon is very rare in China with no more than six previous records [PH].

## 0617# 灰背伯劳 Grey-backed Shrike Lanius tephronotus

内蒙古: 7月9日, 贺兰山自然保护区, 4只[BA];

陕西: 5月24日,6月9日和10日,太白山森林公园,分别有1只,1只和3只[PH];

西藏: 5月12日, 林芝, 30只[LKC]; 7月2-14日, 日喀则, 29只[DTJ & ZGF];

四川:有报告来自于孟屯,若尔盖附近,峨眉山,卧龙自然保护区和九寨沟。5月1日,成都到若尔盖,2只[YL];10月2日,孟屯,1只[SY et al.];

云南: 1月13日, 勐腊望天树, 1只[DC]; 3月25日, 瑞丽南京里, 2只[MK & RWL]; 此外, 青海、西藏、四川、云南自5月起至10月有广泛记录。

Reported to be widespread in Qinghai, Tibet, Sichuan & Yunnan from May to October.

Nei Mongol: Four at Helanshan NR on 9 March [BA].

Shaanxi: One, one & three at Taibaishan FP on 24 May, 9th & 10 June respectively [PH].

Tibet: 30 at Linzhi on 12 May [LKC]; 29 at Rikaze during 2-14 July [DTJ & ZGF].

Sichuan: Reports were received from Ruoergai, Mengtun, Emei Shan, Wolong NP and Jiuzhaigou; two between Chengdu and Ruoergai on 1 May [YL]; one at Mengtun on 2 October [SY et al.].

Yunnan: One at Wangtianshu, Mengla on 13 January [DC]; two at Nanjingli, Ruili on 25 March [MK & RWL].

## 0618# 黑额伯劳 Lesser Grey Shrike Lanius minor

新疆: 5月3日, 新源到伊宁, 1只[GJun]; 7月3日, 北屯至奇台, 1只[MKW et al.];

Xinjiang: One between Xinyuan and Yining on 3 May [GJun]; one between Beitun and Qitai on 3 July [MKW et al.].

### 0619.a# 南方灰伯劳 Southern Grev Shrike Lanius meridionalis

新疆:7月21日, 塔岔口至托里,1只[XJ];7月22日,额敏167团,35只[XJ];7月24日,福海乌伦古湖,3只[XJ];10月29日,石河子玛纳斯河河谷,2只[WJian];

Xinjiang: One between Tachakou and Tuoli on 21 July; 35 at '167 Corps.', Emin on 22 July; three at Ulungur Hu, Fuhai on 24 July [XJ]; two at Manasihe, Shihezi on 29 October [WJian].

### 0620# 楔尾伯劳 Chinese Grev Shrike Lanius sphenocercus

## 亚种 sphenocercus

吉林: 10月5-7日,通榆向海自然保护区数群,一天最大数量6只,6月3日,同一地点,3只,10月8日,镇赉莫莫格保护区,7只[PH];

内蒙古: 10月4日, 图牧吉, 6只[PH];

辽宁: 3月26日, 盘锦双台河自然保护区, 1只[WRQ]; 12月31日, 丹东鸭绿江湿地保护区, 1只[BOO];

北京: 4月3日,延庆野鸭湖,2只[LHY]; 8月21日,延庆野鸭湖,1只[LHT]; 11月6日,延庆野鸭湖,6只[ZLi]; 3月17日和10月10日,密云水库,分别是3只和2只[PH.];

河北:1月1日,秦皇岛北戴河,1只[WQ];9月17日,秦皇岛北戴河,1只[LS]和10月2日,1只[PH et al.];

天津: 12月22日, 北大港, 3只[LY&PH]

江苏: 2月27日,南京八卦洲,1只[ZYu];10月16日,六合金牛湖,2只,[ZLing];

上海: 3月10日, 崇明东滩, 1只, [ZLing]; 9月17日, 川沙三甲港, 2只[YLi];

浙江: 10月3日, 椒江前所镇, 1只[WXM];

宁夏: 10月2日, 青铜峡鸟岛, 1只[LiX];

山西: 12月16日,太原晋阳湖,1只[DQ];

青海: 9月20日和24日, 青海湖江西沟附近, 1只[PH et al.];

亚种 giganteus

四川: 7月3日, 4只幼鸟[PH et al.];

## Race sphenocercus:

Jilin: At Xianghai NR, Tongyu three on 3 June & more common in autumn with maximum of six there during 5-7 October; seven at Melmeg NR, Zhenlai on 8 October [PH].

Nei Mongol: Six at Tumuji on 4 October [PH].

Liaoning: One at Shuangtaihe NR, Panjin on 26 March [WRQ]; one at Yalu Jiang Wetland NR, Dandong on 31 December [BQQ].

Beijing: Two at Wild Duck Lake, Yanqing on 3 April [LHY],one there on 21 August [LHT] and six there on 6 November [ZLi]; three & two at Miyun Reservoir on 17 March & 10 October respectively [PH].

Hebei: Singles at Beidaihe, Qinhuangdao on 1 January [WQ], 17 September [LS] & 2 October [PH et al.].

Tianjin: Three at Beidagang on 22 December [LY & PH].

Jiangsu: One at Baguazhou, Nanjing on 27 February [ZYu]; two at Jinniuhu, Liuhe on 16 October [ZLing].

Shanghai: One at Dongtan, Chongming on 10 March [ZLing]; two at Sanjiagang, Chuansha on

17 September [YLi]

Zhejiang: One at Qiansuozhen, Jiaojiang on 3 October [WXM].

Ningxia: One at Niaodao, Qingtongxia on 2 October [LiX]

Shanxi: One at Jinyanghu, Taiyuan on 16 December [DQ].

Qinghai: One near Jiang Xi Gou, Koko Nur on both 20th & 24 September [PH et al.].

Race giganteus:

Sichuan: Four juveniles at Ruoergai on 3 July [PH et al.].

## 雀形目PASSERIFORMES > 鸦科Corvidae

## 0621# 松鸦 Eurasian Jay Garrulus glandarius

河南: 4月12-14日, 信阳鸡公山, 40只[LY];

云南: 3月28日, 盈江, 1只leucotis亚种[MK];

西藏: 5月20日, 林芝, 1只[CHF]; 12月15日, 林芝波密, 1只[ZGF];

此外,全年在黑龙江、吉林、辽宁、北京、河南、安徽、浙江、江西、福建、广东、广西、云南、陕西、四川、贵州、湖北、湖南有广泛记录。

Widely reported with records from Heilongjiang, Jilin, Liaoning, Beijing, Henan, Anhui, Zhejiang, Jiangxi, Fujian, Guangdong, Guangxi, Yunnan, Shaanxi, Sichuan, Guizhou, Hubei & Hunan throughout the year. Particularly interesting records included -

Henan: 40 at Jigongshan, Xinyang during 12-14 April [LY].

Yunnan: One of the race *leucotis* north of Fu Shan Dong Pass, Yingjiang on 28 March [MK]. Tibet: One at Linzhi on 20 May [CHF]; one at Bomi, Linzhi on 15 December [ZGF].

## 0623# 黑头噪鸦 Sichuan Jay Perisoreus internigrans VU

青海: 7月22日, 班玛玛可河林场, 5只; 7月24日, 班玛玛可河林场, 4只[ZJ];

四川: 7月5日, 九寨沟, 2只[PH et al.];

Sichuan: Two at Jiuzhaigou on 5 July [PH et al.].

Qinghai: Five at Makehe FF, Banma on 22 July and four there on 24 July [ZJ].

### 0625# 黄嘴蓝鹊 Yellow-billed Blue Magpie Urocissa flavirostris

西藏: 5月14日, 林芝, 2只[LKC]; 5月28日, 林芝墨脱, 3只[DJT & ZGF]; 7月2日, 日喀则地区, 7只[DJT & ZGF]; 12月13日, 林芝, 12只[ZGF]; 12月21-31日, 日喀则地区, 26只[CML];

云南: 12月1-11日, 高黎贡山百花岭, 在三个不同的点, 总共看到7只, 最多的点有3只[JH]; 12月29日和31日, 分别有2只和3只[PH];

Tibet: Two at Linzhi on 14 May [LKC]; three at Motuo, Linzhi on 28 May [DJT & ZGF]; Seven at Rikaze on 2 July [DJT & ZGF]; 12 at Linzhi on 13 December [ZGF]; 26 at Rikaze during 21-31 December [CML].

Yunnan: Near Baihualing, Gaoligongshan: Seven individuals with up to three birds in three different spots on between 1-11 December [JH] with two & three there on 29th & 31 December respectively [PH].

## 0626# 红嘴蓝鹊 Red-billed Blue Magpie Urocissa erythrorhyncha

中国辽宁、北京、河北、河南、安徽、江苏、上海、浙江、江西、福建、广东、广西、云南、陕西、四川、重庆、贵州、湖北均有记录,全年无特别记录。

Recorded widely in the following provinces: Liaoning, Beijing, Hebei, Henan, Anhui, Jiangsu, Shanghai, Zhejiang, Jiangxi, Fujian, Guangdong, Guangxi, Yunnan, Shaanxi, Sichuan, Chongqing, Guizhou & Hubei.

### 0627# 白翅蓝鹊 White-winged Magpie Urocissa whiteheadi

广西: 龙州弄岗保护区: 9月15-17日,5只[LZY];9月27日-10月3日,21只[JAW];海南: 1月15日,昌江霸王岭自然保护区,17只[BA];3月1日,乐东尖峰岭保护区,1只[YCC].

Guangxi: Five at Nonggang NR, Longzhou during 15-17 September [LZY] and up to 21 there during 27 September to 3 October [JAW].

Hainan: 17 at Bawangling NR on 15 January [BA]; and one at Jianfengling NR, Ledong on 1 March [YCC].

## 0628# 蓝绿鹊 Common Green Magpie Cissa chinensis

西藏: 5月28日-6月21日, 林芝墨脱, 7只[DJT & ZGF];

云南: 1月13日, 勐腊望天树, 1只[DC]; 3月29日, 盈江铜壁关自然保护区, 3只[MK & RWL];

Tibet: Seven at Motuo, Linzhi during 28 May to 21 June [DJT & ZGF].

Yunnan: One at Wangtianshu, Mengla on 13 January [DC]; three at Tongbiguan, Yingjiang on 29 March [MK & RWL].

## 0629# 印支绿鹊 Indochinese Green Magpie Cissa hypoleuca

海南: 5月12-15日,琼中鹦哥岭,4只[YCC];11月25日,昌江霸王岭自然保护区,3只 [JHo & JW];

Hainan: Three at Bawangling NR on 25 November [JHo & JW]; four at Yingeling, Oiongzhong during 12-15 May [YCC].

## 0630# 灰喜鹊 Azure-winged Magpie Cyanopica cyanus

湖南: 12月3-6日, 岳阳君山, 一天最高统计到100只[RWL &MK];

青海: 7月18日, 大通东峡林场, 8只[ZJ]; 7月19日, 湟中塔尔寺, 5只[FZ];

四川:7月1日,鹧鸪山垭口和红原之间,6只,6月24日,红原和若尔盖之间,10只[PH et al.];12月4-8日,马尔康红原瓦切,30只[SY];

此外,中国黑龙江、吉林、辽宁、北京、河北、河南、山东、安徽、江苏、上海、陕 西、四川、湖北、湖南、青海均有记录。

## 逃逸野化种群:

云南:昆明翠湖公园:1月17日,23只[ailaowolf];8月26日,4只[WRQ];12月5日,昆明云南大学,20只[SXL];

广东: 4月17日, 珠海斗门, 10只[HK];

Recorded widely in the following provinces: Heilongjiang, Jilin, Liaoning, Beijing, Hebei,

Henan, Shandong, Anhui, Jiangsu, Shanghai, Shaanxi, Sichuan, Hubei, Hunan & Oinghai.

Hunan: Day-counts of up to 100 at Junshan, Yueyang during 3-6 December [RWL &MK].

Qinghai: Eight at Dongxia FF on 18 July [ZJ]; five at Taersi, Huangzhong on 19 July [FZ].

Sichuan: Six between the Zhegushan Pass & Hongyuan on 1 July; 10 between Hongyuan & Ruoergai on 24 June [PH et al.]; 30 at Waqie, Hongyuan, Maerkang during 4-8 December [SY].

Records of feral populations:

Yunnan: 23 at Cuihu Park, Kunming on 17 January [WC] and four there on 26 August [WRQ];

20 at Yunnan University, Kunming on 5 December [SXL].

Guangdong: Ten at Doumen, Zhuhai on 17 April [HK].

## 0631# 棕腹树鹊 Rufous Treepie Dendrocitta vagabunda

云南: 4月24日,沧源班洪,1只[OB];

Yunnan: One at Banhong, Cangyuan on 24 April [OB].

## 0632# 灰树鹊 Grey Treepie Dendrocitta formosae

西藏: 5月28日-6月21日, 林芝墨脱, 共100只[DJT & ZGF];

四川: 12月3日, 泸州合江笔架山, 100只[LZC];

江西: 10月29-11月2日, 九连山自然保护区, 每天多达30只[RWL];

广东: 5月6-7日, 乳源南岭森林公园, 3只[BA];

海南: 11月9-11日, 昌江霸王岭保护区, 68只[WJY];

云南: 3月25日, 瑞丽南京里, 11只[MK & RWL];

此外,安徽、江苏、浙江、江西、福建、广东、广西、西藏、四川、贵州均有记录。

High counts included:

Tibet: 100 bird-days at Motuo, Linzhi during 28 May to 21 June [DJT & ZGF];

Sichuan: 100 at Bijiashan, Hejiang, Luzhou on 3 December [LZC];

Jiangxi: Up to 30 daily at Jiulianshan NR between 29 October and 2 November [RWL];

Guangdong: Three at Nanling FP, Ruyuan on 6-7 May [BA];

Hainan: 68 at Bawangling, Changjiang during 9-11 November [WJY];

Yunnan: 11 at Nanjingli, Ruili on 25 March [MK & RWL];

Also reported from the following provinces: Anhui, Jiangsu, Zhejiang, Fujian, Guangxi &

Guizhou.

### 0633# 黑额树鹊 Collared Treepie Dendrocitta frontalis

西藏: 5月28日-6月21日, 林芝墨脱, 4只[DJT & ZGF];

云南: 3月27日, 瑞丽铜壁关自然保护区, 1只[MK & RWL];

Tibet: Four at Motuo, Linzhi during 28 May to 21 June [DJT & ZGF].

Yunnan: One at Tongbiguan, Ruili on 27 March [MK & RWL].

### 0635# 塔尾树鹊 Ratchet-tailed Treepie Temnurus temnurus

海南: 2月1日, 乐东尖峰岭保护区, 1只[YCC];

Hainan: One at Jianfengling NR, Ledong on 1 February [YCC].

## 0636# 喜鹊 Common Magpie Pica pica

除内蒙古、海南外各地均有记录,数量大的记录包括:

吉林: 10月5-7日,通榆向海自然保护区数群,一天最大数量300只,10月8日,镇赉莫 莫格保护区,50只[PH];

内蒙古: 10月4日, 图牧吉, 100只[PH];

Recorded widely in China except Nei Mongol and Hainan. High counts were:

Jilin: Several flocks at Xianghai NR, Tongyu on 5-7 October with 300 as the maximum day count; 50 at Melmeg NR, Zhenlai on 8 October [PH];

Nei Mongol: 100 at Tumuji on 4 October [PH].

### 0637# 黑尾地鸦 Mongolian Ground-jay Podoces hendersoni

新疆: 3月28-30日,吉木萨尔卡拉麦里保护区,5只[MM];10月8日,阿图什至乌什,3 只[WCB];10月15日,吉木萨尔卡拉麦里保护区,1只[WCB];

青海: 7月28日, 共和橡皮山, 4只[FZ]; 7月28日, 乌兰茶卡, 4只[ZYong];

Xinjiang: Five at Kalamaili NR, Jimusaer during 28-30 March [MM]; three between Artux and Wushi on 8 October [WCB]; one at Kalamaili NR, Jimusaer on 15 October [WCB].

Qinghai: Four at Xiangpishan, Gonghe on 28 July [FZ]. Possibly the first record for this site; four at Chaka, Wulan on 28 July [ZYong].

## 0638# 白尾地鸦 Xinjiang Ground-jay Podoces biddulphi

新疆: 8月15日,库尔勒,1对[PH];10月2-3日,库尔勒,14只[GJun et al.];

Xinjiang: A pair at Puhui Dunes southeast of Korla on 15 August [PH]; 14 at Korla city during 2-3 October [GJun et al.].

## 0640# 星鸦 Spotted Nutcracker Nucifraga caryocatactes

黑龙江: 9月30日, 带岭碧水保护区, 6只[WXL], 10月1日, 带岭凉水保护区, 8只[WXL];

北京: 7月9日, 白草畔, 2只[ZJ];

河北:整个5月间,秦皇岛北戴河,1只[num. obs],5月30日和31日,兴隆雾灵山,都有2只[PH et al.];

陕西: 1月19日,佛坪三官庙,12只[LY],5月底和6月初,共计有5只,有规律的出现在太白山森林公园[PH et al];

四川:康定跑马山: 6月17日, 4只, 11月29日, 50只 [CLiang], 10月2日, 理县孟屯, 20只[SY], 卧龙、鹧鸪山和九寨沟都有单只记录,

湖北:7月19日,神农架自然保护区,2只[YZD];

新疆: 1月12日, 乌鲁木齐板房沟, 15只[MM]; 6月12日, 乌鲁木齐南山, 5只[WN]; 西藏: 7月2日, 日喀则地区, 5只[DJT & ZGF]; 12月21-31日, 日喀则地区, 44只[CML];

Heilongjiang: Six at Bishui NR, Dailing on 30 September and eight at Liangshui NR, Dailing on 1 October [WXL].

Beijing: Two at Baicaoban on 9 July [ZJ].

Hebei: One at Beidaihe, Qinhuangdao throughout May [num. obs.]; two at Wulingshan, Xinglong on both 30th & 31 May [PH et al.].

Shaanxi: 12 at Sanguanmiao, Foping on 19 January [LY]; up to five birds regularly present around Xiabansi, Taibaishan FP in late May-early June [PH et al.].

Sichuan: At Paomashan, Kangding there were four on 17 June & 50 on 29 November [CLiang]; 20 at Mengtun, Lixian on 2 October [SY]. Reports were also received from Wolong (singles), the Zhegushan Pass (single) & Jiuzhaigou NP (one or two birds).

Hubei: Two at Shennongjia NR on 19 July [YZD].

Xinjiang: 15 at Banfanggou, Urumqi on 12 January [MM]; five at Nanshan, Urumqi on 12 June [WN].

Tibet: Five at Rikaze on 2 July [DJT & ZGF] and 44 there during 21-31 December [CML].

### 0641# 红嘴山鸦 Red-billed Chough Pyrrhocorax pyrrhocorax

北京: 3月13日, 密云白河, 52只[LHY]; 3月17日, 密云水库以北, 100只[PH & WQY]; 4月30日, 怀柔白河峡谷, 10只[BB et al.];

河南: 8月7日, 洛宁, 1只[DQ];

甘肃: 1月23日, 兰州大学, 40只[ZLY];

宁夏: 10月4日, 贺兰苏峪口森林公园, 2只[LiX];

青海: 7月18日, 大通东峡林场, 50只[ZJ]; 8月10-16日, 班玛-久治, 90只[DJT &

ZGF]; 7月28日-8月24日, 玉树, 50只[KHL];

四川: 10月23-27日, 康定新都桥, 80只[DK]; 12月5自, 若尔盖, 100只[SY];

新疆: 8月7日, 塔什库尔干, 100只[PH]; 10月5-7日, 喀什, 50只[WCB];

西藏: 5月11日,山南,130只[LKC];7月2-14日,日喀则地区,193只[DJT & ZGF];

12月21-31日, 日喀则地区, 1170只[CML];

云南: 12月28日, 中甸嘎丹松赞林寺, 125只[RWL];

High counts & unusual reports included:

Beijing: 52 at Baihe, Miyun on 13 March [LHY]; 100 north of Miyun Reservoir on 17 March [PH&WOY]: ten in the Baihe Valley. Huairou on 30 April [BB et al.].

Henan: One at Luoning on 7 August [DO]

Gansu: 40 at Lanzhou University on 23 January [ZLY].

Ningxia: Two at Suyukou FP on 4 October [LiX].

Qinghai: 50 at Dongxia FF, Datong on 18 July [ZJ]; 90 between Banma and Jiuzhi during 10-16 August [DJT & ZGF]; 50 at Yushu during 28 July to 24 August [KHL].

Sichuan: 80 at Xinduqiao during 23-27 October [DK]; 100 at Ruoergai, Maerkang on 5 December [SY].

Xinjiang: 100 at Taxkorgan on 7 August [PH]; 50 at Kashi during 5-7 October [WCB].

Tibet: 130 at Shannan on 11 May [LKC]; 193 at Rikaze during 2-14July [DJT & ZGF] and 1170 there during 21-31 December [CML].

Yunnan: 125 at Gadansongzanling monastery, Zhongdian on 28 December [RWL].

### 0642# 黄嘴山鸭 Yellow-billed Chough Pyrrhocorax graculus

青海: 7月21日, 玛沁到班玛, 6只[ZYong.]; 7月23日, 班玛玛可河林场, 16只[WQ et

al.]; 7月31日, 杂多, 3只[CLiang];

四川: 5月3日,若尔盖,2只[YL]; 6月24日,汶川卧龙巴朗山,12只[DK]和6月27日和28日,在巴朗山,卧龙,汶川,分别是20只和10只[PH et al.]; 10月22日,汶川卧龙自然保护区,15只[LS]; 11月29日,康定跑马山,15只[CLiang];

新疆: 7月15日, 塔什库尔干至喀什, 30只[MKW et al.]; 10月5-7日, 喀什, 100只 [GJun et al.];

西藏: 5月9日, 曲水雄色寺, 3只[CHF];

Qinghai: Six between Maqin and Banma on 21 July [ZYong.]; 16 at Banma FF on 23 July [WQ et al.]; three at Zaduo on 31 July [CLiang].

Sichuan: Two at Ruoergai, Maerkang on 3 May [YL]; 12, 20 & 10 at Balangshan, Wolong, Wenchuan at 24 May [DK], 27th & 28 June [PH et al.] respectively; 15 at Wolong NR, Wenchuan on 22 October [LS]; 15 at Paomashan, Kangding on 29 November [CLiang].

Xinjiang: High counts included 30 between Taxkorgan and Kashi on 15 July [MKW et al.]; 100 at Kashi during 5-7 October [GJun et al.].

Tibet: Three at Xiongse Si, Qushui at 9 May [CHF].

### 0643# 寒鸦 Eurasian Jackdaw Corvus monedula

新疆: 7月24日, 阿勒泰, 1只[XJ]; 乌鲁木齐南山: 2月11日, 6只; 6月12日, 8只; 10月22日, 130只; 11月27日, 40只[WCB]

Xinjiang: One at Altay on 24 July [XJ]; six at Nanshan, Urumqi on 11 February, eight there on 12 June, 130 on 22 October and 40 there on 27 November [WCB].

### 0644# 达乌里寒鸦 Daurian Jackdaw Corvus dauurica

吉林: 10月5-7日, 通榆向海自然保护区数群, 一天最大数量157只[PH];

北京:广泛记录,2月3日,密云白河峡谷,800只[WQ];3月13日,朝阳区温榆河,200只[BA];10月13日,百望山,1500只[HD];10月16日,昌平沙河水库,1500只[WJ et al.];

河北: 5月20日,秦皇岛北戴河以北,1只,春季较晚的记录[PH et al];

湖北: 11月14日, 恩施巴东县, 2只[ZYQi]; 11月20日, 武汉沉湖, 5只[TXD];

青海: 6月10日, 玉树囊谦, 2只[TJ]; 7月19日, 湟中塔尔寺至贵德, 15只[ZJ]; 7月23日, 班玛玛可河林场, 20只[WQ et al.]; 7月28日, 玉树尕尔寺, 1只[KHL et al.]; 9月27日, 互助北山, 2只[PH et al.];

四川: 6月14日,康定雅江县,4只[CLiang];6月17日,康定跑马山,40只[CLiang];7月1日,红原附近,2只,7月6日,松潘附近,2只[PH et al.];10月23日,康定新都桥,20只[DK];12月5日,若尔盖,3只[SY];

云南: 8月2日, 昆明植物园, 5只; 8月5日, 大理洱海, 5只[QC];

新疆: 10月8日, 阿图什至乌什, 12只[GJun et al.];

西藏: 7月27日, 芒康, 9只, 西藏新记录[DJT & ZGF];

Jilin: Several flocks at Xianghai NR, Tongyu on 5-7 October with 157 as the maximum day count [PH].

Beijing: Recorded widely in Beijing. 800 at Baihe, Miyun on 3 February [WQ]; 200 at Wenyu He on 13 March [BA]; 1500 at Baiwangshan on 13 October [HD]; 1500 at Shahe Reservoir,

Changping on 16 October [WJ et al.].

Hebei: One north over Beidaihe, Oinhuangdao 20 May [PH et al.] was late in the season;

Hubei: Two at Badong, Enshi on 14 November [ZYQi]; five at Chenhu, Wuhan on 20 November [TXD].

Qinghai: Two at Nangqian on 10 June [TJ]; 15 between Taersi, Huangzhong and Guide on 19 July [ZJ]; 20 at Makehe FF, Banma on 23 July [WQ et al.]; one at Gaersi, Yushu on 28 July [KHL et al.]; two at Huzhu Bei Shan on 27 September [PH et al.].

Sichuan: Four at Yajiang, Kangding on 14 June [CLiang]; 40 at Paomashan, Kangding on 17 June [CLiang]; two near Hongyuan on 1 July; two near Songpan on 6 July [PH et al.]; 20 at Xinduqiao, Kangding on 23 October [DK]; three at Ruoergai, Maerkang on 5 December [SY]. Yunnan: Five at Kunming BG on 2 August and five at Erhai, Dali on 5 August [QC].

Xinjiang: 12 between Artux and Wushi on 27 July [GJun et al.].

Tibet: Nine at Mangkang on 27 July [DJT & ZGF]. The first record for Tibet.

## 0645# 家鸦 House Crow Corvus splendens

西藏: 7月2-14日,日喀则地区,105只[DJT & ZGF];12月21日,日喀则地区,1只[LKC];

Tibet: 105 at Rikaze during 2-14 July [DJT & ZGF] and one there on 21 December [CML].

## 0646# 秃鼻乌鸦 Rook Corvus frugilegus

黑龙江: 5月10日, 扎龙自然保护区, 1只[LJY];

吉林: 10月5-7日,通榆向海自然保护区数群,一天最大数量300只,10月8日,镇赉莫 莫格保护区,100只[PH];

北京: 3月8日, 昌平沙河水库, 13只[HP et al.]; 3月9日, 颐和园, 10只[ZYong]; 3月13日, 门头沟区潭柘寺, 3只[LX]; 4月3日, 延庆野鸭湖, 1只[LHY]; 10月15日, 百望山, 3只[HD]; 11月23日, 大兴麋鹿苑, 2只[HXR];

青海: 7月18日, 大通东峡林场, 16只[ZJ];

四川: 10月2日, 理县孟屯, 1只[SY]; 11月6日, 汶川, 1只[GGW];

湖北: 11月20日, 武汉沉湖, 240只[TXD];

福建: 2月5日, 福鼎, 1只[FJBWS];

新疆: 乌鲁木齐南山: 2月11日, 100只, 6月12日, 15只, 11月27日, 50只, 12月4日, 1只[WCB], 5月3日, 伊宁伊犁宾馆, 120只[WCB],

Heilongjiang: One at Zhalong NR on 10 May [LJY].

Jilin: Several flocks at Xianghai NR, Tongyu on 5-7 October with 300 as the maximum day count; 100 at Melmeg NR, Zhenlai on 8 October [PH].

Beijing: 13 at Shahe Reservoir, Changping on 8 March [HP et al.]; ten at Summer Palace on 9 March [ZYong]; three at Tanzhesi, Mentougou on 13 March [LX]; one at Wild Duck Lake, Yanqing on 3 April [LHY]; three at Baiwangshan on 15 October [HD]; two at Miluyuan, Daxing on 23 November [HXR].

Qinghai: 16 at Dongxia FF, Datong on 18 July [ZJ].

Sichuan: One at Mengtun, Lixian on 2 October [SY]; one at Wenchuan on 6 November [GGW] Hubei: 240 at Chenhu, Wuhan on 20 November [TXD].

Fujian: One at Fuding on 5 February [FJBWS].

Xinjiang: 100 at Nanshan, Urumqi on 11 February, 15 there on 12 June, 50 on 27 November and one there on 4 December [WCB]; 120 at Yili Hotel, Yining on 3 May [WCB].

## 0647.1# 小嘴乌鸦 Carrion Crow Corvus corone

北京: 3月12日, 昌平沙河水库, 1000只[HD];

湖北: 11月20日, 武汉沉湖, 100只[TXD];

青海: 7月18日, 大诵东峡林场, 50只[ZJ];

新疆: 9月13-15日, 阿勒泰卡纳斯湖, 50只[GLQ];

西藏: 5月15日, 林芝察隅, 9只, 西藏新记录[LKC];

在黑龙江、吉林、辽宁、天津、北京、河北、河南、山东、安徽、湖北、甘肃、青海、四川、贵州、新疆、西藏、云南均有记录、此外无重要记录。

Notable records were as follows:

Beijing: 1000 at Shahe Reservoir, Changping on 12 March [HD].

Hubei: 100 at Chenhu, Wuhan on 20 November [TXD].

Qinghai: 50 at Dongxia FF, Datong on 18 July [ZJ].

Xinjiang: 50 at Kanasi Hu, Korla city during 13-15 September [GLQ].

Tibet: Nine at Chayu, Linzhi on 15 May [LKC]. The first record for Tibet.

Reports were also received from the following provinces: Heilongjiang, Jilin, Liaoning,

Tianjin, Hebei, Henan, Shandong, Gansu, Sichuan, Guizhou & Yunnan.

## 0647.2# 冠小嘴乌鸦 Hooded Crow Corvus cornix

亚种sharpii:

新疆: 10月8日, 阿图什至乌什沿线,12只[GJun];

Race sharpii:

Xinjiang: 12 between Artux and Wushi on 8 October [GJun].

### 0648# 大嘴乌鸦 Large-billed Crow Corvus macrorhynchos

北京: 10月22日,延庆野鸭湖,104只[ZLi];

江苏: 12月30日, 泗洪杨毛咀保护区, 150只[ZLing];

湖北: 3月13日, 武汉沉湖, 150只[TXD];

四川: 12月4日, 理县鹧鸪山, 200只[SY];

在辽宁、天津、北京、河北、河南、安徽、江苏、浙江、江西、广东、香港、广西、

云南、甘肃、陕西、四川、贵州、湖北、青海、西藏均有记录,此外无重要记录。

Notable records were as follows:

Beijing: 104 at Wild Duck Lake, Yanging on 22 October [ZLi].

Jiangsu: 150 at Yangmaozui NR, Sihong on 30 December [ZLing].

Hubei: 150 at Chenhu, Wuhan on 13, March [TXD].

Sichuan: 200 at Zhegushan, Lixian on 4 December [SY].

Reports were also received from the following provinces: Liaoning, Tianjin, Hebei, Henan, Anhui, Zhejiang, Jiangxi, Guangdong, Guangxi, Yunnan, Gansu, Shaanxi, Guizhou, Qinghai, Tibet

## 0650# 白颈鸦 Collared Crow Corvus torquatus

在河南、安徽、江苏、浙江、福建、广东、陕西、贵州、湖北均有记录, 无重要记录。

Recorded in the following provinces: Henan, Anhui, Jiangsu, Zhejiang, Fujian, Guangdong, Shaanxi, Guizhou & Hubei. No significant records.

## 0651# 渡鸦 Common Raven Corvus corax

甘肃: 12月6日, 碌曲贡巴, 3只[SY];

青海: 7月21日, 玛沁到班玛, 20只[FZ];

四川: 8月13-16日, 若尔盖, 20只[WJY];

新疆: 7月13日, 帕米尔高原, 100只[MKW et al.]; 10月5-7日, 喀什至塔什库尔干, 30只[WCB];

西藏: 12月21-31日, 日喀则地区, 98只[CML];

云南: 11月19日, 中甸纳帕海, 10只[WC];

此外无重要记录。

Notable records were as follows:

Gansu: Three at Gongba, Luqu on 6 December [SY].

Qinghai: 20 between Maqin and Banma on 21 July [FZ].

Sichuan: 20 at Ruoergai during 13-16 August [WJY].

Xinjiang: 100 at Pamirs Plateau on 13 July [MKW et al.]; 30 between Kashi and Taxkorgan during 5-7 October [WCB].

Tibet: 98 at Rikaze during 21-31 December [CML].

Yunnan: Ten at Napahai, Zhongdian on 19 November [WC].

## 0652# 灰燕鵙 Ashy Woodswallow Artamus fuscus

广西: 10月3日, 弄岗国家级自然保护区, 62只[TSX et al.]; 10月5日, 崇左生态公园, 30只[TSX et al.];

海南: 7月4日, 琼海白石岭, 1只[YZD];

Guangxi: 62 at Nonggang NR on 3 October [TSX et al.]; 30 at Shengtai Park, Chongzuo on 5 October [TSX et al.].

Hainan: One at Baishiling, Qionghai on 4 July [YZD].

## 0653# 金黄鹂 Eurasian Golden Oriole Oriolus oriolus

新疆: 7月3日, 北屯至青河, 2只, 7月9日, 若羌至且末, 1只[MKW], 8月2和4日, 喀 什西南, 分别有4只和10只[PH];

青海: 9月23日, 茶卡附近, 1只, 可能是kundoo亚种[PH];

Xinjiang: Two between Beitun and Qinghe on 3 July and singles between Ruoqiang and Qiemo on 9 July [MKW et al.]; four & ten southeast of Kashi on 2nd & 4 August respectively [PH].

Qinghai: One near Chaka on 23 September [PH et al.]. It was probably of the subspecies kundoo.

## 0654# 黑枕黄鹂 Black-naped Oriole Oriolus chinensis

吉林: 7月19日, 吉林市, 8只[LiXD];

辽宁: 9月11日, 东港, 5只[BQQ];

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是:5月13日,乐亭快乐岛,80只[PH et al.]

北京: 5月12日,北京大学,1只[ZAH];6月5日,八达岭,4只[PH et al.];9月28日,天坛,2只[WRQ];

天津: 5月23日, 静海, 20只[CJZ];

河南: 5月21日, 罗山董寨保护区, 2只[ZYong]; 8月14日, 洛宁洛河大桥, 8只[DQ];

湖北: 6月4日, 京山三阳镇, 1只[TXD];

安徽: 5月31日, 黄山谭家桥, 4只[FZ]; 8月5日, 砀山, 1只[LM];

江苏: 5月2日, 溧水, 1只[ZYu]; 9月18日, 南京江心洲, 1只[LM et al.];

上海: 5月19日,奉贤五四农场, 2只[YZD]; 10月7日,宝钢水库,1只[ZLin];

浙江: 5月1日, 绍兴, 2只[QC];

江西: 5月5日, 婺源, 2只[GLQ];

广东: 10月5日,广州中山大学,1只[XZW];

海南: 3月12日, 海口万绿园, 1只[LG]; 11月12日, 大田自然保护区, 2只[DK];

云南: 12月8日, 勐腊中科院热带植物园, 2只[SXL];

四川: 9月14日,成都百花潭公园,3只[WQian];

Jilin: Eight at Jilin city on 19 July [LiXD].

Liaoning: Five at Donggang on 11 September [BQQ].

Hebei: Several migration records at Beidaihe and Happy Island. The largest count was 80 on

Happy Island, Laoting on 13 May [PH et al.]

Beijing: One at Beijing University on 12 May [ZAH]; four at Badaling on 5 June [PH et al.]; two at Tiantan Park on 28 September [WRQ].

Tianjin: 20 at Jinghai on 23 May [CJZ].

Henan: Two at Dongzhai NR, Luoshan on 21 May [ZYong]; eight at Luohe Bridge, Luoning on 14 August [DQ].

Hubei: One at Sanyangzhen, Jingshan on 4 June [TXD].

Anhui: Four at Tanjiaqiao, Huangshan on 31 May [FZ]; one at Dangshan on 5 August [LM].

Jiangsu: One at Lishui on 2 May [ZYu]; one at Jiangxinzhou, Nanjing on 18 September [LM et al.].

Shanghai: Two at Wusi Farm, Fengxian on 19 May [YZD]; one at Baogang Reservoir on 7 October [ZLin].

Zhejiang: Two at Shaoxing on 1 May [QC].

Jiangxi: Two at Wuyuan on 5 May [GLQ].

Guangdong: One at Zhongshan University, Guangzhou on 5 October [XZW].

Hainan: One at Wanlvyuan, Haikou on 12 March [LG]; two at Datian NR on 12 November [DK];

Yunnan: Two at CAS Tropical BG, Mengla on 8 December [SXL].

Sichuan: Three at Baihuatan Park, Chengdu on 14 September [WQian].

Also reported from Shaanxi.

## 0655# 细嘴黄鹂 Slender-billed Oriole Oriolus tenuirostris

云南: 9月29日, 大理苍山, 1只[JHo & JW]; 11月26日, 腾冲来凤山森林公园, 1只 [ZYong];

Yunnan: One at Laifengshan FP, Tengchong on 26 November [ZYong]; one at Cangshan, Dali on 29 September [JHo & JW].

### 0657# 朱鹂 Maroon Oriole Oriolus traillii

西藏: 5月28日至6月21日, 林芝墨脱, 18只, 西藏新记录[DJT & ZGF];

云南: 3月26日,瑞丽莫里森林公园,8只[MK],12月2日,高黎贡山百花岭,2只[BA];

Tibet: 18 at Motuo, Linzhi during 28 May to 21 June [DJT & ZGF]. The first record for Tibet. Yunnan: Eight at Moli FP, Ruili on 26 March [MK]; two at Baihualing, Gaoligongshan on 2 December [BA].

## 0659# 大鹃鵙 Large Cuckooshrike Coracina macei

云南: 3月28日, 盈江, 1只[MK]; 12月30日, 高黎贡山百花岭, 1只[PH];

Yunnan: Singles at Fu Shan Dong Pass, Yingjiang on 28 March [MK] and at Baihualing, Gaoligongshan on 30 December [PH].

## 0660# 暗灰鹃鵙 Black-winged Cuckooshrike Coracina melaschistos

河北: 5月14日, 乐亭快乐岛, 1只[BB et al.];

河南: 5月21日, 罗山董寨保护区, 4只[ZYong]; 5月3日, 同一地点, 1只[GLQ];

安徽: 5月5日, 潜山潜河, 1只[QH];

江苏: 5月21日, 江浦狮子岭林场, 5只[ZYu]; 6月22日, 江浦, 1只[LJ et al.];

湖南: 9月17日, 长沙岳麓山, 1只[LJY];

江西: 4月8-10日, 铅山武夷山自然保护区, 1只[BA];

广东: 5月6-7日,乳源南岭国家森林公园,至少5只[BA];9月30日,珠海斗门,1只

[HK]; 10月5日,广州中山大学,1只[XZW];

陕西; 6月6日, 洋县朱鹮自然保护区[PH et al.];

四川: 8月14日,成都,1只[QG];10月6日,都江堰龙池,1只[YHY];

云南: 3月25、26日,瑞丽南京里和莫里森林公园,各3只,3月29日,盈江铜壁关自然保护区,1只[MK]:

Hebei: One on Happy Island, Laoting on 14 May [BB et al.].

Henan: One at Dongzhai NR, Luoshan on 3 May [GLQ] and four there on 21 May [ZYong].

Anhui: One at Qianhe, Qianshan on 5 May [QH].

Jiangsu: Five at Shizilin FF, Jiangpu on 21 May [ZYu]; one at Jiangpu on 22 June [LJ et al.].

Hunan: One at Yuelushan, Changsha on 17 September [LJY].

Jiangxi: One at Wuyishan NR, Yanshan on 8-10 April [BA].

Guangdong: At least five at Nanling FP, Ruyuan on 6-7 May [BA]; one at Doumen, Zhuhai on 30 September [HK]; one at Zhongshan University, Guangzhou on 5 October [XZW].

Shaanxi: One at the Crested Ibis NR, Yangxian on 6 June [PH et al.].

Sichuan: One at Chengdu on 14 August [QG]; one at Longchi, Dujiangyan on 6 October [YHY].

Yunnan: Three each at Nanjingli and Moli FP, Ruili on 25 and 26 March and one at Tongbiguan NR, Yingjiang on 29 March [MK].

### 0661# 粉红山椒鸟 Rosy Minivet Pericrocotus roseus

四川: 10月2-5日, 理县孟屯, 3只[SY], 3月21日, 保山至百花岭的路上, 2只[MK&RWL];

云南: 3月21日,澜沧江峡谷, 2只[MK]; 3月26-27日,瑞丽莫里森林公园和铜壁关自然保护区,各1只[MK]; 4月18日,沧源勐定,4只[OB]; 5月13日,昆明西山,1只[ZLin]; 10月6日,昆明郊野公园,1只[WC]; 10月12日,昆明西山,1只[ZMH]; 12月8日,勐腊中科院热带植物园、1只[SXL];

Sichuan: Two between Baoshan and Baihualing on 21 March [MK & RWL]; three at Mengtun, Lixian during 2-5 October [SY].

Yunnan: Two in Lancang River Valley near Baihualing, Gaoligongshan on 21 March [MK], singles at Moli FP, Ruili and Tongbiguan NR, Ruili on 26-27 March [MK], four at Mengding, Cangyuan on 18 April [OB]; one at Xishan, Kunming on 13 May [ZLin]; one at Jiaoye Park, Kunming on 6 October [WC]; one at Xishan, Kunming on 12 October [ZMH]; one at CAS Tropical BG, Mengla on 8 December [SXL].

### 0662# 小灰山椒鸟 Swinhoe's Minivet Pericrocotus cantonensis

河南: 4月12日, 信阳鸡公山, 4只[LY]; 5月28日, 罗山董寨保护区, 40只[TXD];

陕西: 4月28日, 洋县, 20只[DM];

安徽: 5月4日, 潜山天柱山, 10只[QH];

江苏: 4月16日,南京中山植物园,2只[ZYu];7月17日,江浦老山林场,2只[ZYu];

浙江: 4月23日, 椒江太和山, 2只[WXM]; 8月24日, 杭州九溪珊瑚沙, 30只[QC et al.];

湖北: 4月14日,广水中华山森林公园, 8只[LY]; 7月17日, 十堰武当山, 1只[YZD];

湖南: 4月24日, 沅江, 1只[ZYF];

江西: 5月5日, 婺源, 2只[GLQ];

广西: 4月6日,柳州沙塘君武森林公园,19只[YDH],9月27日,龙州弄岗保护区,3只[JAW],

云南: 7月28日, 个旧, 2只[WC]: 10月12日, 昆明西山, 1只[ZMH]:

四川: 9月10日, 崇州白塔湖, 7只[WQian et al.];

此外无重要记录。

Notable records were as follows:

Henan: Four at Jigongshan, Xinyang on 12 April [LY]; 40 at Dongzhai NR, Luoshan on 28 May [TXD].

Shaanxi: 20 around Yangxian county on 28 April [DM].

Anhui: Ten at Tianzhushan, Qianshan on 4 May [QH].

Jiangsu: Two at Zhongshan BG, Nanjing on 16 April [ZYu]; two at Laoshan FF, Jiangpu on

17 July [ZYu].

Zhejiang: Two at Taiheshan, Jiaojiang on 23 April [WXM]; 30 at Shanhusha, Jiuxi, Hangzhou on 24 August [QC et al.].

Hubei: Eight at Zhonghuashan FP, Guangshui on 14 April [LY]; one at Wudangshan, Shiyan on 17 July [YZD].

Hunan: One at Yuanjiang on 24 April [ZYF].

Jiangxi: Two at Wuyuan on 5 May [GLQ].

Guangxi: 19 at Junwu FP, Shatang, Liuzhou on 6 April [YDH]; three at Nonggang NR, Longzhou on 27 September [JAW].

Yunnan: Two at Gejiu on 28 July [WC]; one at Xishan, Kunming on 12 October [ZMH].

Sichuan: Seven at Baitahu, Chongzhou on 10 September [WQian et al.].

### 0663# 灰山椒鸟 Ashy Minivet Pericrocotus divaricatus

黑龙江: 9月29日, 伊春带岭北山, 1只[LY];

北京: 4月30日, 北京大学, 2只[WC];

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是:5月13日,乐亭快乐岛,12只[PH et al.]:

山东: 5月1日, 昌邑潍河, 1只[LJQ]; 10月2-5日, 长岛大黑山岛, 50只[LHY]

江苏: 4月24日, 南京紫金山, 1只[ZYu];

浙江: 5月3日, 嵊泗县大洋山岛, 45只[BP et al.];

广东:4月3日,广州中山大学,1只[YHY];10月1日,肇庆鼎湖山,1只[XZW];12月4日,湛江森林公园,1只[YWQ],反常的冬季记录;

Heilongjiang: One at Beishan, Dailing, Yichun on 29 September [LY].

Beijing: Two at Beijing University on 30 April [WC].

Hebei: Several migration records at Beidaihe and Happy Island. The largest count were 12 on Happy Island, Laoting on 13 May [PH et al.].

Shandong: One at Weihe, Changyi on 1 May [LJQ]; 50 at Daheshandao, Changdao during 2-5 October [LHY].

Jiangsu: One at Zijinshan, Nanjing on 24 April [ZYu].

Zhejiang: 45 at Dayangshan Dao, Chengsi county on 3 May [BP et al.].

Guangdong: One at Zhongshan University, Guangzhou on 3 April [YHY]; one at Dinghushan, Zhaoqing on 1 October [XZW]; one at Zhanjiang FP on 4 December [YWQ], an exceptionally late record..

### 0664# 灰喉山椒鸟 Grey-chinned Minivet Pericrocotus solaris

江西: 11月1日, 九连山自然保护区, 70只[RWL et al.];

海南: 11月9-11日, 昌江霸王岭保护区, 100只[WJY];

在浙江、江西、福建、广东、广西、海南、云南均有记录,此外无重要记录。

Recorded in the following provinces: Zhejiang, Jiangxi, Fujian, Guangdong, Guangxi, Hainan & Yunnan. The only notable record was as follows:

Jiangxi: 70 at Jiulianshan NNR on 1 November [RWL et al.].

Hainan: 100 at Bawangling, Hainan during 9-11 November [WJY].

# 0665# 长尾山椒鸟 Long-tailed Minivet Pericrocotus ethologus

北京: 4月21日, 北京大学, 4只[WC]; 8月14日, 小龙门林场, 1只[LJQ];

河北:5月17日,乐亭快乐岛,1只亚成体[BB et al.];5月18日,秦皇岛祖山森林公园,1只[PH et al.],这是此地多年来5月第3笔单只鸟的记录;5月31日,兴隆雾灵山,4只

[PH, et al.]; 6月4日, 同一地点, 3只[LHY];

陕西: 5月底和6月初,太白山森林公园,记录共计10只[PH et al.];

广西: 11月26日, 柳州沙塘君武森林公园, 25只[YDH & LZY];

云南: 2月1日,个旧宝华公园,11只[WC]; 3月29日,盈江铜壁关自然保护区,7只 [MK]; 5月13日,昆明西山,10只[ZLin]; 12月1日,高黎贡山百花岭,5只[BA]; 12月

18日, 昆明西山, 5只[LLW];

青海: 7月25日, 班玛玛可河林场, 16只[WQ];

四川: 4月4-7日和6月底,峨眉山,8只[CLiang]; 6月26日-29日,卧龙自然保护区,共计12只; 7月1日,鹧鸪山垭口,4只; 7月4日-6日,九寨沟自然保护区周围,共计8只 [PH et al.]; 10月23日,康定新都桥,30只[DK];

西藏: 5月13日, 林芝八一, 1只[LKC];

此外无重要记录。

Notable records were as follows:

Beijing: Four at Beijing University on 21 April [WC]; one at Xiaolongmen FF on 14 August [LJQ].

Hebei: One first-summer on Happy Island, Laoting on 8 May [BB et al.]; one on Old Peak FP, Qinhuangdao on 18 May [PH et al.] was the third May record of a single bird here in as many years; four & three at Wulingshan NR, Xinglong on 31st May [PH et al.] & 4 June [LHY];

Shaanxi: At Taibaishan FP up to 10 birds were noted on most days in late May-early June [PH et al.].

Guangxi: 25 at Junwu FP, Shatang, Liuzhou on 26 November [YDH & LZY].

Yunnan: 11 at Baohua Park on 1 February [WC]; seven at Tongbiguan NR, Yingjiang on 29 March [MK]; ten at Xishan, Kunming on 13 May [ZLin] and five there on 18 December [LLW]. Five at Baihualing, Gaoligongshan on 1 December [BA].

Qinghai: 16 at Makehe FF, Banma on 25 July [WQ].

Sichuan: Eight at Emei Shan during 4-7 April [CLiang] & again in late June; up to 12 at Wolong NR 26-29 June; four on the Zhegushan Pass on 1 July; up to eight in & around Jiuzhaigou NR 4-6 July [PH et al.]; 30 at Xinduqiao, Kangding on 23 October [SY].

Tibet: One at Bayi, Linzhi on 13 May [LKC].

#### 0666# 短嘴山椒鸟 Short-billed Minivet Pericrocotus brevirostris

四川: 5月4日, 理县孟屯, 1只[YHY]; 5月22日, 汶川卧龙自然保护区, 4只[DK];

西藏: 5月12日, 林芝, 20只 [CHF]; 7月23日, 林芝, 3只[DJT & ZGF];

云南: 1月29日,个旧,3只[WC]; 3月26日,瑞丽莫里森林公园,8只[MK & RWL]; 3月29日,盈江铜壁关自然保护区,6只[MK]; 8月27日,昆明西山,1只[WRQ]; 10月12日,昆明西山,11只[ZMH];

此外无重要记录。

Notable records were as follows:

Sichuan: One at Mengtun, Lixian on 4 May [YHY]; four at Wolong on 22 May [DK].

Tibet: 20 at Linzhi on 12 May [CHF] and three there on 23 July [DJT & ZGF].

Yunnan: Three at Gejiu on 29 January [WC]; eight at Moli FP, Ruili on 26 March [MK & RWL]; six at Tongbiguan NR, Yingjiang on 29 March [MK]; one at Xishan, Kunming on 27 August [WRQ] and 11 there on 12 October [ZMH].

### 0667# 赤红山椒鸟 Scarlet Minivet Pericrocotus flammeus

广东: 8月5日, 龙门南昆山自然保护区, 30只[WYY];

海南: 11月9-11日, 昌江霸王岭保护区, 100只[WJY];

西藏: 5月28日至6月21日, 林芝墨脱, 5只[DJT & ZGF];

云南: 3月25日, 瑞丽南京里, 10只[MK & RWL];

在福建、广东、广西、海南、云南均广泛记录,此外无重要记录。

Recorded widely in the following provinces: Fujian, Guangdong, Guangxi, Hainan & Yunnan.

Notable records were as follows:

Guangdong: 30 at Nankunshan NR, Longmen on 5 August [WYY].

Hainan: 100 at Bawangling, Hainan during 9-11 November [WJY].

Tibet: Five at Motuo, Linzhi during 28 May to 21 June [DJT & ZGF].

Yunnan: Ten at Nanjingli, Ruili on 25 March [MK & RWL].

# 0668# 褐背鹟鵙 Bar-winged Flycatcher-shrike Hemipus picatus

广西: 9月27日, 龙州弄岗保护区, 3只[JAW];

西藏: 5月28日至6月21日, 林芝墨脱, 5只[DJT & ZGF];

云南: 1月13日, 勐腊望天树, 3只[DC]; 3月27日, 瑞丽铜壁关自然保护区, 4只[MK]; 7月27日, 个旧贾沙, 6只[WC]; 12月1日, 高黎贡山百花岭, 3只[BA]和12月31日, 2只[PH];

Guangxi: Three at Nonggang NR, Longzhou on 27 September [JAW].

Tibet: Five at Motuo, Linzhi during 28 May to 21 June [DJT & ZGF].

Yunnan: Three at Wangtianshu, Mengla on 13 January [DC]; four at Tongbiguan NR, Ruili on 27 March [MK]; six at Jiasha, Gejiu on 27 July [WC]; three & two at Baihualing, Gaoligongshan on 1 [BA] & 31 December [PH] respectively.

## 0669# 黄腹扇尾鹟 Yellow-bellied Fantail Rhipidura hypoxantha

西藏: 5月12-14日, 林芝, 14只[CHF]; 5月28日至6月21日, 林芝墨脱, 10只[DJT & ZGF]; 12月13日, 林芝波密, 2只[ZGF]; 12月21-31日, 日喀则地区, 4只[CHF];

云南: 3月22日, 高黎贡山百花岭, 2只, 3月27日, 瑞丽南京里, 4只[MK], 5月3日,

六库, 1只[OB]; 11月24日, 瑞丽莫里, 2只[ZYong]; 高黎贡山百花岭有多笔记录, 最大数量12月1日, 4只[BA];

Tibet: 14 at Linzhi during 12-14 May [CHF]; ten at Motuo, Linzhi during 28 May to 21 June [DJT & ZGF]; two at Bomi, Linzhi on 13 December [ZGF]; four at Rikaze during 21-31 December [CHF].

Yunnan: Two at Baihualing, Gaoligongshan on 22 March [MK]; four at Nanjingli, Ruili on 27

March [MK]; one at Liuku on 3 May [OB]; two at Moli, Ruili on 24 November [ZYong]. A few records at Baihualing, Gaoligongshan. The largest count was four on 1 December [BA].

# 0670# 白喉扇尾鹟 White-throated Fantail Rhipidura albicollis

广西: 2月26日, 南宁, 1只[YDH]; 10月5日, 崇左生态公园, 8只[TSX et al.];

海南: 5月12日, 琼中鹦哥岭, 2只[YCC]; 11月9-11日, 昌江霸王岭自然保护区, 15只 [WXL];

云南: 3月25日,瑞丽南京里,5只,3月27日,瑞丽铜壁关自然保护区,6只[MK];4月18日,沧源勐定,2只[OB];8月27日,昆明西山,1只[WRQ];12月8日,勐腊中科院热带植物园,13只[SXL];高黎贡山百花岭有多笔记录,最大数量12月31日,8只[PH];

四川: 10月12-16日,攀枝花米易,2只[QPJ];

贵州: 10月27日, 荔波, 2只[ZhuY];

西藏: 5月28日至6月21日, 林芝墨脱, 6只[DJT & ZGF]; 7月2-14日, 日喀则地区, 9只 [DJT & ZGF];

此外无重要记录。

Notable records were as follows:

Guangxi: One at Nanning on 26 February [YDH]; eight at Shengtai Park, Chongzuo on 5 October [TSX et al.].

Hainan: Two at Yin'Geling, Qiongzhong on 12 May [YCC] and 15 there during 9-11 November [WJY].

Yunnan: Five at Nanjingli, Ruili on 25 March, six at Tongbiguan NR, Ruili on 27 March [MK]; two at Mengding, Cangyuan on 18 April [OB]; one at Xishan, Kunming on 27 August [WRQ]; 13 at CAS Tropical BG, Mengla on 8 December [SXL]. A few records at Baihualing, Gaoligongshan - the largest count was eight on 31 December [PH].

Sichuan: Two at Miyi, Panzhihua during 12-16 October [QPJ].

Guizhou: Two at Libo on 27 October [ZhuY].

Tibet: Six at Motuo during 28 May to 21 June [DJT & ZGF]; nine at Rikaze during 2-14 July [DJT & ZGF].

# 0672# 黑卷尾 Black Drongo Dicrurus macrocercus

北京: 8月21日,延庆野鸭湖,200只[LHT];

湖北: 7月17日, 云梦, 100只[YZD];

西藏: 7月2-14日, 日喀则地区, 共20只, 其中7月13日, 8只为单天最高记录[DJT & ZGF]:

此外无重要记录。

Notable records were as follows:

Beijing: 200 at Wild Duck Lake on 21 August [LHT].

Hubei: 100 at Yunmeng on 17 July [YZD].

Tibet: 20 bird-days at Rikaze during 2-14 July, with eight on 13 July as the peak count [DJT & ZGF].

## 0673# 灰卷尾 Ashy Drongo Dicrurus leucophaeus

河南: 5月3日, 罗山董寨保护区, 2只[GLQ];

安徽: 5月4日, 潜山天柱山, 4只[YJ]; 5月31日至6月3日, 黄山, 25只[FZ];

江苏: 5月7日,南京清凉山公园,3只[ZYu];6月29日,合浦,25只[ZYu];9月4日,

南京国防园, 2只[ZYu];

江西: 7月3日, 婺源, 7只[LJ & ZLin];

浙江: 5月2日, 泰顺乌岩岭, 1只[LXin]; 8月27日, 杭州植物园, 1只[ZhuY];

广东: 10月16日,广州中山大学,1只[XZW];

湖北: 9月18日, 武汉植物园, 2只[ZYQi];

湖南: 9月17日, 长沙岳麓山, 6只[LJY];

四川: 10月12日, 攀枝花米易, 1只[QPJ & DK];

贵州: 4月9日, 威宁草海, 1只[YL];

云南: 3月25-27日, 瑞丽, 每天35只[MK]; 3月28日, 盈江铜壁关自然保护区, 7只

[MK]; 11月24日, 瑞丽, 2只[ZYong];

此外陕西也有记录。

Notable records were as follows:

Henan: Two at Dongzhai NR, Luoshan on 3 May [GLQ].

Anhui: Four at Tianzhushan, Qianshan on 4 May [YJ]; 25 at Huangshan during 31 May to 3

June [FZ].

Jiangsu: Three at Qingliangshan Park, Nanjing on 7 May [ZYu]; 25 at Hepu on 29 June [ZYu];

two at Guofangyuan, Nanjing on 4 September [ZYu].

Jiangxi: Seven at Wuyuan on 3 July [LJ & ZLin].

Zhejiang: One at Wuyanling, Taishun on 2 May [LXin]; one at Hangzhou BG on 27 August

[ZhuY].

Guangdong: One at Zhongshan University, Guangzhou on 16 October [XZW].

Hubei: Two at Wuhan BG on 18 September [ZYQi].

Hunan: Six at Yuelushan, Changsha on 17 September [LJY].

Sichuan: One at Miyi, Panzhihua on 12 October [QPJ & DK].

Guizhou: One at Caohai, Weining on 9 April [YL].

Yunnan: 35 bird-days at Ruili during 25-27 March[MK]; seven at Tongbiguan, Yingjiang on

28 March [MK]; two at Ruili on 24 November [ZYong].

Also reported from Shaanxi.

### 0674# 鸦嘴卷尾 Crow-billed Drongo Dicrurus annectans

西藏: 6月5日, 林芝墨脱, 3只, 西藏新记录[DJT & ZGF];

广东: 5月6-7日, 乳源南岭国家森林公园, 2只[BA];

Tibet: Three at Motuo on 5 June [DJT & ZGF]. The first record for Tibet.

Guangdong: Two at Nanling FP, Ruyuan on 6-7 May [BA].

# 0675# 古铜色卷尾 Bronzed Drongo Dicrurus aeneus

海南: 11月9-11日, 昌江霸王岭保护区, 22只[WJY];

西藏: 5月28日至6月21日, 林芝墨脱, 7只[DJT & ZGF];

云南: 1月13日, 勐腊望天树, 15只[DC]; 3月25-27日, 瑞丽, 每天21只[MK]; 11月24日, 瑞丽, 20只[ZYong];

此外无重要记录。

Notable records were as follows:

Hainan: 22 at Bawangling, Changjiang during 9-11 November [WJY].

Tibet: Seven at Motuo during 28 May to 21 June [DJT & ZGF].

Yunnan: 15 at Wangtianshu, Mengla on 13 January [DC]; 21 bird-days around Ruili during

25-27 March [MK] and 20 at Ruili on 24 November [ZYong].

### 0676# 小盘尾 Lesser Racket-tailed Drongo Dicrurus remifer

云南: 3月26日,瑞丽莫里森林公园, 3只[MK & RWL]; 3月27日,瑞丽铜壁关自然保护区,3只; 3月28日,南京里,1只[MK]; 3月28-29日,盈江地区,3只[MK]; 12月8日,勐腊中科院热带植物园,1只[SXL];

Yunnan: Three at Moli FP, Ruili on 26 March [MK & RWL]; and three at Tongbiguan NR and one at Nanjingli, Ruili the next day [MK]; one at Fu Shan Dong Pass and two at Tongbiguan NR, Yingjiang on 28-29 March [MK]; one at CAS Tropical BG, Mengla on 8 December [SXL].

### 0677# 发冠卷尾 Hair-crested Drongo Dicrurus hottentottus

安徽: 5月31日至6月3日, 黄山, 50只[FZ];

西藏: 5月28日至6月21日, 林芝墨脱, 103只[DJT & ZGF];

在北京、安徽、河南、江苏、上海、江西、浙江、福建、广东、四川、贵州、湖北、西藏均有记录,此外无重要记录。

Recorded in the following provinces: Beijing, Anhui, Henan, Jiangsu, Shaanxi, Shanghai, Jiangxi, Zhejiang, Fujian, Guangdong, Sichuan, Guizhou, Hubei & Tibet. Notable records were as follows:

Anhui: 50 at Huangshan during 31 May to 3 June [FZ].

Tibet: 103 at Motuo during 28 May to 21 June [DJT & ZGF].

### 0678# 大盘尾 Greater Racket-tailed Drongo Dicrurus paradiseus

海南: 2月1日,乐东尖峰岭保护区,2只[YCC],11月9日,昌江霸王岭自然保护区,8只[LY];

Hainan: Two at Jianfengling NR, Ledong on 1 February [YCC]; eight at Bawangling NR on 9 November [LY].

### 0679# 黑枕王鹟 Black-naped Monarch Hypothymis azurea

广东: 4月9日, 广州中山大学, 1只[YHY]; 10月15日, 广州番禺新垦, 1只[YHY]; 12月4日, 深圳, 1只[ZHY];

广西: 9月15日, 弄岗自然保护区, 5只[LZY], 9月27日至10月3日, 弄岗自然保护区, 15只[JAW], 10月5日, 崇左生态公园, 3只[TSX et al.],

海南: 3月5日, 琼中湾岭, 2只[YCC&LG]; 11月9-11日, 昌江霸王岭自然保护区, 2只 [WJY]; 11月12日, 东方大田保护区, 5只[WJY];

云南: 12月8日, 勐腊中科院热带植物园, 2只[SXL];

Guangdong: One at Zhongshan University, Guangzhou on 9 April; one at Xinken, Panyu, Guangzhou on 15 October [YHY]; one at Shenzhen on 4 December [ZHY].

Guangxi: Five at Nonggang NR on 15 September [LZY] and 15 there during 27 September to 3 October [JAW]; three at Shengtai Park, Chongzuo on 5 October [TSX et al.].

Hainan: Two at Wanling, Qiongzhong on 5 March [YCC & LG]; two at Bawangling NR, Changiiang during 9-11 September; five at Datian NR, Dongfang on 12 November [WJY].

Yunnan: Two at CAS Tropical BG, Mengla on 8 December [SXL].

# 0680# 紫寿带 Japanese Paradise-flycatcher Terpsiphone atrocaudatus

上海: 9月24日, 崇明东滩, 1只[XL];

福建: 4月24日, 厦门万石植物园, 1只[HZY];

广东: 4月10日, 中山大学, 2只[YHY]: 9月18日, 广州白云山, 1只[GGW]:

Shanghai: One at Dongtan, Chongming on 24 September [XL].

Fujian: One at Wanshi BG, Xiamen on 24 April [HZY].

Guangdong: Two at Zhongshan University on 10 April [YHY]; one at Baiyunshan, Guangzhou on 18 September [GGW].

# 0681# 寿带 Asian Paradise-flycatcher Terpsiphone paradisi

河北: 5月19日, 乐亭快乐岛, 1雌[BB et al.];

河南: 5月21日, 罗山董寨保护区, 4只[LY]; 8月7日, 洛宁, 2只[DQ];

陕西: 4月28日和6月6日, 洋县朱鹮保护站, 各2只[DM&PH et al.];

江苏: 5月21日, 合浦老山林场, 4只[ZYu]; 7月18日, 合浦老山林场, 1只[ZYu];

湖北: 5月22日, 武汉, 1只[ZYQi];

湖南: 8月4日,长沙烈十公园,1只[LJY];

浙江: 5月28日,杭州,1只[QH];8月14日,杭州,1只[ZhuY];

广西: 8月25日,柳州三门江森林公园,2只[LZY];9月27日至10月3日,弄岗自然保护区,1只[JAW];

四川: 7月23日, 崇州, 1只[SY];

云南: 3月27日,瑞丽铜壁关自然保护区,1只[MK & RWL],5月2日,开远,1只[LYang];9月14日,昆明西山,1只[WRQ];

此外无重要记录。

Notable records were as follows:

Hebei: One female on Happy Island, Laoting on 19 May [BB et al.].

Henan: Two at Dongzhai NR, Luoshan on 21 May [LY]; two at Luoning on 7 August [DQ].

Shaanxi: Two at the Crested Ibis monitoring station, Yangxian on both 28 April [DM] & 6 June [PH et al.].

Jiangsu: Four at Laoshan FF, Hepu on 21 May [ZYu] and one there on 18 July [ZYu].

Zhejiang: Singles at Hangzhou on 28 May [QH] and 14 August [ZhuY].

Guangxi: Two at Sanmenjiang NR, Liuzhou on 25 August [LZY]; one at Nonggang, Longzhou during 27 September to 3 October [JAW].

Sichuan: One at Chongzhou on 23 July [SY].

Hubei: One at Wuhan on 22 May [ZYQi].

Hunan: One at Martyrs Park, Changsha on 4 August [LJY].

Yunnan: One at Tongbiguan, Ruili on 27 March [MK & RWL]; one at Kaiyuan on 2 May [LYang]; one at Xishan, Kunming on 14 September [WRQ].

### 0682# 黑翅雀鹎 Common Iora Aegithina tiphia

云南: 1月13日, 勐腊望天树, 1只[DC]; 3月26日, 瑞丽莫里森林公园, 3只[MK & RWL];

4月18日,沧源勐定,2只[OB],12月6日,景洪,1只,12月8日,勐腊中科院热带植物园,6只[SXL],12月9日,勐腊绿石林,3只[LS],

Yunnan: One at Wangtianshu, Mengla on 13 January [DC]; three at Moli FP, Ruili on 26 March [MK & RWL]; two at Mengding, Cangyuan on 18 April [OB]; one at Jinghong on 6 December and two at CAS Tropical BG, Mengla on 8 December [SXL]; three at Lushilin, Mengla on 9 December [LS].

# 0683# 大绿雀鹎 Great Iora Aegithina lafresnayei

云南: 12月8日, 勐腊中科院热带植物园, 1只; 12月14日, 景洪勐养野象谷, 1只 [SXL];

Yunnan: One at CAS Tropical BG, Mengla on 8 December and one at Yexianggu, Mengyang, Mengla on 14 December [SXL].

# 0684# 钩嘴林鵙 Large Woodshrike Tephrodornis gularis

海南: 11月21日, 昌江霸王岭自然保护区, 6只[JHo & JW];

云南: 3月25日,瑞丽南京里,2只[MK & RWL]; 3月29日,盈江铜壁关自然保护区,1只[MK];

Hainan: Six at Bawangling NR on 21 November [JHo & JW].

Yunnan: Two at Nanjingli, Ruili on 25 March [MK & RWL] and one at Tongbiguan, Yingjiang on 29 March [MK].

### 雀形目PASSERIFORMES > 太平鸟科 Bombycillidae

# 0685# 太平鸟 Bohemian Waxwing Bombycilla garrulous

辽宁: 2月2日, 沈阳北陵公园, 1只[ZYong];

北京: 11月6日,延庆野鸭湖,2只[BA];12月10日,陶然亭公园,30只[LX];

新疆: 乌鲁木齐: 12月4日, 36只; 12月17日, 7只[WCB];

Liaoning: One at Beiling Park, Shenyang on 2 February [ZYong].

Beijing: Two at Wild Duck Lake, Yanqing on 6 November [BA]; 30 at Taoranting Park on 10 December [LX].

Xinjiang: 36 at Urumqi on 4 December and seven there on 17 December [WCB].

## 0686# 小太平鸟 Japanese Waxwing Bombycilla japonica

辽宁: 12月29日, 丹东锦江山公园, 18只[BQQ];

北京: 11月18日,陶然亭公园,20只[LJQ];12月11日,北京植物园,25只[WJ];2天以后,仍然有12只在那[PH&LY];

江西: 12月18日, 婺源, 1只[HZY et al.];

Liaoning: 18 at Jinjiangshan Park, Dandong on 29 December [BQQ]

Beijing: 20 at Taoranting Park on 18 November [LJQ]; 25 at Beijing BG on 11 December [WJ]

with 12 still there two days later [LY & PH].

Jiangxi: One at Wuyuan on 18 December [HZY et al.].

## 雀形目PASSERIFORMES > 河乌科Cinclidae

# 0687# 河乌 White-throated Dipper Cinclus cinclus

甘肃: 1月23日, 兰州榆中县兴隆山, 1只[ZLY];

青海: 7月24日, 班玛玛可河林场, 3只[WQ et al.];

四川: 9月16-18日, 理县孟屯, 5只[SY];

新疆: 5月1日, 和静巴轮台, 2只[GJun et al.];

西藏: 12月21-31日, 日喀则地区, 3只[CML];

此外无重要记录。

Notable records were as follows:

Gansu: One at Xinglongshan, Yuzhong, Lanzhou on 23 January [ZLY].

Qinghai: Three at Makehe FF, Banma on 24 July [WQ et al.].

Sichuan: Five at Mengtun, Lixian during 16-18 September [SY].

Xinjiang: Two at Baluntai, Hejiang on 1 May [GJun et al.].

Tibet: Three at Rikaze during 21-31 December [CML].

### 0688# 褐河乌 Brown Dipper Cinclus pallasii

北京: 12月19日,房山区拒马河,10只[LJQ];

安徽: 5月31日至6月3日, 黄山, 4只[FZ];

四川: 9月16-18日, 理县孟屯, 5只[SY];

湖北: 7月19-20日, 湖北神农架保护区, 4只[YZD];

西藏: 12月21-31日, 日喀则地区, 6只[CML];

在北京、河北、河南、安徽、江西、浙江、广东、陕西、四川、贵州、湖北、青海、

西藏、云南均有记录, 此外无重要记录。

Recorded in the following provinces: Beijing, Hebei, Henan, Anhui, Jiangxi, Zhejiang,

Guangdong, Shaanxi, Sichuan, Guizhou, Hubei, Qinghai, Tibet & Yunnan. Notable records

were as follows:

Beijing: Ten at Jumahe, Fangshan on 19 December [LJQ].

Anhui: Four at Huangshan during 31 May to 3 June [FZ].

Sichuan: Five at Mengtun, Lixian during 16-18 September [SY].

Hubei: Four at Shennongjia NR during 19-20 July [YZD].

Tibet: Six at Rikaze during 21-31 December [CML].

# 雀形目PASSERIFORMES > 鹟科 Muscicapidae

0689# 白背矶鸫 Rufous-tailed Rock Thrush Monticola saxatilis

青海: 7月27日, 共和, 1只, [RKY];

新疆: 7月21日, 塔岔口至托里沿线, 10只, [GJun]; 8月19日, 库尔勒, 1幼[PH];

Qinghai: One at Gonghe on 27 July [RKY].

Xinjiang: 10 between Tachakou and Tuoli on 21 July [GJun]; one juvenile near Korla on 19

August [PH].

## 0691# 白喉研鸫 White-throated Rock Thrush Monticola gularis

中国东部迁徙路线覆盖区域内有记录, 多在五月过境时节。

北京: 5月2日, 东灵山, 1只[WJ];

天津: 5月21日, 北大港水库, 1只[CJZ];

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是:5月19日,乐亭快乐岛,30只

[BB et al.]; 6月4日, 兴隆雾灵山自然保护区, 1只[LHY]; 5月30-31日, 此地各有1只

[PH et al.]; 5月18日,秦皇岛祖山森林公园,4只[PH et al.]

江苏: 5月7日,南京清凉山公园,1只[ZYu];

Most records occurred along the migration route across east China during May.

Beijing: One at Donglingshan on 2 May [WJ].

Tianjin: One at Beidagang Reservoir on 21 May [CJZ].

Hebei: Several migration records at Beidaihe and Happy Island. The largest count was 30 on

Happy Island, Laoting on 19 May [BB et al.]; four at Old Peak FP, Qinhuangdao on 18 May

[PH et al.]; singles at Wulingshan NR, Xinglong on both 30th & 31 May [PH et al.] & 4 June [LHY].

Jiangsu: One at Oingliangshan Park in Nanjing on 7 May [ZYu].

# 0692# 栗腹矶鸫 Chestnut-bellied Rock Thrush Monticola rufiventris

江西: 4月8-10日, 铅山武夷山自然保护区, 10只[BA];

海南: 12月26日, 昌江霸王岭自然保护区, 4只[LG];

四川: 冬季崇州白塔湖有稳定记录,如12月4日,3只[SXL];1月16日,都江堰灵岩

山, 2只[SY]:

云南: 3月24日, 腾冲南亢, 3只[MK & RWL];

Jiangxi: Ten at Wuyishan NR, Yanshan on 8-10 April [BA].

Hainan: Four at Bawangling NR on 26 December [LG].

Sichuan: Regular reports from Baitahu, Chongzhou during winter included three on 4

December [SXL]; two at Lingyanshan, Dujiangyan 16 January [SY].

Yunnan: Three at Nankang, Tengchong on 24 March [MK & RWL].

# 0693# 蓝矶鹎 Blue Rock Thrush Monticola solitarius

亚种 pandoo 和 philippensis 在其分布区内均有广泛记录。

亚种 pandoo:

浙江: 7月9日, 泰顺乌岩岭, 1只[LiX];

福建: 5月7日, 漳浦古雷, 6只[HZY];

广东: 12月24日,新丰云髻山自然保护区,1只[DJT]

海南: 1月27日, 昌江霸王岭保护区, 3只[LG]:

广西: 1月19日, 龙州弄岗, 1只[JAW];

重庆: 10月2日,沙坪坝区青木关,1只[LS];

陕西: 6月6日, 洋县朱鹮自然保护区, 1只, 6月7日, 太白山森林公园, 2只[PH et al.]:

四川: 6月18日, 康定丹巴, 8只[CLiang];

云南: 8月26日,昆明翠湖,3只[WRQ];12月6日,西双版纳,版纳保护区管理局,3只[SXL];12月28日,中甸海拔3150m处,1成雄[RWL];

西藏: 5月15日, 林芝察隅, 1只[DJT];

# 亚种 philippensis:

辽宁,河北,北京,天津,山东,上海等省市有记录,数量较大或者持续时间较长的记录有:

辽宁: 5月10日, 大连旅顺, 6只[LXD];

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是: 5月9日,乐亭快乐岛,10只 [BB et al.];

北京: 5,6月有多笔记录,境内北部和西部山区有稳定的繁殖种群,数量较大的一笔:6月11日,永定河谷,7只[ZYong];

上海: 秋冬尤其是冬季有较为稳定的记录,如11月9日,宝钢水库,3只[YZD];

广东: 1月1日,海丰公平大湖自然保护区,1只[LXD],

# Race pandoo:

Zhejiang: One at Wuyanling, Taishun on 9 July [LiX].

Fujian: Six at Gulei, Zhangpu on 7 May [HZY].

Guangdong: One at Yunjishan NR, Xinfeng on 24 December [DJT].

Hainan: Three at Bawangling on 27 January [LG].

Guangxi: One at Nonggang NR, Longzhou on 19 January [JAW].

Chongqing: One at Qingmuguan, Shapingba on 2 October [LS].

Shaanxi: One at the Crested Ibis NR, Yangxian on 6 June; two in Taibaishan FP on 7 June [PH et al.].

Sichuan: Eight at Danba, Kangding on 18 June [CLiang].

Yunnan: Three at Cuihu, Kunming on 26 August [WRQ]; three at Banna NR, Jinghong on 6 December [SXL]; and an adult male at 3150m at Zhongdian on 28 December [RWL].

Tibet: One at Chayu, Linzhi on 15 May [DJT].

Race philippensis:

Liaoning: Six at Lushun, Dalian on 10 May [LXD].

Hebei: Several migration records at Beidaihe and Happy Island. The largest count was 10 on Happy Island, Laoting on 9 May [BB et al.].

Beijing: The mountainous areas within the region support a breeding population. The only significant record from which was seven at Yongdinghe Valley on 11 June [ZYong].

Shanghai: Noted as a migrant and winter visitor, especially the latter e.g. three at Baogang Reservoir on 9 November [YZD].

Guangdong: One at Gongpingdahu NR, Haifeng on 1 January [LXD].

# 0694# 紫啸鸫 Blue Whistling Thrush Myophonus caeruleus

### 亚种caeruleus:

比较有代表性的记录如下:

河北: 6月11日, 兴隆雾灵山自然保护区, 1只[TZ];

安徽: 4月1日, 黄山谭家桥, 4只[FZ];

湖北: 4月17日, 大悟仙居顶林场, 1只[LY];

福建: 12月1日,建瓯万木林保护区,1只[ZJ];

江西: 5月9日,铅山武夷山自然保护区,5只[YCC];10月29-11月2日,九连山自然保

护区,每天多至5只[RWL et al.];

广东: 12月24日,新丰云髻山自然保护区,1只[DJT];

重庆: 10月2日,沙坪坝区青木关,1只[LS];

四川: 7月23日,崇州鞍子河自然保护区,4只[SY];峨眉山,卧龙保护区和九寨沟也有记录:

贵州: 4月2日, 贵阳三江农场, 7只[YL] (可能有eugenei);

广西: 1月21日, 靖西底定自然保护区, 2只[JAW];

# 亚种eugenei:

四川: 7月23日,崇州鞍子河自然保护区,2只[SY];

云南:1月18日,昆明植物园(黑龙潭),2只[WC];3月22-29日,高黎贡山南段至瑞丽,每天多至4只[MK];8月30日,大理苍山,3只[WRQ];在高黎贡山也较常见;

西藏: 5月14日, 林芝地区, 6只[DJT];

不明亚种:

新疆: 7月30日,喀什河河谷,1只[GJun];

Notable records of race *caeruleus* are as follows:

Hebei: One at Wulingshan NR, Xinglong on 11 June [TZ].

Anhui: Four at Tanjiaqiao, Huangshan on 1 April [FZ].

Hubei: One at Xianjuding FF, Dawu on 17 April [LY].

Fujian: One at Wanmulin NR, Jian on 1 December [ZJ].

Jiangxi: Five at Wuyishan, Qianshan on 9 May [YCC]; and up to five daily at Jiulianshan

NNR between 29 October and 2 November [RWL et al.].

Guangdong: One at Yunjishan NR, Xinfeng on 24 December [DJT].

Chongqing: One at Qingmuguan, Shapingba on 2 October [LS].

Sichuan: Four at Anzihe NR, Chongzhou on 23 July [SY].

Guizhou: Seven at Sanjiang Farm, Guiyang on 2 April [YL].(maybe include race eugenei)

Guangxi: Two at Diding NR, Jingxi on 21 January [JAW].

Race eugenei:

Sichuan: Two at Anzihe NR, Chongzhou on 23 July [SY]. Other reports were received from Emei Shan, near Yingxi, Wolong NP & Jiuzhaigou.

Yunnan: Two at Heilongtan, Kunming on 18 January [WC]; up to four daily in the south Gaoligongshan-Ruili area during 22-29 March [MK]; three at Cangshan, Dali on 30 August [WRQ]. Birds were also reported as not uncommon at Gaoligongshan.

Tibet: Six at Linzhi on 14 May [DJT].

Unknown race:

Xinjiang: One at Kashi River valley on 30 July [GJun].

# 0696# 橙头地鸫 Orange-headed Thrush Zoothera citrina

亚种*melli*:

广西: 10月3日,柳州三门江森林公园,1只[YDH];

亚种courtoisi:

河南: 5月10日,罗山董寨自然保护区,1只[LY];

安徽: 4月23日, 霍山天堂寨, 1只[TXD];

亚种aurimacula

海南: 12月26日, 昌江霸王岭自然保护区, 3只[LG];

Race melli

Guangxi: One at Sanmenjiang Forest Park, Liuzhou on 3 October [YDH].

Race couttoisi:

Henan: Singles at Dongzhai NR, Luoshan on 10 May [LY].

Anhui: One at Tiantangzhai, Huoshan on 23 April [TXD].

Race aurimacula:

Hainan: Three at Bawangling NR on 26 December [LG].

## 0697# 白眉地鸫 Siberian Thrush Zoothera sibirica

北京: 5月6日, 坝河湿地, 1只[ZJ]; 5月15日, 朝阳温榆河, 1只[BA];

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是:5月17日,乐亭快乐岛,25只[BB et al.]:

江苏: 5月14日,南京清凉山森林公园,2只[ZYu];

重庆: 12月23日, 鹅岭森林公园, 2只[LHT];

Beijing: One recorded at Bahe Wetland on 6 May [ZJ]; Singles at Wenyuhe, Chaoyang on 15 May [BA].

Hebei: Several migration records at Beidaihe and Happy Island. The largest count was 25 on Happy Island, Laoting on 17 May [BB et al.].

Jiangsu: Two at Qingliangshan Forest Park, Nanjing on 14 May [ZYu].

Chongging: Two at ELing Forest Park on 23 December [LHT].

# 0698# 光背地鸫 Plain-backed Thrush Zoothera mollissima

四川: 1月31日, 峨眉山, 1只[DK]: 6月27日, 巴郎山, 2只[PH]:

西藏: 12月13日, 林芝, 2只[ZGF];

云南: 10月15日,丽江石宝山,1只[JHo & JW];12月30日,高黎贡山百花岭,2只[PH];

Sichuan: One at Emei Shan on 31 January [DK]; two at Balangshan on both 26th & 27 June [PH et al.].

Tibet: Two at Linzhi on 13 December [ZGF].

Yunnan: Singles at Shibaoshan, Lijiang on 15 October [JHo & JW]; two at Baihualing, Gaoligongshan on 30 December [PH].

### 0699# 长尾地鸫 Long-tailed Thrush Zoothera dixoni

青海:7月25日,班玛玛可河林场,1只[ZJ];

陕西: 5月24日, 太白山森林公园, 下板寺附近, 1只[PH];

四川: 6月22日, 峨眉山, 1只[PH]; 7月1日, 鹧鸪山, 1只[PH et al.]; 7月7日, 平武王 朗自然保护区, 2只[LS];

云南: 3月24日, 高黎贡山南坎站, 1只[MK], 12月1-4日, 高黎贡山百花岭, 10只 [BA]: 12月29日-31日, 毎日有1只-3只之间[PH]:

Qinghai: One at Makehe FF, Banma on 25 July [ZJ];

Shaanxi: One near Xiabansi, Taibaishan FP on 24 May [PH];

Sichuan: One at Emei Shan on 22 June [PH et al.]; one at Zhe Gu Shan near Miyaluo on 1 July [PH et al.]; two at Wanglang NR, Pingwu on 7 July [LS];

Yunnan: One at Nankan NR, Gaoligongshan on 24 March [MK]; at least ten at Baihualing, Gaoligongshan on 1-4 December [BA] with between one & three there daily 29-31 December [PH].

## 0700# 虎斑地鸫 Scalv Thrush Zoothera dauma

在中国东部迁徙线路上有广泛记录,5月下旬北上到东北一带,9月中下旬南下再次途 经华北。北到河南亦有越冬记录。其余省区,如湖北、江苏、浙江、福建、广东、广 西等有越冬记录,最西到四川、贵州、云南一带也有越冬记录。

黑龙江: 5月10日, 扎龙自然保护区, 1只[LJY];

北京: 4月底到5月中旬北京大学有稳定记录,如4月30日,1只[WC];9月28日,天坛,3只[ZJ];

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是: 5月7日,乐亭快乐岛,20只 [BB et al.];

河南: 12月3日,罗山董寨自然保护区,2只[ZMH];

上海: 9月18日,崇明东滩, 4只[ZLin]; 12月15日,松江天马山,5只[ZLin];

广东: 12月25日, 珠海淇澳岛, 1只[HK];

青海: 9月23日, 茶卡, 1只, 9月26日, 互助北山, 1只[PH et al.];

四川: 1月31日, 峨眉山, 1只[DK];

贵州: 2月11日, 威宁草海, 1只[YL];

云南: 2月13日, 楚雄紫溪山, 1只[WM]; 3月20日, 昆明西山, 1只, 3月22日, 高黎 贡山百花岭, 1只[MK]; 12月2日, 高黎贡山百花岭, 1只未知亚种[BA]; 该省罕见;

Widespread along its migrating route in east China. During migration the species a occurs in late April & May and again from mid-September to early October. The northern limit of their wintering ground lies in Henan and winter records also come from other provinces such as Hubei, Jiangsu, Zhejiang, Fujian, Guangdong, Guangxi and southwest China.

Beijing: Frequently recorded from late April to mid- May at peking Vniversity e.g. one on 30 April [WC]; three in Tiantan Park on 28 September [ZJ];

Hebei: Several migration records at Beidaihe and Happy Island. The largest count was 20 on Happy Island, Laoting on 7 May [BB et al.];

Henan: Two at Dongzhai NR, Luoshan on 3rd December [ZMH];

Shanghai: Four at Dongtan, Chongming on 18 September [ZLin]; five at Tianmashan, Songjiang on 15 December [ZLin];

Guangdong: One at Qi'ao Island, Zhuhai on 25 December [HK];

Qinghai: One at Chaka on 23 September; one at Huzhu Beishan on 26 September [PH et al.];

Sichuan: One at Emei Shan on 31 January [DK];

Guizhou: One at Caohai, Weining on 11 February [YL];

Yunnan: Singles at Zixishan, Chuxiong on 13 February [WM]; Xishan, Kunming on 20 March and Baihualing, Gaoligongshan on 22 March [MK]; one bird, either dauma or aurea at Baihualing, Gaoligongshan on 3 December [BA]. The species is rare in Yunnan.

# 0701# 长嘴地鸫 Dark-sided Thrush Zoothera marginata

云南: 2月4日, 景洪森林公园, 2只[RJ]

Yunnan: Two at Jinghong FP on 4 February [RJ].

## 0702# 灰背鹎 Grey-backed Thrush Turdus hortulorum

黑龙江: 5月7日, 伊春带岭北山, 3只[LJY];

山东: 10月2日, 长岛大黑山岛, 10只[LHY];

江苏: 10月到12月境内各地多有记录,如10月30日,南京紫金山,5只[ZYu];

上海: 冬季有越冬记录,春季有过境记录,如:1月6日,奉贤星火农场,2只[YJ];4月

23日, 崇明东滩, 5只[YZD];

浙江:杭州地区数量较大的记录都在三月。如3月12日,市区,10只[ZYing];3月27日,植物园,8只[QH];其余地区如椒江、衢州、富阳等地亦有记录。

广东:广州多个地点11月至翌年2月有记录,如中山大学,11月19日,3只[GGW],12月28日,8只[LJY];2月11日,龙洞水库,1只[XZW];深圳11月至翌年3月有记录,如3月13日,蛇口电视塔,1只[DJT];珠海11月至翌年4月有记录,如4月3日,湾仔,1只[HK];

其余零散记录来自安徽、江西、广西、海南、湖北、湖南等地。

Heilongjiang: Three at Beishan, Dailing of Yichun, on 7 May [LJY];

Shandong: High count of 10 on Daheishan Island, Changdao on 2 October [LHY];

Jiangsu: Frequently recorded between October-December e.g. five at Zijinshan, Nanjing on 30 October [ZYu].

Shanghai: Plenty of records from winter and spring e.g. two at Xinghuonongchang, Fengxian on 6 January [YJ]; five at Dongtan, Chongming on 23 April [YZD].

Zhejiang: The winter peak counts were all from March and included 10 at Hangzhou city on 12 March [ZYing]; eight at the Hangzhou Botanic Garden on 27 March [QH]. Elsewhere records came from Jiaojiang, Quzhou and Fuyang.

Guangdong: Frequently recorded around Guangzhou between November and February of the following year e.g. three at Zhongshan University on 19 November [GGW] & eight there on 28 December [LJY]; one at Longdong Reservoir on 11 February [DJT]. Other records are from Shenzhen and Zhuhai, the latest spring record is: one at Wanzai, Zhuhai on 3 April [HK]. Other records are from Anhui, Jiangxi, Guangxi, Hainan, Hebei, Hubei and Hunan.

# 0703# 黑胸鸫 Black-breasted Thrush Turdus dissimilis

贵州: 贵阳贵州大学内常年有稳定记录,如5月22日,6只[YL];

广西: 10月8日, 桂林猫儿山, 1只[JAW]; 12月11日, 广西大学, 2只[JAW];

云南: 3月25-29日,瑞丽和盈江铜壁关自然保护区,共9只[MK];5月13日,昆明西山,1只[ZLin];8月2日,昆明黑龙潭,3只[QC];

Guizhou: Occurs annually in Guizhou University Campus, Guiyang, e.g. six on 22 May [YL].

Guangxi: One at Maoershan, Guilin on 8 October [JAW]; two at Guangxi University on 11 December [JAW].

Yunnan: A total of 9 birds at Ruili and Tongbiguan NR, Yingjiang during 25-29 March [MK]; one at Xishan, Kunming on 13 May [ZLin]; three at Heilongtan, Kunming on 2 August [QC].

## 0704# 乌灰鹎 Japanese Thrush Turdus cardis

河南: 董寨保护区5月份有多笔记录, 如5月21日, 1只[ZYong];

上海: 4月13日, 崇明东滩, 1只[YJ];

湖北: 4月16日, 武汉植物园, 1只[TXD]; 6月19日, 潭湖, 1只[YXD];

广东: 2月11日,广州龙洞水库,1只[XZW];11月19日、12月19日,广州中山大学,分别2只、4只[GGW];11月24日,广州帽峰山,1只[PYS];12月2日,雷州九龙山,1只[LWQ];

海南: 3月9日,海口人民公园,3只[LG];

广西: 11月26日,沙塘君武森林公园,1只[YDH];

Henan: Several records from Dongzhai NR during May e.g. one on 21 May [ZY].

Shanghai: One at Dongtan, Chongming on 13 April [YJ].

Hubei: One at Wuhan Botany on 16 April [TXD]; one at Tanhu, Wuhan on 19 June [TXD].

Guangdong: One at Longdong Reservoir, Guangzhou on 11 February [XZW]; at Zhongshan University, Guangzhou there were two on 19 November and four on 19 December [GGW]; one at Maofengshan, Guangzhou on 24 November [PYS]; one at Jiulongshan, Leizhou on 2 December [LWQ].

Hainan: Three at Renmin Park, Haikou on 9 March [LG].

Guangxi: One at Junwu FP, Shatang, Liuzhou on 26 November [YDH].

### 0705# 白颈鹎 White-collared Blackbird Turdus albocinctus

所有记录均来自西藏:

西藏: 林芝各地全年有多笔记录。如:八一从5月到7月有记录,如5月13日,10只[DJT];5月15-18日,察隅,2只[DJT];5月28日至6月21日,墨脱,3只[DJT];12月13日,4只[ZGF];日喀则有一笔记录,12月21日至31日,6只[ZGF];

All records came from Tibet: 10 at Bayi, Linzhi on 13 May [DJT]; two at Chayu, Linzhi between 15-18 May; three at Motuo, Linzhi between 28 May and 21 June [DJT]; six at Rikaze between 21 and 31 December [ZGF].

# 0706# 灰翅鸫 Grey-winged Blackbird Turdus boulboul

云南: 9月3日,丽江黑龙潭,5只[WRQ];

西藏: 5月28日, 林芝墨脱, 1只, 西藏新记录[ZGF];

Yunnan: Five at Heilongtan, Lijiang on 3 September [WRQ].

Tibet: One at Motuo, Linzhi on 28 May [ZGF]. The first record for Tibet.

# 0707# 乌鸫 Eurasian Blackbird Turdus merula

亚种mandarinus为中国南方留鸟,但有证据显示此鸟在华北可能为夏候鸟,东部最靠北的记录来自北戴河。

河北: 11月18、19、27日, 北戴河, 可能是同一只[JH];

北京:北部郊区多个地点4月到7月有记录,如4月30日,海淀上庄水库,1只[CLiang],7月15日,圆明园,1只[QYX],

其他数量较大的记录如:

上海: 4月28日, 植物园, 80只[YZD];

湖南: 12月3日, 岳阳君山, 70只[RWL &MK];

四川: 11月19日,成都市植物园,250只[WQian];

亚种intermedius:

新疆: 乌鲁木齐周边终年常见,如: 1月12日,板房沟(南山),10只[MM],其余各地有广泛记录,如: 10月29日,石河子玛纳斯河河谷,6只[GJun];

亚种*maximus*:

西藏: 拉萨周边常见,如5月21日,哲蚌寺,8只[DJT];5月9日,曲水雄色寺,6只[DJT];5月28日至6月21日,林芝墨脱,5只[ZGF];

Race mandarinus:

One of the most common residents in south China. The species appears to be expanding its range northward & there are increasingly regular reports of migrants in Beijing & Hebei for example. It seems only a matter of time before breeding is proven in these areas.

Hebei: One at Beidaihe, Qinhuangdao on the 18th, 19th & 27 November (probably the same bird on all three occasions) [JH].

Beijing: Records were received from several locations of the northern suburbs between April and July and included one at Shangzhuang Reservoir, Haidian on 30 April [CLiang] & one at Yuanmingyuan on 15 July [OYX].

Other significant records from south China included:

Shanghai: 80 at BG on 28 April [YZD].

Hunan: 70 at Junshan, Yueyang on 3 December [RWL &MK].

Sichuan: 250 at Chengdu BG on 19 November [WQian].

Race intermedius:

Xinjiang: Considered to be common around Urumqi all the year round e.g. 10 at Banfanggou on 12 January [MM]. Widespread in other places with, for example, six in the Manasi River valley on 29 October [GJun].

Race maximus:

Tibet: Common around Lhasa throughout the year and especially so in the summer months e.g. eight at Zhebangsi on 21 May [DJT]; six at Xiongse Si, Qushui on 9 May [DJT]; five in Motuo, between 28 May and 21 June [ZGF].

Also reported from Shaanxi.

# 0709# 灰头鹎 Chestnut Thrush Turdus rubrocanus

甘肃: 1月23日, 兰州大学, 1只[ZLY];

青海:7月22日,班玛玛可河林场,5只[WQ];7月28日,大通老爷山,11只[CLiang];四川:在该省分布很广,此鸟的大部分记录来自四川。成都平原在冬天也有分布,如,12月11日,成都百花潭公园,1只[SKuang];西部山区数量更多,如6月18日,康定丹巴,8只[CLiang];5月3日,若尔盖郎木寺,5只[ZMH];6月到7月平武王朗自然保护区有记录,如6月25日,5只[LS];6月底,卧龙自然保护区和汶川,共计4只[PH et al.];7月4日-6日期间,九寨沟自然保护区,共计12只[PH et al.];12月4日,天全喇叭河自然保护区,3只[CLiang];10月22日,汶川卧龙自然保护区,5只[LS];

陕西: 5月底和6月初,太白山森林公园,1只和5只之间 [PH et al.]

云南: 12月3日, 高黎贡山百花岭, 3只[BA]; 广泛但少见, 昆明冬季有记录;

Gansu: One in Lanzhou University on 23 January [ZLY].

Qinghai: Five at Makehe FF, Banma on 22 July [WQ]; 11 at Laoyeshan, Datong on 28 July [CLiang].

Sichuan: Widespread & even occuring around Chengdu during winter e.g. one at Baihuatan Park on 11 December [CLiang]. More frequently recorded in the mountainous western parts of the province where the following counts were made -. eight at Danba, Kangding on 18 June [CLiang]; five at Langmusi, Ruoergai on 3 May [ZMH]; five at Wanglang NR, Pingwu on 25 June [LS]; up to six at Wolong NR, Wenchuan in late June [PH et al.] & five on 22 October [LS]; up to 12 at Jiuzhaigou NP during 4-6 July [PH et al.]; three at Labahe NR, Tianquan on 4 December [CLiang].

Shaanxi: Between one & five birds regularly noted on Taibaishan FP during late May-early June [PH et al.].

Yunnan: Widespread, but rare, sometimes recorded in Kunming during winter. Three at Baihualing, Gaoligongshan on 3 December [BA].

# 0710# 棕背黑头鹎 Kessler's Thrush Turdus kessleri

青海:数量大的记录有,7月20日,贵德至玛沁沿线,20只[ZYong],7月25日,班玛玛可河林场,15只[ZGF],7月28日,共和橡皮山,4只[WQ],7月28日,玉树朶尔寺,12只[KHL],8月10日,班玛及久治,60只[ZGF],

四川: 5月4日,若尔盖辖曼乡,2只[ZMH]; 5月24日,汶川卧龙巴朗山,3只[DK]和6月27日和28日,分别是2只和1只,7月2日和3日,若尔盖附近,分别是10只和8只[PH et al.]; 10月23日,康定新都桥,1只[DK];

西藏: 5月15日, 林芝察隅, 1只[DJT]; 7月27日, 芒康县城周边, 2只[ZGF]; 7月30日, 昌都类乌齐, 2只[ZGF];

Qinghai: Significant records from this province included 20 between Guide and Maqin on 20 July [ZYong]; 15 at Makehe FF, Banma on 25 July [ZGF]; four at Rubber Mountain, Gonghe on 28 July [WQ]; 12 at Gaersi, Yushu on 28 July [KHL]; 60 between Banma and Jiuzhi on 10 August [ZGF].

Sichuan: Two at Majia Village, Ruoergai on 4 May [ZMH]; three, two & one at Balangshan, Wenchuan on 24 May [DK] & 27th & 28 June [PH et al.] respectively; ten & eight near Ruoergai on 2nd & 3 July respectively [PH et al.]; one at Xinduqiao, Kangding on 23 October

[DK].

Tibet: One at Chayu, Linzhi on 15 May [DJT]; two near the town of Mangkang on 27 July [ZGF]; two at Leiwuqi, Changdu on 30 July [ZGF].

# 0711# 褐头鸫 Grey-sided Thrush Turdus feae VU

所有记录均来自河北兴隆雾灵山及附近的北京山区。

河北: 5月18日-19日,秦皇岛祖山森林公园,共计3只[PH et al.]; 兴隆雾灵山自然保护区5月底至6月上旬有记录,5月28日,6只[LHY]; 5月30-31日,各5只[PH et al.]; 6月4日,4只[LHY]; 6月11日,1只[LHY]; 5月19日,乐亭快乐岛,至少2只[BB et al.]; 北京: 6月上旬到7月,百草畔有记录,6月12日,8只[LiX]; 7月2日,30只[LiX]; 7月9日,6只[LiX]; 7月2日,门头沟区百花山,1只[LHY];

All records came from Beijing & Hebei (especially Wulingshan).

Hebei: Up to three on Old Peak FP, Qinhuangdao on 18-19 May [PH et al.]. Noted at Wulingshan NR from late May to early June with six on 28 May[LHY]; five on both 30th & 31 May [PH et al.]; four on 4 June, and one on 11 June [LHY]. Elsewhere two migrants were seen on Happy Island, Laoting on 19 May [BB et al.].

Beijing: Noted at Baicaopan between early June and July with eight on 12 June, a high count of 30 on 2 July & six on 9 July [LiX]. Elsewhere there was one at Baihuashan, Mentougou on 2 July [LHY].

# 0712# 白眉鸫 Eyebrowed Thrush Turdus obscurus

在北方多为过境鸟,在南方为过境鸟或者冬候鸟。北上过境季节记录多在4、5月。

河北: 5月6日,北戴河,最大5只,这是中国北方最早的记录[PH et al.]; 5月13日,乐亭快乐岛,80只,这是春季最早的数目[PH et al.];

新疆: 10月15日, 阿勒泰青河县, 5只[GJun];

江苏: 5月7日,南京清凉山公园,3只[ZYu];

上海: 5月5日, 奉贤古华园, 5只[YZD]; 11月6日, 崇明东滩, 3只[ZLin];

浙江: 5月18日, 杭州植物园, 2只[QH];

[ZengY];

福建: 4月24日, 厦门万石植物园, 8只[HZY];

广东:广州中山大学4月,11月至12月有记录,如4月23日,1只[LWQ];12月19日,3只[XZW];12月2日,雷州九龙山,1只[LWQ];3月13日,深圳南山中山公园,2只

海南: 11月20日, 昌江霸王岭自然保护区, 1雌[JHo & JW];

四川: 3月12日,崇州西山乡(一碗水), 2只[SY]; 11月4日,成都塔子山公园, 1只 [QG];

A passage migrant in north China and winter visitor or passage migrant in the South. Most spring records occurred during April and May.

Hebei: Five at Beidaihe on 6 May were the earliest report from north China [PH et al.]; 80 on Happy Island, Laoting on 13 May was the highest count of the spring [PH et al.].

Xinjiang: Five at Qinghe county, Altay on 15 October [GJun].

Jiangsu: Three at Qingliangshan Park, Nanjing on 7 May [ZYu].

Shanghai: Five at Guhuayuan, Fengxian on 5 May [YZD]; three at Dongtan, Chongming on 6

November [ZLin].

Zhejiang: Two at Hangzhou BG on 18 May [QH].

Fujian: Eight at Wanshi BG, Xiamen on 24 April [HZY].

Guangdong: Noted in Zhongshan University during April, November and December with records including one on 23 April [LWQ], and three on 19 December [XZW]. Elsewhere there was one at Jiulongshan, Leizhou on 2 December [LWQ]; two at Zhongshan Park, Shenzhen on 13 March [ZengY].

Hainan: One at Bawangling NR on 20 November [JHo & JW].

Sichuan: Two at Xishan Village, Chongzhou on 12 March [SY]; one at Tazishan Park on 4 November [QG].

### 0713# 槲鸫 Mistle Thrush Turdus viscivorus

新疆: 乌鲁木齐周边终年可见,如2月11日,南山干沟菊花台,4只[GJun];12月4日,乌拉泊,7只[GJun];其余各地散见,数量最大的一笔是:7月30日,尼勒克喀什河河谷,30只[GJun];

Xinjiang: Stated to be a common resident around Urumqi with records including four at Juhuatai, Nanshangangou on 11 February & seven at Wulabo on 4 December. Also widely encountered throughout the province with the highest count being 30 in the Kashi River Valley, Nilka on 30 July [GJun].

# 0714# 白腹鸫 Pale Thrush Turdus pallidus

黑龙江: 伊春带岭,5月7日,凉水河自然保护区,20只[LJY],10月2日,永翠河,2只[LY];

河南: 2月26日, 罗山董寨自然保护区, 3只[LY];

江苏: 1月2日,南京廖仲恺墓, 2只[YJ]; 3月12日,昆山阳澄湖,10只[FZ];

上海: 和周边地区如崇明岛有广泛记录,显示为冬候鸟或者过境鸟。崇明东滩: 1月22日,20只[ZWQ];4月23日,30只[YJ];1月20日,金山大金山岛,20只[YZD];2月23日,大宁灵石公园,11只[XL];3月6日,世纪公园,17只[XL];3月24日,奉贤五四农场,15只[LJ];12月17日,松江天马山,8只[WJB];

浙江: 3月12日,杭州九溪龙井,10只[QH];杭州植物园2月到4月有记录,如3月25日,4只[QH];椒江2月、3月、12月有记录,如2月21日,东山公园,2只[WXM];3月26日,富阳全市,5只[YZD];4月23日,嵊泗县大洋山岛,20只[BP et al.];

福建: 4月14日, 厦门坂头水库, 2只[ZLin];

广东: 3月26日,广州中山大学,1只[YHY];

Heilongjiang: 20 at Liangshuihe NR, Dailing, Yichun on May [LJY], two at Yongcuihe on 2 October [LY].

Henan: Three at Dongzhai NR, Luoshan on 26 February [LY].

Jiangsu: Two at Liaozhongkaimu, Nanjing on 2 January [YJ]; ten at Yangchenghu, Kunshan on 12 March [FZ].

Shanghai: Noted as a widespread winter visitor and passage migrant. 20 at Dongtan, Chongming on 22 January [ZWQ] and 30 there on 23 April [YJ]; 20 at Dajindao, Jinshan on 22 January [YZD]; 11 at Lingshi Park, Daning on 23 February [XL]; 17 at Shiji Park on 6

March [XL]; 15 at Wusi Farm, Fengxian on 24 March [LJ]; eight at Tianmashan, Songjiang on 17 December [WJB].

Zhejiang: 10 at Longjing, Hangzhou on 12 March [QH]. Frequently recorded at Hangzhou BG between February and April e.g. four on 25 March [QH]. Recorded in Jiaojiang during February, March and December with for example two at Dongshan Park on 21 February [WXM]. Elsewhere there were five at Fuyang on 26 March [YZD] & 20 at Dayangshan Dao, Chengsi county on 23 April [BP et al.].

Fujian: Two at Bantou Reservoir, Xiamen on 14 April [ZLin].

Guangdong: One at Zhongshan University, Guangzhou on 26 March [YHY].

# 0716# 赤颈鸫 Dark-throated Thrush Turdus ruficollis

亚种ruficollis:

辽宁: 2月7日,凌源南山公园, 2只[YJ];

北京: 1月11日, 密云水库, 1只[CM]; 3月26日, 怀柔水库, 1只[WN]; 3月31日, 百

望山, 1只[WJ]; 12月北京植物园有记录, 如12月10日, 6只[ZLei];

山东: 10月2日, 长岛大黑山岛, 1只[LHY];

上海: 11月13日, 崇明东滩, 1只[ZLin] 可能是上海的第一笔记录;

## 亚种atrogularis:

新疆: 乌鲁木齐周边冬春常见,如:2月11日,南山干沟菊花台,8只[GJun];3月13日,燕儿窝鸿雁池水库,12只[GJun];12月4日,乌拉泊,45只[GJun];其他地区秋冬也有较多记录,如10月29日,石河子玛纳斯河谷,50只[GJun];

四川: 4月16日, 绵阳平武, 1只[LS];

Race ruficollis:

Liaoning: Two at Nanshan Park, Lingyuan on 7 February [YJ].

Beijing: One at Miyun Reservoir on 11 January [CM]; one at Huairou Reservoir on 26 March [WN]; one at Baiwangshan on 31 March [WJ]. Frequently recorded in Beijing BG during December e.g. six on 10 December [ZLei].

Shandong: One at Daheishandao, Changdao on 2 October [LHY].

Shanghai: One at Dongtan, Chongming on 13 November [ZLin], possibly the first record for Shanghai.

# Race atrogularis:

Xinjiang: A common winter visitor around Urumqi e.g. eight at Juhuatai, Nanshan on 11 February [GJun]; 12 at Hongyanchi Reservoir, Yanerwo on 13 March [GJun]; a particularly high count of 45 at Wulabo on 4 December [GJun]. Also common in other places during autumn and winter e.g. 50 at Manasi River Valley, Shihezi on 29 October [GJun].

Sichuan: One at Pingwu, Mianyang on 16 April [LS].

# 0717# 斑鸫 Dusky Thrush Turdus naumanni

黑龙江: 5月6日,哈尔滨太阳岛,2只[LJY];在伊春带岭显示为夏候鸟或者过境鸟,五月有记录,秋季数量较大。如: 5月8日,带岭东山,10只[LJY];10月2日,带岭碧水保护区,200只[WXL];

吉林:可能为冬候鸟,2月2日,吉林松花江段,1只[LiXD];

辽宁:数量较大的有:2月2日,辽阳北陵公园,140只[ZYong];春季最晚记录为:4月25日,丹东鸭绿江湿地自然保护区,2只[BQQ];

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是:4月2日,秦皇岛北戴河,30 只[ZJ];

北京:春季迟至4月底有记录,如:4月28日,昌平沙河水库,4只[WRQ];秋季早至10月初有记录,如:10月5日,坝河湿地,2只[ZJ];夏天有一不寻常记录:6月27日,东灵山,1只[WJ];

河南: 2月26日, 罗山东寨自然保护区, 20只[LY],

江苏:春季较晚的记录:4月2日,南京江心洲,2只[XL];12月10日,江浦狮子岭林场,30只[ZYu](两亚种各半)。

安徽: 2月1日, 黄山谭家桥, 40只[YZD];

上海: 3月6日, 世纪公园, 80只[XL]; 12月17日, 松江天马山, 200只[WJB]; 崇明东滩春季迟至4月底有记录, 如: 4月23日, 2只[YJ]; 秋季早至11月初有记录, 如11月6日, 3只[ZLin];

浙江: 3月12日, 杭州, 50只[ZYing]; 12月25日, 杭州西湖, 80只[ZhuY];

海南: 2月1日, 乐亭尖峰岭自然保护区, 3只[YCC]; (当年最南的记录)

四川:崇州白塔湖从上一年冬季直至当年1、2月迟至4月有记录,如4月8日,崇州白塔湖,6只[CLiang];9月16日,理县孟屯,4只[SY];11月11日,峨眉山,2只[GGW];

贵州: 12月10日, 贵阳金华湖, 14只[YLin];

此外天津、山东、湖北、湖南、江西、甘肃、陕西亦有记录。

Heilongjiang: Two at Taiyangdao, Ha'erbin on 6 May [LJY]. Noted on passage or as a summer visitor at Dailing, Yichun where counts included 10 at Dongshan on 8 May [LJY]; 200 at Bishui NR on 2 October [WXL].

Jilin: One besides the Songhuajiang River in Jilin city on 2 February was unusually far north for mid-winter [LiXD].

Liaoning: 140 at Beiling Park, Liaoyang on 2 February [ZYong] was an especially high count. Two at Yalu Jiang Wetland NR, Dandong on 25 April [BQQ] were the last of the spring in the province.

Hebei: Several records of migrants at Beidaihe and Happy Island - the largest count being 30 at Beidaihe on 2 April [ZJ].

Beijing: Present until the end of April in spring e.g. four at Shahe Reservoir, Changping on 28 April [WRQ] while the first autumn record was two at Bahe wetland on 5 October [ZJ]. Also, one at Donglingshan on 27 June [WJ], an unusual summer record.

Henan: 20 at Dongzhai NR, Luoshan on 26 February [LY].

Jiangsu: Two at Jiangxinzhou, Nanjing on 2 April was the latest spring record. [XL]; 20 at Shiziling FF, Jiangpu on 10 December [ZYu] -about half of which were naumanni, the other half eunomus.

Anhui: 40 at Tanjiagiao, Huangshan on 1 February [ZYu].

Shanghai: 80 at Shiji Park on 6 March [XL]; 200 at Tianmashan, Songjiang on 17 December [WJB]. Frequently recorded at Dongtan, Chongmingdao from late autumn to late spring with two there on 23 April [YJ] being the latest local spring record & three on 6 November [ZLin] being the first of the autumn.

Zhejiang: 50 in Hangzhou on 12 March [ZYing]; 80 at Xihu Lake on 25 December [ZhuY].

Hainan: Three at Jianfengling NR, Laoting on 1 February [YCC] - the southernmost report of the year.

Sichuan: A few birds were recorded in winter and spring with six on 8 April [CLiang] being the last spring record; four at Mengtun, Lixian on 16 September [SY]; two at Emei Shan on 11 November [GGW].

Guizhou: 14 at Jinhuahu, Guiyang on 10 December [YL].

Also recorded in Tianjin, Shandong, Jiangxi, Hubei, Hunan, Gansu and Shaanxi.

# 0721# 宝兴歌鸫 Chinese Thrush Turdus mupinensis

河北: 5月7日,9日和19日,北戴河都是1只,5月11日,乐亭捞鱼尖,1只[PH et al.];5月12日,乐亭快乐岛,1只[CLiang];5月18日和19日,秦皇岛祖山森林公园,都有1只[PH et al.];5月28日,兴隆雾灵山保护区,1只[LHY];5月30-31日,同一地点,各一只[PH et al.]

北京: 5月14日, 北京师范大学, 1只[ZYQ]; 9月28日, 天坛, 1只[WRQ];

浙江: 2月11日,杭州孤山曲苑植物园,1只[QH]; (该省罕见记录)

四川: 3月6日、4月8日,崇州白塔湖各一只次记录[SY, CLiang]; 6月18日,康定丹巴, 1只[CLiang]; 6月23日和24日,峨眉山雷洞坪附近,都是1只,7月4日-6日之间,九寨

沟自然保护区,每日1只或2只[PH et al.]; 11月4日,成都塔子山公园, 1只[QG];

贵州: 12月3日, 贵阳贵州大学, 1只[YL];

青海: 9月26日, 互助北山, 1只[PH et al];

云南: 12月24日,丽江,2800m处,1只[RWL];

Hebei: Singles at Beidaihe on 7th, 9th & 19 May; one at Laoyujian, Laoting on 11 May [PH et al.]; one on Happy Island, Laoting on 12 May [CLiang]; singles on Old Peak FP, Qinhuangdao on both 18 & 19 May [PH et al.]; singles at Wulingshan NR, Xinglong on 28 [LHY], 30th & 31 May [PH et al.].

Beijing: One at Beijing Normal University on 14 May [ZYQ]; one at Tiantan Park on 28 September [WRO].

Zhejiang: One at Gushanquyuan BG on 11 February [QH] – the species is rather rare in this province.

Sichuan: Singles at Baitahu, Chongzhou on 6 March [SY] & 8 April [CLiang]; one at Danba, Kangding on 18 June [CLiang]; singles near Leidongping, Emei Shan on both 23rd & 24 June; one or two daily at Jiuzhaigou NP during 4-6 July [PH et al.]; one at Tazishan Park, Chengdu on 4 November [QG].

Guizhou: One at Guiyang University on 3rd December [YL].

Qinghai: One at Huzhu Beishan on 26 September [PH et al.].

Yunnan: One at 2800m near Yufeng temple, Lijiang on 24 December [RWL].

# 0722# 栗背短翅鹎 Gould's Shortwing Brachyptervx stellata

西藏: 7月2日, 日喀则, 1只[ZGF];

云南: 12月1日, 高黎贡山百花岭, 看到1只[JH], 5日在另外一点听到1只[PH];

Tibet: One at Rikaze on 2 July [ZGF];

Yunnan: Singles near Baihualing, Gaoligongshan on 1st & 5 [JH] & 29 December [PH].

### 0724# 白喉短翅鹎 Lesser Shortwing Brachypteryx leucophrys

江西: 10月29-11月2日, 九连山自然保护区, 每天听到1或2只, 共8只[RWL];

云南:8月1日,个旧宝华公园,1只[WC];12月8日,勐腊中科院热带植物园,1只[LS];12月31日,高黎贡山百花岭,听到1只[PH];

Jiangxi: One or two heard daily, totalling eight bird-days, at Jiulianshan NR between 29 October and 2 November [RWL].

Yunnan: One at Baohua Park, Gejiu on 1 August [WC]; one at ADCC Tropical BG, Mengla on 8 December [LS]; one at Baihualing on 31 December [PH].

# 0725# 蓝短翅鸫 White-browed Shortwing Brachypteryx montana

四川: 4月25日,平武老河沟林场,1只[LS];6月20日,峨眉山,3只[PH];10月15日,成都四川大学,1只[WQian];

西藏: 5月28日至6月21日, 林芝墨脱, 1只[ZGF];

云南: 12月30日, 高黎贡山百花岭, 听到1只[PH];

Sichuan: One at Laohegou FF, Pingwu on 25 April [LS]; three at Emei Shan on 20 June [PH et al.]; one at Sichuan University, Chengdu on 15 October [WQian] was exceptional.

Tibet: One at Motuo, Linzhi between 28 May and 21 June [ZGF].

Yunnan: One at Baihualing on 30 December [PH].

# 0726# 白喉林鹟 Brown-chested Jungle Flycatcher Rhinomyias brunneata VU

河南:罗山董寨自然保护区,5月26日,白云保护站,3只,这三只个体一直到6月24日后消失[JH&LY];5月28日,灵山保护站,1只[LJY];河南省第一笔记录;

浙江: 4月28日, 天目山, 4-5只[BP et al.];

广东: 9月10日,广州中山大学,1只[YWQ],较罕见的迁徙记录;

Henan: At Dongzhai NR, Luoshan there were three at the Baiyun monitoring station on 26 May and birds were still singing until 24 June [JH & LY]; one at the Lingshan monitoring station on 28 May [LJY]. The first records for Henan.

Zhejiang: Four to five at Tianmushan on 28 April [BP et al.].

Guangdong: One at Zhongshan University, Guangzhou on 10 September [YWQ], a rare record of one on migration.

## 0727# 斑鹟 Spotted Flycatcher Muscicapa striata

新疆: 7月4日, 青河, 20只[MKW et al.]; 7月25日, 阿勒泰克兰河谷, 30只[GJun]; Xinjiang: 20 at Qinghe on 4 July [MKW et al.]; 30 at Kelan river valley, Altay on 25 July [GJun].

# 0728# 灰纹鹟 Grey-streaked Flycatcher Muscicapa griseisticta

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是:5月15日,乐亭快乐岛,3只[BB et al.]和5月19日,北戴河,7只[PH et al.];

北京: 5月4日, 百望山, 1只[HD]: 5月21日, 圆明园, 6只[WRQ]:

江苏: 5月2日, 溧水石臼湖, 1只[ZYu]; 5月21日, 江浦狮子岭林场, 1只[ZYu];

上海: 5月22日, 松江天马山, 1只[YZD]; 9月10日, 崇明东滩, 1只[YJ];

浙江: 5月1日, 临安西天目山, 1只[ZYing]; 5月18日, 杭州植物园, 1只[QH];

江西: 5月5日, 婺源赋春镇, 10只[GLQ];

云南: 8月7日,丽江玉龙雪山云杉坪,5只[QC];

Hebei: Several reports of migrants at Beidaihe and Happy Island with the largest counts being three on Happy Island, Laoting on 15 May [BB et al.] & seven at Beidaihe on 19 May [PH et al.].

Beijing: One at Baiwangshan on 4 May [HD]; six at Yuanmingyuan on 21 May [WRQ].

Jiangsu: One at Shijiu Lake, Shushui on 2 May [ZYu]; one at Shiziling FF, Jiangpu on 21 May [ZYu].

Shanghai: One at Tianmashan, Songjiang on 22 May [YZD]; one at Dongtan, Chongming on 10 September [QH].

Zhejiang: One at Xitianmushan, Lin'an on 1 May [ZYing]; one at Hangzhou BG on 18 May [QH];

Jiangxi: 10 at Fuchun Town, Wuyuan on 5 May [GLQ].

Yunnan: Five at Yunshanping, Jade Dragon Snow Mountain, Lijiang on 7 August [QC].

# 0729# 乌鹟 Dark-sided Flycatcher Muscicapa sibirica

亚种sibirica:在中国东部两广以北大部为过境鸟,大量记录集中在5月和8、9月。广东和海南的成熟林地中有越冬个体。

河北: 5月11日,秦皇岛北戴河,2只[CLiang];5月17日和19日,北戴河,1只或2只[PH et al.];9月16日,乐亭祥云林场,4只[CLiang];

北京:北京大学5月及八月初至九月初有记录,如5月7日,1只[WC];8月3日,1只[ZAH];9月4日,2只[HD];5月21日,圆明园,15只[WRQ];8月7日,怀柔怀沙河,4只[ZJ];8月27日,延庆野鸭湖,5只[ZLi];

天津: 5月13日,南开大学,5只[YY],7月28日和29日,塘沽海滨,分别是3只和2只[PH];

山东: 8月28日, 黄河三角洲, 11只[ZXX]; 这个时间仍有大群于此比较反常;

江苏: 5月21日, 江浦狮子岭林场, 1只[ZYu], 同一地点, 10月3日, 8只[ZYu];

上海: 4月28日,植物园,1只[YZD];5月19日,奉贤五四农场,12只[YZD];10月6日,崇明东滩,1只[YJ];

江西: 10月29-11月2日, 九连山自然保护区, 共21只, 其中单天最高记录是10月29和30日, 6只[RWL];

广东: 10月28日,始兴车八岭,2只[YHY];11月18日,乳源南岭国家森林公园,1只[YHY];

海南: 11月9日, 昌江霸王岭保护区, 3只[WJY];

广西: 9月15日, 龙州弄岗自然保护区, 1只[LZY];

亚种rothschildi:

四川: 6月18日,康定丹巴,3只[CLiang];7月17日,平武王朗自然保护区,3只[LS];6月29日,卧龙巴朗山垭口,1只,7月1日,鹧鸪山,1只[PH et al.];7月6日,马尔康,九寨沟,2只[PH et al.]和8月17日,8只[WJY];9月3日,成都植物园,1只[WQian];

陕西: 6月7日, 太白山森林公园, 红河谷附近, 2只[PH et al.];

青海: 7月25日, 班玛玛可河林场, 2只[WQ]; 7月28日, 玉树朶尔寺, 6只[KHL];

西藏: 7月23日, 林芝地区, 1只[ZGF];

Race *sibirica*: In east China noted on passage at numerous places north of Guangdong and Guangxi. Most sightings occurred during May, August and September. Some individuals winter in the mature forests in Guangdong and Hainan.

Hebei: One or two at Beidaihe on 11th, 17th & 19 May [CLiang & PH et al.]; four at Xiangyun FF, Laoting on 16 September [CLiang].

Beijing: Recorded in May and again between early August and September with singles in Peking University on 7 May [WC] & 15 at Yuanmingyuan on 21 May [WRQ]. In autumn birds were noted on 3 August [ZAH]; four at Huairou Reservoir on 7 August [ZJ]; five at Wild Duck Lake, Yanqing on 27 August [ZLi]. The last report involved two on 4 September [HD]. Tianjin: Five at Nankai University on 13 May [YY]; three & two in Tanggu Harbor on 28th &

29 July respectively [PH]. Shandong: 11 at Yellow River Delta NR on 28 October [ZXX] were unusually late for so

Jiangsu: One at Shiziling FF, Jiangpu on 21 May with eight there on 3 October [ZYu].

Shanghai: One at Shanghai BG on 28 April [YZD]; 12 at Wusi Farm, Fengxian on 19 May [YZD]; one at Dongtan, Chongming Dao on 6 October [YJ].

Jiangxi: 21 bird-days at Jiulianshan NR between 29 October and 2 November, with peak day-counts of six on 29 and 30 October [RWL].

Guangdong: Two at Chebaling, Shixing on 28 October [YHY]; one at Naling NFP, Ruyuan on 18 November [YHY].

Hainan: Three at Bawangling, Changjiang on 9 November [WJY].

Guangxi: One at Nonggang NR, Longzhou on 15 September [LZY].

Race rothschildi:

many;

Sichuan: Three at Danba, Kangding on 18 June [CLiang]; three at Wanglang NR, Pingwu on 17 July [LS]; one on Balangshan Pass, Wolong on 29 June; one on Zhegushan Pass on 1 July [PH et al.]; two & eight at Jiuzhaigou, Maerkang on 6 July [PH et al.] & 17 August [WJY] respectively; one at Chengdu BG on 3 September [WQian].

Shaanxi: Two near Honghegu, Taibaishan FP on 7 June [PH et al.].

Qinghai: Two at Makehe FF, Banma on 25 July [WQ]; six at Ga'ersi, Yushu on 28 July [KHL]; Tibet: One at Linzhi on 23 July [ZGF].

### 0730# 北灰鹟 Asian Brown Flycatcher Muscicapa dauurica

辽宁: 5月10日, 大连旅顺, 7只[LXD]; 9月11日, 东港石桥油库, 1只[BQQ];

河北: 5月9日,北戴河,30只是大数目和5月20日,25只[PH et al.],5月4日,秦皇岛北

戴河, 3只[HP]; 9月16日, 乐亭祥云林场, 8只[CLiang];

北京: 5月7日, 北京大学, 4只[WC]; 8月27日, 顺义汉石桥, 1只[LHY];

天津: 5月21日,大港区北大港水库,30只[CJZ];

山东: 9月8日, 莱州河套水库, 22只[ZXX];

江苏: 10月17日,徐州空军学院,1只[ZYQ];秋天最晚的记录;

上海:崇明4月,8月底到10月初有记录,如:4月23日,崇明东滩,1只[YJ];8月27日,东滩,50只,上海最高记录[ZLin];10月6日,2只[YJ];

浙江: 5月1日, 绍兴嵊洲长乐镇, 12只[QC], 杭州植物园5月、9月有记录, 如: 9月25日, 杭州植物园, 1只[ZhuY];

湖南: 5月6日,长沙湖南行政学院,1只[ZYF];

江西: 10月30日-11月2日, 九连山自然保护区, 1只[RWL et al.];

广东: 4月16日,广州良田镇沙田村,1只[GGW];广州中山大学9、10、11月有记录,

如: 9月10日, 1只[LWO]: 12月10日, 深圳坝光盐灶村, 1只[ZengY]:

海南: 所有记录都在11月,应为冬候鸟。11月8日,海口东寨港,2只[WJY],11月9日,昌江霸王岭保护区,7只[WJY];

广西: 10月3日,龙州弄岗保护区,8只[TSX];10月2日,柳州龙潭公园,2只[YDH];

重庆: 9月30日,沙坪坝区磁器口,1只[WQian];

四川: 9月14日,成都百花潭,3只[WQian];11月19日,成都植物园,1只[WQian];

云南: 5月13日, 昆明西山, 1只[Zlin]; 8月7日, 丽江玉龙雪山云杉坪, 5只[QC]; 10月6日, 昆明郊野公园, 1只[LLW];

西藏: 5月15日至5月18日, 林芝察隅, 5只, 西藏新记录[DJT];

Liaoning: Seven at Lushun, Dalian on 10 May [LXD]; one at Shiqiao, Donggang on 11 September [BQQ].

Hebei: High counts at Beidaihe included 30 on 9th & 25 on 20 May [PH et al.]; eight at Xiangyun FF, Laoting on 16 September [CLiang].

Beijing: Four at Beijing University on 7 May [WC]; one at Hanshiqiao, Shunyi on 27 August [LHY].

Tianjin: 30 at Beidagang Reservoir on 21 May [CJZ].

Shandong: 22 at Hetao Reservoir, Laizhou on 8 September [ZXX].

Jiangsu: One at Xuzhou on 17 October [ZYQ] – the latest autumn record anywhere in China.

Shanghai: Present at Chongming during April & again between late August and early October e.g. one at Dongtan on 23 April [YJ]. The highest count was 50 at Dongtan on 27 August [ZLin] & the last were two on 6 October [YJ].

Zhejiang: 12 at Changle town, Shaoxing on 1 May [QC]; logged in Hangzhou BG during May and September, e.g. one on 25 September [ZhuY].

Hunan: One at Changsha on 6 May [ZYF].

Jiangxi: Singles at Jiulianshan NR on 30 October and 2 November [RWL et al.].

Guangdong: One at Shatian village, Guangzhou on 16 April [GGW]; logged at Zhongshan University, Guangzhou between September and November, e.g. one on 10 September [LWQ]; one at Yanzao village, Shenzhen on 10 December [ZengY].

Hainan: All records occurred in November. Two at Dongzhaigang, Haikou on 8 November [WJY]; seven at Bawangling, Changjiang on 9 November [WJY].

Guangxi: Eight at Nonggang NR, Guangxi on 3 October [TSX]; two at Longtan Park, Liuzhou on 2 October [YDH].

Chongqing: One at Ciqikou, Shapingba on 30 September [WQian].

Sichuan: Three at Baihuatan, Chengdu on 14 September [WQian]; one at Chengdu BG on 19 November [WQian].

Yunnan: One at Xishan on 13 May [ZLin]; five at Yunshanping, Jade Dragon Snow Mountain, Lijiang on 7 August [OC]; one at Jiaove Park, Kunming on 6 October [LLW].

Tibet: Five at Chayu, Linzhi between 15-18 May [DJT]. The first record for Tibet .

# 0731# 褐胸鹟 Brown-breasted Flycatcher Muscicapa muttui

四川: 6月20日和24日, 峨眉山, 分别是3只和1只[PH et al.]; 9月16日, 理县孟屯, 1只 [SY];

云南: 3月26日, 瑞丽莫里森林公园, 2只[MK]:

Sichuan: Three & one at Emei Shan on 20th & 24 June respectively [PH et al.]; one at Mengtun, Lixian on 16 September [SY].

Yunnan: Two at Moli BG, Ruili on 26 March [MK] .

### 0732# 棕尾褐鹟 Ferruginous Flycatcher Muscicapa ferruginea

福建: 4月15日, 厦门万石植物园, 2只[ZLin];

海南: 11月9日, 昌江霸王岭保护区, 1只[WJY];

四川: 5月25日, 汶川卧龙山庄, 1只[DK]; 8月17日, 马尔康九寨沟, 1只[WJY];

云南: 3月26日,瑞丽莫里森林公园,1只[MK];

西藏: 5月15日到5月18日, 林芝察隅, 2只[DJT]; 5月19日, 林芝地区, 1只[DJT];

Fujian: Two at Wanshi BG, Xiamen on 15 April [ZLin].

Hainan: One at Bawangling, Changjiang on 9 November [WJY].

Sichuan: One at Wolong, Wenchuan on 25 May [DK]; one near Leidongping, Emei Shan on 23 June [PH et al.]; one at Jiuzhaigou, Ma'erkang on 17 August [WJY].

Yunnan: One at Moli BG, Ruili on 26 March [MK].

Tibet: Two at Chayu, Linzhi between 15-18 May [DJT]; one at Linzhi on 19 May [DJT].

# 0733# 白眉姬鹟 Yellow-rumped Flycatcher Ficedula zanthopygia

5月出现在东北、华北繁殖地,只收录各地最早的记录或者数量较大以及繁殖季最晚的 记录。过境地区收录过境期间的代表性记录。

辽宁: 5月10日, 大连旅顺, 1只[LXD];

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是: 5月9日,乐亭快乐岛, 15只 [BB et al.];

北京: 5月6日, 百望山, 1只[HD]; 5月28日, 小龙门林场, 1只[CYZ]; 6月5日, 八达岭, 5只[PH et al.]; 6月11日, 永定河峡谷, 3只[ZYong];

天津: 5月13日, 南开大学, 2只[YY];

陕西: 6月6日, 洋县朱鹮自然保护区, 3只长居雄性[PH et al.];

河南: 5月3日, 罗山董寨自然保护区, 1只[GLQ];

江苏: 4月16日,南京中山植物园,1只[ZYu];6月29日,江浦,2只[ZYu];

上海: 崇明东滩4月、8月底有记录,如4月17日,1只[YZD];8月27日,50只[Zlin];

浙江: 5月29日,杭州植物园,1只[YJ],7月30日,杭州太子湾公园,5只[ZhuY],8月

17日, 杭州慈云岭玉皇山, 1只[ZhuY];

广东:广州中山大学4月、9月有记录,4月3日,1只[YHY];9月10日,1只[LWQ];

Birds are present in their breeding range during May. Only records of high counts, the earliest

and the latest are noted here.

Liaoning: One at Lyshun, Dalian on 10 May [LXD].

Hebei: Several migration records at Beidaihe and Happy Island. The largest count was 15 on Happy Island, Laoting on 9 May [BB et al.].

Beijing: One at Baiwangshan on 6 May [HD]; one at Xiaolongmen FF on 28 May [CYZ]; five at Badaling on 5 June [PH et al.]; three at Yongdinghe Valley on 11 June [ZYong].

Tianjin: Two at Nankai University on 13 May [YY].

Shaanxi: Three territorial males at the Crested Ibis NR, Yangxian on 6 June [PH et al.].

Henan: One at Dongzhai NR, Luoshan on 3 May [GLQ].

Jiangsu: One at Zhongshan BG, Nanjing on 16 April [ZYu]; two at Jiangpu on June 29th [ZYu].

Shanghai: Logged at Dongtan, Chongmingdao in April and again in late August, e.g. one on 17 April [YZD]. A particularly high count was 50 on 27 August [ZLin].

Zhejiang: One at Hangzhou BG on 29 May [YJ]; five at Taiziwan Park, Hangzhou on 30 July [ZhuY]; one at Yuhuangshan, Hangzhou on 17 August [ZhuY].

Guangdong: Logged at Zhongshan University during April and September, e.g. one on 3 April [YHY]; one on 10 September [LWQ].

### 0734.1# 黄眉姬鹟 Narcissus Flycatcher Ficedula narcissina

亚种narcissina:

上海: 11月3日, 宝钢水库, 1只[YZD];

浙江: 12月4日,杭州蒋村西溪,1只雌鸟[XL];

江西: 4月13日, 九连山自然保护区, 1只[LCK];

广东: 4月2日, 广州良田镇沙田村, 1只[LWQ], 广州中山大学4月初至4月中有记录,

如: 4月3日, 6只[YHY]; 4月16日, 1只[XZW];

海南: 11月12日, 东方大田自然保护区, 1只[WJY];

亚种owstoni:

广东: 4月7日,广州中山大学,1只被拍到[WYY],中国亚种新记录,有的著者认为该亚种是独立的种;

Race narcissina:

Shanghai: One at Baogang Reservoir on 3 November [YZD].

Zhejiang: One female at Xixi, Hangzhou on 4 December [XL].

Jiangxi: One at Jiulianshan NR, Longnan on 13 April [LCK].

Guangdong: One at Shatian village, Guangzhou on 2 April [LWQ]; logged at Zhongshan University, Guangzhou from early April to mid April, e.g. six on 3 April [YHY]; one on 16 April [XZW].

Hainan: One at Datian NR, Dongfang on 12 November [WJY].

Race owstoni:

Guangdong: One photographed at Zhongshan University, Guangzhou on 7 April [WYY]. Apparently the first record of this form for China. Note that it is most often regarded as a race of Green-backed Flycatcher F. elisae but may well represent a full species in its own right.

# 0734.2# 绿背姬鹟 Green-backed Flycatcher Ficedula elisae

在河北和北京西部山区繁殖地附近有较多记录,一些个体春季迁徙经过广州。

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是:5月17日,乐亭快乐岛,5只[BB et al.];5月18日-19日期间,秦皇岛祖山森林公园,共计6只叫的雄鸟[PH et al.];兴隆雾灵山自然保护区:5月28日,2只[LHY];6月4日,2只[LHY];5月31日,3只[PH et al.] 北京:5月2日,东灵山,1只雄鸟[WJ];5月11日,北京大学,2只[ZYong];小龙门林场6月初到8月中旬有记录,如:6月6日,4只[HP];8月14日,5只[LJQ];

河南: 4月26日, 罗山董寨自然保护区, 1只[LY];

江西: 10月30日至11月2日, 九连山自然保护区, 17只[RWL];

广东: 4月5-18日, 广州中山大学有零星记录[WYY], 该省第一笔记录;

Not uncommon in suitable habitat across the breeding range, some individuals pass through Guangzhou during spring migration.

Hebei: Several migration records at Beidaihe and Happy Island. The largest count was five on Happy Island, Laoting on 17 May [BB et al.]. Up to six singing males on Old Peak FP, Qinhuangdao during 18-19 May [PH et al.]. At Wulingshan NR, Xinglong: two on 28 May & 4 June [LHY] with three on 31 May [PH et al.].

Beijing: One male at Donglingshan on 2 May [WJ]; two at Beijing University on 11 May [ZYong]; Reported to be common at Xiaolongmen FF between early June and mid August with counts of four on 4 April [HP] & five on 14 August [LJQ].

Henan: One at Dongzhai NR, Luoshan on 26 April [LY] was the first record for the reserve;

Jiangxi: An exceptional 17 different birds were recorded at Jiulianshan NR between 30 October-2 November [RWL].

Guangdong: Singles at Zhongshan University, Guangzhou during 5-18 April [WYY] first record for the province.

# 0735# 鸲姬鹟 Mugimaki Flycatcher Ficedula mugimaki

河北: 5月14日,秦皇岛北戴河,1只[LHY];

北京: 5月4日, 百望山, 1只[HD];

河南: 5月10日, 罗山董寨自然保护区, 1雄[LY];

安徽:5月4日,潜山天柱山,1只[QH];

江苏:南京5月、10月底到11月初有记录,如:5月7日,清凉山公园,1只[ZYu];10月

30日, 紫金山, 1只[ZYu]; 11月6日, 国防园, 1只[ZYu];

上海: 5月2日, 崇明东滩, 1只[GJ]; 10月22日, 三岔港, 1只[YJ];

浙江:杭州孤山曲苑植物园10月有记录,如:10月23日,1只[ZhuY];10月30日,15只[QC];

江西: 10月29-11月2日, 九连山自然保护区, 17只, 单天最高记录为11月1日, 6只 [RWL];

广东: 4月3日,广州中山大学, 3只[XZW]; 10月28日,始兴车八岭, 1只[YHY]; 11月6日,广州南昆山国家森林公园, 2只[YHY]; 12月24日,新丰云髻山自然保护区, 1只[DJT]:

海南: 11月9日, 昌江霸王岭保护区, 3只[WJY];

Hebei: One at Beidaihe on 14 May [LHY].

Beijing: One at Baiwangshan on 4 May [HD].

Henan: A male at Dongzhai NR, Luoshan on 10 May [LY].

Anhui: One at Tianzhushan, Qianshan on 4 May [QH]

Jiangsu: Recorded at Nanjing during May and again between late October and November, e.g. one at Qingliangshan Park on 7 May [ZYu]; one at Zijinshan on 30 October [ZYu]; one at Guafangyuan on 6 November [ZYu].

Shanghai: One at Dongtan, Chongming on 2 May [GJ]; one at Sanchagang on 22 October [YJ]. Zhejiang: Recorded at Gushan BG, Hangzhou during October e.g. one on 23 October [ZhuY]. The maximum count was 15 there on 30 October [QC].

Jiangxi: 17 bird-days at Jiulianshan NR between 29 October and 2 November, with a peak count of six on 1 November [RWL et al.].

Guangdong: Three at Zhongshan University, Guangzhou on 3 April [XZW]; one at Chebaling, Shixing on 28 October [YHY]; two at Nankunshan NFP, Guangzhou on 6 November [YHY]; one at Yunjishan NR, Xinfeng on 24 December [DJT].

Hainan: Three at Bawangling, Changjiang on 9 November [WJY].

# 0736# 锈胸蓝姬鹟 Slaty-backed Flycatcher Ficedula hodgsonii

北京: 6月7日, 小龙门林场, 1只雄鸟成鸟[WNing], 该地区首笔记录;

青海: 7月23日, 班玛玛可河林场, 12只[WQ];

四川: 7月1日,鹧鸪山垭口, 3只, 7月3日,若尔盖和九寨沟之间的巴西路上, 15只, 7月4日-6日,九寨沟自然保护区,每日有6只和15只之间的鸟[PH et al.]; 10月2日,理县孟屯,5只[SY]; 10月22日,汶川卧龙自然保护区,1只[LS];

云南: 3月27日, 瑞丽铜壁关自然保护区, 8只[MK];

西藏: 5月15日至5月18日, 林芝察隅, 7只[DJT]; 5月26日, 林芝八一, 2只[DJT];

Beijing: An adult male at Xiaolongmen FF on 7 June [WNing], the first record for Beijing.

Qinghai: 12 at Makehe FF, Banma on 23 July [WQ].

Sichuan: Three on Zhegushan Pass on 1 July; 15 on Baxi road between Ruoergai & Jiuzhaigou on 3 July; between 6 & 15 daily at Jiuzhaigou NP 4-6 July [PH et al.]; five at Mengtun, Lixian on 2 October [SY]; one at Wolong NR, Wenchuan on 22 October [LS].

Yunnan: Eight at Tongbiguan NR, Ruili on 27 March [MK].

Tibet: Seven at Chayu between 15-18 May [DJT]; two at Bayi, Linzhi on 26 May [DJT].

## 0737# 橙胸姬鹟 Rufous-gorgeted Flycatcher Ficedula strophiata

河北: 5月14日, 乐亭快乐岛, 1只[PH]和乐亭京唐港, 1只[LJY];

陕西: 5月底和6月初中的4天,太白山2800米处,1或2只[BA];

四川: 4月9日, 平武老河沟林场, 3只[LS]: 5月22日, 汶川卧龙五一棚, 5只[DK]:

8月17日, 马尔康九寨沟, 2只 (雌鸟与幼鸟) [WJY]; 11月4日, 成都四川大学, 1只 [WQian]; 峨眉山和九寨沟亦有仲夏记录;

云南: 3月26日,瑞丽莫里森林公园,1只[MK];12月9日,保山高黎贡山百花岭,1只[LLW];

西藏: 林芝地区5月常见,如:5月12日,林芝地区,11只[DJT];6月21日,林芝墨脱,17只[ZGF];

Hebei: Singles on Happy Island [PH] & at Jingtanggang on 14 May [LJY]. The species is a rare spring over shoot in Hebei.

Shaanxi: One or two at Taibaishan FP on four dates in late May-early June [PH et al., BA].

Sichuan: Three at Laohegou FF, Pingwu on 9 April [LS]; five at Wolong NR, Wenchuan on 22 May [DK]; two (a female and a juvenile) at Jiuzhaigou, Ma'erkang on 17 August [WJY]; one at Sichuan University, Chengdu on 4 November [WQian]. Other mid-summer reports were received from Emei Shan & Jiuzhaigou NP.

Yunnan: One at Moli FP, Ruili, on 26 March [MK]; present at Baihualing NR, Baoshan on 9 December [LLW].

Tibet: Reported to be common in Linzhi during May with, for example, 11 there on 12 May [DJT]; 17 at Motuo between 28 May and 21 June [ZGF].

### 0738# 红喉姬鹟 Red-breasted Flycatcher Ficedula albicollis

黑龙江: 5月8日, 伊春带岭东山, 8只[LJY];

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是:5月9日,乐亭快乐岛,50只[BB et al.],秋季最高数目是10月1日,40只[PH et al.];

北京: 北京大学4月初到5月下旬,8月底到9月初有记录,如:4月7日,1只[ZAH];5月7日,20只[WC];9月4日,5只[HD];8月23日,中国农机院,1只[HYP];9月28日,天坛,5只[WRQ];

天津: 5月13日, 南开大学, 6只[YY];

山东: 10月2日, 长岛大黑山岛, 1只[LHY];

河南: 9月23日, 洛阳周山森林公园, 3只[DQ];

湖北: 10月22日, 武汉潭湖, 1只[TYJ];

湖南: 5月2日, 岳阳君山, 1只[GLQ];

江西: 10月30日-11月1日, 九连山自然保护区, 1只[RWL et al.];

广西: 10月6日,柳州龙潭公园,3只[YDH];

广东: 12月4日, 湛江森林公园, 1只[LWQ]; 12月30日, 广州良田镇沙田村, 1只[LJY];

海南: 11月7日,海口万绿园,1只[ZY];11月12日,东方大田自然保护区,5只[WJY];

甘肃: 5月15日, 酒泉, 3只[CYD];

宁夏: 10月3日,中卫腾格里湖自然保护区,1只[LiX];

重庆: 9月30日,沙坪坝区磁器口镇,1只[WQian];

四川: 4月16日, 绵阳平武, 1只[LS], 8月14日, 成都北站西二.三巷, 1只[QG], 10月2日, 理县孟屯, 5只[SY], 11月19日, 成都植物园, 1只[WQian];

云南: 3月29日, 盈江铜壁关自然保护区, 1只[MK]; 4月18日, 沧源勐定, 1只[OB]; 9月3日, 昆明黑龙潭, 1只[WRQ]; 12月8日, 勐腊中科院热带植物园, 1只[SXL];

Heilongjiang: Eight at Dongshan, Dailing on 8 May [LJY].

Hebei: Several migration records at Beidaihe and Happy Island. The largest spring count was 50 on Happy Island, Laoting on 9 May [BB et al.], the peak in autumn was of 40 on 1 October [PH et al.].

Beijing: Commonly reported from Beijing University between early April and late May & again from late August and early September, e.g. one on 7 April [ZAH] (an early date), 20 on 7 May [WC] & five on 4 September [HD]. One at Agricultural Machinery Academy of China

on 23 August [HYP]. This was the first report of autumn; five at Tiantan on 28 September [WRO].

Tianjin: Six at Nankai University on 13 May [YY].

Shandong: One at Daheishandao, Changdao on 2 October [LHY].

Henan: Three at Zhoushan FP, Luoyang on 23 September [DQ].

Hubei: One at Tanhu, Wuhan on 22 October [TYJ].

Hunan: One at Junshan, Yueyang on 2 May [GLQ].

Jiangxi: Singles at Jiulianshan NR on 30 October and 1 November [RWL et al.].

Guangdong: One at Zhanjiang FP on 4 December [LWQ]; one at Shatian village, Guangzhou on 30 December [LJY].

Hainan: One at Wanlvyuan, Haikou on 7 November [ZY]; five at Datian NR, Dongfang on 12 November [WJY].

Guangxi: Three at Longtan Park, Liuzhou on 6 October [YDH].

Gansu: Three at Jiuquan on 15 May [CYD].

Ningxia: One at Tenggeli NR, Zhongwei on 3 October [LiX].

Chongqing: One at Ciqikou, Shapingba on 30 September [WQian].

Sichuan: One at Pingwu on 16 April [LS]; one at Chengdu on 14 August [QG]; five at Mengtun, Lixian on 2 October [SY]; one at Chengdu BG on 19 November [WQian].

Yunnan: Singles at Tongbiguan, Yingjiang on 29 March[MK]; Mengding, Cangyuan on 18 April [OB]; Heilongtan, Kunming on 3 September [WRQ]; Tropical BG of ACC, Mengla on 8 December [SXL].

## 0739# 白喉姬鹟 White-gorgeted Flycatcher Ficedula monileger

云南: 3月22、23日, 高黎贡山百花岭各1只[RWL &MK]; 12月31日, 高黎贡山百花岭, 3只[PH]; 3月28日, 盈江, 1只[MK];

Yunnan: All records were from Baihualing, Gaoligongshan where there were singles on 22nd and 23 March [RWL &MK] and three on 31 December [PH]; one at Fu Shan Dong Pass, Yingjiang on 28 March [MK].

### 0740# 棕胸蓝姬鹟 Snowy-browed Flycatcher Ficedula hyperythra

青海: 7月18日, 大通东峡林场, 2只[ZJ]; 7月28日, 玉树朶尔寺, 2只[KHL];

海南: 11月9日, 昌江霸王岭保护区, 1只[WJY];

四川: 4月4日, 峨眉山, 1只[CLiang], 4月22-24日, 屏山老君山, 1雄[BA], 10月24日, 汶川卧龙自然保护区, 4只[LS];

贵州: 2月4日, 毕节纱帽山, 1只雄鸟[YL];

云南: 高黎贡山, 3月23日, 百花岭, 5只, 3月24日, 南坎站, 6只[MK], 9月30日, 大理苍山, 3只[JHo & JW],

Qinghai: Two at Dongxia FF, Datong on 18 July [ZJ]; two at Ga'ersi, Yushu on 28 July [KHL]. Hainan: One at Bawangling. Changijang on 9 November [WJY].

Sichuan: One at Emei Shan on 4 April [CLiang]; one male at Laojunshan, Pingshan between 22nd and 24 April [BA]; four at Wolong NR, Wenchuan on 24 October [LS].

Guizhou: One male at Shamaoshan, Bijie on 4 February [YL].

Yunnan: In Gaoligongshan, five at Baihualing on 23 March [MK] and six at Nankan NR on 24 March [MK]; three at Cangshan, Dali on 30 September [JHo & JW].

# 0741# 小斑姬鹟 Little Pied Flycatcher Ficedula westermanni

云南. 3月21日,高黎贡山百花岭,6只,3月25日,瑞丽南京里,2只,3月27日,瑞丽铜壁关自然保护区,4只,3月28日,盈江,3只[MK],7月27日,个旧贾沙丫沙底,1只 [WC]。

西藏: 5月28日至6月21日, 林芝墨脱, 7只[ZGF];

Yunnan: Six near Baihualing, Gaoligongshan on 21 March; two at Nanjingli, Ruili, on 25 March [MK], one at Tongbiguan NR, Ruili on 27 March [MK], three at Fu Shan Dong Pass, Yingjiang on 28 March [MK]; one at Yashadi, Gejiu on 27 July [WC].

Tibet: Seven at Motuo, Linzhi between 28 May and 21 June [ZGF].

## 0742# 白眉蓝姬鹟 Ultramarine Flycatcher Ficedula superciliaris

西藏: 所有记录来自林芝。5月17日, 察隅, 1只[DJT]; 5月19日, 波密至茶隅, 2只 [ZGF]; 5月28日-6月21日, 墨脱, 2只[ZGF];

Tibet: All records were from Linzhi with one at Chayu on 17 May [DJT]; two between Bomi and Chayu on 19 May [ZGF]; two at Motuo between 28 May and 21 June [ZGF].

# 0743# 灰蓝姬鹟 Slaty-blue Flycatcher Ficedula tricolor

陕西: 5月23日-6月9日, 太白山森林公园, 1或2只[PH et al.];

四川: 6月29日,青川唐家河自然保护区,1只[LS]; 6月23日,峨眉山,6只,6月29日,卧龙巴朗山垭口,3只,6月4日和6日,九寨沟自然保护区周围,分别是2只和4只[PH et al.];10月2日,理县孟屯,3只[SY];11月26日,都江堰灵岩山,1只雌鸟[WQian];

云南: 8月27日, 昆明西山, 1只[WRQ];

西藏: 7月2日, 日喀则, 3只[ZGF]; 7月23日, 林芝地区, 2只[DJT];

Shaanxi: One or two at Taibaishan FP on four dates 23 May-9 June [PH et al.];

Sichuan: One at Tangjiahe NR, Qingchuan on 29 June [LS]; six on Emei Shan on 23 June; three on the Balangshan Pass, Wolong on 29 June; one & four in & around Jiuzhaigou NP on 4th & 6 June respectively [PH et al.]; three at Mengtun, Lixian on 2 October [SY]; one female at Lingyanshan, Dujiangyan on 26 November [WQian];

Yunnan: One at Xishan, Kunming on 27 August [WRQ];

Tibet: Three at Rikaze on 2 July [ZGF]; two at Linzhi on 23 July [DJT].

### 0744# 玉头姬鹟 Sapphire Flycatcher Ficedula sapphira

云南: 7月16日,开远灵芝湖森林公园,1只第一年雄鸟[LB]; 12月8日,勐腊中科院热带植物园,1只[SXL];

Yunnan: One first-year-male at Lingzhihu FP, Kaiyuan on16 July [LB]; one at Tropical BG of ADCC, Mengla on 8 December [SXL].

# 0745# 白腹姬鹟 Blue-and-White Flycatcher Cvanoptila cvanomelana

黑龙江: 5月7日, 伊春带岭北山, 1只[LJY];

河北:5月10日,快乐岛,1只,5月17日,北戴河1只,5月18日,秦皇岛祖山森林公园,2只[PH et al.];6月4日,兴隆雾灵山自然保护区,1只雌鸟,其余叫声较多[LHY];北京:5月6日,百望山,1只雌鸟[HD];小龙门林场6月初到8月中有记录,如:6月4日,4只,有育雏[ZYong];8月14日,1只雄鸟[LJQ];

江苏: 10月30日, 南京紫金山, 2只[ZYu];

上海:崇明东滩4月,9月至10月有记录,如:4月22日,2只[WJY];10月6日,1只幼雄[YJ];

浙江: 10月30日, 杭州孤山曲苑植物园, 3只[QC];

福建: 4月15日, 厦门万石植物园, 3只雄鸟[Zlin];

广东: 3月13日,深圳蛇口电视塔,1只[DJT];广州中山大学4月初和10月初有记录,

如:4月3日,5只[YHY];10月5日,1只[XZW];10月28日,始兴车八岭,8只[YHY];

11月6日,广州南昆山国家森林公园,3只[YHY];

江西: 4月6日, 九连山自然保护区, 2只[LCK]; 10月30-11月2日, 九连山自然保护区, 45只, 单天最高记录为11月日, 15只[RWL];

广西: 8月25日,柳州三门江森林公园,2只[LZY],10月21日,临桂安江坪,2只[LZY];

青海: 6月9日, 茶卡, 3雄, 青藏高原第一笔记录[JH];

Heilongjiang: One at Beishan, Dailing on 7 May [LJY].

Hebei: One on Happy Island on 10 May; one at Beidaihe on 17 May; two on Old Peak FP, Qinhuangdao on 18 May [PH et al.]; one at Wulingshan NR, Xinglong on 30 May but 'many' heard and one female seen there on 4 June [LHY].

Beijing: One female at Baiwangshan on 6 May [HD]; reported at Xiaolongmeng FF between early June and mid August, e.g. four in breeding on 4 May [ZYong]; one male on 14 August [LJQ].

Jiangsu: Two at Zijinshan, Nanjing on 30 October [ZYu].

Shanghai: Recorded in April, September and October, e.g. two on 22 April [[WJY]; a juvenile male on 6 October [YJ].

Zhejiang: Three at Gushan BG, Hangzhou on 30 October [OC].

Fujian: Three male at Wanshi BG, Xiamen on 15 April [ZLin].

Guangdong: One at Shekou TV tower, Shenzhen on 13 March [DJT]. Recorded at Zhongshan University, Guangzhou in early April and early October with for example five on 3 April [YHY] & one on 5 October [XZW]. Eight at Chebaling, Shixing on 28 October [YHY]; three at Nankushan NFP, Guangzhou on 6 November [YHY].

Jiangxi: Two at Jiulianshan NR, Longnan on 6 April [LCK]; 45 bird-days there between 29 October and 2 November, with a peak count of 15 on 2 November [RWL].

Guangxi: Two at Sanmenjiang FP, Liuzhou on 25 August [LZY]; two at Anjiangping, Lingui on 21 October [LZY].

Qinghai: Three males near Chaka on 9 June. [JH]. Apparently the first record for Qinghai & Tibet.

0746# 铜蓝鹟 Verditer Flycatcher Eumyias thalassina

河北: 5月4日, 乐亭快乐岛, 1只[BB et al.];

湖北: 7月17日, 十堰武当山, 4只[YZD];

广东: 12月10日, 深圳坝光盐灶村, 1只[ZengY];

福建:1月1日,厦门,1只[JHD];

广西: 9月22日, 来宾, 2只[LZY];

四川: 6月23日, 峨眉山, 5只, 6月28日, 卧龙巴朗山垭口, 1只[PH et al.]; 7月23日, 崇州鞍子河保护区, 5只[SY]; 10月6日, 都江堰龙池, 1只[YHY];

云南: 3月20日, 昆明西山, 1只; 3月21日, 高黎贡山百花岭, 3只; 3月24日, 高黎贡山南坎站, 1只; 3月26日, 瑞丽, 3只; 3月30日, 盈江铜壁关自然保护区, 6只[MK]; 4月24日, 沧源班洪, 1只[OB]; 8月27日, 昆明西山, 2只[WRQ]; 10月11日, 腾冲和顺侨乡, 4只[XY];

西藏: 5月28日到6月21日, 林芝墨脱, 20只[ZGF]; 7月2日, 日喀则地区, 4只[ZGF];

Hebei: One on Happy Island, Laoting on 4 May [BB et al.].

Hubei: Four at Wudangshan, Shiyan on 17 July [YZD].

Guangdong: One at Yanzao village of Baguang, Shenzhen on 10 December [ZengY].

Fujian: One at Xiamen on 1 January [JHD]. A rare winter record for China.

Guangxi: Two at Laibin on 22 September [LZY].

Sichuan: Five on Emei Shan on 23 June; one on the Balangshan Pass, Wolong on 28 June [PH et al.]; five at Anzihe NR, Chongzhou on 23 July [SY]; one at Longchi, Dujiangyan on 6 October [YHY].

Yunnan: One at Xishan, Kunming on 20 March [MK], three at Baihualing, Gaoligongshan, on 21 march [MK], one at Nankan NR, Gaoligongshan on 24 March [MK], three at Ruili on 26 March [MK], two at Tongbiguan NR, Yingjiang on 30 March [MK]; one at Banhong, Cangyuan on April 24th [OB]; two at Xishan, Kunming on 27 August [WRQ]; four at Heshun village, Tengchong on 11 October [XY].

Tibet: 20 at Motuo, Linzhi between 28 May and 21 June [ZGF]; four at Rikaze on 2 July [ZGF].

### 0747# 大仙鹟 Large Niltava Niltava grandis

云南: 3月23日,高黎贡山百花岭,2只;3月26日,瑞丽莫里森林公园,1只[MK];7月27日,个旧贾沙丫沙底,1只[WC];11月26日,腾冲来凤山森林公园,1只[ZYong];高黎贡山百花岭多笔记录,最大日观察数量为12月1日,4只[BA];

Yunnan: Two at Baihualing, Gaoligongshan on 23 March [MK]; singles at Moli BG, Ruili on 26 March [MK]; Yashadi, Gejiu on 27 July [WC]; and Laifengshan FP, Tengchong on 26 November [ZYong]; Elsewhere there were several records at Baihualing, Gaoligongshan, the largest daily count was four on 1 December [BA].

# 0748# 小仙鹟 Small Niltava Niltava macgrigoriae

江西: 4月8-10日,铅山武夷山自然保护区,易见[BA]; 5月9日,铅山武夷山自然保护区、2只[YCC];

广西: 10月21日, 临桂安江坪, 1只[LZY];

云南: 3月26日,瑞丽莫里森林公园, 2只[MK]; 3月27日,瑞丽铜壁关自然保护区, 3

只[MK & RWL]; 9月11日, 泸水片马, 1只[WRQ];

西藏: 5月28日至6月21日, 林芝墨脱, 20只[ZGF]; 7月2日, 日喀则, 1只[ZGF];

Jiangxi: Common at Wuyishan NR, Yanshan on 8-10 April [BA]; two at Wuyishan NR, Yanshan on 9 May [YCC].

Guangxi: One at Anjiangping, Lingui on 21 October [LZY].

Yunnan: Two at Moli BG, Ruili on 26 March [MK]; three at Tongbiguan, Ruili on 27 March [MK & RWL]; one at Pianma, Lushui on 11 September [WRO].

Tibet: 20 Motuo between 28 May and 21 June [ZGF]; one at Rikaze on 2 July [ZGF].

## 0749# 棕腹大仙鹟 Fujian Niltava Niltava davidi

陕西: 5月25日和6月9日, 太白山森林公园, 各1只和2只[PH et al.]

四川: 1月31日, 峨眉山, 1只[DK]; 5月22日, 汶川卧龙五一棚, 1只[DK]; 7月4日,

九寨沟自然保护区, 5只[PH et al.]; 11月4日, 成都四川大学, 2只[WQian];

海南: 11月12日, 大田自然保护区, 2只[LY];

Shaanxi: One & two at Taibaishan FP on 25 May & 9 June respectively [PH et al.].

Sichuan: One at Emei Shan on 31 January [DK]; one at Wuyipeng, Wolong NR on 22 May [DK]; five at Jiuzhaigou NP on 4 July [PH et al.]; two at Sichuan University, Chengdu on 4 November [WQian].

Hainan: Two at Datian NR on 12 November [LY].

## 0750# 棕腹仙鹟 Rufous-bellied Niltava Niltava sundara

广东: 2月11日,广州龙洞水库,1只雄鸟[XZW],4月3日,广州中山大学,1只雄鸟[YHY];

四川: 4月25日, 平武老河沟林场, 1只[LS];

西藏: 5月15日, 林芝察隅, 2只[DJT]; 5月28日到6月21日, 林芝墨脱, 3只[ZGF];

云南: 10月2日, 大理苍山, 5只[JHo & JW];

Guangdong: One male at Longdong Reservoir, Guangzhou on 11 February [XZW]; one male at Zhongshan University, Guangzhou on 3 April [YHY].

Sichuan: One at Laohegou FF, Pingwu on 25 April [LS].

Tibet: Two at Chayu ,LiZhi on 15 May [DJT]; three at Motuo, Linzhi between 28 May and 21 June [ZGF].

Yunnan: Five at Cangshan, Dali on 2 October [JHo & JW].

### 0751# 棕腹蓝仙鹟 Vivid Niltava Niltava vivida

云南: 9月13日, 六库青山公园, 1只[WRO];

Yunnan: One at Qingshan Park, Liuku on 13 September [WRQ].

# 0753# 海南蓝仙鹟 Hainan Blue Flycatcher Cyornis hainanus

广东: 4月16日,广州中山大学,1只[XZW];6月7日,广州石门国家森林公园,4只[TSX];7月9日,广州龙洞水库,2只[GGW];

海南: 3月1日, 乐东尖峰岭自然保护区, 1只[YCC]; 5月12日, 琼中鹦哥岭青介, 1只[YCC]; 11月9日, 昌江霸王岭保护区, 11只[WJY]; 11月12日, 东方大田自然保护

区, 4只[WJY];

云南: 7月28日, 个旧普洒河河谷, 1只雄鸟[WC];

Guangdong: One at Zhongshan University, Guangzhou on 16 April [XZW]; four at Shimen NFP, Guangzhou on 7 June [TSX]; two at Longdong Reservoir, Guangzhou on 9 July [GGW]. Hainan: One at Jianfengling NR, Ledong on 1 March [YCC]; one at Qingjie, Yinggeling Qiongzhong on 12 May [YCC]; 11 at Bawangling, Changjiang on 9 November [WJY]; four at Datian NR, Dongfang on 12 November [WJY].

Yunnan: One male at Pusahe River valley, Gejiu on 28 July [WC].

## 0755# 纯蓝仙鹟 Pale Blue Flycatcher Cvornis unicolor

海南: 5月12日, 琼中鹦哥岭青介, 1只[YCC]; 11月9日, 昌江霸王岭保护区, 2只 [WJY];

云南: 2月7日, 丙中洛分水岭, 1只[ZLing];

Hainan: One at Qingjie, Yinggeling Qiongzhong on 12 May [YCC]; two at Bawangling, Changjiang on 9 November [WJY].

Yunnan: One at Fenshuiling, Bingzhongluo on 7 Februray [ZLing].

## 0756# 蓝喉仙鹟 Blue-throated Flycatcher Cvornis rubeculoides

四川: 6月24日和6月25日, 峨眉山, 分别5只和6只[PH et al.]; 10月2日, 理县孟屯, 1只[SY]; 西藏: 5月15日, 林芝察隅, 1只[DJT];

亚种glaucicomans:

江西: 4月8-10日, 铅山武夷山自然保护区, 2只[BA];

Sichuan: Five & six at Emei Shan on 24th & 25 June respectively[PH et al.]; one at Mengtun, Lixian on 2 October [SY].

Tibet: One logged at Chayu, LiZhi on 15 May [DJT].

Race glaucicomans:

Jiangxi: Two at Wuyishan NR, Yanshan on 8-10 April [BA].

### 0757# 山蓝仙鹟 Hill Blue Flycatcher Cyornis banyumas

云南: 3月26-29日,瑞丽铜壁关自然保护区和盈江,每天10只[MK];6月8日,开远西山华西村林地,6只,3月27日,铜壁关自然保护区,4只[LB];7月30日,个旧宝华公园,1只雌鸟[WC];12月8日,勐腊中科院热带植物园,1只[SXL];12月14日,景洪勐养野象谷,1只[LS];滇西南山地常见。

Yunnan: Ten bird-days at Tongbiguan NR, Ruili and Yingjiang during 26-29 March, with a peak of four at Tongbiguan NR on 27 March [MK]; six in woodland near Huaxicun, Kaiyuan on 8 June [LB]; one female at Baohua Park, Gejiu on 30 July [WC]; one at Tropical BG of ADCC, Mengla on 8 December [SXL]; one at Yexianggu, Mengyang on 14 December [LS]; Reported as common in southwest Yunnan.

# 0758# 侏蓝仙鹟 Pygmy Blue Flycatcher Muscicapella hodgsoni

云南: 12月6日, 高黎贡山百花岭, 1雄, 海拔小于1,500m [JH];

Yunnan: One male below 1500 metres near Baihualing, Gaoligongshan on 6 December [JH].

# 0759# 方尾鹟 Grey-headed Canary Flycatcher Culicicapa ceylonensis

湖北: 7月17日, 十堰武当山, 4只[YZD];

广东: 11月12日,广州番禺新垦,1只[XZW]; 12月14日,广州龙洞,1只[PYS];

广西: 10月24日, 桂林尧山, 2只[LZY];

四川:平武老河沟林场4月到10月有记录,如:4月9日,10只[LS];8月31日,青川唐家河自然保护区,30只[QPJ];9月10日,崇州白塔湖,21只[WQian];除此以外,川西北高原以外各地4月到10月散见,较常见。记录还来源于峨眉山和九寨沟自然保护区;

贵州: 10月22日, 平塘堂布, 7只[YL]:

陕西: 5月25日, 太白山森林公园红河谷脚下, 4只[PH]

云南: 1月13日, 勐腊望天树, 3只[DC]; 3月21-30日, 高黎贡山南部, 18只每天, 3月26, 高峰值为7只 [MK]; 昆明西山5月到9月有记录, 如5月13日, 4只[Zlin]; 12月8日, 勐腊中科院热带植物园, 12只[SXL];

西藏: 5月15日至5月18日, 林芝察隅, 6只[DJT]; 5月28日到6月21日, 林芝墨脱, 25只 [ZGF]; 7月19日, 林芝八一, 10只[ZGF];

Hubei: Four at Wudangshan, Shiyan on 17 July [YZD].

Guangdong: One at Xinken, Fanyu on 12 November [XZW]; one at Longdong Reservoir, Guangzhou on 14 December [PYS].

Guangxi: Two at Yaoshan, Guilin on 24 October [LZY].

Sichuan: Considered to be common in the province except for the western plateau areas, between April and October. Reported to be common in Laohegou FF, Pingwu between April and October with counts including 10 on 9 April [LS]; Elsewhere there were 30 at Tangjiahe NR, Qingchuan on 31 August [QPJ] & 21 at Baitahu, Chongzhou on 10 September [WQian]. Reports were also received from Emei Shan and Jiuzhaigou NP.

Guizhou: Seven at Zhangbu, Pingtang on 22 October [YL]

Shaanxi: Four below Honghegu, Taibaishan FP on 25 May [PH].

Yunnan: Three at Wangtianshu, Mengla on 13 January [DC]; 18 bird-days in the southern Gaoligongshan during 21-30 March, with a peak of seven on 26th [MK]; frequently recorded at Xishan, Kunming from May to September, e.g. four on 13 May [ZLin]; 12 at Tropical BG of ADCC, Mengla on 8 December [SXL].

Tibet: Six at Chayu between 15-18 May [DJT]; 25 between 28 May and 21 June at Motuo, Linzhi [ZGF].

# 0760# 欧亚鸲 European Robin Erithacus rubecula

新疆: 11月12日,石河子玛纳斯河谷,4只[GJun],12月4日,乌鲁木齐乌拉泊,3只[GJun];

Xinjiang: Four at Manasi River valley, Shihezi on 12 November [GJun]; three at Wulapo, Urumqi on 4 December [GJun].

## 0761# 日本歌鸲 Japanese Robin Erithacus akahige

福建: 12月18日, 永泰, 1只[FJBWS];

广东: 1月23日, 石门森林公园, 1只[CXC];

Fujian: One at Yongtai on 18 December [FJBWS].

Guangdong: One at Shimen FP on 23 January [CXC].

# 0763# 红尾歌鸲 Rufous-tailed Robin Luscinia sibilans

河北: 5月18日, 乐亭快乐岛, 25只[BB et al.];

江苏: 10月15日, 江浦狮子岭林场, 2只[Zlin];

浙江: 4月28日, 嵊泗县大洋山岛, 15只[BP et al.];

广东:广州中山大学3月底到4月上旬有记录,如:3月26日,1只[YHY],4月3日,2只[XZW],4月9日,1只[XZW];

海南: 11月24、25日, 昌江霸王岭自然保护区, 各1只[JHo & JW];

Hebei: The peak spring count was 25 on Happy Island, Laoting on 18 May [BB et al.].

Jiangsu: Two at Shiziling FF, Jiangpu on 15 October [ZLin].

Zhejiang: 15 at Dayangshan Dao, Chengsi county on 28 April [BP et al.];

Guangdong: Recorded at Zhongshan University, Guangzhou between late March and early April, e.g. one on 26 March [YHY], two on 3 April [XZW] & one on 9 May [XZW].

Hainan: Singles at Bawangling NR on both 24th and 25 November [JHo & JW].

# 0764# 新疆歌鸲 Common Nightingale Luscinia megarhynchos

新疆: 5月3日,伊宁查布查尔,20只[GJun];5月6日,沙湾清泉湖,15只[GJun];5月13日,乌鲁木齐鲤鱼山公园,3只[GJun];7月17日,昌吉五家渠青格达湖,2只[GJun];7月24日,阿勒泰北屯额尔齐斯河河谷,1只[GJun];

Xinjiang: 20 at Qapqal, Yining on 3 May [GJun]; 15 at Qingquanhu, Shawan on 6 May [GJun]; three at Liyushan Park, Urumqi on 13 May [GJun]; two at Qinggedahu, Wujiaqu Changji on 17 July [GJun]; one at Ertix River valley, Altay on 24 July [GJun].

# 0765# 红点颏(红喉歌鸲) Siberian Rubythroat Luscinia calliope

黑龙江: 5月10日, 扎龙自然保护区, 1只[LJY];

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是:5月7日,乐亭快乐岛,15只 [BB et al.];

北京: 5月2日, 东灵山地区, 1只[WJ]; 5月12日, 中国农机院, 1只[HYP]; 9月25日, 延庆野鸭湖, 1只[ZLi];

天津: 5月23日, 静海团泊洼水库, 2只[CJZ];

山东: 10月2日, 长岛大黑山岛, 1只[LHY];

河南: 9月23日, 洛阳周山森林公园, 13只[DQ];

上海: 3月29日, 奉贤星火农场, 1只[YZD]; 4月2日, 崇明东滩, 1只[YJ];

湖南: 12月4日, 岳阳君山, 1只[RWL &MK];

广东:3月29日,深圳红树林东鱼塘区,2只[DJT]; 4月9日,广州中山大学,1只 [YHY]; 6月7日,广州石门森林公园,1只[TSX]; 12月10日,深圳红树林东鱼塘区,1只[TSX];

四川: 6月22日, 汶川卧龙巴朗山, 1只[CLiang];

云南: 3月29日, 盈江附近, 1只[MK & RWL]; 12月6日, 景洪版纳保护区管理局, 1只 [SXL]; 12月8日, 勐腊中科院热带植物园, 2只[SXL];

青海: 7月18日, 大通东峡林场, 4只[ZJ];

西藏: 5月11日, 扎囊山南地区, 1只, 西藏新记录[DJT];

Heilongjiang: One at Zhalong NR on 10 May [LJY].

Hebei: Several migration records at Beidaihe and Happy Island. The largest count was 15 on Happy Island, Laoting on 7 May [BB et al.].

Beijing: One at Donglingshan on 2 May [WJ]; The latest record of spring occurred on the early date of 12 May [HYP]; In autumn there was one at Wild Duck Lake, Yanqing on 25 September [ZLi].

Tianjin: Two at Tuanbowa Reservoir, Jinghai on 23 May [CJZ].

Shandong: One at Daheishandao, Changdao on 2 October [LHY].

Henan: High counts included 13 at Zhoushan FP, Luoyang on 23 September [DQ].

Shanghai: One at Xinghuo Farm, Fengxian on 29 March [YZD]; one at Dongtan, Chongmingdao on 2 April [YJ].

Hunan: One at Junshan, East Dongting Hu NNR on 4 December [RWL &MK].

Guangdong: Two east to Hongshulin, Shenzhen on 29 March [DJT]; one at Zhongshan University, Guangzhou on 9 April [YHY]; one at Shimen FP, Guangzhou on 7 June [TSX] – an exceptionally late record for south China; one east to Hongshulin, Shenzhen on 10 December [TSX].

Sichuan: One at Balangshan, Wenchuan on 22 June [CLiang].

Yunnan: One near Yingjiang on 29 March [MK & RWL]; one at Xishuangbanna NR, Jinghong on 6 December [SXL]; two at Tropical BG of ADCC, Mengla on 8 December [SXL]. Qinghai: Four at Dongxia FF, Datong on 18 July [ZJ].

Tibet: One at Shannan, Zhanang on 11 May. The first record for Tibet [DJT].

### 0766# 黑胸歌鸲 White-tailed Rubythroat Luscinia pectoralis

四川: 7月3日, 若尔盖到九寨沟途中, 听到1只[PH et al.];

Sichuan: One between Ruoergai and Jiuzhaigou on 3 July [PH et al.].

### 0767# 蓝点颏(蓝喉歌鸲) Bluethroat Luscinia svecica

黑龙江:5月10日,扎龙自然保护区,1只[LJY];

河北: 北戴河及快乐岛有多笔迁徙记录,数量最大的是: 5月9日,乐亭快乐岛,20只[BB et al.];

北京: 5月20日,北京师范大学,1只雌鸟[ZYQ];

河南: 9月23日, 洛阳周山森林公园, 2只[DQ];

广东: 3月29日, 深圳红树林东鱼塘区, 1只[DJT];

新疆: 昌吉五家渠青格达湖3月底到4月中旬有记录,如: 3月26日,2只[GJun],4月16日,2只[GJun],7月24日,阿勒泰北屯额尔齐斯河谷,1只[GJun],8月21日,库尔勒以北的哈额莫顿草原,2只,8月21日,乌鲁木齐以南,1只[PH];

Heilongjiang: One at Zhalong NR on 10 May [LJY].

Hebei: Several migration records at Beidaihe and Happy Island. The largest count was 20 on Happy Island, Laoting on 9 May [BB et al.].

Beijing: One female at Beijing Normal University on 20 May [ZYQ].

Henan: Two at Zhoushan FP, Luoyang on 23 September [DQ].

Guangdong: One east to Hongshulin, Shenzhen on 29 March [DJT].

Xinjiang: Noted on passage at Qinggedahu, Wujiaqu, Changji from late March and mid April, e.g. two on both 26 March & 16 April [GJun]. One at Ertix River valley, Altay on July 24th [GJun]; two at Haemodun Grasslands north of Korla on 21 August; one south of Urumqi on 21 August [PH].

### 0770# 金胸歌鸲 Firethroat Luscinia pectardens

四川: 5月22日,汶川卧龙五一棚,1只[DK]; 6月26日 - 6月28日,卧龙巴郎山中山地带,有1只- 4只记录 [PH];

Sichuan: One at Wuyipeng, Wolong on 22 May [DK]; between one & four on three visits to the middle slopes of the Balangshan Pass, Wolong during 26-28 June [PH et al.].

## 0771# 栗腹歌鸲 Indian Blue Robin Luscinia brunnea

陕西: 5月24日-6月10日, 太白山森林公园, 有2只到7只记录[PH et al.];

四川: 5月25日,汶川卧龙山庄,2只[DK];6月26日-29日期间,卧龙沙湾,1只和8只

之间,7月4日-6日之间,九寨沟共计,4只[PH et al.];7月6日,九寨沟,4只[PH];

西藏: 7月2日, 日喀则地区, 2只[ZGF],

Shaanxi: Between two and seven were noted on six days between 24 May & 10 June at Taibaishan FP [PH et al., BA].

Sichuan: Two at Wolongshanzhuang, Wenchuan on 25 May [DK]; between one & eight at Sha Wan, Wolong during 26-29 June; up to four at Jiuzhaigou during 4-6 July [PH et al.]; Four at Jiuzhaigou on 6 July [PH].

Tibet: Two at Rikaze on 2 July [ZGF].

# 0772# 蓝歌鸲Siberian Blue Robin Luscinia cyane

辽宁: 丹东鸭绿江湿地自然保护区4月中下旬有记录,如4月25日,1只[BQQ];

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是:5月19日,乐亭快乐岛,100只[BB et al.];来自于繁殖点,包括5月19日,秦皇岛祖山森林公园,共计21只[PH et al.]和5月31日,兴隆雾灵山自然保护区,共计13只[PH];6月11日,兴隆雾灵山自然保护区,1只[TZ];北京:北京大学5月9日到18日有记录,如5月9日,1只[ZAH];5月20日,北京师范大学,1只[ZYQ];5月29日,天坛,1只[DC];6月12日,白草畔,1只[LiX];7月2日,百花山,1只[LHY];

河南: 9月23日, 洛阳周山森林公园, 1只[DQ];

安徽: 4月23日, 霍山天堂寨, 1只[TXD];

上海: 8月27日, 崇明东滩, 10只[ZLin];

浙江: 4月17日,杭州青芝坞美女山灵峰,1只[ZhuY];

云南: 3月25日, 瑞丽江, 6只[MK & RWL];

Liaoning: Noted on passage at Yalu Jiang Wetland NR, Dandong during April e.g. one on 25 April [BQQ].

Hebei: Several migration records at Beidaihe and Happy Island. The largest count was 100 on Happy Island, Laoting on 19 May [BB et al.]. Reports from breeding sites included up to 21

on Old Peak FP, Qinhuangdao on 19 May [PH et al.] & up to 13 at Wulingshan NR, Xinglong on 31 May [PH]; One at Wulingshan NR, Xinglong on 11June[TZ].

Beijing: Noted on passage at Beijing University from 9-18 May e.g. one at 9 May [ZAH]; one at Beijing Normal University on 20 May [ZYQ]; one at Tiantan on 29 May [DC]. Reports from breeding sites included one at Baicaopan on 12 July [LiX] & one at Baihuashan on 2 July [LHY].

Henan: One at Zhoushan FP, Luoyang on 23 September [DO].

Anhui: One at Tiantangzhai, Huozhan on 23 April [TXD].

Shanghai: 10 at Dongtang, Chongmingdao on 27 August [ZLin].

Zhejiang: One at Lingfeng, Hangzhou on 17 April [ZhuY].

Yunnan: Six at Ruili river on 25 March [MK & RWL].

### 0773# 红胁蓝尾鸲 Red-flanked Bluetail Tarsiger cvanurus

### 亚种cyanurus:

数量较大的记录有:

山东: 10月2日, 长岛大黑山岛, 10只[LHY];

上海: 崇明东滩; 11月6日, 30只[ZLin]; 12月3日, 松江天马山, 10只[ZLin];

浙江: 3月25日, 杭州植物园, 10只[CJZ]; 12月18日, 杭州西湖, 15只[ZhuY];

江西: 3月20日, 婺源全县, 20只[CJZ]; 12月31日, 南昌, 南矶山, 1只;

另外,在黑龙江、辽宁、北京、河北、河南、陕西、 安徽、 江苏、福建、广东、广西 有记录。

亚种rufilata: (编者注:有些著者依据鸣声和形态认为这个亚种是独立的种。)

四川: 12月11日,成都百花潭公园,10只[SKuang];12月17日,泸州凤凰湖森林公园,10只[LZC];

贵州: 1月31日, 毕节文笔山, 5只[YL];

云南: 3月23日,高黎贡山百花岭,2只,次日,1只; 3月28日,盈江,1只[MK]; 2月4日,昆明黑龙潭,4只[LLW]; 高黎贡山百花岭多笔记录,最大日观察数量为12月30日,10只[PH];

宁夏: 10月3日,中卫腾格里湖自然保护区,20只[LiX];10月5日,贺兰贺兰山岩画,20只[LiX]:

青海: 7月18日, 大通东峡林场, 4只[ZJ]; 7月24日, 班玛玛可河林场, 7只[WQ];

西藏: 5月14日, 林芝, 5只[DJT]; 12月21日, 日喀则, 14只[ZGF];

Race cyanurus:

Notable records are:

Shandong: 10 at Daheishandao, Changdao on 2 October [LHY].

Shanghai: High counts of 30 on 6 November [ZLin]; 10 at Tianmashan, Songjiang on 3 December [ZLin].

Zhejiang: 10 at Hangzhou BG on 25 March [CJZ]; 15 at Xihu, Hangzhou on 18 December [ZYing].

Jiangxi: 20 at Wuyuan on 20 March [CJZ]; one at Nanjishan, Nanchang on 31 December [YHY].

Reports were also received from Heilongjiang, Liaoning, Hebei, Beijing, Henan, Shaanxi,

Anhui, Jiangsu, Fujian, Guangdong & Guangxi.

Race *rufilata*: (Sometimes separated as a separate species based on different songs, calls and morphology). Notable records are:

Sichuan: 10 at Baihuatan Park, Chengdu on 11 December [SKuang]; 10 at Fenghuanghu FP, Luzhou on 17 December [LZC].

Guizhou: Five at Shamaoshan, Bijie on 31 January [YL].

Yunnan: Two at Baihualing, Gaoliongshan on 23 March, one there on 24 March [MK], one at Fu Shan Dong Pass, Yingjiang on 28 March [MK]; four at Heilongtan, Kunming on 4 February [LLW]; Several records at Baihualing, Gaoligongshan, the largest daily count was ten on 30 December [PH].

Ningxia: 20 at Tenggelihu NR, Zhongwei on 3 October [LiX]; 20 at Helanshan, Helan on 5 October [LiX].

Qinghai: Four at Dongxia FF, Datong on 18 July [ZJ]; seven at Makehe FF, Banma on 24 July [WO].

Tibet: Five at Linzhi on 14 May [DJT]; 14 at Rikaze between December 21 2005 and 4 January of 2006 [ZGF].

## 0774# 金色林鸲 Golden Bush Robin Tarsiger chrysaeus

陕西: 5月24日-6月10日, 太白山森林公园, 有2-3只记录[PH et al, BA];

四川: 6月22日, 峨眉山, 3只[PH et al.]; 6月27日, 巴郎山, 2只[PH et al.]; 9月16日, 理县孟屯, 1只[SY];

云南: 10月14-15日, 丽江老君山, 4只[JHo & JW]; 3月23日, 高黎贡山百花岭, 2只[MK]; 12月30日, 高黎贡山百花岭, 2只[PH];

西藏: 5月28日至6月21日, 林芝墨脱, 5只[ZGF];

Shaanxi: Between one & three on five dates between 24 May- 10 June at Taibaishan FP [PH et al., BA].

Sichuan: Three at Emei Shan on 22 June; two at Balangshan on 27 June [PH et al.]; one at Mengtun, Lixian on 16 September [SY].

Yunnan: Four at Laojunshan, Lijiang between 14-15 October [JHo & JW]; two at Baihualing, Gaoligongshan on 23 March [MK] and two there on 30 December [PH].

Tibet: Five at Motuo, Linzhi between 28 May and 21 June[ZGF]

# 0775# 白眉林鸲 White-browed Bush Robin Tarsiger indicus

四川:平武王朗自然保护区,6月25日、10月15日,各一只[LS];6月22日,峨眉山,3只PH et al.]:

云南: 9月11日, 泸水片马, 1只[WRQ]; 12月1日, 30日和31日, 高黎贡山百花岭, 分别有1只[JH], 2只和1只记录[PH];

西藏: 12月28日, 日喀则地区, 5只[ZGF]

Sichuan: Wanglang NR, Pingwu: singles on 25 June and 15 October [LS]; three at Emei Shan on 22 June [PH et al.].

Yunnan: One at Pianma, Lushui on 11 September [WRQ]; one, two & one at Baihualing, Gaoligongshan on 1st [JH], 30th & 31 December [PH] respectively.

Tibet: Five near Rikaze on 28 December [ZGF].

# 0776# 棕腹林鸲 Rufous-breasted Robin Tarsiger hyperythrus

西藏: 5月28日至6月21日, 林芝墨脱, 5只[ZGF];

Tibet: Five at Motuo, Linzhi during 28 May and 21 June [ZGF].

## 0778# 鹳鸲 Oriental Magpie Robin Copsychus saularis

南方各省普遍有记录, 为城镇园林绿地常见留鸟之一。

A common resident in south China - one of the most common birds in gardens and urban parks.

## 779# 白腰鹊鸲 White-rumped Shama Copsychus malabaricus

海南: 1月27日,昌江霸王岭保护区,1只[LG]; 3月5日,琼中湾岭,1只[YCC]; 5月12日,琼中青介鹦哥岭,1只[YCC]; 7月6日,三亚南山,1只[YZD]; 11月12日,东方大田保护区,1只[WJY];

云南: 1月13日,勐腊望天树,1只[DC]; 4月18日,沧源勐定,4只[OB]; 12月8日,勐腊中科院热带植物园,8只[SXL]; 12月9日,勐腊绿石林,1只[LS]; 12月14日,勐养野象谷,1只[LS];

西藏: 7月2日, 日喀则, 1只[ZGF];

Hainan: One at Bawangling, Changjiang on 27 January [LG]; one at Wanling, Qiongzhong on 5 March [YCC]; one at Yinggeling, Qingjie Qiongzhou on 12 May [YCC]; one at Nanshan, Sanya on 6 July [YZD]; one at Datian NR, Dongfang on 12 November [WJY].

Yunnan: One at Wangtianshu, Mengla on 13 January [DC]; four at Mengding, Cangyuan on 18 April [OB]; eight at CAS Tropical BG, Mengla on 8 December [SXL]; one at Lushilin, Mengla on 9 December [LS]; one at Yexianggu, Mengyang on 14 December [LS].

Tibet: One at Rikaze on 2 July [ZGF].

### 0780# 贺兰山红尾鸲 Przewalsky's Redstart Phoenicurus alaschanicus

甘肃: 5月4日, 张掖, 2只[JohnH & WAP];

宁夏: 10月5日, 贺兰贺兰山岩画, 1只[LiX];

青海: 9月22日, 黑马河峡谷, 2雌; 9月23日, 茶卡附近, 2只当年出生雄性[PH et al.];

Gansu: Two at Zhengye on 4 May [JohnH & WAP].

Ningxia: One at Helanshan, Helan on 5 October [LiX].

Qinghai: Two immatures in the Heimahe Valley on 22 September; two first-winter males near Chaka on 23 September [PH et al.].

# 0781# 红背红尾鸲 Eversmann's Redstart Phoenicurus erythronotus

新疆: 11月12日, 石河子玛纳斯河谷, 5只[GJun];

Xinjiang: Five at the Manasi River valley, Shihezi on 12 November [GJun].

### 0783# 赭红尾鸲 Black Redstart Phoenicurus ochruros

河北: 5月18日, 乐亭快乐岛, 1雄, 该地区罕见的记录[BB et al.];

陕西: 1月11日, 佛坪瓦寨子, 2只[LY];

内蒙古: 7月10日, 贺兰山南寺, 20只[BA];

甘肃: 12月6日, 碌曲贡巴, 6只[SY];

新疆: 5月1日, 合静巴轮台, 15只[GJun], 8月6日, 喀什和塔什库尔干之间, 12只 [PH],

青海:该省各地常见,数量较大的记录有:7月27日,共和149公里,30只[FZ],7月31日,杂多县城及扎清乡,32只[CLiang];

四川: 5月4日, 若尔盖辖曼乡, 11只[ZMH], 7月2日, 红原和若尔盖之间, 20只[PH et al.]

西藏: 各地常见, 数量较大的记录有: 5月9日, 曲水雄色寺, 20只[DJT], 5月11日, 扎囊桑耶镇青朴修行地, 15只[DJT];

Hebei: A male on Happy Island, Laoting on 18 May [BB et al.].

Shaanxi: Two at Wazhaizi, Foping NR on 11 January [LY].

Nei Mongol: About 20 at Nan Si, Helanshan on 10 July [BA].

Gansu: Six at Gongba, Luqu on 6 December [SY].

Xinjiang: 15 at Baluntai, Hejing on 1 May [GJun]; 12 between Kashi & Taxkorgan on 6 August [PH].

Qinghai: Reported to be common in the province with significant records as follows - 30 at Km149, Gonghe on 27 July [FZ]; 32 between Zhaduo and Zhaqing village on 31 July [CLiang]. Sichuan: 11 at Maxia village, Ruoergai on 4 May [ZMH]; 20 between Hongyuan & Ruoergai on 2 July [PH et al.].

Tibet: Reported to be common across the region with significant records as follows: 20 at Xiongsesi, Qushui on 9 May [DJT]; 15 at Qingpu, Sangye Zhanang on 11 May [DJT].

# 0784# 欧亚红尾鸲 Common Redstart Phoenicurus phoenicurus

新疆: 7月13日, 叶城至莎车, 20只[MKW et al.];

Xinjiang: 20 between Yecheng and Shache on 13 July [MKW et al.].

### 0785# 黑喉红尾鸲 Hodgson's Redstart Phoenicurus hodgsoni

青海: 各地常见, 数量较大的记录有: 7月22日, 班玛玛可河林场, 30只[WQ];

四川: 5月3日, 若尔盖, 2只[YL]; 7月6日, 松潘附近, 1只[PH et al.]

云南: 3月21日, 澜沧江峡谷, 2只[MK]; 8月30日, 大理苍山, 1只[WRQ]; 11月26日, 腾冲来凤山森林公园, 1只[ZYong]; 12月28日, 保山大海子水库, 1只[PH];

西藏:藏东藏南各地有记录:7月27日,昌都周边,6只[ZGF];7月30日,昌都类乌齐,8只[ZGF];秋冬记录如:10月3日,日喀则羊卓错雍,1只[LZY];

Qinghai: Reported to be common in the province with significant records including: 30 at Makehe FF, Banma on 22 July [WQ].

Sichuan: Two at Ruoergai, Ma'erkang on 3 May [YL]; one near Songpan on 6 July [PH et al.]. Yunnan: Two in Lancang River Valley near Baihualing on 21 March [MK]; one at Cangshan,

Dali on 30 August [WRQ]; one at Laifengshan FP, Tengchong on 26 November [ZYong]; one at Dahaizi Reservoir, Baoshan on 28 December [PH].

Tibet: Frequently recorded in southern and eastern part of the region: six at Changdu on 27

July [ZGF]; eight at Leiwuqi, Changduo on 30 July [ZGF]; one at Yangzhuocuoyong, Rikaze on 3 October [LZY]. The latter was the only autumn record in Tibet.

# 0786# 白喉红尾鸲 White-throated Redstart Phoenicurus schisticeps

甘肃: 1月23日, 榆中县兴隆山, 1只[ZLY]。

青海:各地常见,数量较大的记录有:7月18日,大通东峡林场,15只[ZJ];7月24日, 班玛玛可河林场,25只[WO];

四川: 2月16日, 理县孟屯, 40只[YY]; 7月3日, 若尔盖和九寨沟之间的巴西路上, 15只[PH et al.]; 8月13日, 若尔盖, 8只[WJY]; 11月7日, 松潘九寨沟, 5只[GGW]; 西藏: 藏东藏南常见, 数量较大的记录有: 1月16日, 拉萨拉鲁湿地, 9只[ZLY]; 5月13日, 林芝八一, 5只[DJT]; 7月30日, 昌都类乌齐, 7只[ZGF]; 12月21日, 日喀则, 22只[ZGF];

Gansu: One at Xinglongshan, Yuzhong on 23 January [ZLY].

Qinghai: Reported to be common, significant records as follows: 15 at Dongxia FF, Datong on 18 July [ZJ]; 25 at Makehe FF, Banma on 24 July [WQ].

Sichuan: 40 at Mengtun, Lixian on 16 February [YY]; 15 on the Baxi road between Ruoergai & Jiuzhaigou on 3 July [PH et al.]; eight at Ruoergai, Ma'erkang on 13 August [WJY]; five at Jiuzhaigou, Songpan on 7 November [GGW].

Tibet: Reported to be common in the eastern and southern part of the region. Significant records as follows: nine at Lalu Wetland NR, Lhasa on 16 January [ZLY]; five at Bayi, Linzhi on 13 May [DJT]; seven at Leiwuqi, Changdu on 30 July [ZGF]; 22 at Rikaze on 21 December [ZGF].

### 0787# 北红尾鸲 Daurian Redstart Phoenicurus auroreus

北方冬季记录:

辽宁: 12月31日, 大连植物园, 2只[LY]; 1月8日, 丹东鸭绿江景观路, 1只[BQQ2];

北京: 11月19日,延庆妫水河,2只[ZLi];12月25日,房山拒马河,1只[LiX];数量较大的记录。

江西: 10月30-11月19日, 九连山自然保护区, 32只, 其中单天最高记录为最后一天, 17只[RWL et al.];

四川: 6月14日, 康定雅江县, 10只[CLiang];

贵州: 11月26日, 贵阳贵州大学, 6只[YL];

西藏: 5月13日, 林芝八一, 10只[DJT]; 5月15-18日, 林芝察隅, 10只[DJT];

Notable records were:

Liaoning: Two at Dalian BG on 31 December [LY]; one besides the Yalu Jiang River, Dandong on 8 January [BQQ].

Beijing: Two at Guishuihe, Yanqing on 19 November [ZLi]; one at Jumahe, Fangshan on 25 December [LiX].

Jiangxi: 32 bird-days at Jiulianshan NR between 30 October and 2 November, with a peak count of 17 on the last date [RWL et al.]

Sichuan: 10 at Yajiang, Kangding on 14 June [CLiang].

Guizhou: Six at Guizhou University, Guiyang on 26 November [YL].

Tibet: 10 at Bayi, Linzhi on 13 May [DJT]; 10 at Chayu, Linzhi between 15-18 May [DJT].

# 0788# 红腹红尾鸲 White-winged Redstart Phoenicurus erythrogaster

新疆: 8月16日,库尔勒以北骆驼圈垭口附近,3只[PH];10月5日,喀什塔什库尔干沿线,25只[GJun];10月15日,阿勒泰青河县,1只[GJun];11月12日,石河子玛纳斯河谷,50只[GJun];12月4日,乌鲁木齐乌拉泊,2只[GJun];

青海: 7月21日, 玛沁到班玛沿线, 4只[ZYong]; 7月26日, 兴海温泉乡鄂拉山口, 11只[WQ]; 7月26日, 班玛到温泉沿线, 6只[FZ]; 7月28日, 共和橡皮山, 1只[WQ]; 西藏: 1月16日, 拉萨拉鲁湿地, 16只[ZLY]; 5月15-18日, 林芝察隅, 10只[DJT]; 12月26和27日, 日喀则地区, 各1只[ZGF];

Xinjiang: Three near the Luotuo Juan Pass north of Korla on 16 August [PH]; 25 at Taxkorgan, Kashi on 5 October; one at Qinghe Altay, on 15 October; 50 at Manasi River valley on 12 November; two at Wulapo, Urumqi on 4 December [GJun].

Qinghai: Four between Banma and Maqin on 21 July [ZYong]; 11 at Ela Shan Pass, Wenchuan, Xinghai on 26 July [WQ]; six between Banma and Wenquan on 26 July [FZ]; one at the Rubber Mountain, Gonghe on 28 July [WQ].

Tibet: 16 at Lalu Wetland NR, Lhasa on 16 January [ZLY]; 10 between 15-18 May at Chayu, Linzhi [DJT]; one respectively at Rikaze on 26 and 27 December 2005 [ZGF].

# 0789# 蓝额红尾鸲 Blue-fronted Redstart Phoenicurus frontalis

青海: 6月10日, 玉树囊谦, 4只[TJ]; 7月23日, 班玛玛可河林场, 11只[WQ];

陕西: 5月24日, 太白山森林公园, 下板寺上面, 1只[PH];

重庆: 2月4日, 北碚缙云山, 1只[LHY]; 2月21日, 沙坪坝区青木关, 1只[LS];

四川:各地秋冬常见,在西部山区有繁殖。12月4日,崇州白塔湖,10只[SXL];8月13日,若尔盖,12只[WJY];

云南: 3月23日, 高黎贡山百花岭, 3只, 次日2只[MK]; 冬季各地常见, 如: 11月26日, 腾冲来凤山森林公园, 2只[ZYong]; 11月29日, 丽江西郊田野, 4只[ZYong]; 12月9日, 高黎贡山百花岭, 1只[LLW]; 12月30日, 31日, 高黎贡山百花岭, 各1只[PH] 内蒙古: 7月9日, 贺兰山自然保护区, 2只[BA];

西藏: 5月14日, 林芝地区, 10只[DJT]: 7月30日, 昌都类乌齐, 4只[ZGF];

Qinghai: Four at Nangqian, Yushu on 10 June [TJ]; 11 at Makehe FF, Banma on 23 July [WQ]; Shaanxi: One above Xiabansi, Taibaishan FP on 24 May [PH].

Chongqing: One at Jianyunshan, Beipei on 4 February [LHY]; one at Qingmuguan, Shapingba on 21 February [LS].

Sichuan: Reported to be common in autumn and winter & to breed in the mountainous western parts of the province. Higher counts included: 10 at Baitahu, Chongzhou on 4 December [SXL]; 12 at Ruoergai, Ma'erkang on 13 August [WJY].

Yunnan: Three at Baihualing, Gaolingingshan on 23 March and two there the next day [MK]; reported to be common in winter e.g. two at Laifengshan FP, Tengchong on 26 November [ZYong]; four at the suburban area west to Lijiang on 29 November [ZYong]; singles at Baihualing NR, Gaoligongshan on 9th [LLW], 30th & 31 December [PH].

Nei Mongol: Two at Helanshan NR on 9 March [BA].

Tibet: 10 at Linzhi on 14 May [DJT]; four at Leiwuqi, Changdu on 30 July [ZGF].

# 0790# 白顶溪鸲 White-capped Water Redstart Chaimarrornis leucocephalus

陕西: 1月11日, 佛坪瓦寨子, 4只[LY];

甘肃: 4月23日, 定西十八里铺, 1只[XL];

宁夏: 10月4日, 贺兰县苏岭口森林公园, 1只[LiX]:

湖北: 11月4日, 恩施巴东县水布垭电站, 5只[ZYQi];

广西: 1月21日, 靖西底定保护区, 2只[JAW];

青海: 7月22日, 班玛玛可河林场, 20只[WQ];

四川: 各地常见, 数量较大的记录有: 5月3日, 若尔盖马尔康, 34只[YL];

贵州: 3月11日, 惠水百鸟河, 4只[YL]; 10月22日, 平塘掌布, 3只[YL];

云南: 3月21日, 澜沧江峡谷, 2只; 3月26日, 瑞丽莫里森林公园, 2只[MK]; 秋冬季

各地散见,如:2月12日,大理石宝山,2只[WM],2月20日,开远长沟,5只[LB],11

月12日,瑞丽莫里热带森林,2只[ZYong];

西藏: 5月15-18日, 林芝察隅, 21只[DJT]; 7月2日, 日喀则, 13只[ZGF];

Shaanxi: Four at Wazhaizi, Foping on 11 January [LY].

Gansu: One at Shibalipu, Dingxi on 23 April [XL].

Ningxia: One at Suyukou FP, Helan on 4 October [LiX].

Hubei: Five at Shuibuya power station, Badong on 4 November [ZYOi].

Guangxi: Two at Diding NR, Jingxi on 21 January [JAW].

Qinghai: 20 at Makehe FF, Banma on 22 July [WQ].

Sichuan: Reported to be common in suitable habitat: With Signifi cant record as follows 34 at Ruoergai, Ma'erkang on 3 May [YL].

Guizhou: Four at Bainiaohe, Huishui on 11 March [YL]; three at Zhangbu, Pingtang on 22 October [YL].

Yunnan:Two at Lancang River Valley near Baihualing on 21 March [MK], two at Moli BG, Ruili on 26 March [MK]; widespread in autumn and winter, e.g. two at Shibaoshan, Dali on 12 February [WM]; five at Changgou, Kaiyuan on 20 February [LB]; two at Moli, Ruili on 12 November [ZYong].

Tibet: 21 at Chayu, Linzhi between 15-18 May [DJT]; 13 at Rikaze on 2 July [ZGF].

# 0791# 红尾水鸲 Plumbeous Water Redstart Rhyacornis fuliginosus

北京: 12月25日, 房山拒马河, 20只[LiX];

河南: 4月12日, 信阳鸡公山, 6只[LY];

陕西: 1月11日, 佛坪县城, 4只[LY];

安徽: 2月1日, 黄山谭家桥, 25只[FZ]; 5月3日, 岳西鹞落坪保护区, 14只[QH];

湖北:7月19日,神农架自然保护区,9只[YZD];

浙江: 2月11日, 温州泰顺, 20只[GJ];

江西: 3月20日, 婺源, 8只[CJZ];

广东: 11月18日, 乳源南岭国家森林公园, 15只[YHY];

广西: 10月8日, 桂林猫儿山, 8只[JAW];

四川: 4月4日, 峨眉山, 12只[CLiang]; 8月17日, 马尔康九寨沟, 20只[WJY]; 10月1

日, 理县孟屯, 14只[YL];

贵州: 10月22日, 平塘堂布, 8只[YL];

云南: 3月21日,保山怒江峡谷,4只;3月24日,百花岭至芒市,16只;3月26日,瑞丽莫里森林公园,3只;3月29-30日,盈江及铜壁关自然保护区,8只[MK];11月24日,瑞丽莫里热带森林,4只[ZYong];

西藏: 5月15-18日, 林芝察隅, 36只[DJT]; 7月2日, 日喀则, 25只[ZGF];

此外各地多有每次数只的记录、福建、重庆、青海等省市有零星记录。

Beijing: 20 at Jumahe, Fangshan on 25 December [LiX].

Henan: Six at Jigongshan, Xinyang on 12 April [LY].

Shaanxi: Four at Foping on 11 January [LY].

Anhui: 25 at Tanjiaqiao, Huangshan on 1 February [FZ]; 14 at Yaoluoping NR, Yuexi on 3 May [OH].

Hubei: Nine at Shennongjia on 19 July [YZD].

Zhejiang: 20 at Taishun, Wenzhou on 11 February [GJ].

Jiangxi: Eight at Wuyuan on 20 March [CJZ].

Guangdong: 15 at Nanling NFP, Ruyuan on 18 November [YHY].

Guangxi: Eight at Mao'ershan, Guilin on 8 October [JAW].

Sichuan: 12 at Emei Shan on 4 April [CLiang]; 20 at Jiuzhaigou, Ma'erkang on 17 August

[WJY]; 14 at Mengtun, Lixian on 1 October [YL].

Guizhou: Eight at Zhangbu, Pingtang on 22 October [YL].

Yunnan: Four in the Nujiang Valley, Baoshan on 21 March; 16 between Baihualing and Mangshi on 24 March; three at Moli BG, Ruili on 26 March; eight at Tongbiguan NR and Yingjiang on 29-30 March [MK]; four at Moli, Ruili on 24 November [ZYong].

Tibet: 36 between 15-18 May at Chayu, Linzhi[DJT]; 25 at Rikaze on 2 July [ZGF].

Reports were also received from Fujian, Chongqing, Qinghai and So on.

## 0792# 白腹短翅鸲 White-bellied Redstart Hodgsonius phoenicuroides

河北:记录是,秦皇岛祖山森林公园共计6只和兴隆雾灵山自然保护区5月底共计19只, [PH et al.];多数记录是雄鸟;5月28日,1只[LHY];6月11日,2只[TZ](多为雄鸟)。

北京: 7月9日, 百草畔, 3只(雄鸟) [ZJ];

陕西: 5月底至6月初之间,太白山森林公园,共计11只[PH et al.];

四川: 6月20日, 峨眉山, 12只[PH et al.]; 6月30日, 卧龙, 6只[PH et al.]; 7月1日, 鹧

鸪山, 4只[PH et al.]; 7月5日, 九寨沟, 4只[PH et al.];

青海: 7月25日, 班玛玛可河林场, 3只[WQ]; 9月25日和26日, 互助北山, 都是1只[PH et al.];

Hebei: Recorded at Old Peak FP, Qinhuangdao (where up to six birds) & at Wulingshan NR (up to 19 birds), Xinglong in late May [PH et al.]; Most reports were of males; One on 28 May[LHY]; two on 11 June[TZ].

Beijing: Three male at Baicaopan on 9 July [ZJ].

Shaanxi: Up to 11 at Taibaishan FP during late May-early June [PH et al.].

Sichuan: 12 at Emei Shan on 20 June [PH et al.]; six at Wolong on 30 June [PH et al.]; four at Zhe Gu Shan near Miyaluo on 1 July [PH et al.]; four at Jiuzhaigou on 5 July [PH et al.].

Qinghai: Three at Makehe FF, Banma on 25 July [WQ]; singles at Huzhu Beishan on 25th & 26 September [PH et al.].

# 0793# 白尾蓝地鸲 White-tailed Robin Myiomela leucurum

海南: 5月12日, 琼中鹦歌岭青介, 2只[YCC]; 11月16日, 七仙岭自然保护区, 1只 [LKM];

云南: 5月13日, 昆明西山, 1雄[ZLin], 9月11日, 泸水片马, 1只[WRQ], 10月12日, 剑川石宝山, 3只[JHo & JW]; 12月8日, 勐腊中科院热带植物园, 1只[SXL];

Hainan: Two at Yinggeling, Qingjie Qiongzhong on 12 May [YCC]; one at Qixianling NR on 16 November [LKM].

Yunnan: One male at Xishan, Kunming on 13 May [ZLin]; one at Pianma, Lushui on 11 September [WRQ]; one at the Tropical BG of ADCC, Mengla on 8 December [SXL]; three at Shibaoshan, Jianchuan on 12 October [JHo & JW].

### 0795# 蓝大翅鸲 Grandala Grandala coelicolor

四川: 5月24日, 汶川卧龙巴朗山, 22只[DK]; 12月4日, 理县鹧鸪山, 200只[SY];

西藏: 5月15-18日, 林芝察隅, 92只[DJT]; 5月30日, 林芝墨脱, 20只[ZGF];

云南: 10月29日, 德钦, 70只[JHo & JW];

Sichuan: 22 at Balangshan, Wolong Wenchuan on 24 May [DK]; 200 at Zhegushan, Lixian on 4 December [SY].

Tibet: 92 at Chayu, Linzhi between 15-18 May [DJT]; 20 at Motuo, Linzhi on 30 May [ZGF]. Yunnan: 70 at Deqin on 29 December [JHo & JW].

### 0796# 小燕尾 Little Forktail Enicurus scouleri

安徽: 2月1日, 黄山谭家桥, 5只[YZD];

浙江: 7月30日, 泰顺乌岩岭, 5只[GX];

江西: 7月3日, 婺源全县, 20只[LJ];

广西: 10月21日, 金秀安江坪, 1只[JAW];

陕西: 6月10日, 太白山森林公园, 1只[PH et al.];

四川: 1月15日,都江堰龙池,2只[SY];6月28日,卧龙巴朗山垭口,5只[PH et al.];

云南: 1月18日, 昆明植物园(黑龙潭), 1只[WC];

西藏: 7月2日, 日喀则, 6只[ZGF];

Anhui: Five at Tanjiaqiao, Huangshan on 1 February [YZD].

Zhejiang: Five at Wuyanling, Taishun on 30 July [GX].

Jiangxi: 20 at Wuyuan on 3 July [LJ].

Guangxi: One at Anjiangping, Jinxiu on 21 October [JAW].

Shaanxi: One at Taibaishan FP on 10 June [PH et al.].

Sichuan: Two at Longchi, Dujiangyan on 15 January [SY]; five on the Balangshan Pass, Wolong on 28 June [PH et al.].

Yunnan: One at Heilongtan, Kunming on 18 January [WC].

Tibet: Six at Rikaze on 2 July [ZGF].

## 0797# 黑背燕尾 Black-backed Forktail Enicurus immaculatus

云南: 12月14、16日、瑞丽附近、分别4、5只[JH]:

Yunnan: Four and five near Ruili on 14th & 16 December respectively [JH].

# 0798# 灰背燕尾 Slaty-backed Forktail Enicurus schistaceus

安徽:8月10日,祁门牯牛降保护区,1只[WJ]:

江西: 4月2日,九连山自然保护区,11只[ZGF],5月26日,九连山自然保护区,每天9只[RWL],

浙江:1月20日, 开化古田山自然保护区, 2只[WJB];

广东: 2月15日,广州石门森林公园, 3只[WXL];

广西: 1月21日, 靖西底定保护区, 2只[JAW];

四川: 2月19日, 峨眉山, 1只[YY];

贵州: 10月22日, 平塘掌布, 2只[YL];

云南: 3月26日,瑞丽莫里森林公园, 5只[MK & RWL], 9月29日,个旧贾沙丫沙底, 1 只[LLW],

Anhui: One at Guniujiang NR, Qimen on 10 August [WJ].

Jiangxi: 11 at Jiulianshan NR on 2 April [ZGF]; up to nine daily at Jiulianshan NR on 26 May [RWL].

Zhejiang: Two at Gutianshan NR, Kaihua on 20 January [WJB].

Guangdong: Three at Shimen FP, Guangzhou on 15 February [WXL].

Guangxi: Two at Diding NR, Jingxi on 21 January [JAW].

Sichuan: One at Emei Shan on 19 February [YY].

Guizhou: Two at Zhangbu, Pingtang on 22 October [YL].

Yunnan: One at Yashadi, JiaSha Gejiu on 29 September [LLW]; five at Moli FP, Ruili on 26 March [MK & RWL].

# 0799# 白冠燕尾 White-crowned Forktail Enicurus leschenaulti

中国南方适宜生境中易见。

陕西: 1月11日, 佛坪瓦寨子村, 8只[LY];

海南: 11月9日, 昌江霸王岭保护区, 5只[WJY]

Reported as common in suitable habitat in south China.

Shaanxi: Eight at Wazhaizi, Foping on 11 January [LY].

Hainan: Five at Bawangling, Changjiang on 9 November [WJY].

### 0800# 斑背燕尾 Spotted Forktail Enicurus maculatus

江西: 5月9日, 铅山武夷山自然保护区, 1只[YCC];

广东: 11月18日, 乳源南岭国家森林公园, 4只[YHY];

四川: 1月31日, 峨眉山, 1只[DK]和6月25日, 1只[PH et al.]; 6月26日, 卧龙自然保护区, 1只[PH et al];

西藏: 5月28日到6月21日, 林芝墨脱, 4只[ZGF]; 12月28日, 日喀则, 2只[ZGF];

云南: 12月3日,高黎贡山百花岭,3只[BA];12月30日,高黎贡山百花岭1只和12月31日,3只[PH].

Jiangxi: One at Wuyishan NR, Yanshan on 9 May [YCC].

Guangdong: Four at Nanling FP, Ruyuan on 18 November [YHY].

Sichuan: Singles at Emei Shan on 31 January [DK] & 25 June [PH et al.]; one at Wolong NP on 26 June [PH et al.].

Tibet: Four at Motuo, Linzhi between 28 May and 21 June [ZGF]; two at Rikaze on 28 December [ZGF].

Yunnan: Three, one &three at Baihualing, Gaoligongshan on 3rd [BA], 30th & 31 December [PH] respectively.

# 0801# 紫宽嘴鸫 Purple Cochoa Cochoa purpurea

四川: 6月23日, 峨眉山, 听到1只[PH et al.];

西藏: 6月15日, 林芝墨脱, 1只[ZGF];

Sichuan: One at Emei Shan on 23 June [PH et al.].

Tibet: One at Motuo, Linzhi on 15 June [ZGF].

# 0802# 绿宽嘴鸫 Green Cochoa Cochoa viridis

西藏: 林芝墨脱: 6月6日, 2只, 6月7日, 1只[ZGF];

Tibet: Two at Motuo, Linzhi on 6 June, one there the next day [ZGF].

# 0804# 黑喉石鵙 Common Stonechat Saxicola torquatus

亚种stejnegeri: 在东部迁徙路线上的各地散见。

黑龙江,辽宁,河北,北京,上海,浙江,福建,广东,广西,海南,贵州,天津,

湖北, 江西等省市有记录。数量较大的有:

山东: 10月2日, 长岛大黑山岛, 50只[LHY];

河北: 5月7日, 乐亭快乐岛, 100只[BB et al.];

亚种*presvaskii*:

青海: 7月28日, 共和橡皮山, 9只[WQ];

四川: 5月3日, 绵阳平武, 1只[LS]; 10月12日, 攀枝花米易, 20只[QPJ];

云南: 1月29日, 个旧牛灞荒, 8只(已配对)[WC]; 3月21日, 保山, 3只; 3月26日,

瑞丽江附近,1只[MK];8月29日,大理洱海,40只[WRQ];11月29日,丽江西郊田野,3只[ZYong];

亚种maura:

新疆: 5月6日,沙湾千泉湖,10只[GJun],7月24日,阿勒泰北屯额尔齐斯河河谷,2只[GJun];

Race stejnegeri: Reported to be not rare in the east China.

Recorded in Heilongjiang, Liaoning, Hebei, Beijing, Shanghai, Zhejiang, Fujian, Guangdong,

Guangxi, Hainan, Guizhou, Tianjin, Hubei and Jiangxi. Notable records are:

Hebei: 100 on Happy Island, Laoting on 7 May [BB et al.].

Shandong: High counts of 50 logged at Daheishandao, Changdao on 2 October [LHY].

Race presvaskii:

Qinghai: Nine at the Rubber Mountain, Gonghe on 28 July [WQ].

Sichuan: One at Pingwu, Mianyang on 3 May [LS]; high counts of 20 at Miyi, Panzhihua on

October 12th [QPJ].

Yunnan: Eight, already paired up, at Niubahuang, Gejiu on January 29th [WC]; three near Baoshan on 21 March; one near Ruili River on 26 March [MK]; high counts of 40 at Er'hai, Dali on 29 August [WRQ]; three at the western suburban field, Lijiang on 29 November [ZYong].

Race maura:

Xinjiang: Ten at Qianquanhu, Shawan on 6 May [GJun]; two at the Ertix River valley, Beitun, Altay on 24 July [GJun].

# 0805# 白斑黑石鵖 Pied Bushchat Saxicola caprata

云南: 1月27日,个旧冷敦,1只雄鸟[WC];3月21日,保山至百花岭途中,7只;3月25-27日,瑞丽附近农田,每天5只[MK],开远泸江公园附近终年有记录,如: 11月6日,3只[LB];同时在云南其他低海拔河谷也相当常见,如3月21日,保山至百花岭,7只[MK & RWL];

Yunnan: One male at Lengdun, Gejiu on 27 January [WC]. Seven between Baoshan and Baihualing on 21 March; up to five daily in farmland around Ruili town during 25-27 March [MK]; Noted as common but in low density throughout the year near the Lujiang Park, Kaiyuan e.g. three on 6 November [LB]; Also rather common in other low altitude river valleys through out the province. Seven between Baoshan and Baihualing on 21 March [MK & RWL].

# 0806# 黑白林鵙 Jerdon's Bushchat Saxicola jerdoni

云南: 1月29日, 个旧牛灞荒, 2只(雌雄) [WC];

Yunnan: A pair at Niubahuang, Gejiu on 29 January [WC].

# 0807# 灰林鵙 Grey Bushchat Saxicola ferrea

河北: 5月12日, 乐亭快乐岛, 1雌[BB et al.];

在南方虽然分布广泛,但是记录主要来自西南地区。

安徽: 5月3日, 岳西鹞落坪自然保护区, 2只[QH];

湖北: 7月19日, 神农架自然保护区, 2只 (正在育雏的亲鸟) [YZD];

浙江: 5月2日,秦顺乌岩岭,1只[LiX];

广东: 10月28日, 始兴车八岭, 1只[YHY];

广西:各地多有记录,3月13日,柳州沙塘君武森林公园,6只[YDH],10月24日,广西大学农场,4只[JAW];

四川: 各地多有记录。8月31日, 青川唐家河保护区, 3只[QPJ];

贵州: 11月28日, 贵阳西望山, 5只[SKuang];

云南: 3月21日, 高黎贡山百花岭, 3只; 3月24日, 芒市附近, 2只[MK]; 9月7日, 贡山丙中洛, 14只[WRQ]; 11月26日, 腾冲来凤山森林公园, 4只[ZYong];

西藏: 5月15日-5月18日, 林芝察隅, 40只[DJT]; 7月2日, 日喀则, 17只[ZGF];

Hebei: One female on Happy Island, Laoting on 12 May [BB et al.].

Though described as common in the southern part of China, most records were from the southwest.

Anhui: Two at Yaoluoping NR, Yuexi on 3 May [QH].

Hubei: Two(In breeding) at Shennongjia NR on 19 July [YZD].

Zhejiang: One at Wuyanling, Taishun on 2 May [LiX].

Guangdong: One at Chebaling, Shixing on 28 October [YHY].

Guangxi: Noted as common residents in the province, significant records as follow: six at Junwu FP, Shatang, Liuzhou on 13 March [YDH]; four Guangxi University farm on 24 October [JAW].

Sichuan: Noted as common residents in the province. Three at Tangjiahe NR, Qingchuan on 31 August [QPJ].

Guizhou: Five at Xiwangshan, Guiyang on 28 November [SKuang].

Yunnan: Three near Baihualing, Gaoligongshan on 21 March; two near Mangshi on 24 March [MK]; high counts of 14 at Bingzhongluo, Gongshan on 7 September [WRQ]; four at Laifengshan FP, Tengchong on 26 November [ZYong].

Tibet: Counts of 40 at Chayu, Linzhi between 15-18 May [DJT]; 17 at Rikaze on 2 July [ZGF].

## 0808# 穗鵙 Northern Wheatear Oenanthe oenanthe

新疆: 5月1日, 和静巴轮台, 2只[GJun]; 6月3日, 乌鲁木齐东山石人沟, 4只[GJun]; 7月22日, 额敏167团, 6只[GJun]; 8月16日, 库尔勒北部, 15只[PH];

Xinjiang: Two at Baluntai, Hejing on 1 May [GJun]; four at Shirengou, Urumqi on 3 June [GJun]; six at Emin on 22 July [GJun]; 15 near the Luotuo Juan Pass north of Korla on the 16 August [PH].

# 0810# 白顶鵙 Pied Wheatear Oenanthe pleschanka

北京: 6月18日,延庆松山保护区大海陀附近,1只[LiX];

内蒙古: 7月9日, 贺兰山自然保护区, 5只[BA];

甘肃: 4月23日, 定西十八里铺, 1只[XL];

新疆: 3月28日, 吉木萨尔卡拉麦里自然保护区, 1只[MM]; 5月5日, 博乐温泉县, 4只[GJun]; 6月3日, 乌鲁木齐东山石人沟, 20只[GJun]; 7月14日, 喀什至塔什库尔干, 20只[MKW et al.];

青海: 7月28日, 乌兰茶卡, 1只[ZYong]; 8月8日, 西宁北山, 9只[CLiang];

Beijing: One at Songshan NR, Yanging on 18 June [LiX].

Nei Mongol: Five at Helanshan NR on 9 March [BA].

Gansu: One at Shibalipu, Dingxi on 23 April [XL].

Xinjiang: One at Kalamaili NR, Jimusa'er on 28 March [MM]; 20 at Shirengou, Urumqi on 3 June [GJun]; four at Wenquan, Bole on 5 July [GJun]; 20 between Kashi and Taxkorgan on 14 July [MKW et al.].

Qinghai: One at Chaka, Wulan on 28 July [ZYong]; nine at Beishan, Xining on 8 August [CLiang].

# 0811# 漠鵙 Desert Wheatear Oenanthe deserti

内蒙古:7月9日,阿拉善左旗至贺兰山自然保护区,11只[BA];新疆:3月28日,吉木萨尔卡拉麦里自然保护区,5只[MM];7月6日,鄯善至库尔勒,50只[MKW et al.];8月8日,塔什库尔干到喀什途中,20只[PH];

青海: 7月28日, 乌兰茶卡, 2只[ZYong]; 7月29日, 共和小北湖, 1只[RKY]; 9月22日和23日, 茶卡附近, 分别是2只和11只[PH et al.];

Nei Mongol: 11 between Bayan Hot and Helanshan NR on 9 March [BA].

Xinjiang: Five at Kalamaili NR, Jimusa'er on 28 March [MM]. High counts included 50 between Shanshan and Korla on 6 July [MKW et al.]; 20 between Taxkorgan and Kashi on 8 August [PH].

Qinghai: Two at Chaka, Wulan on 28 June [ZYong]; one at Xiaobeihu, Gonghe on 29 July [RKY]; two & 11 near Chaka on 22nd & 23 September respectively [PH et al.].

## 0812# 沙鵙 Isabelline Wheatear Oenanthe isabellina

青海: 9月底, 青海湖周围, 共计5只[PH et al.];

新疆: 各地冬季以外常见,数量较大的记录如: 5月2日,和静巴音布鲁克,80只 [GJun];7月6日,鄯善至库尔勒,50只[MKW et al.];7月22日,额敏167团,20只 [GJun];9月17日,昌吉五家渠八一水库,15只;

Qinghai: Up to five around Koko Nur in late September [PH et al.].

Xinjiang: Noted as common throughout the province except in winter. Significant records as follows: 80 at Bayanbulak, Hejing on 2 May [GJun]; 50 between Shanshan and Korla on 6 July [MKW et al.]; 20 at Emin on 22 July [GJun]; 15 at Bayi Reservoir, Wujiaqu, Changji on 17 September [GJun].

# 雀形目 PASSERIFORMES> 椋鸟科 Sturnidae

## 0813# 灰头椋鸟 Chestnut-tailed Starling Sturnus malabaricus

云南: 3月25日, 瑞丽南京里, 9只[MK & RWL];

Yunnan: Nine at Nanjingli, Ruili on 25 March [MK & RWL].

## 0815# 丝光椋鸟 Silky Starling Sturnus sericeus

河北: 5月14日, 乐亭快乐岛, 1只[BB et al.];

北京: 5月22日, 天坛, 2只[ZLi]; 11月28日, 天坛, 2只[HXR];

天津: 5月23日, 静海团泊洼水库, 2只[CJZ];

另外有一些数目较大的记录收录如下:

广东: 3月13日, 珠海淇澳岛, 1000只[YHY];

江西: 12月31日,新建南矶山自然保护区,1000只[LXD];

The 2004 China Bird Report 2004 noted the expansion of this species range. This year there were further records from the Huabei area:

Hebei: One on Happy Island, Laoting on 14 May - an uncommon bird in the region [BB et al.].

Beijing: Two at Tiantan on 22 May [Zli]; two at Tiantan on 28 November [HXR].

Tianjin: Two at Tuanbowa Reservoir, Jinghai on 23 May [CJZ].

Other records of large groups as follows:

Guangdong: 1000 at Qi'ao Dao, Zhuhai on 13 March [YHY].

Jiangxi: 1000 at Nanjishan NR, Xinjian on 31 December [LXD].

# 0816# 北椋鸟 Purple-backed Starling Sturnus sturninus

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是:5月13日,乐亭快乐岛,25只[BB et al.]:

北京: 5月24日, 北京大学, 1只[ZYong];

上海: 4月20日, 南汇, 1只[BP et al.];

浙江: 5月1日, 嵊泗县大洋山岛, 1只[BP et al.]; 10月7日, 杭州江滨, 2只[ZhuY];

Hebei: Several migration records at Beidaihe and Happy Island. The largest count was 25 on Happy Island, Laoting on 13 May [BB et al.].

Beijing: One at Peking University Campus on 24 May [ZYong].

Shanghai: One at Nanhui on 20 April [BP et al.].

Zhejiang: One at Dayangshan Dao, Shengsi county on 1 May [BP et al.]; two along the river bank in Hangzhou on 7 October [ZhuY].

# 0817# 紫背椋鸟 Chestnut-cheeked Starling Sturnus philippensis

浙江: 5月1日, 嵊泗县大洋山岛, 1只[BP et al.];

Zhejiang: One at Dayangshan Dao, Shengsi county on 1 May [BP et al.].

# 0818# 灰背椋鸟 White-shouldered Starling Sturnus sinensis

福建: 4月14日, 厦门坂头水库, 1只[ZLin];

广东: 10月22日,惠州水产科学研究所,10只[WYY];12月3日,广州南沙湿地,14只[PYS];

澳门: 4月3日, 离岛湿地, 5只[CCA];

广西: 12月11日, 合浦山口红树林保护区, 5只[JAW];

海南: 1月20日,海口东寨港自然保护区,12只[YCC];11月25日,海口东寨港自然保

护区, 50只[LQX];

Fujian: One at Bantou Reservoir, Xiamen on 14 April [ZLin];

Guangdong: Ten at the Aquatic Product Academic Institute, Huizhou on 22 October [WYY];

14 at Nansha Wetland, Guangzhou on 3 December [PYS].

Macao: Five at the Taipa-Coloane Wetland on 3 April [CCA].

Guangxi: Five at Hepushankou Mangrove Forest NR on 11 December [JAW].

Hainan: 12 at Dongzhaigang NR, Haikou on 20 January [YCC] with 50 there on 25 November [LQX].

# 0819# 粉红椋鸟 Rosy Starling Sturnus roseus

新疆: 6月3日, 乌鲁木齐东山石人沟, 250只[GJun]; 7月3日, 北屯至青河, 700只 [MKW et al.]; 7月24日, 福海乌伦古湖, 80只[GJun]; 8月3日, 喀什附近, 64只[PH]; Xinjiang: High counts included 250 at Dongshan Shirengou, Urumqi on 3 June [GJun]; 700 between Beitun and Qinghe on 3 July [MKW et al.]; 80 at Ulungur Hu, Fuhai on 24 July [GJun]; 64 at west of Kashi on 3 August [PH].

# 0820# 紫翅椋鸟 Common Starling Sturnus vulgaris

吉林: 10月8日,镇赉莫莫格保护区,15只[PH];

北京:延庆野鸭湖:3月19日,1只[LS],3月27日,35只[ZYong];10月30日,1只[TZ];

├海:4月2日、崇明东滩、1只[YJ]:

其它记录都集中在新疆, 现记录数量较大的如下:

新疆: 6月22日, 昌吉五家渠青格达湖, 500只[GJun], 7月3日, 北屯至青河, 100只 [MKW et al.]; 9月25日, 昌吉五家渠八一水库, 1000只[GJun]; 10月4日, 和田友谊水库, 2000只[GJun];

Jilin: 15 at Melmeg NR, Zhenlai on 8 October [PH].

Beijing: One at Wild Duck Lake, Yanqin on 19 March [LS], 35 there on 27 March [ZYong] & one there on 30 October [TZ].

Shanghai: One at Chongming Dongtan on 2 April [YJ].

Other records all came from Xinjiang & records of large group are as follows:

Xinjiang: High counts included - 500 at Qinggeda Hu, Wujiaqu, Changji on 22 June [GJun]; 100 between Beitun and Qinghe on 3 July [MKW et al.]; 1000 at Bayi Reservoir, Wujiaqu, Changji on 25 September [GJun]; 2000 at Youyi Reservoir, Hotan on 4 October [GJun].

# 0821# 灰椋鸟 White-cheeked Starling Sturnus cineraceus

在其分布区内广泛分布,数量较大的记录如下:

北京: 11月11日, 玉渊潭, 658只[HXR];

湖北: 11月13日, 武汉潭湖, 300只[TYZ];

Quite widely distributed in China. Records of large groups included:

Beijing: 658 at Yuyuantan on 11 November [HXR].

Hubei: 300 at Tan Hu, Wuhan on 13 November [TYZ].

### 0823# 黑领椋鸟 Black-collared Starling Sturnus nigricollis

在其正常分布区内有广泛记录,其它分布较北的记录有:

江西: 2月21日, 波阳表恩岛大莲子湖, 3只[CLiang]; 12月12日, 赣州潘龙镇, 6只[CYD]; 12月31日, 新建南矶山, 10只[YHY];

上海:全年各处有多笔零散记录[YZD];

四川: 9月24日,成都四川大学,1只[WQian];

浙江:7月3日,东阳东阳江,1只[QH];7月9日,江山老虎山,16只[WJB];8月25日,杭州江滨,2只[ZhuY];10月9日,杭州江滨,2只[QC];12月18日,杭州西湖,3只[ZhuY];

Numerous reports were received from the species' normal range. Records from the northern area included:

Jiangxi: Three at Dalianzi Hu, Boyang on 21 February [CLiang]; six at Panlong zhen, Ganzhou on 12 December [CYD]; ten at Nanjishan, Nanchang on 31 December [YHY].

Shanghai: Many records from several places through the whole year [YZD].

Sichuan: One at Sichuan University, Chengdu on 24 September [WQian].

Zhejiang: One at Dongyang river, Dongyang on 3 July [QH]; 16 at Laohushan, Jiangshan on 9 July [WJB]; two at the river bank, Hanzhou on 25 August [ZhuY]; two along the river bank, Hanzhou on 9 October [QC]; three at West Lake, Hanzhou on 18 December [ZhuY].

# 0825# 家八哥 Common Myna Acridotheres tristis

澳门: 4月3日, 离岛湿地, 1只[CCA];

海南: 1月20日,海口东寨港, 2只[YCC]; 11月8日,海口东寨港, 3只[WJY];

新疆: 5月3日, 察布查尔县城及周边农田, 3只[GJun], 5月3日, 新源到伊宁沿线, 4只 [GJun]; 5月3日, 伊宁伊犁宾馆, 5只[GJun];

Macao: One on the Taipa-Coloane Wetland on 3 April [CCA].

Hainan: Two at Dongzhai harbor, Haikou on 20 January [YCC]; three at Dongzhaigang NR, Haikou on 8 November [WJY].

Xinjiang: Three on farm land around Qapqal on 3 May [GJun]; four between Xinyuan & Yining on 3 May [GJun]; five at Yili Hotel, Yining on 3 May [GJun].

# 0829# 八哥 Crested Myna Acridotheres cristatellus

北京/河北/天津有持续稳定记录,在其分布区有广泛记录。

北京: 5月31日, 颐和园, 20只[ZJ];

天津: 4月3日, 汉沽沿海, 2只[YY]; 5月13日, 南开大学, 2只[YY];

河北: 5月12日, 乐亭快乐岛, 5只[CLiang];

Regularly and stably recorded in Beijing, Hebei and Tianjin.

Beijing: 20 at the Summer Palace on 31 May [ZJ].

Tianjin: Two at Hangu coast on 3 April [YY]; two at Nankai university on 13 May [YY];

Hebei: Five at Happy Island, Laoting on 12 May [CLiang] implies continuing immigration.

Up to eight birds were regularly seen around Beidaihe during May [num. obs.].

Tianjin: Two at Hangu coast on 3 April [YY]; two at Nankai university on 13 May [YY].

### 雀形目PASSERIFORMES> 䴓科Sittidae

### 0832# 普通䴓 Eurasian Nuthatch Sitta europaea

在其分布区内的南方北方省市都有稳定记录,数量较大的记录如下:

北京: 7月24日, 门头沟小龙门林场, 10只[CLiang];

黑龙江: 9月30日, 伊春带岭碧水保护区, 50只[WXL];

辽宁: 1月14日, 凤城凤凰山自然保护区, 40只[BQQ];

新疆: 9月13日, 阿勒泰喀纳斯湖, 20只[GLQ];

[来自四川青川卧龙和平武的两笔记录(后者被认为是栗臀䴓)都位于四川北部,且相距甚近,而Harrap & Quinn在其著作中认为这两个种在四川中部的分布情况及是否有交叉还不清楚,鉴于此,这两笔记录先被搁置,有待未来进一步的观察。]

Records of larger groups included:

Beijing: Ten at Xiaolongmen FF, Mentougou on 24 July [CLiang].

Heilongjiang: 50 at Dailing Bishui NR, Yichun on 30 September [WXL].

Liaoning: 40 at Fenghuang Shan NR, Fengcheng on 14 January [BQQ].

Xinjiang: 20 at Kanas Hu, Altay on 13 September [GLQ].

[Two records were received from Wolong, Qingchuan and Pingwu, but the later is refered to Chestnut-vented Nuthatch. The two localities are very close together in north Sichuan. Harrap & Quinn note that the status of the two species in central Sichuan and whether they overlap or intergrade is uncertain. In the absence of description/justification, both records have to be omitted this year. Further observation is needed in this area.]

### 0833# 栗臀䴓 Chestnut-vented Nuthatch Sitta nagaensis

江西: 4月8-10日, 铅山武夷山自然保护区, 一对[BA];

四川: 6月18日, 康定丹巴, 3只[CLiang], 12月4日, 天全喇叭河自然保护区, 5只[CLiang];

西藏: 5月28日, 林芝墨脱, 1只[ZGF]; 12月11日, 林芝八一, 4只[ZGF];

云南: 9月11日,泸水片马,2只[WRQ]; 10月28日,德钦,6只[JHo & JW]; 11月26日,腾冲来凤山森林公园,2只[ZYong]; 12月30日,高黎贡山百花岭,3只[PH]; 昆明各郊野公园全年有记录[LLW];

Jiangxi: A pair at Wuyishan NR, Yanshan on 8-10 April [BA].

Sichuan: Three at Danba, Kangding on 18 June [CLiang]; five at Labahe NR, Tianquan on 4 December [CLiang].

Tibet: Two at Bayi, Linzhi on 13 May [DJT]; four at Bayi, Linzhi on 11 December [ZGF].

Yunnan: Recorded in all wild parks in Kunming through the whole year [LLW]. Elsewhere there were two at Pianma, Lushui on 11 September [WRQ]; six at Deqin on 28 October [JHo & JW]; two at Laifeng Shan FP, Tengchong on 26 November [ZYong]; three at Baihualing, Gaoligongshan on 30 December [PH].

### 0834# 栗腹䴓 Chestnut-bellied Nuthatch Sitta castanea

西藏: 5月28日, 林芝墨脱, 4只, 西藏新记录[ZGF];

Tibet: Four at Motuo, Linzhi on 28 May [ZGF]. The first record for Tibet.

## 0835# 白尾䴓 White-tailed Nuthatch Sitta himalayensis

西藏: 5月28日, 林芝墨脱, 2只[ZGF]; 7月2日, 日喀则地区, 1只[ZGF];

云南: 12月3日, 高黎贡山百花岭, 5只[BA]; 12月30日和31日, 分别是3只和2只[PH];

Tibet: Two at Motuo, Linzhi on 28 May [ZGF]; one at the Rikaze on 2 July [ZGF].

Yunnan: Five at Baihualing, Gaoligongshan on 3 December [BA]. with three & two there on 30th & 31 December respectively [PH].

#### 0836# 黑头䴓 Chinese Nuthatch Sitta villosa

北京地区有稳定记录,其它地区记录有:

内蒙古: 7月9日, 贺兰山自然保护区, 10只, 7月10日, 南寺, 2400米以上普遍易见 [BA];

河北: 5月底,秦皇岛祖山森林公园,共计4只,5月30日和31日,兴隆雾灵山,都有1只[PH et al.];

甘肃: 1月23日, 兰州榆中县兴隆山, 4只[ZLY];

宁夏: 10月4日, 贺兰苏峪口森林公园, 50只[LiX];

青海: 7月18日, 大通东峡林场, 3只[ZJ]; 9月26日, 互助北山, 3只[PH et al.];

四川: 7月4日, 九寨沟, 3只[PH et al.]; 8月17日, 九寨沟景区, 2只[WJY];

Stable records in Beijing. Records from other places:

Nei Mongol: About 10 at Helanshan NR on 9 July. Reported as common above 2400 metres at the Nan Si on 10 July [BA].

Hebei: up to four at Old Peak FP, Qinhuangdao in late May; singles at Wulingshan, Xinglong on both 30th & 31 May [PH et al.].

Gansu: Four at Xinglong Shan, Yuzhong, Lanzhou on 23 January [ZLY].

Ningxia: 50 at Suyukou FP, Helan on 4 October [LiX]

Qinghai: Three at Dongxia FP, Datong on 18 July [ZJ]; three at Huzhu Bei Shan on 26 September [PH et al.].

Sichuan: Three & two at Jiuzhaigou on 4 July [PH et al.] & 17 August [WJY].

## 0837# 滇䴓 Yunnan Nuthatch Sitta vunnanensis

云南: 10月11日, 剑川石宝山, 8只[JHo & JW];

Yunnan: Eight at Shibaoshan, Jianchuan on 11 October [JHo & JW].

# 0838# 白脸䴓 White-cheeked Nuthatch Sitta leucopsis

四川: 7月3日, 若尔盖至九寨沟途中, 听到1只[PH], 7月5日, 九寨沟, 2只[PH],

青海: 9月25-26日, 互助北山, 6只[PH];

Sichuan: One between Ruoergai and Jiuzhaigou on 3 July [PH et al.]; two at Jiuzhaigou on 5 July [PH et al.].

Oinghai: Six at Huzhu Beishan between 25-26 September [PH et al.].

# 0839# 绒额䴓 Velvet-fronted Nuthatch Sitta frontalis

广东: 3月17日,广州 越秀山, 2只,为逃逸种群[LXD]

云南:7月27日,个旧贾沙丫沙底,12只[WC],10月4日,个旧贾沙丫沙底,1只[WC]:

Guangdong: Two, escaped individuals at Yuexiu shan, Guangzhou on 17 March [LXD].

Yunnan: 12 and one at Yashadi, Jiasha, Gejiu on 27 July & 4 October respectively [WC].

## 0840# 淡紫䴓 Yellow-billed Nuthatch Sitta solangiae

海南: 2月1日, 乐东尖峰岭保护区, 1只[YCC], 11月20日, 昌江霸王岭自然保护区, 5只[JHo & JW]:

Hainan: One at Jianfengling NR, Ledong on 1 March [YCC]; five at Bawangling NR on 20 November [JHo & JW].

# 0843# 红翅旋壁雀 Wallcreeper Tichodroma muraria

北京市十渡地区在冬季有持续稳定记录。

内蒙古: 7月9日, 贺兰山自然保护区, 1只[BA];

青海: 7月20日, 贵德至玛沁沿线, 1只[ZYong]; 6月10日, 玉树囊谦, 1只[TJ]; 9月21

日和22日, 黑马河附近, 分别是2只和1只[PH et al.];

四川: 3月6日,崇州白塔湖,1只[SY]; 7月3日,若尔盖和九寨沟之间的巴西路上,1只[PH et al.]; 8月13日,若尔盖,2只[WJY]; 12月4日,天全喇叭河自然保护区,2只 [CLiang];

西藏: 6月23日, 拉萨甘丹寺, 2只[ZGF]; 12月21日, 日喀则地区, 1只[ZGF];

Regularly and stably recorded at Shidu, Beijing in winter.

Nei Mongol: One at Helanshan NR on 9 March [BA].

Qinghai: One between Guide & Manqin on 20 July [ZYong]; one at Nangqian, Yushu on 10 June [YJ]; two & one near Heimahe on 21st & 22 September respectively [PH et al.].

Sichuan: One at Baita Lake, Chongzhou on 6 May [SY]; one on the Baxi road between Ruoergai & Jiuzhaigou on 3 July [PH et al.]; two at Ruoergai on 13 August [WJY]; two at Labahe NR, Tianquan on 4 December [CLiang].

Tibet: Two at Gandan Si, Lhasa on 23 June [ZGF]; one at Rikaze on 21 December [ZGF].

# 雀形目 PASSERIFORMES> 旋木雀科 Certhiidae

# 0844.1# 旋木雀Eurasian Treecreeper Certhia familiaris

[年报接受Tietze et al. (2006)的观点,将原先旋木雀Certhia familiaris分为两个种,即分布于印度-喜马拉雅的亚种和分布于古北界北部的亚种分开,前者被命名为C. hodgsoni(中文名暂为霍氏旋木雀)。在中国,这两个种的具体地域界限在哪尚不清楚,但西南的记录肯定为C. hodgsoni,而北方的记录肯定为C.familiaris。由于在文中并未说明青海地区的旋木雀的分类情况,故先记为未识别旋木雀,留待未来进一步研究后再确定。]

黑龙江: 9月29日, 伊春带岭北山, 1只[WXL];

内蒙古: 10月3日, 阿尔山国家森林公园, 3只[WQ];

辽宁: 12月31日,大连植物园,2只[LY];12月24日,凤城凤凰山自然保护区,1只[BQQ];

青海: 7月23日, 班玛玛可河林场, 2只[WQ]; 7月18日, 大通东峡林场, 10只[ZJ];

陕西: 1月19日, 佛坪三官庙, 4只[LY];

新疆: 3月13日, 乌鲁木齐燕儿窝鸿雁池水库, 1只[GJun];

[Tietze et al. (2006) has shown that forms previously included in *C. familiaris* should be split into two species, with Sino-Himalayan taxa being split from the northern Palearctic races as *C. hodgsoni*. The exact division between the two forms in west China has yet to be confirmed but birds at Sichuan and Tibet are *hodgsoni*, while those at northern part are familiaris. Tietze et al. (2006) did not address the taxonomic status of treecreepers, previously treated as *C. familiaris*, in Qinghai. Accordingly, a cautious approach has been taken, pending further research.]

Heilongjiang: One at Beishan, Dailing, Yichun on 29 September [WXL].

Nei Mongol: Three at A'er Shan NFP on 3 October [WO].

Liaoning: Two at Dalian BG on 31 December [LY] and one at Fenghuang Shan NR, Fengcheng on 24 December [BQQ].

Shaanxi: Four at Sanguanmiao, Foping on 19 January [LY]. In view of the proximity of

Foping to Taibai Shan, birds at Foping are presumed to be this species rather than hodgsoni, but this needs to be confirmed.

Xinjiang: One at Hongyanchi Reservoir, Urumqi on 13 March [GJun].

# 0844.2# 霍氏旋木雀 Hodgson's Treecreeper Certhia hodgsoni

四川: 1月16日,都江堰灵岩山,5只[SY];2月9日,成都植物园,2只[CLiang];6月22日,峨眉山万佛顶,1只,7月1日,鹧鸪山垭口,2只,7月3日,若尔盖和九寨沟之间的巴西路上,2只,7月5日,九寨沟,8只[PH et al.];9月16日,理县孟屯,10只[SY];10月22日,汶川卧龙自然保护区,1只[LS];10月23日,康定新都桥,1只[DK];11月11日,峨眉山,1只[GGW];11月30日,康定木格错,3只[CLiang];12月4日,天全喇叭河自然保护区,1只[CLiang];

西藏: 5月15日, 林芝察隅, 1只[DJT]; 12月21日, 日喀则地区, 4只[ZGF];

Sichuan: Five at Lingyan Shan, Dujiangyan on 16 January [SY], two in Chengdu BG on 9 February [CLiang], One at Emeishan on 22 June, two an Zhegushan Pass on 1 July, two on the Baxi road between Ruoergai & Jiuzhaigou on 3 July, eight at Jiuzhaigou on 5 july [PH et al.]; ten at Mengtun, Lixian on 16 September [SY], one at Wolong NR, Wenchuan on 22 October [LS], one at Xindu Qiao, Kangding on 23 October [DK], one at Emei Shan on 11 November [GGW], three at Mugecuo, Kangding on 30 November [CLiang] and one at Labahe NR, Tianquan on 4 December [CLiang]. Tibet: one at Chayu, Linzhi on 15 May [DJT] and four at Rikaze on 21 December [ZGF].

未识别旋木雀Treecreeper sp. Certhia familiaris/hodgsoni

Qinghai: Two at Makehe FF, Banma on 23 July [WQ] and ten at Dongxia FF, Datong on 18 July [ZJ].

### 0844.3# 四川旋木雀 Sichuan Treecreeper Certhia tianquanensis VU

陕西: 5月24日,太白山森林公园,1只[PH],5月28日,太白山森林公园,3只[BA];6月7-10日,同一地点,3只[PH et al.],陕西省新记录鸟种。

四川: 7月5日, 九寨沟, 1只[PH et al.];

Shaanxi: One three & three at Taibaishan FP on 24th [PH] & 28 May [BA] and during 7-10 June [PH et al.]. The first records for Shaanxi were at this site in 2004.

Sichuan: One at Jiuzhaigou on 5 July [PH et al.].

## 0845# 高山旋木雀 Bar-tailed Treecreeper Certhia himalayana

青海: 7月28日, 玉树尕尔寺, 1只[KHL];

四川: 1月28日,崇州白塔湖, 4只[SY]; 6月14日,康定雅江县,1只[CLiang]; 6月18日,康定丹巴,6只[CLiang]; 7月1日,鹧鸪山垭口,1只,7月3日,若尔盖和九寨沟之间的巴西路上,2只,7月4日,九寨沟自然保护区,2只[PH et al.]; 7月7日,平武王郎自然保护区,2只[LS]; 8月17日,九寨沟,2只[WJY]; 9月16日,理县孟屯,5只[SY];

云南: 12月27日, 丽江黑龙潭, 1只[RWL];

Qinghai: One at Ga'er Si, Yushu on 28 July [KHL].

Sichuan: Four at Baita Lake, Chongzhou on 28 January [SY]; one at Yajiang, Kangding on 14 June

[CLiang]; six at Danba, Kangding on 18 June [CLiang]; one on Zhegushan Pass on 1 July; two on Baxi road between Ruoergai & Jiuzhaigou on 3 July; two at Jiuzhaigou NP on 4 July [PH et al.]; two at Wanglang NR, Pingwu on 7 July [LS]; two at Jiuzhaigou on 17 August [WJY]; five at Mengtun, Lixian on 16 September [SY].

Yunnan: One at Black Dragon Pool, Lijiang on 27 December [RWL].

### 0846# 锈红腹旋木雀 Rusty-flanked Treecreeper Certhia nipalensis

西藏: 5月28日, 林芝墨脱, 1只[ZGF];

云南: 12月3日, 高黎贡山百花岭, 1只[BA];

Tibet: One at Motuo, Linzhi on 28 May [ZGF].

Yunnan: One at Baihualing, Gaoligongshan on 3 December [BA].

## 0847# 褐喉旋木雀 Brown-throated Treecreeper Certhia discolor

云南: 12月29日, 高黎贡山百花岭, 1只; 12月31日, 高黎贡山百花岭, 4只[PH];

Yunnan: One & four singles at Baihualing, Gaoligongshan on 29th & 31 December respectively [PH].

### 雀形目 PASSERIFORMES> 鹪鹩科 Troglodytinae

# 0848# 鹪鹩 Northern Wren Troglodytes troglodytes

在其分布区有持续稳定记录,现摘录其中一部分:

北京: 11月19日, 房山区拒马河, 3只[LJQ];

河北: 5月28日, 兴降雾灵山保护区, 3只[LHY];

山东: 2月15日, 莱州大山林场, 6只[ZXX];

青海: 7月24日, 班玛玛可河林场, 3只[WQ];

四川: 12月4日, 天全喇叭河自然保护区, 3只[CLiang];

西藏: 12月21日, 日喀则地区, 11只[ZGF];

新疆: 10月29日, 石河子玛纳斯河河谷, 4只[GJun];

Beijing: Three at Juma He, Fangshan on 19 November [LJO].

Hebei: Three at Wulingshan NR, Xinglong on 28 May [LHY].

Shandong: Six at Dashan FF, Laizhou on 15 February [ZXX].

Qinghai: Three at Makehe FF, Banma on 24 July [WQ].

Sichuan: Three at Labahe NR, Tianquan on 4 December [CLiang]

Tibet: 11 at Rikaze on 21 December [ZGF].

Xinjiang: Four at Manasi river valley, Shihezi on 29 October [GJun].

# 雀形目PASSERIFORMES>攀雀科 Remizidea

# 0849# 白冠攀雀 White-crowned Penduline Tit Remiz coronatus

新疆: 7月4日, 青河至奇台, 2只[MKW et al.]; 7月24日, 阿勒泰北屯额尔齐斯河谷, 4只[GJun];

Xinjiang: Two between Qinghe and Qitai on 4 July [MKW et al.]; four at Ertix Valley, Altay

on 24 July [GJun].

# 0850# 中华攀雀 Chinese Penduline Tit Remiz consobrinus

迁徙季节在东部靠北的省份并不罕见,南部有些省份也有稳定记录:

黑龙江: 5月10日, 扎龙自然保护区, 1只[LJY];

吉林: 6月3日, 通榆向海自然保护区, 8只, 包括1只鸟在巢里喂雏鸟[PH et al.];

北京: 10月10日,密云水库,27只[PH et al.];10月22日,延庆野鸭湖,2只[ZLi];11月5日,延庆野鸭湖,1只[HD];

天津: 5月21日,大港区北大港水库,1只[CJZ];12月23日,大港区北大港水库,5只[LY];后者接近该种在中国越冬地的北限;

河北: 较大数目在秦皇岛北戴河,包括5月7日,75只,14日,100只,16日80只[PH et all;5月3日,秦阜岛北戴河,10只[LHY];5月13日,秦阜岛北戴河,40只[WRO];

山东:7月7日,莱州三山岛有繁殖记录[ZXX];该省首个被确证的繁殖记录,郑作新(1987)认为该种在山东只是过境岛;

江西: 12月31日,新建南矶山自然保护区,100只[YHY];

上海: 1月3日, 崇明东滩, 40只[WJY];

浙江: 3月1日, 镇海后海塘, 10只[LYou];

湖南: 2月16日, 岳阳东洞庭湖自然保护区, 30只[CLiang];

Easily seen in some northern & north-eastern provinces during the breeding & migration seasons respectively. Regularly recorded in some southern provinces during the non-breeding season:

Heilongjiang: One at Zhalong NR on 10 May [LJY].

Jilin: Eight, including one bird feeding young in the nest, at Xianghai NT, Tongyu on 3 June [PH et al.].

Beijing: 27 at Miyun Reservoir on 10 October [PH]; two at Wild Duck Lake, Yanqin on 22 October [ZLi] with another there on 5 November [HD].

Tianjin: One at Beidagang Reservoir, Dagang on 21 May [CJZ] & five there on 23 December [LY]. The latter is at or close to the northern limit of the species wintering range in China.

Hebei: High counts at Beidaihe, Qinhuangdao included 75 on 7th, 100 on 14th & 80 on 16 May [PH et. al]; 10 there on 3 May [LHY]; 40 there on 13 May[WRQ].

Shandong: Breeding was confirmed at Sanshan Dao, Laizhou on 7 July [ZXX] – this species is only listed as a migrant in Shandong by Cheng (1987).

Jiangxi: 100 at Nanjishan, Nanchang on 31 December [YHY].

Shanghai: 40 on the east coast of Chongming on 3 January [WJY].

Zhejiang: Ten at Houhai, Zhenghai on 1 March [LYou].

Hunan: 30 at Dong Dongting Hu NR, Yueyang on 16 February [CLiang].

# 0851# 火冠雀 Fire-capped Tit Cephalopyrus flammiceps

陕西: 6月10日, 太白山森林公园, 3只[PH];

四川: 2月15日,崇州白塔湖, 3只[SY]; 5月22日,汶川卧龙五一棚, 1只[DK]; 6月29日,巴郎山中低海拔,6只[PH]; 7月4日,九寨沟,30只[PH];

西藏: 5月19日, 林芝地区, 2只[DJT]; 5月28日, 林芝墨脱, 1只[ZGF];

Shaanxi: Three, presumably a family party, at Taibaishan FP on 10 June [PH et al.].

Sichuan: Three at Baitahu, Chongzhou on 15 February [SY]; one at Wuyipeng, Wolong, Wenchuan on 22 May [DK]; six, a family party, on the mid- to lower slopes of the Balangshan Pass on the 29 June [PH et al.]; 30 at Jiuzhaigou on 4 July [PH et al.].

Tibet: Two at Linzhi on 19 May [DJT]; one at Motuo, Linzhi on 28 May [ZGF].

### 雀形目PASSERIFORMES > 川雀科 Paridae

# 0852# 沼泽山雀 Marsh Tit Poecile palustris

记录大部分来自于北京/河北/东北等几个省份,数量较大的有以下记录:

辽宁: 1月14日, 凤城凤凰山自然保护区, 20只[BQQ];

北京: 3月27日, 密云水库, 10只[LJY], 8月21日, 延庆野鸭湖, 15只[LHT], 10月29日, 圆明园, 16只[HXR];

青海: 7月28日, 玉树尕尔寺, 12只[KHL];

四川: 4月17日, 平武王郎自然保护区, 2只[LS]; 9月16日, 理县孟屯, 4只[SY];

西藏: 7月30日, 昌都类乌齐, 1只[ZGF];

Records mostly come from Beijing, Hebei and some other provinces in northeast China.

Records of large groups were as follows:

Liaoning: 20 at Fenghuangshan NR, Fengcheng on 14 January [BQQ].

Beijing: Ten at Miyun Reservoir on 27 March [LJY]; 15 at Wild Duck Lake, Yanqin on 21 August [LHT]; 16 at Old Summer Palace on 29 October [HXR].

Qinghai: 12 at Ga'er Si, Yushu on 28 July [KHL].

Sichuan: Two at Wanglang NR, Pingwu on 17 April [LS]; four at Mengtun, Lixian on 16 September [SY].

Tibet: One at Leiwuqi, Changdu on 30 July [ZGF].

# 0853.1# 北褐头山雀 Willow Tit Poecile montanus

黑龙江:全年在伊春带岭为常见留鸟,其中9月30日,碧水自然保护区,30只[WXL],新疆:1月12日,乌鲁木齐板房沟,5只[MM],

Heilongjiang: Reported as common all the year round in Dailing, Yichun. 30 at Bishui NR on 30 September [WXL].

Xinjiang: Five at Banfang Valley, Urumqi on 12 January [MM].

### 0853.2# 褐头山雀 Songar Tit Poecile songarus

记录多来自北京、河北、青海、四川等地, 其中数量较大的有:

北京: 7月2日, 门头沟百花山, 30只[LHY];

内蒙古: 3月9-10日, 贺兰山自然保护区和南寺普遍易见[BA];

宁夏: 10月4日, 贺兰苏峪口森林公园, 50只[LiX];

青海: 7月18日, 大通东峡林场, 30只[ZJ];

四川: 7月1日, 鹧鸪山, 3只[PH et al.]; 10月2日, 理县孟屯, 20只[SY];

云南: 10月12日, 剑川石宝山, 10只[JHo & JW];

Records mostly come from Beijing, Hebei, Qinghai & Sichuan. Records of large groups were as follows:

Beijing: 30 at Baihua Shan, Mentougou on 2 July [LHY].

Nei Mongol: Common at Helanshan NR & Nan Si, Helanshan on 9-10 March [BA].

Ningxia: 50 at Suyukou FP, Helan on 4 October [LiX].

Qinghai: 30 at Dongxia FP, Datong on 18 July [ZJ].

Sichuan: Three on the Zhe Gu Shan on 1 July [PH et al.]; 20 at Mengtun, Lixian on 2 October [SY].

Yunnan: Ten at Shibaoshan, Jianchuan on 12 October [JHo & JW].

# 0854# 白眉山雀 White-browed Tit Poecile superciliosus

青海: 7月28日, 共和橡皮山, 13只[WQ]; 8月10日, 班玛久治, 7只[ZGF]; 9月25日, 互助北山, 2只[PH et al.];

四川: 7月2日, 红原和若尔盖之间的德宏垭口, 1只, 7月2日, 若尔盖和九寨沟之间的 喇嘛岭, 1只[PH et al.]; 10月23日, 康定新都桥, 6只[DK]; 10月2日, 理县孟屯, 5只 [SY]; 5月3日, 若尔盖, 3只[YL];

西藏: 5月9日, 曲水雄色寺, 1只[DJT]; 12月21日, 日喀则地区, 1只[ZGF];

Qinghai: 13 at Rubber Mountain, Gonghe on 28 July [WQ]; seven at Jiuzhi, Banma on 10 August [ZGF]; two at Huzhu Beishan on 25 September [PH et al.].

Sichuan: Three at Ruoergai, Ma'erkang on 3 May [YL]; one on Dehong Pass between Hongyuan & Ruoergai on 2 July; one on Lamaling Pass between Ruoergai & Jiuzhaigou on 2 July [PH et al.]. five at Mengtun, Lixian on 2 October [SY]; six at Xinduqiao, Kangding on 23 October [DK].

Tibet: One at Xiongse Si, Oushui on 9 May [DJT]; one at Rikaze on 21 December [ZGF].

# 0855# 红腹山雀 Pere David's Tit Poecile davidi

四川: 理县孟屯:: 2月16日, 2只[SY]; 9月16日, 15只[SY]; 10月2日, 20只[SY]; 4月17日, 平武王朗自然保护区, 1只[LS]; 6月28日和29日, 卧龙自然保护区, 分别是1只和6只, 7月4日和6日, 九寨沟自然保护区, 分别是30只和4只[PH et al.];

Sichuan: At Mentun, Lixian there were two on 16 February [SY] 15 on 16 September [SY] & 20 on 2 October [SY]; Elsewhere there was one at Wanglang NR, Pingwu on 17 April [LS]; one & six at Wolong NP on 28th & 29 June respectively; 30 & 4 in Jiuzhaigou NP on 4th & 6 July respectively [PH et al.].

# 0858# 黑冠山雀 Rufous-vented Tit Periparus rubidiventris

青海: 7月18日, 大通东峡林场, 15只[ZJ]; 7月28日, 玉树尕尔寺, 5只[KHL];

四川: 1月31日, 峨眉山, 3只[DK]; 4月17日, 平武王朗自然保护区, 1只[LS]; 5月22日, 汶川卧龙五一棚, 1只[DK]; 10月23日, 康定新都桥, 5只[DK]; 11月7日, 松潘九寨沟, 3只[GGW]; 11月30日, 康定木格措, 30只[CLiang];

西藏: 5月13日, 林芝八一, 3只[DJT]; 7月2日, 日喀则地区, 6只[ZGF]; 12月21日, 日喀则地区, 10只[ZGF];

云南: 10月15日,丽江老君山,25只[JHo & JW];

陕西: 5月24日-6月10日, 太白山森林公园, 共计10只[PH et al.];

Qinghai: 15 at Dongxia FF, Datong on 18 July [ZJ]; five at Ga'er Si, Yushu on 28 July [KHL];

Sichuan: Three at Emei Shan on 31 January [DK]; one at Wanglang NR, Pingwu on 17 April [LS]; one at Wuyipeng, Wolong, Wenchuan on 22 May [DK]; five at Xindu Qiao, Kangding on 23 October [DK]; three at Jiuzhaigou, Songshan on 7 November [GGW]; 30 at Mugecuo, Kangding on 30 November [CLiang];

Tibet: Three at Bayi, Linzhi on 13 May [DJT]; six at Rikaze on 2 July [ZGF]; ten at Rikaze on 21 December [ZGF];

Yunnan: 25 at Laojunshan, Lijiang on 15 October [JHo & JW].

Shaanxi: Up to ten at Taibaishan FP 24 May – 10 June [PH et al.].

# 0859# 煤山雀 Coal Tit Periparus ater

记录来自于黑龙江、辽宁、北京、青海、陕西、四川、西藏、新疆等地,其中数量较大的有:

辽宁: 12月3日,凤城凤凰山自然保护区,17只[BQQ];

内蒙古: 3月10日, 贺兰山南寺, 10只[BA];

宁夏: 10月4日, 贺兰苏峪口森林公园, 20只[LiX];

四川: 1月15日, 都江堰龙池, 40只[SY];

新疆: 2月11日, 乌鲁木齐板房沟(南山), 20只[GJun];

江西: 4月8-10日, 铅山武夷山自然保护区, 小群[BA];

Recorded in Heilongjiang, Liaoning, Beijing, Qinghai, Shaanxi, Sichuan, Tiber and Xinjiang. Records of large group are as follows:

Liaoning: 17 at Fenghuang Shan NR, Fengcheng on 3 December [BQQ];

Nei Mongol: 10 at Nan Si, Helanshan on 10 March [BA];

Ningxia: 20 at Suyukou FP, Helan on 4 October [LiX];

Sichuan: 40 at Longchi, Dujiangyan on 15 January [SY];

Xinjiang: 20 on the southern mountain in Banfang Valley, Urumqi on 11 February [GJun];

Jiangxi: 'A few' at Wuyishan NR, Yanshan on 8-10 April [BA].

### 0860# 黄腹山雀 Yellow-bellied Tit Periparus venustulus

北方记录集中在北京一带,南方各省记录较多,数量较大的有:

北京: 4月18日, 北京大学, 40只[HD]; 5月2日, 东灵山地区, 30只[WJ];

广东: 12月19日,广州中山大学, 20只[XZW];

广西: 11月26日, 柳州沙塘君武森林公园, 25只[YDH];

河南: 2月26日, 罗山董寨保护区, 30只[LY]; 9月23日, 洛阳周山森林公园, 54只[DQ]

湖北:1月15日,大悟仙居顶林场,46只[TXD];10月16日,武汉植物园,60只[TXD];

陕西: 1月11日, 佛坪瓦寨子村, 40只[LY];

四川: 6月20日, 峨眉山, 40只[PH et al.]; 11月19日, 成都市植物园, 60只[WQian]; 12月3日, 泸州合江笔架山, 100只[LZC];

Records from northern China were concentrated around Beijing. There were also quite a few reports from the south. Records of large groups were as follows:

Beijing: 40 at Peking University on 18 April [HD]; 30 at Dongling Shan on 2 May [WJ].

Guangdong: 20 at Zhongshan University, Guangzhou on 19 December [XZW].

Guangxi: 25 at Shatang Junwu FP, Liuzhou on 26 November [YDH].

Henan: 30 at Dongzhai NR, Luoshan on 26 February [LY]; 54 at Zhoushan FP, Luoyang on 23 September [DQ].

Hubei: 46 at Dawu Xianjuding FF on 15 January [TXD]; 60 in Wuhan BG on 16 October [TXD].

Shaanxi: 40 at Wazhaizi, Foping on 11 January [LY].

Sichuan: 40 at Emei Shan on 20 June [PH et al.]; 60 in Chengdu BG on 19 November [WQian]; 100 at the Bijia Shan, Hejiang, Luzhou on 3 December [LZC].

# 0861# 褐冠山雀 Grey-crested Tit Lophophanes dichrous

青海: 7月23日, 班玛玛可河林场, 15只[WQ]; 9月25日-27日, 互助北山, 共计3只 [PH et al.];

陕西: 1月19日, 佛坪三官庙, 5只[LY], 6月7日 - 10日, 太白山森林公园, 1只或2只 [PH et al.]:

四川: 2月19日, 峨眉山, 30只[YY]; 6月23日, 峨眉山雷洞坪附近, 1只, 7月1日, 鹧鸪山垭口, 2只, 7月3日, 若尔盖和九寨沟之间的巴西路上, 2只, 7月4日-6日, 九寨沟自然保护区, 每日1只和4只之间[PH et al.]; 8月13日, 若尔盖, 1只[WJY]; 11月29日, 康定龄马山, 10只[CLiang]; 12月2日, 康定泸定县二郎山林场, 12只[CLiang]

西藏: 5月13日, 林芝八一, 1只[DJT]; 7月27日, 芒康周边, 5只[ZGF]; 7月30日, 昌都类乌齐, 7只[ZGF]; 12月21日, 日喀则地区, 23只[ZGF];

云南: 10月15日,丽江老君山,15只[JHo & JW];12月29日,丽江玉龙雪山,20只[RWL];

Qinghai: 15 at Makehe FF, Banma on 23 July [WQ]; up to three at Huzhu Beishan 25-27 September [PH et al.].

Shaanxi: Five at Sanguanmiao, Foping on 19 January [LY]; one or two at Taibaishan FP 7-10 June [PH et al.].

Sichuan: 30 at Emei Shan on 19 February [YY]; one near Leidongping, Emei Shan on 23 June; two on Zhegushan Pass on 1 July; one on Baxi road between Ruoergai & Jiuzhaigou on 3 July; between one & four birds daily at Jiuzhaigou NP 4-6 July [PH et al.]; one at Ruoergai, Ma'erkang on 13 August [WJY]; ten at Paoma Shan, Kangding on 29 November; 12 at Erlang Shan FF, Luding, Kangding on 2 December [CLiang].

Tibet: One at Bayi, Linzhi on 13 May [DJT]; seven at Leiwuqi, Changdu on 30 July [ZGF]; five around Mangkang on 27 July [ZGF]; 23 at Rikaze on 21 December [ZGF].

Yunnan: 15 at Laojunshan, Lijiang on 15 October [JHo & JW]; 20 at Yulongxueshan, Lijiang on 29 December [RWL].

# 0862# 大山雀 Great Tit Parus major

在其分布区内有广泛记录,其中数量较大的有:

安徽: 2月1日, 黄山太平, 80只[FZ];

浙江: 2月4日, 绍兴嵊州长乐镇, 100只[QC];

Widespread. Records of large groups were as follows:

Anhui: 80 at Taiping, Huangshan on 1 February [FZ].

Zhejiang: 100 at Changle, Shengzhou, Shaoxing on 4 February [QC].

## 0863# 西域山雀 Turkestan Tit Parus bokharensis

新疆: 5月3日, 伊宁伊犁宾馆, 1只[GJun], 7月4日, 青河至奇台, 2只[MKW et al.], 10月29日, 石河子玛纳斯河河谷, 1只[GJun],

Xinjiang: One at Yili Hotel, Yining on 3 May [GJun]; two between Qinghe and Qitai on 4 July [MKW et al.]; one at Manasi river valley, Shihezi on 29 October [GJun].

## 0864# 绿背山雀 Green-backed Tit Parus monticolus

记录主要来自四川、河南、湖北、陕西、西藏、云南等省份,其中数量较大的有: 陕西: 1月11日,佛坪瓦寨子村,10只[LY];6月7日-10日期间,太白山森林公园,共计12只[PH et al.]

四川: 10月2日, 理县孟屯, 20只[SY]; 10月11日, 平武老河沟林场, 40只[LS];

西藏: 5月28日, 林芝墨脱, 30只[ZGF]; 7月2日, 日喀则地区, 35只[ZGF];

Records mainly came from Sichuan, Henan, Hubei, Shaanxi Tibet & Yunnan. Records of large group are as follows:

Shaanxi: 10 at Wazhaizi, Foping on 11 January [LY]; up to 12 at Taibaishan FP during 7-10 June [PH et al.].

Sichuan: 20 at Mengtun, Lixian on 2 October [SY]; 40 at Laohegou FF, Pingwu on 11 October [LS].

Tibet: 30 at Motuo, Linzhi on 28 May [ZGF]; 35 at Rikaze on 2 July [ZGF].

## 0865# 黄颊山雀 Yellow-cheeked Tit Parus spilonotus

浙江: 5月2日,泰顺乌岩岭,1只[LiX];7月2日,磐安大盘山自然保护区,1只[QH];

江西: 4月8-10日, 铅山武夷山自然保护区, 10-15只[BA];

福建: 10月8日, 明溪均峰山, 1只[XMBWS];

广东: 5月6-7日,乳源南岭国家森林公园,10只[BA]; 10月1日,肇庆鼎湖山风景区,6 只[XZW]; 12月3日,广州石门国家森林公园,15只[GGW]; 12月24日,新丰云髻山自然保护区,3只[DJT];

广西: 10月21日, 临桂安江坪, 1只[LZY]; 12月29日, 金秀老山林场, 4只[JAW];

西藏: 5月28日, 林芝墨脱, 26只[ZGF];

云南: 7月27日,个旧贾沙丫沙底,1只[WC];12月3日,高黎贡山百花岭,6只[BA]和12月30日和31日,每日有3只[PH];

Zhejiang: One at Wuyanling, Taishun on 2 May [LiX]; one at Dapan Shan NR, Pan'an on 2 July [QH].

Jiangxi: 10-15 at Wuyishan NR, Yanshan on 8-10 April [BA].

Fujian: One at Junfeng Shan, Mingxi on 8 October [XMBWS].

Guangdong: Ten at Nanling FP,Ruyuan on 6-7 May [BA]; six at Dinghu Shan, Zhaoqin on 1 October [XZW];15 at Shimen National FP, Guangzhou on 3 December [GGW]; three at Yunji shan NR, Xinfeng on 24 December [DJT].

Guangxi: One at Anjiangping, Lingui on 21 October [LZY]; four at Laoshan FF, Jinxiu on 29 December [JAW].

Tibet: 26 at Motuo, Linzhi on 28 May [ZGF];

Yunnan: One at Yashadi, Jiasha, Gejiu on 27 July [WC]; six at Baihualing, Gaoligongshan on 3 December [BA] with three there on both 30th & 31 December [PH].

# 0867# 灰蓝山雀 Azure Tit Cyanistes cyanus

新疆: 3月13日,乌鲁木齐燕儿窝鸿雁池水库,8只[GJun],7月3日,北屯至青河,5只 [MKW et al.];7月17日,昌吉五家渠青格达湖,6只[GJun],7月25日,阿勒泰克兰河谷,7只[GJun],8月3日,喀什附近,20只,7月30日,乌鲁木齐水上乐园,8只;7月31日,乌鲁木齐市区东郊,9只;8月3日,喀什西,20只;8月5日,喀什以西波斯坦铁力克,15只;8月7日,喀什塔什库尔干,8只[PH];10月29日,石河子玛纳斯河河谷,20只[GJun];

Xinjiang: Eight at Hongyanchi Reservoir, Yan'erwo, Urumqi on 13 March [GJun]; five between Beitun and Qinghe on 3 July [MKW et al.]; six at Qinggeda lake, Wujiaqu, Changji on 17 July [GJun]; seven at Kelan Valley, Altay on 24 July [GJun]; eight in Shuishangle Park, Urumqi city on 30 July; nine on the eastern edge of Urumqi city on 31 July; 20 west of Kashi on 3 August; 15 at Bositan Lieke, west of Kashi on 5 August; eight in Taxkurgan on 7 August [PH]; 20 at Manasi river valley, Shihezi on 29 October [GJun].

### 0869# 杂色山雀 Varied Tit Parus varius

辽宁: 1月22日, 凤城凤凰山自然保护区, 4只[BQQ]; 12月29日, 宽甸白石砬子保护区, 3只[BQQ]; 12月31日, 大连植物园, 1只[LY];

Liaoning: Four at Fenghuang Shan NR, Fengcheng on 22 January [BQQ]; three at Baishilazi NR, Kuandian on 29 December [BQQ]; one in Dalian BG on 31 December [LY].

### 0639# 褐背拟地山雀 Hume's Ground Tit Pseudopodoces humilis

[根据James et al.(2003)及Yang et al.(2006)的研究,将该种归人山雀科下,中文名、英文名做相应的改变]。

青海: 7月20日, 贵德至玛沁, 1000只[ZYong]; 8月10-16日, 班玛至久治, 210只[DJT & ZGF]:

西藏: 7月2日,日喀则,55只[DJT & ZGF];12月21-31日,日喀则地区,11只[CML]四川:5月4日,若尔盖,38只[ZMH];12月6日,若尔盖麦溪,100只[SY];

Qinghai: 1000 between Guide and Maqin on 20 July [ZYong.]; 210 between Banma and Jiuzhi during 10-16 August [DJT & ZGF].

Tibet: 55 at Rikaze on 2 July [DJT & ZGF]; 11 at Rikaze during 21-31 December [CML].

Sichuan: 38 at Ruoergai on 4 May [ZMH]; 100 at Maixi, Ruoergai on 6 December [SY].

[Recent studies (James et al. 2003, Yang et al.2006) removed it from the Corvidae and suggested that it should be the most aberrant member of the tits and chickadees (family Paridae).]

## 0870# 黄眉林雀 Yellow-browed Tit Sylviparus modestus

江西: 4月8-10日, 铅山武夷山自然保护区, 小群[BA];

青海: 7月28日, 玉树尕尔寺, 6只[KHL];

四川: 3月6日, 峨眉山, 15只[BA]; 4月25日, 平武老河沟林场, 1只[LS]; 6月22日和23日, 峨眉山雷东坪附近分别4只和20只; 7月4日, 九寨沟自然保护区, 10只[PH et al.]; 9月10日, 崇州白塔湖, 2只[WQian]; 12月4日, 天全喇叭河自然保护区, 2只[CLiang]; 云南: 高黎贡山百花岭有多笔记录, 数量最大的是12月3日, 10只[BA]; 12月30日, 10只[PH]; 1月29日, 开远西山华西村林地, 5只[LYang];

Jiangxi: 'A few' at Wuyishan NR, Yanshan on 8-10 April [BA].

Qinghai: Six at Ga'er Si, Yushu on 28 July [KHL].

Sichuan: 15 at Emei Shan on 6 March [BA]; one at Laohegou FF, Pingwu on 25 April [LS]; four & 20 near Leidongping, Emei Shan on 22nd & 23 June respectively; 10 at Jiuzhaigou NP on 4 July [PH et al.]; two at Baita Lake, Chongzhou on 10 September [WQian]; two at Labahe NR, Tianquan on 4 December [CLiang].

Yunnan: A few at Baihualing, Gaoligongshan, the largest daily counts were ten on both 3rd [BA] & 30th [PH] December; five at Huaxicun, Xishan, Kaiyuan on 29 January [LYang].

### 0871# 冕雀 Sultan Tit Melanochlora sultanea

福建:10月8日,明溪均峰山,1只[XMBWS];11月26日,橘园洲湿地,1只[FJBWS];继2004年之后,在福建继续有该鸟种的记录,值得欣喜;

广西: 10月3日, 弄岗自然保护区, 2只[TSX];

海南: 1月27日, 昌江霸王岭保护区, 8只[LG]; 3月1日, 乐东尖峰岭保护区, 8只[YCC]; 5月12日, 琼中鹦哥岭青介, 5只[YCC];

西藏: 5月28日, 林芝墨脱, 1只[ZGF], 西藏新记录;

云南: 1月13日, 勐腊望天树, 3只[DC];

Fujian: One at Junfeng Shan, Mingxi on 8 October [XMBWS]; one at Juyuanzhou Wetland on 26 November [FJBWS]; – a welcome follow-up to the rediscovery of this species in the province in 2004.

Guangxi: Two at Nonggang NR on 3 October [TSX].

Hainan: Eight at Bawangling NR, Changjiang on 27 January [LG]; eight at Jianfengling NR, Ledong on 1 March [YCC]; five at Qingjie, Yinggeling, Qiongzhong on 12 May [YCC].

Tibet: One at Motuo, Linzhi on 28 May [ZGF], the first record for Tibet.

Yunnan: Three at Wangtianshu, Mengla on 13 January [DC].

# 0872# 银喉长尾山雀 Long-tailed Tit Aegithalos caudatus

分布区内的南北各省均有记录,其中数量较大的有:

黑龙江:全年在伊春带岭为常见留鸟,其中9月30日,碧水保护区,20只[WXL];

辽宁: 12月3日, 凤城凤凰山自然保护区, 40只[BQQ];

北京: 12月24日, 房山区 拒马河, 30只[LX];

河南: 2月10日, 三门峡 陕州故城风景区, 35只[DQ];

四川: 2月15日, 崇州 白塔湖, 3只[SY];

新疆: 7月25日, 阿勒泰克兰河谷, 6只[GJun];

Records of large groups are as follows:

Heilongjiang: Reported as common all the year round in Dailing, Yichun. 20 at Bishui NR on 30 September [WXL].

Liaoning: 40 at Fenghuangshan NR, Fengcheng on 3 December [BOO].

Beijing: 30 along the Jumahe, Fangshan on 24 December [LX].

Henan: 35 at Gucheng, Shanzhou, Sanmengxia on 10 February [DQ].

Sichuan: Three at Baitahu, Chongzhou on 15 February [SY].

Xinjiang: Six at Kelan river valley, Altay on 25 July [GJun].

### 0873# 红头长尾山雀 Black-throated Tit Aegithalos concinnus

南方各省均有广泛记录,现摘录其中数量较大的:

河南: 2月26日, 罗山董寨保护区, 30只[LY];

湖北: 11月14日, 恩施巴东县水布垭电站, 50只[ZYQi];

湖南: 12月3日, 岳阳君山, 80只[RWL &MK];

江西: 10月30日, 九连山, 40只[RWL et al.]; 12月31日, 新建南矶山, 50只[LXD];

安徽: 5月5日, 潜山天柱山, 80只[WYC];

江苏: 12月10日, 江浦老山林场, 50只[ZYu];

浙江: 12月11日,杭州西湖,80只[ZhuY];1月20日,开化古田山自然保护区,120只 [WJB];

福建: 4月14日, 厦门坂头水库, 30只[ZLin];

广东: 2月9日, 广州石门国家森林公园, 20只[DJT];

贵州: 6月11日, 贵阳三江农场, 36只[YL];

四川: 10月14日, 绵阳平武, 50只[LS];

西藏: 12月21日, 日喀则地区, 74只[ZGF];

云南: 5月13日, 昆明西山, 100只[ZLin];

重庆: 12月23日, 鹅岭公园, 50只[LHT];

Widely recorded in the southern provinces. Records are of large groups included:

Henan: 30 at Dongzhai NR, Luoshan on 26 February [LY].

Hubei: 50 at Shuibuya Power Station, Badong, Enshi on 14 November [ZYQi];

Anhui: 80 at Tianzhu Shan, Qianshan on 5 May [WYC].

Hunan: 80 at Junshan, Yuevang on 3 December [RWL &MK]

Jiangxi: 40 at Jiulianshan NR on 30 October [RWL et al.]: 50 at Nanii Shan NR. Xiniian on 31

December [LXD].

Jiangsu: 50 at Laoshan FF, Jiangpu on 10 December [ZYu].

Zhejiang: 80 at Xi Hu, Hanzhou on 11 December [ZhuY]; 120 at Gutian Shan NR, Kaihua on 20 January [WJB].

Fujian: 30 at Bantou Reservoir, Xiamen on 14 April [ZLin].

Guangdong: 20 at Shimen National FP, Guangzhou on 9 February [DJT].

Guizhou: 36 at Sanjiang Farm, Guiyang on 11 June [YL].

Sichuan: 50 at Pingwu, Mianyang on 14 October [LS].

Tibet: 74 at Rikaze on 21 December [ZGF].

Yunnan: 100 at Xishan, Kunming on 13 May [ZLin].

Chongqing: 50 at Eling Park on 23 December [LHT].

0874# 黑头长尾山雀 Rufous-fronted Tit Aegithalos iouschistos

西藏: 5月13日, 林芝八一, 30只[DJT]: 7月2日, 日喀则地区, 3只[ZGF]: 12月11 日, 林芝八一, 12只[ZGF];

Tibet: 30 at Bayi, Linzhi on 13 May [DJT] & 12 there on 11 December [ZGF]; three at Rikaze on 2 July [ZGF].

### 0875# 黑眉长尾山雀 Black-browed Tit Aegithalos bonvalotis

记录主要来自四川和云南:

四川: 6月17日, 康定跑马山, 10只[CLiang]; 10月2日, 理县孟屯, 50只[SY]; 10月23 日, 康定新都桥, 12只[DK]; 12月4日, 天全喇叭河自然保护区, 40只[CLiang];

云南: 8月30日, 大理苍山, 20只[WRQ]; 10月9日, 剑川石宝山, 20只[JHo & JW]; 12 月29日, 高黎贡山百花岭上, 6只[PH];

西藏: 5月15日, 林芝察隅, 27只[DJT];

Records mainly came from Sichuan and Yunnan:

Sichuan: Ten at Paoma Shan, Kangding on 17 June [CLiang]; 50 at Mengtun, Lixian on 2 October [SY]; 12 at Xindu Qiao, Kangding on 23 October [DK]; 40 at Labahe NR, Tianguan on 4 December [CLiang].

Yunnan: 20 at Changshan, Dali on 30 August [WRO]; 20 at Shibaoshan, Jianchuan on 9 October [JHo & JW]; six above Baihualing, Gaoligongshan on 29 December [PH].

Tibet: 27 recorded and photoed at Chavu, Linzhi on 15 May [DJT].

# 0876# 银脸长尾山雀 Sooty Tit Aegithalos fuliginosus

陕西: 1月19-20日, 佛坪三官庙, 90只[LY]; 5月24日, 太白山森林公园, 2只[PH]; 5 月28日,太白山森林公园,1只[BA];

四川: 4月17日,平武王朗自然保护区,5只[LS];6月29日,青川唐家河自然保护区,2 只[LS]; 8月17日, 九寨沟, 5只[WJY]; 10月1日, 理县孟屯, 6只[YL]; 10月22日, 汶 川卧龙自然保护区, 20只[LS];

Shaanxi: 90 at Sanguanmiao, Foping on 19-20 January [LY]; two & one at Taibaishan FP on 24th [PH] & 28 May [BA].

Sichuan: Five at Wanglang NR, Pingwu on 17 April [LS]; two at Tangjiahe NR, Qingchuan on 29 June [LS]; five at Jiuzhaigou on 17 August [WJY]; six at Mengtun, Lixian on 1 October [YL]; 20 at Wolong NR, Wenchuan on 22 October [LS].

### 雀形目PASSERIFORMES > 燕科 Hirundinidae

# 0878# 崖沙燕 Sand Martin Riparia riparia

记录来自于北京、天津、河北、湖北、上海、浙江、四川、云南,青海、新疆、西藏 等省份,现摘录其中数量较大的:

# 亚种ijimae:

吉林: 6月3日, 通榆向海自然保护区, 50只[PH et al.];

北京: 5月8日, 昌平沙河水库, 200只[ZYQ];

河北: 5月8日, 乐亭快乐岛, 20只[BB et al.]; 5月11日, 乐亭快乐岛, 50只[PH et al.];

天津: 8月30日, 汉沽蛏头沽, 1300只[PH];

亚种ijimae或fohkiensis:

海南: 11月8日, 东寨港自然保护区, 1只, 海南第一笔记录[LY];

亚种tibetana:

青海: 7月28日, 共和青海湖, 30只[RKY];

四川: 5月4日, 若尔盖, 230只[YL];

西藏: 5月7日, 拉萨机场-拉萨, 30只[DJT];

亚种diluta:

新疆: 5月3日, 察布杳尔68团伊犁河边, 10000只[GJun];

Records of large groups included:

Race ijimae:

Jilin: 50 at Xianghai NR, Tongyu on 3 June [PH et al.]

Beijing: 200 at Shahe Reservoir, Changping on 8 May [ZYQ].

Hebei: 20 & 50 on Happy Island, Laoting on 8th & 11 May respectively [BB et al. & PH et al.

respectively].

Tianjin: 1300 in Chengtougu, Hangu on 30 August [PH].

Race ijimae or fohkiensis:

Hainan: One at Dongzhaigang NR on 8 August. The first record to Hainan [LY].

Race tibetana:

Qinghai: 30 at Koko Nur, Gonghe on 28 July [RKY].

Sichuan: 230 at Ruoergai, Ma'erkang on 4 May [YL].

Tibet: 30 at Lhasa Airport, Lhasa on 7 May [DJT].

Race diluta:

Xinjiang: 10,000 along the Yili river, '68 Corps.', Qapqal on 3 May [GJun].

Records were also received from Hubei, Shanghai, Zhejiang & Yunnan.

### 0879# 褐喉沙燕 Plain Martin Riparia paludicola

云南:保山至高黎贡山百花岭,常见[BA];12月8日,勐腊中科院热带植物园,3只[SXL];12月28日,保山怒江东风大桥,170只[PH];

Yunnan: 'Several' along the Salween River, where a large nesting colony was seen at the large bridge on the way to Baoshan [BA]; three at Tropical BG of Academy of Sciences, Mengla on 8 December [SXL]; 170 besides the Dongfeng Bridge over the Nujiang River, Baoshan on 28 December [PH].

# 0880# 岩燕 Eurasian Crag Martin Hirundo rupestris

记录来自于北京、河南、宁夏、青海、四川、西藏等省份和自治区,其中数量较大的 有:

北京: 6月11日, 永定河峡谷, 25只[ZYong];

河北: 5月19日,秦皇岛和祖山森林公园之间,20只[PH et al.];

内蒙古: 7月10日, 贺兰山南寺, 20只[BA];

宁夏: 10月4日, 贺兰苏峪口森林公园, 20只[LiX];

青海: 7月22日, 班玛玛可河林场, 12只[WQ];

四川: 10月22日, 汶川卧龙自然保护区, 50只[LS]; 10月23日, 康定新都桥, 200只[DK];

西藏: 5月7日, 拉萨机场, 50只[DJT]; 5月11日, 扎囊西藏山南地区, 60只[DJT];

High counts included the following:

Beijing: 25 at Yongding river valley on 11 June [ZYong].

Hebei: 20 between Qinhuangdao & Old Peak FP on 19 May [PH et al.].

Nei Mongol: 20 at Nan Si, Helanshan on 10 July [BA].

Ningxia: 20 at Suyukou FP, Helanshan on 4 October [LiX].

Qinghai: 12 at Makehe FF, Banma on 22 July [WQ].

Sichuan: 50 at Wolong NR, Wenchuan on 22 October [LS]; 200 at Xindu Qiao, Kangding on

23 October [DK].

Tibet: 50 near Lhasa Airport on 7 May [DJT]; 60 at Zanang on 11 May [DJT].

Reports were also received from Henan & Xinjiang.

### 0881# 纯色岩燕 Dusky Crag Martin Hirundo concolor

云南: 10月26日, 德钦茨中, 6只[JHo & JW];

Yunnan: Six at Cizhong, Deqin on 26 October [JHo & JW].

# 0882# 家燕 Barn Swallow Hirundo rustica

在其分布区及迁徙过程中有广泛记录,现摘录其中数量较大的:

北京: 4月8日, 坝河湿地, 300只[ZJ];

河北: 5月4日和8日,秦皇岛北戴河,2000只[WRQ & PH et al.]; 10月3日,乐亭京唐

港, 20700只[ZLi];

山东: 10月2日, 长岛大黑山岛, 1000只[LHY];

广东: 12月3日, 深圳福田红树林, 300只[YHY];

新疆: 7月17日, 昌吉五家渠青格达湖, 2000只[GJun];

云南: 2月4日, 弥勒湖泉生态园, 500只[WC];

Common & widespread. Particularly large counts included:

Beijing: 300 at Bahe Wetland on 8 April [ZL].

Hebei: 2000 at Beidaihe, Qinhuangdao on both 4th & 8 May [WRQ & PH et al.]; 20,700 at

Jingtanggang, Laoting on 3 October [ZLi].

Shandong: 1000 at Danheishan Dao, Changdao on 2 October [LHY].

Guangdong: 300 in the mangrove forest in Futian, Shenzhen on 3 December [YHY].

Xinjiang: 2000 at Qinggeda Hu, Wujiaqu, Changji on 17 July [GJun].

Yunnan: 500 at Huquan Ecological Garden, Mile on 4 February [WC].

### 0884# 金腰燕 Red-rumped Swallow Hirundo daurica

在分布区内有广泛记录,数量较大的有:

河北: 5月4日和8日,秦皇岛北戴河,300只[WRQ和PH et al.];

安徽: 8月15日, 安庆长江北岸, 150只[WJ];

江西: 10月30日, 九连山自然保护区, 180只[RWL et al.];

广东: 12月3日, 深圳福田红树林, 200只[YHY];

四川: 8月28日,成都东风渠至凤凰山,50只[WQian];

西藏: 5月28日, 林芝墨脱, 14只[ZGF];

Common & widespread. Particularly large counts included:

Hebei: 300 at Beidaihe, Qinhuangdao on both 4th & 8 May [WRQ & PH et al.].

Anhui: 150 on the north bank of Yangtze River, Angin on 15 August [WJ].

Jiangxi: 180 at Jiulianshan NR on 30 October [RWL et al.].

Guangdong: 200 in the Futian NR, Shenzhen on 3 December [YHY].

Sichuan: 50 on the way from Fenghuang Shan to Dongfengqu, Chengdu on 28 August

[WOian].

Tibet: 14 at Motuo, Linzhi on 28 May [ZGF].

### 0885# 斑腰燕 Striated Swallow Hirundo striolata

云南: 7月25日, 个旧绿水河, 20只[WC], 11月24日, 瑞丽莫里热带雨林区, 15只 [ZYong];

Yunnan: 20 at Lushui He, Gejiu on 25 July [WC]; 15 at Moli Tropical Forest Park, Ruili on 24 November [ZYong].

### 0886# 白腹毛脚燕 Northern House Martin Delichon urbicum

黑龙江:5月7日,伊春带岭凉水保护区,2只[LJY];

新疆: 5月1日, 和静巴轮台, 15只[GJun]; 7月5日, 奇台至鄯善, 20只[MKW et al.]; 7月23日, 额敏到铁厂沟沿线, 20只[GJun]; 8月16日, 库尔勒北部, 15只[PH];

Heilongjiang: Two at Dailing Liangshui NR, Yichun on 7 May [LJY].

Xinjiang: Higher counts included - 15 at Baluntai, Hejing on 1 May [GJun]; 20 between Qitai and Shanshan on 5 July [MKW et al.]; 20 between Emin & Tiechang Valley on 23 July [GJun]; 15 north of Korla on the 16 August [PH].

# 0887# 烟腹毛脚燕 Asian House Martin Delichon dasypus

河北: 5月6日,秦皇岛北戴河,1只[PH et al.],是这个地点罕有的记录。

记录来自于河南、江西、四川、浙江、广东、青海、西藏等省份和自治区,数量较大的有:

浙江:7月2日,磐安大盘山自然保护区,104只[QH];

江西: 5月9日, 铅山武夷山自然保护区, 250只[YCC]; 10月31-11月2日, 龙南九连山自然保护区, 40只[RWL];

海南: 11月24、25日, 昌江霸王岭自然保护区, 分别50、30只[JHo & JW];

青海: 7月22日, 班玛玛可河林场, 50只[WQ];

四川: 7月17日, 平武王朗自然保护区, 100只[LS]; 10月2日, 理县孟屯, 100只[SY];

西藏: 5月12日, 林芝地区, 1000只[DJT]; 5月28日, 林芝墨脱, 159只[ZGF];

云南: 12月1日, 高黎贡山百花岭, 200只[BA];

Hebei: One at Beidaihe, Qinhuangdao on 6 May [PH et al.] was a rare occurrence at this site.

Records of large groups included:

Zhejiang: 104 at Dapan Shan NR, Pan'an on 2 July [OH].

Jiangxi: 250 at Wuyishan NR, Yanshan on 9 May [YCC]; 40 at Jiulianshan NR, Longnan between 31 October-2 November [RWL].

Hainan: 50 and 30 at Bawangling NR on 24th & 25 November respectively [JHo & JW].

Qinghai: 50 at Makehe FF, Banma on 22 July [WQ].

Sichuan: 100 at Wanglang NR, Pingwu on 17 July [LS]; 100 at Mengtun, Lixian on 2 October [SY].

Tibet: 1000 at Linzhi on 12 May [DJT]; 159 at Motuo, Linzhi on 28 May [ZGF].

Yunnan: 200 at Baihualing, Gaoligongshan on 1 December [BA].

Records were also received from Shaanxi, Henan & Guangdong.

### 0888# 黑喉毛脚燕 Nepal House Martin Delichon nipalensis

西藏: 5月28日, 林芝墨脱, 100只[ZGF]; 7月2日, 日喀则地区, 190只[ZGF]; 12月21日, 日喀则地区, 80只[ZGF];

云南: 12月高黎贡山百花岭有多笔记录,最大的数量是12日,至少30只[JH et al.];

Tibet: 100 at Motuo, Linzhi on 28 May [ZGF]; 190 at Rikaze on 2 July [ZGF]; 80 at Rikaze on 21 December [ZGF].

Yunnan: Several reports were received from Baihualing, Gaoligongshan in December. The maximum count was 30 on the 12th [JH et al.].

# 雀形目PASSERIFORMES > 戴菊科 Regulidae

# 0889# 戴菊 Goldcrest Regulus regulus

黑龙江: 10月1日, 伊春带岭凉水保护区, 8只[WXL];

辽宁: 1月1日, 凤城凤凰山自然保护区, 3只[BQQ]; 12月24日, 凤城凤凰山自然保护区, 2只[BQQ]; 12月31日, 大连植物园, 6只[LY];

北京: 10月15日, 圆明园, 1只[HXR]; 12月8日, 颐和园, 6只[LX];

山东: 2月15日, 莱州大山林场, 34只[ZXX];

上海: 3月24日,奉贤五四农场,2只[LJ];11月24日,奉贤奉新,3只[YZD];12月3日,松江天马山,5只[ZLin];

青海: 7月18日, 大通东峡林场, 10只[ZJ];

四川: 1月31日, 峨眉山, 3只[DK]; 7月1日, 鹧鸪山垭口, 3只, 7月3日, 若尔盖和九寨沟之间的巴西路上, 4只, 6月5日, 九寨沟自然保护区, 6只[PH et al.]; 10月2日,

理县孟屯,5只[SY]; 10月15日,平武王朗自然保护区,7只[LS]; 11月30日,康定木格措,4只[CLiang];

陕西: 6月7日, 汉中以北晴桥铺附近, 30只, 6月初, 太白山森林公园, 共计8只[PH et al.], 西藏: 12月11日, 林芝八一, 2只[ZGF];

新疆:1月12日,乌鲁木齐板房沟南山,2只[MM];7月25日,阿勒泰克兰河谷,2只[GJun];

云南: 11月27日, 大理苍山, 2只[ZYong];

Heilongjiang: Eight at Dailing Liangshui NR, Yichun on 1 October [WXL].

Liaoning: Three at Fenghuang Shan NR, Fengcheng on 1 January [BQQ]; two at Fenghuang Shan NR, Fengcheng on 24 December [BQQ]; six in Dalian BG on 31 December [LY].

Beijing: One at Old Summer Palace on 15 October [HXR]; six at Summer Palace, Haidian on 8 December [LX].

Shandong: 34 at Dashan FF, Laizhou on 15 February [ZXX].

Qinghai: Ten at Dongxia FF, Datong on 18 July [ZJ].

Shanghai: Two at Wusi Farm, Fengxian on 24 March [LJ]; three at Fengxin, Fengxian on 24 November [YZD]; five at Tianma Shan, Songjiang on 3 December [ZLin].

Sichuan: Three at Emei Shan on 31 January [DK]; three on Zhegushan Pass on 1 July; four on Baxi road between Ruoergai & Jiuzhaigou on 3 July; six at Jiuzhaigou NP on 5 June [PH et al.]; five at Mengtun, Lixian on 2 October [SY]; seven at Wanglang NR, Pingwu on 15 October [LS]; four at Mugecuo, Kangding on 30 November [CLiang].

Shaanxi: 30 near Qingqiaopu north of Hanzhong on 7 June; up to eight at Taibaishan FP in early June [PH et al.].

Tibet: Two at Bayi, Linzhi on 11 December [ZGF].

Xinjiang: Two at the south mountain of Banfanggou, Urumqi on 12 January [MM]; two at Kelan river valley, Altay on 25 July [GJun].

Yunnan: Two at Canghan, Dali on 27 November [ZYong].

### 雀形目PASSERIFORMES > 鹎科 Pycnonotidae

# 0891# 凤头雀嘴鹎 Crested Finchbill Spizixos canifrons

云南: 3月25日,瑞丽南京里,8只[MK & RWL],4月24日,沧源班洪,3只[OB],8 月27日,昆明西山20只[WRQ],11月19日,保山白花岭保护区,4只[ZYong],12月18 日,昆明西山,6只[LLW],

Yunnan: Eight at Nanjingli, Ruili on 25 March [MK & RWL]; three at Banhong, Changyuan on 24 April [OB]; 20 at Xishan, Kunming on 27 August [WRQ]; four at Baihualing NR, Baoshan on 19 November [ZYong]; six at Xishan, Kunming on 18 December [LLW].

# 0892# 领雀嘴鹎 Collared Finchbill Spizixos semitorques

秦岭淮河以南各省全年均有记录。

靠北的记录有:

河南: 2月26日, 董寨保护区, 12只[LY];

陕西: 1月11日, 佛坪瓦寨子村, 24只[LY], 6月6日, 洋县朱鹮自然保护区, 10只, 6月10日, 汉中以北的山脉, 8只, 6月10日, 太白山森林公园, 塘迂附近, 1只[PH]; 最西的记录有:

四川: 10月23日, 甘孜新都桥, 1只[DK]

数量较大的记录有:

安徽: 2月1日, 黄山谭家桥, 80只[FZ];

贵州: 11月26日, 贵州大学, 30只[YL];

江苏: 10月15日, 江浦老山林场, 45只[YJ];

江西: 5月9日, 铅山武夷山自然保护区, 45只[YCC]; 7月3日, 婺源, 40只[LJ];

四川: 2月15日, 崇州白塔湖, 50只[SY];

Widespread in China south of the Qinlingshan and Huaihe. Notable records were as follows:

Henan: 12 at Dongzhai NR on 26 February [LY].

Shaanxi: 24 at Wazhaizi, Foping on 11 January [LY]. Ten at the Crested Ibis NR, Yangxian on 6 June; eight in the mountains north of Hanzhong on 10 June; one near Tangyu, Taibaishan FP on 10 June [PH]. These were the northernmost record in West China.

Sichuan: One at Xinduqiao, Ganzi on 23 October [DK]. This was the westernmost record in West China. 50 at Baitahu. Chongzhou on 15 February [SY].

Anhui: 80 at Tanjiaqiao, Huangshan on 1 February [FZ].

Guizhou: 30 at Guizhou University on 26 November [YL].

Jiangsu: 45 at Laoshan FF, Jiangpu on 15 October [YJ].

Jiangxi: 45 at Wuyishan NR, Yanshan on 9 May [YCC];, 40 at Wuyuan on 3 July [LJ].

### 0893# 纵纹绿鹎 Striated Bulbul Pvcnonotus striatus

云南: 3月25日,瑞丽南京里,16只[MK & RWL];11月19日,保山白花岭保护区,1只 [ZYong]和12月30日[PH];

Yunnan: 16 at Nanjingli, Ruili on 25 March [MK & RWL]; singles at Baihualing NR, Baoshan on 19 November [ZYong] & 30 December [PH].

### 0894# 黑头鹎 Black-headed Bulbul Pycnonotus atriceps

云南: 12月8日, 勐腊中科院热带植物园3只[SXL];

Yunnan: Three at the Tropic Botanical Garden, Mengla Xishuangbanna on 8 December [SXL].

### 0895# 黑冠黄鹎 Black-crested Bulbul Pycnonotus melanicterus

广西: 9月27日, 龙州弄岗保护区, 20只[JAW]; 12月11日, 广西大学, 2只[JAW];

云南: 3月25日,瑞丽南京里,4只[MK & RWL],7月27日,个旧贾沙丫沙底,10只 [WC]; 12月8日,中科院热带植物园,21只[SXL];11月24日,瑞丽莫里热带雨林,5只[ZYong];

Guangxi: 20 at Nongguang NR, Longzhou on 27 September [JAW]; two at Guangxi University on 11 December [JAW].

Yunnan: Four at Nanjingli, Ruili on 25 March [MK & RWL]; 10 at yashadi, Jiasha Gejiu on 27 July [WC]; five at Moli Tropic Forest, Ruili on 24 November [ZYong]; 21 at the Tropical Botanical Garden, Mengla Xishuangbanna on 8 December [SXL].

### 0896# 红耳鹎 Red-whiskered Bulbul Pycnonotus jocosus

正常分布范围内的重要记录有:

广东: 1月2日,广州良田镇沙田村,200只[GGW];7月17日,珠海外伶仃岛,100只[WYY];11月26日,深圳红树林,60只[TSX];12月24日,新丰云髻山自然保护区,80只[DJT];

广西: 9月15日, 龙州弄岗保护区, 100只[LZY];

云南: 12月8日, 中科院热带植物园, 167只[SXL];

西藏: 5月28日, 林芝墨脱, 29只[ZGF];

超出以往分布范围的记录有:

北京: 12月10日, 北京植物园, 8只[ZLei];

安徽: 8月10日, 祁门牯牛降自然保护区, 1只[WJ];

浙江: 3月12日, 杭州九溪龙井, 3只[QH];

江西: 4月2日, 赣州九连山自然保护区, 10只[ZGF];

四川: 5月22日, 峨眉山, 2只[LHua];

海南: 2月25日, 海口万绿园, 30只[LG];

《中国观鸟年报2004》中收录了此种在湖南和江西南部的记录。尽管近来该种有分布区扩大的迹象,但鉴于其是非常普遍的笼养鸟,因此,来自北方、西部甚至海南的记录都有可能是放牛鸟或逃逸笼养鸟。

Notable records from within the range given by Cheng (1987) for this species were as follows: Guangdong: 200 at Shatian, Liangtian, Guangzhou on 2 January [GGW]; 100 at Wailingdingdao, Zhuhai on 17 July [WYY]; 60 at Futien NR, Shenzhen on 26 November [TSX] and 80 at Yunjishan NR, Xinfeng on 24 December [DJT].

Guangxi: 100 at Nonggang NR, Longzhou on 15 September [LZY]...

Yunnan: 167 at the Tropical BG, Xishuangbanna on 8 December [SXL].

Tibet: 29 at Motuo, Linzhi on 28 May [ZGF].

The following were all from areas outside the range given by Cheng (1987):

Beijing: Eight at Beijing Botanical Garden on 10 December [ZLei].

Anhui: One at Guniujiang NR, Qimen on 10 August [WJ].

Zhejiang: Three at Longjing, Jiuxi, Hangzhou on 12 March [QH].

Jiangxi: 10 at Jiulianshan NR, Ganzhou on 2 April [ZGF].

Sichuan: Two at Emeishan on 22 May [LHua].

Hainan: 30 at Wanluyuan, Haikou on 25 February [LG].

New records from the southernmost parts of Hunan and Jiangxi were documented in China Bird Report 2004. Whilst there is therefore recent evidence of range expansion, this is a very popular and widely traded cage-bird. Records from the north and west and also from Hainan seem likely to have concerned birds which have been released or have escaped from captivity.

### 0897# 黄臀鹎 Brown-breasted Bulbul Pycnonotus xanthorrhous

安徽,广西,贵州,河南,湖北,江西,陕西,四川,西藏,云南,浙江,重庆均有 记录。

最北的记录有:

河南: 1月2日, 孟津扣马镇黄河附近, 5只[CM];

陕西: 1月11日, 佛坪瓦寨子村, 20只[LY];

最西的记录为:

西藏: 5月28日, 林芝墨脱, 5只[ZGF];

最东的记录为:

浙江: 2月12日, 仙居下各镇羊棚头村, 2只[WXM];

数量较大的记录有:

贵州: 10月29日, 安顺黄果树天星桥, 50只[ZhuY]; 11月26日,贵州大学, 50只[YL];

云南: 2月1日,个旧宝华公园,100只[WC];4月11日,开远西山华西村林地,150只[LYang];12月5日,昆明翠湖公园,200只[SXL];

Significant records from North China were as follows:

Henan: Five at Koumazhen, Mengjin on 2 January [CM].

Shanxi: 20 at Wazhaizi, Foping on 11 January [LY].

Significant records in West China were as follows:

Tibet: Five at Motuo, Linzhi on 28 May [ZGF].

Significant records in East China were as follows:

Zhejiang: Two at Yangpengtou, Xiage, Xianju on 12 February [WXM].

Other notable records included:

Guizhou: 50 at Tianxingqiao, Huangguoshu, Anshun on 29 October [ZhuY]; 50 at Guizhou University on 26 November [YL].

Yunnan: 100 at Baohua Park, Gejiu on 1 February [WC]; 150 at Huaxi, Xishan, Kaiyuan on 11 April [LYang]; 200 at Cuihu Park, Kunming on 5 December [SXL].

Reports were also received from Shaanxi, Anhui, Guangxi, Hubei, Jiangxi, Sichuan & Chongqing.

### 0898# 白头鹎 Chinese Bulbul Pycnonotus sinensis

南方各省除云南外普遍有记录,北方的北京,天津,河北,陕西,山东和辽宁也有记录.

北方的重要记录有:

辽宁: 5月10日, 大连旅顺, 8只[LXD]; 12月31日, 植物园, 8只[LY];

北京: 1月3日, 怀柔水库, 30只 [CYZ];

天津: 5月23日,静海团泊洼水库,40只[CJZ];

河北: 5月13日,秦皇岛北戴河,10只[WRQ];

山东: 2月15日, 莱州大山林场, 27只[ZXX]; 10月2日, 长岛大黑山岛, 20只[LHY];

陕西: 2月21日, 西安兴庆公园, 15只[LXD]; 6月6日, 汉中和洋县之间, 20只[PH et al.];

南方数量较大的记录有:

江苏: 12月3日, 江宁南山湖, 150只[ZYu];

湖北: 12月16日, 武昌湖北教育学院, 200只[DL];

重庆: 10月4日, 北碚西南大学, 200只[WQian];

江西: 3月20日, 婺源全县, 200只[CJZ];

广东: 11月8日, 珠海白沥岛, 150只[HK];

亚种hainanus.

广西: 12月11日, 合浦山口红树林保护区, 50只[JAW];

海南: 7月5日, 三亚, 50只[YZD];

Abundant in South China (excluding Yunnan) and expanding it's range in the North. The range now includes Beijing, Tianjin, Hebei, Shanxi, Shandong and Liaoning.

Significant records in North China were as follows:

Liaoning: Eight at Lushun, Dalian on 10 May [LXD]; eight at Botanical Garden, Dalian on 31 December [LY].

Beijing: 30 at Huairou Reservoir on 3 January [CYZ].

Tianjin: 40 at Tuanbowa Reservoir, Jinghai on 23 May [CJZ].

Hebei: 10 at Beidaihe, Qinhuangdao on 13 May [WRQ].

Shandong: 27 at Dashan FF, Laizhou on 15 February [ZXX]; 20 at Daheishandao, Changdao on 2 October [LHY].

Shaanxi: 15 at Xingqing Park, Xian on 21 February [LXD]; 20 between Hanzhong &

Yangxian on 6 June [PH et al.].

Significant records in South China were as follows:

Jiangsu: 150 at Nanshanhu, Jiangning on 3 December [ZYu].

Hubei: 200 at Hubei Education College, Wuchang on 16 December [DL].

Chongqing: 200 at Xinan University on 4 October [WQian]. Jiangxi: 200 at the whole Wuyuan county on 20 March [CJZ]. Guangdong: 150 at Bailidao, Zhuhai on 8 November [HK].

Race hainanus:

Guangxi: 50 at Mangrove NR, Hepu on 11 December [JAW].

Hainan: 50 at Sanya on 5 July [YZD].

# 0900# 白颊鹎 Himalayan Bulbul Pycnonotus leucogenys

西藏: 12月28日,日喀则地区,11只[ZGF、LKC & CML],中国第一笔确认的记录.12月30日、31日,在日喀则另外两个地点分别记录到10、12只[CHF et al.].更多关于这次记录的信息请看年报后面的"简报"。

Tibet: Totally 11 at Rikaze on 28 December [ZGF, LKC & CML]. This was the first confirmed record for China. Ten and 12 logged in another two sites near Rikaze respectively on 30 and 31 December [CHF et al.]. More details of the new records see the note in the report.

# 0901# 黑喉红臀鹎 Red-vented Bulbul Pycnonotus cafer

西藏: 5月28日, 林芝墨脱, 7只, 西藏新记录[ZGF];

云南: 3月25日,瑞丽南京里,65只[MK & RWL],9月13日,六库青山公园,8只[WRQ],11月24日,瑞丽莫里热带雨林区,15只[ZYong],

Tibet: Seven at Muotuo, Linzhi on 28 May. [ZGF]. The first record for Tibet.

Yunnan: 65 at Nanjingli, Ruili on 25 March [MK & RWL]; eight at Qingshan Park, Liuku on 13 September [WRQ]; 15 at Moli Tropic Forest, Ruili on 24 November [ZYong].

### 0902# 白喉红臀鹎 Sooty-headed Bulbul Pycnonotus aurigaster

广东,广西,云南普遍分布,其余福建,海南,江西,重庆有记录;

广东: 9月3日, 中山大学珠海校区, 50只[WYY]; 12月3日深圳观澜高尔夫度假村, 200只[ZengY];

福建: 4月24日, 万石植物园, 1只[HZY]; 12月24日, 同安金光湖, 1只[ZYQi];

海南: 3月22日,海口,8只,海南第一笔记录[LG];极有可能是笼养逃逸鸟;

重庆: 2月21日,沙坪坝区青木关,5只[LS];

广西: 1月21日, 靖西底定保护区, 20只[JAW];

云南: 8月30日, 大理苍山6只[WRQ]: 12月8日, 中科院热带植物园, 71只[SXL];

Abundant in Guangdong, Guangxi and Yunnan and expanding its range to Fujian, Hainan, Jiangxi and Chongqing.

Guangdong: 50 at the Zhuhai Campus of Zhongshan University on 3 September [WYY]; 200 at Guanlan Golf Holiday Resort, Shenzhen on 3 December [ZengY].

Fujian: Singles at Wanshi BG on 24 April [HZY]; and Jinguanghu, Tong'an on 2 December [ZYQi].

Hainan: Eight at Haikou on 22 March. The first record for Hainan [LG]; Which were presumably of captive origin.

Chongqing: Five at Qingmuguan, Shapingba District on 21 February [LS].

Guangxi; 20 at Dingdi NR, Jingxi on 21 January [JAW].

Yunnan: Six at Cangshan, Dali on 30 August [WRQ]; 71 at Tropical BG of Chinese Academy of Sciences on 8 December [SXL].

### 0904# 黄绿鹎 Flavescent Bulbul Pvcnonotus flavescens

云南: 3月27日,瑞丽铜壁关自然保护区,2只[MK & RWL]; 12月9日,勐腊绿石林,5只[LS];

Yunnan: Two at Tongbiguan, Ruili on 27 March [MK & RWL]; five at Lushilin, Mengla on 9 December [LS].

### 0905# 黄腹冠鹎 Yellow-bellied Bulbul Alophoixus flaveolus

云南: 3月25日, 瑞丽南京里, 9只[MK & RWL];

西藏: 5月28日, 林芝墨脱, 1只[ZGF];

Yunnan: Nine at Nanjingli, Ruili on 25 March [MK & RWL].

Tibet: One at Motuo, Linzhi on 28 May [ZGF].

# 0906# 白喉冠鹎 Puff-throated Bulbul Alophoixus pallidus

广西,海南,云南均有多个记录

海南: 11月9日, 昌江霸王岭, 130只[WJY];

云南: 3月29日, 盈江铜壁关自然保护区, 4只[MK & RWL]; 12月8日, 中科院热带植物园 71只[SXL];

Hainan: 130 at Bawangling, Changjiang on 9 November [WJY].

Yunnan: Four at TongbiguanNR, Yingjiang on 29 March [MK & RWL]; 71 at Tropical BG of Chinese Academy of Sciences on 8 December [SXL].

There were also a few records in Guangxi.

### 0907# 灰眼短脚鹎 Grey-eyed Bulbul Iole propingua

云南: 3月23日, 高丽贡山百花岭, 29日, 盈江铜壁关自然保护区, 各1只[MK & RWL];

Yunnan: One at Baihualing, Gaoligongshan on 23 and Tongbiguan NR, Yingjiang on 29 March [MK & RWL].

### 0908# 栗耳短脚鹎 Brown-eared Bulbul Ixos amaurotis

辽宁: 1月1日, 凤城凤凰山自然保护区, 6只[BQQ]; 3月11日, 丹东锦江山公园, 6只[BQQ]; 12月29日, 同一地点, 9只[BQQ]; 12月29日, 宽甸白石砬子保护区, 1只 [BQQ];

北京: 5月5日,大兴半壁店森林公园,1只[CLiang];12月25日,北京植物园,1只[SM];两笔记录都来源不明;

Liaoning: Six at Fenghuangshan NR, Fengcheng on 1 January [BQQ]; six at Jinjiangshan

Park, Dandong 11 March [BQQ] with 9 there on 29 December [BQQ]; one at Shilizi NR, Kuandian on 29 December [BQQ].

Beijing: One at Banbidian FP, Daxing on 5 May [CLiang]; one, at Beijing BG on 25 December [SM]. Both records were of unknown origin.

### 0909# 灰短脚鹎 Ashy Bulbul Hemixos flavala

云南: 3月27日, 瑞丽铜壁关自然保护区, 4只[MK & RWL];

Yunnan: Four at Tongbiguan, Ruili on 27 March [MK & RWL].

### 0910# 栗背短脚鹎 Chestnut Bulbul Hemixos castanonotus

福建,广东,广西,海南,江西,浙江有多个记录,上海,安徽,贵州有记录;

上海: 5月21日, 松江天马山, 1只[WM];

浙江: 3月12日, 杭州, 50只[ZYing];

安徽: 2月1日, 黄山谭家桥, 30只[FZ];

贵州: 10月22日, 平塘掌布, 21只[YL];

广东: 12月3日,石门国家森林公园,100只[GGW]; 12月24日,新丰云髻山自然保护区、70只[DJT];

海南: 11月9日, 昌江霸王岭, 102只[WJY];

There were many records in Fujian, Guangdong, Guangxi, Hainan, Jiangxi and Zhejiang and a few records in Shanghai, Anhui and Guizhou.

Shanghai: One at Tianmashan, Songjiang on 21 May [WM].

Zhejiang: 50 in Hangzhou city on 12 March [ZYing]

Anhui: 30 at Tanjiaqiao, Huangshan on 1 February [FZ].

Guizhou: 21 at Zhangbu, Pingtang on 22 October [YL].

Guangdong: 100 at Shimeng National FP on 3 December [GGW]; 70 at Yunjishan NR, Xinfeng on 24 December [DJT].

Hainan: 102 at Bawangling, Changjiang on 9 November [WJY].

### 0911# 绿翅短脚鹎 Mountain Bulbul Hypsipetes mcclellandii

福建,广东,广西,海南,湖北,江西,陕西,四川,西藏,云南,浙江有记录;

陕西: 1月11日, 佛坪瓦寨子村, 4只[LY], 为最北的记录;

浙江: 3月12日, 杭州, 50只[ZYing];

西藏: 5月28日, 林芝墨脱, 1只[ZGF];

云南: 12月9日, 保山白花岭保护区, 3只[LLW]; 12月31日, 同样地区, 1只[PH];

海南: 11月9日, 昌江霸王岭, 30只[WJY];

There were records in Fujian, Guangdong, Guangxi, Hainan, Hubei, Jiangxi, Sichuan, Tibet, Yunnan and Zhejiang.

Shaanxi: 4 in Wazhaizi village, Foping on 11 January, this was the northernmost record of the year [LY].

Zhejiang: 50 in Hangzhou city on 12 March [ZYing].

Tibet: One at Motuo, Linzhi on 28 May [ZGF].

Yunnan: Three & one at Baihualing NR, Baoshan on 9th [LLW] & 31 December [PH].

Hainan: 30 at Bawangling, Changjiang on 9 November [WJY].

# 0912# 黑短脚鹎 Black Bulbul Hypsipetes leucocephalus

安徽,贵州,河南,江苏,广东,广西,海南,湖北,江西,四川,西藏,云南,浙 江有记录:

西藏: 5月28日, 墨脱, 233只[ZGF];

四川: 9月10日, 崇州白塔湖, 30只[WQian];

江西: 10月29-11月2日, 九连山自然保护区, 每天多至180只[RWL et al.];

广东: 2月9日,广州石门国家森林公园,70只[DJT]; 12月24日,新丰云髻山自然保护区、200只[DJT];

广西: 12月11日, 广西大学, 57只[JAW];

云南: 滇西南常见,最大数量3月25日,瑞丽南京里80只[MK & RWL];

High counts included: Tibet: 233 at Motuo on 28 May [ZGF].

Sichuan: 30 at Baitahu, Chongzhou on 10 September [WQian].

Jiangxi: Day-counts of up to 180 at Jiulianshan NR between 29 October and 2 November [RWL et al.].

Guangdong: 70 at Shimeng National FP, Guangzhou on 9 February [DJT]; 200 at Yunjishan NR, Xinfeng on 24 December [DJT].

Guangxi: 57 at Guangxi University on 11 December [JAW].

Yunnan: Common in southwest Yunnan. The largest count was 80 at Nanjingli, Ruili on 25 March [MK & RWL].

Reports were also received from Anhui, Guizhou, Henan, Jiangsu, Hainan, Hubei, Jiangxi and Zhejiang.

### 雀形目 PASSERIFORMES> 扇尾莺科 Cisticolidae

### 0913# 棕扇尾莺 Zitting Cisticola Cisticola juncidis

澳门,北京,福建,贵州,河北,河南,江苏,广东,广西,海南,湖北,江西,山东,上海,四川,云南,浙江有记录,其中数量较大的有:

北京: 8月21日, 延庆野鸭湖, 10只[LHT];

广东: 7月24日, 小谷围广州大学城, 30只[GGW];

上海: 5月2日, 崇明东滩, 20只[GJ]; 6月16日, 奉贤五四农场, 20只[YZD]; 8月20日, 宝钢水库, 20只[ZLin];

浙江: 10月9日, 杭州, 35只[QC];

Beijing: 10 at Wild Duck Lake, Yanging on 21 August [LHT].

Guangdong: 30 at Xiaoguwei on 24 July [GGW].

Shanghai: 20 at Dongtan, Chongming Island on 2 May [GJ]; 20 at The May Fourth Farm, Fengxian on 16 June [YZD]; 20 at the Bao Steel Reservoir on 20 August [ZLin].

Zhejiang: 35 at Hangzhou on 9 October [QC].

Reports were also received from Macao, Fujian, Guizhou, Hebei, Henan, Jiangsu, Guangxi, Hainan, Hubei, Jiangxi, Shandong, Sichuan & Yunnan.

# 0915# 山鹛 White-browed Chinese Warbler Rhopophilus pekinensis

北京,河南,辽宁有较多记录,河北有两个记录:

辽宁: 12月29日, 宽甸白石砬子保护区, 7只[BQQ];

北京: 2月16日,北京植物园,5只[YJ];2月27日,凤凰岭景区,6只[ZYong];4月9日, 怀柔水库,5只[LJY];5月15日,昌平阳坊,5只[QYX];10月10日,密云后白家庄,6只[PH],10月22日,野鸭湖,7只[ZLi];11月20日,房山区拒马河,5只[ZLin];12月3日,密云水库,5只[TZ];

河北: 1月15日, 抚宁董家口, 5只[WRQ]; 5月16日, 山海关角山, 6只[PH et al.]; 河南: 2月10日, 孟津黄河湿地, 3只, 2月14日, 洛阳龙门石窟, 3只, 7月22日, 三门峡, 2只, 8月7日, 洛宁, 2只, 9月23日, 洛阳周山森林公园, 4只[DQ];

Higher counts included:

Liaoning: Seven at Baishilazi NR, Kuandian on 29 December [BQQ].

Beijing: Five at Beijing Botanic Garden on 16 February [YJ]; six at Fenghuangling Scenic Area on 27 February [ZYong]; five at Huairou Reservoir on 9 April [LJY]; five at Yangfang, Changping on 15 May [QYX]; six at Houbajiazhuang, Miyun on 10 October [PH]; seven at Wild Duck Lake on 22 October [ZLi]; five at Jumahe, Fangshan District on 20 November [ZLin]; five at Miyun Reservoir on 3 December [TZ].

Hebei: Five at Dongjiakou, Funing on 15 January [WRQ]; six on Jiao Shan, Shanhaiguan on 16 May [PH et al.].

Henan: Three at Mengjin on 10 February; three at Longmen Shiku, Luoyang on 14 February; two at Sanmenxia on 22 July; two at Luoning on 7 August; four at Zhoushan FP, Luoyang on 23 September [DQ].

Also reported from Xinjiang

# 0916# 山鹪莺 Striated Prinia Prinia criniger

河南: 5月28日, 罗山石山口水库, 4只[JH & LY];

陕西: 6月6日, 洋县朱鹮保护区, 2只[PH et al.];

四川: 6月18日, 绵阳平武, 3只[LS]; 6月26日, 都江堰和映秀之间, 1只[PH et al.]; 9

月10日,崇州白塔湖, 2只[WQian]; 11月26日,都江堰龙池,1只[WQian];

江西: 6月19日, 九江庐山, 1只[TYZ];

贵州: 3月5日, 贵州大学, 1只[YL];

广东: 11月18日, 乳源南岭国家森林公园, 1只[YHY]; 该省较罕见的记录;

云南: 11月19日, 高黎贡山百花岭, 1只[ZYong];

Henan: Four at Shishankou Reservoir, Luoshan on 28 May [JH & LY].

Shaanxi: Two at the Crested Ibis NR, Yangxian on 6 June [PH et al.].

Sichuan: Three at Pingwu, Mianyang on 18 June [LS]; one between Dujiangyan & Yingxiu on 26 June [PH et al.]; two at Baitahu, Chongzhou on 10 September [WQian]; one at Longchi, Dujiangyan on 26 November [WQian].

Jiangxi: One at Lushan, Jiujiang on 19 June [TYZ].

Guizhou: One at Guizhou University on 5 March [YL].

Guangdong: One at Nanling FP, Ruyuan National FP, Ruyuan on 18 November [YHY]; a rare record from the province.

Yunnan: One at Baihuanling, Gaoligongshan on 19 November [ZYong].

# 0917# 褐山鹪莺 Brown Prinia Prinia polychroa

西藏: 5月15日, 林芝察隅, 1只[DJT];

云南: 7月27日, 个旧贾沙丫沙底, 1只[WC],

Tibet: One at Chayu, Linzhi on 15 May [DJT].

Yunnan: One at Jiashayashadi, Gejiu on 27 July [WC].

# 0918# 黑喉山鹪莺 Hill Prinia Prinia atrogularis

亚种superciliaris

江西: 7月23日, 安远三百山, 3只[TSX];

四川: 10月12日, 攀枝花米易, 1只[QPJ];

广东: 6月18日,广州石门国家森林公园,11只[GGW],12月24日,新丰云髻山自然保

护区, 4只[DJT];

云南: 7月31日,个旧宝华公园,5只[WC];

亚种atrogularis:

西藏: 5月28日, 林芝墨脱, 1只[ZGF];

Race superciliaris

Jiangxi: Three at Saibaishan, Anyuan on 23 July [TSX].

Sichuan: One at Miyi, Panzhihua on 12 October [QPJ].

Guangdong: 11 at Shimeng National FP, Guangzhou on 18 June [GGW]; four at Yunjishan

NR, Xinfeng on 24 December [DJT].

Yunnan: Five at Baohua Park, Gejiu on 31 July [WC].

Race atrogularis

Tibet: One at Motuo, Linzhi on 28 May [ZGF].

# 0919# 暗冕鹪莺 Rufescent Prinia Prinia rufescens

广东: 5月1日, 郁南同乐大山保护区, 20只[LXD];

广西: 9月27日, 龙州弄岗保护区 10只 [JAW];

云南: 9月11日, 泸水片马1只 [WRQ];

Guangdong: 20 at Dashan NR, Tongle, Yu'nan on 1 May [LXD].

Guangxi: 10 at Nonggang NR, Longzhou on 27 September [JAW].

Yunnan: One at Pianma, Lushui on 11 September [WRQ].

### 0920# 灰胸鹪莺 Grey-breasted Prinia Prinia hodgsonii

广西: 3月13日,沙塘君武森林公园 5只 [YDH],8月25日,柳州三门江森林公园 5只 [LZY],9月15日,龙州弄岗保护区 10只 [LZY];

云南: 3月21日, 保山至百花岭, 34只[MK & RWL]; 9月13日, 六库青山公园 50只 [WRQ]; 12月6日, 景洪版纳保护区管理局, 15只[SXL];

Guangxi: Five at Junwu FP, Shatang on 13 March [YDH]; five at Sanmen FP, Liuzhou on 25 August [LZY]; 10 at Nonggang NR, Longzhou on 15 September [LZY].

Yunnan; 34 were counted between Baoshan and Baihualing on 21 March [MK & RWL]; 50 at

Qingshan Park, Liuku on 13 September [WRQ]; 15 at the Bureau of Jinghong Banna NR on 6 December [SXL].

# 0921# 黄腹鹪莺 Yellow-bellied Prinia Prinia flaviventris

澳门,福建,广东,广西,海南,江西有多个记录:

江西: 7月3日, 婺源全县, 5只[LJ]:

福建: 4月14日, 厦门坂头水库, 10只[ZLin];

广东: 3月17日, 越秀山, 16只[LXD]; 4月9日, 广州番禺新垦, 16只[LXD]; 4月28日, 琶州会展中心, 10只[LXD]; 12月10日, 广东树木公园, 9只[WXL]; 12月14日, 龙洞林场, 11只[PYS];

广西: 9月15日, 龙州弄岗保护区, 20只[LZY]; 12月11日, 合浦山口红树林保护区, 10只[JAW];

西藏: 5月28日, 林芝墨脱, 1只, 西藏新记录[ZGF];

There were a few records in Macao, Fujian, Guangdong, Guangxi, Hainan, Jiangxi, and single reports from Hunan and Tibet.

Jiangxi: Five at Ziyuan on 3 July [LJ].

Fujian: 10 at Bantou Reservoir, Xiamen on 14 April [ZLin].

Guangdong: 16 at Yuexiushan on 17 March [LXD]; 16 at Fanyu, Guangzhou on 9 April [LXD];10 at Pazhou on 28 April [LXD]; nine at Shumu Park, Guangdong on 10 December [WXL]; 11 at Longdong FF on 14 December [PYS].

Guangxi: 20 at Nonggang NR, Longzhou on 15 September [LZY]; 10 at Hongshulin NR, Hepu on 11 December [JAW].

Tibet: One at Motuo, Linzhi on 28 May [ZGF]. The first record for Tibet.

### 0922# 褐头鹪莺 Plain Prinia Prinia inornata

南方各省常见,数量较多的记录为:

湖北: 6月19日, 武汉潭湖, 20只[TXD];

四川: 10月1日, 理县孟屯, 1只[YL]; 最北的记录之一。

西藏: 5月15日, 林芝察隅, 2只[DJT]; 最西的记录之一。

江西: 2月12日, 赣州潘龙镇, 50只[CYD];

福建: 1月8日, 集美兑山, 30只[XMBWS];

广西: 9月15日, 龙州弄岗保护区, 50只[LZY];

云南: 2月4日, 弥勒湖泉生态园, 40只[WC]; 2月6日, 泸江公园附近农田, 30只[LYang]; 11月19日, 保山白花岭保护区, 30只[ZYong];

Abundant in the southern provinces. Significant records were as follows:

Hubei: 20 at Tanhu, Wuhan on 19 June [TXD].

Sichuan: One at Mengtun, Li county on 1 October [YL]. This was the most northern record.

Tibet: Two at Chayu, Linzhi on 15 May [DJT]; this was the most western record.

Jiangxi: 50 at Panlongzhen, Ganzhou on 12 February [CYD].

Fujian: 30 at Duishan, Jimei on 8 January [XMBWS].

Guangxi: 50 at Nonggang NR, Longzhou on 15 September [LZY].

Yunnan: 40 at Milehu Ecological Garden on 4 February [WC]; 30 at Lujiang Park on 6

February [LYang]; 30 at Baihualing NR, Baoshan on 19 November [ZYong].

# 雀形目PASSERIFORMES > 绣眼鸟科 Zosteropidae

# 0923# 红胁绣眼鸟 Chestnut-flanked White-eye Zosterops erythropleurus

河北: 5月13日,秦皇岛北戴河,500只[WRQ],5月14日,秦皇岛北戴河,200只

[HP]; 9月29日, 北戴河, 150只[PH et al.]; 10月3日, 乐亭京唐港, 150只[ZLi];

河南: 9月23日, 洛阳周山森林公园, 120只[DQ];

四川: 6月23日,峨眉山,3只[PH]; 7月4日,九寨沟,1只[PH]; 8月22日,汶川卧龙自然保护区,10只[ZGF]; 8月31日,青川唐家河自然保护区,30只[QPJ];

西藏: 7月19日, 林芝波密海拔2000m处, 3只并拍有照片[ZGF];

云南: 4月11日, 开远西山华西村林地, 2只[LYang];

Hebei: 500 at Beidaihe, Qinhuangdao on 13 May [WRQ] with 200 there on 14 May [HP]. In autumn high counts included 150 at Beidaihe on 29 September [PH et al.]; 150 at Jingtanggang, Laoting on 3 October [ZLi].

Henan: 120 at Zhoushan FP, Luoyang on 23 September [DQ].

Sichuan: Three at Emeishan NP on 23 June [PH]; one at Jiuzhaiguo NP on 4 July [PH]; 10 at Wolong NR, Wenchuan on 22 August [ZGF]; 30 at Tangjiahe NR, Qingchuan on 31 August [QPJ];

Tibet: Three photoed at Bomi, Linzhi at an altitude of 2000m on 19 July [ZGF];

Yunnan: Two at the Huaxi village, Xishan, Kaiyuan on 11 April [LYang].

### 0924# 灰腹绣眼鸟 Oriental White-eye Zosterops palpebrosus

亚种palpebrosus

西藏: 5月15日, 林芝察隅, 30只[DJT];

亚种joannae

广西: 12月13日, 广西大学, 8只[YDuo];

云南: 8月30日, 大理苍山, 20只[WRQ]; 9月7日, 贡山丙中洛, 30只[WRQ];

Race palpebrosus:

Tibet: 30 at Chayu, Linzhi on 15 May [DJT];

Race joannae:

Guangxi: Eight at Guangxi University on 13 December [YDuo];

Yunnan: 20 at Cangshan, Dali on 30 August [WRQ]; 30 at Bingzhongluo, Gongshan on 7

September [WRQ].

### 0925# 暗绿绣眼鸟 Japanese White-eye Zosterops japonicus

华东及华南常见种。

亚种hainana

海南: 11月9日, 昌江霸王岭, 70只[WJY];

亚种simplex

北京: 9月14日, 百望山, 15只[HD];

山东: 6月16日, 莱州大山林场有繁殖记录, 39只[ZXX];

河南: 9月23日, 洛阳周山森林公园, 30只[DO];

西藏: 5月28日, 林芝墨脱, 69只, 西藏新记录[ZGF]:

浙江: 1月20日, 开化古田山自然保护区, 120只[WJB];

广东: 12月28日, 中山大学, 500只[LJY];

云南: 7月27日, 个旧贾沙丫沙底, 100只 [WC], 8月27日, 昆明西山, 80 [WRQ], 10

月9日, 腾冲和顺侨乡 61只 [ZMH]; 12月8日, 中科院热带植物园, 85只 [SXL];

Abundant in East and South China.

Race hainana:

Hainan: 70 at Bawangling, Changjiang on 9 November [WJY];

Race simplex:

Beijing: 15 at Baiwangshan on 14 September [HD];

Shandong: Breeding record from Dashan FF, Laizhou on 16 June when 39 birds were counted [ZXX];

Henan: 30 at Zhoushan FP, Luoyang on 23 September [DQ];

Tibet: 69 at Motuo, Linzhi on 28 May [ZGF]. The first record for Tibet.

Zhejiang: 120 at Gutianshan NR, Kaihua on 20 January [WJB];

Guangdong: 500 at Zhongshan University on 28 December [LJY];

Guangxi: 100 at Sanmengjiang FP, Liuzhou on 25 August [LZY]; 100 at Yaoshan, Guilin at 24 October [LZY]

Yunnan: 100 at Jiasha Yashadi, Gejiu on 27 July [WC]; 80 at Xishan, Kunming on 27 August [WRQ]; 61 at Tengchong on 9 October [ZMH]; 85 at the Tropical BG of CAS on 8 December [SXL].

# 雀形目 PASSERIFORMES > 莺科 Sylviidae

### 0926# 栗头地莺 Chestnut-headed Tesia Tesia castaneocoronata

四川: 3月6日, 峨眉山, 1只[BA]; 6月23日, 峨眉山, 3只[PH]; 6月26日, 卧龙, 1只[PH];

云南: 10月15日,丽江老君山,1只[JHo & JW];12月29日,30日,31日,高黎贡山百花岭,分别为2只,4只,3只[PH];

西藏: 5月28日, 墨脱, 6只[ZGF]; 12月13日, 林芝地区, 3只[ZGF];

Tibet: Six at Motuo on 28 May [ZGF]; three at Linzhi on 13 December [ZGF];

Sichuan: One at Emei Shan on 6 March [BA] & three there on 23 June [PH et al.]; one at Wolong on 26 June [PH et al.];

Yunnan: One at Laojunshan, Lijiang on 15 October [JHo & JW]; two, four & three at Baihualing, Gaoligongshan on 29th, 30th & 31 December respectively [PH].

# 0927# 金冠地莺 Slaty-bellied Tesia Tesia olivea

西藏: 5月28-6月21日, 林芝墨脱, 76只, 西藏新记录[ZGF];

云南: 12月29日至31日, 高黎贡山百花岭, 1只或2只[PH];

Tibet: Reported as common in Motuo, Linzhi with 76 bird-days there during 28 May and 21 June [ZGF]. The first record for Tibet.

Yunnan: One or two at Baihualing, Gaoligongshan daily during 29-31 December [PH].

# 0928# 灰腹地莺 Grey-bellied Tesia Tesia cyaniventer

西藏: 5月15日, 林芝察隅, 4只[DJT]; 5月19日, 林芝地区 3只[DJT]; 5月28日, 墨脱, 3只[ZGF];

Tibet: Four at Chayu, Linzhi on 15 May [DJT]; three at Linzhi on 19 May [DJT]; three at Motuo on 28 May [ZGF].

# 0929# 鳞头树莺 Asian Stubtail Urosphena squameiceps

北京: 6月6日, 小龙门林场, 1只[HP]; 6月5日, 八达岭, 3只[PH et al.]

河北: 5月18日-19日期间,秦皇岛祖山森林公园,2只[PH et al.];

浙江: 4月8日, 杭州青芝坞美女山灵峰, 1只[ZhuY];

海南: 1月15日, 昌江霸王岭自然保护区, 1只[BA];

Beijing: Three at Badaling on 5 June [PH et al.]; one at Xiaolongmeng FF on 6 June [HP];

Hebei: Two on Old Peak FP, Qinhuangdao during 18-19 May [PH et al.];

Zhejiang: One at Meinushan, Qingzhiwu, Hangzhou on 8 April [ZhuY];

Hainan: One at Bawangling NR, Changjiang on 15 January [BA].

### 0931# 远东树莺 Manchurian Bush Warbler Cettia canturians

安徽、北京、广东、广西、河南、湖北、江苏、江西、上海、四川等地有记录

北京: 7月2日, 白草畔森林公园, 1只[LiX];

河北:5月10日,乐亭捞鱼尖,1只[PH et al.],5月14日和18日,乐亭快乐岛,2只[PH et al.和BB et al.],5月18日,秦皇岛祖山森林公园,2只[PH et al.];

陕西: 6月6日, 洋县附近, 2只, 6月7日秦岭垭口山顶附近, 1只, 5月23日和6月7日 – 10日之间, 太白山森林公园, 1只和5只鸟[PH et al.];

上海: 5月2日,崇明东滩,50只[GJ]; 5月19日,奉贤五四农场,10只[YZD]; 5月29日,星火农场,10只[YZD];

江苏: 5月3日, 江宁南山湖, 8只[ZYu], 5月21日, 江浦老山林场, 8只[ZYu], 7月4-19日, 南京各处有零星记录[ZYu],

陕西: 5月27日,太白山森林公园,听见2只[BA];

Beijing: One at Baicaopan FP on 2 July [LiX];

Hebei: One at Laoyujian, Laoting on 10 May [PH et al.]; two at Happy Island, Laoting on both 14th & 18 May [PH et al. & BB et al.]; 2 on Old Peak FP, Qinhuangdao on 18 May [PH et al.];

Shaanxi: Two near Yangxian on 6 June; one near the summit of Qinling Yakou on 7 June; between one & five birds at Taibaishan FP on 23 May & between 7-10 June [PH et al.];

Shanghai: An exceptional 50 birds were at Dongtan, Chongming Island on 2 May [GJ]; 10 at The May Fourth Farm, Fengxian on 19 May [YZD]; 10 at Xinghuo Farm on 29 May [YZD];

Jiangsu: Eight at Nanshanhu, Jiangning on 3 May [ZYu]; eight at Laoshan FF, Jiangpu on 21 May [ZYu]; singles recorded at different sites in Nanjing during 4-19 July [ZYu];

Shaanxi: Two were heard at Taibaishan FP on 27 May [BA].

Reports were also received from Anhui, Guangdong, Guangxi, Henan, Hubei, Jiangxi and Sichuan.

# 0933# 强脚树莺 Brownish-flanked Bush Warbler Cettia fortipes

华东和华南常见种,比较重要的记录有:

江苏: 4月24日, 南京紫金川, 15只[ZYu]: 10月15日, 江浦老川林场, 30只[ZLin]:

安徽: 5月3日, 岳西鹞落坪自然保护区, 22只[QH]; 5月4日, 潜山天柱山, 15只[YJ];

四川: 6月29日,青川唐家河自然保护区,2只[LS],最北的记录之一,峨眉山,卧龙,九寨沟也有记录。

陕西: 6月7日, 汉中北边, 10只[PH et al.]

西藏: 5月15日, 林芝察隅, 41只[DJT]; 5月28日, 墨脱, 44只[ZGF];

湖南: 5月2日,岳阳君山, 15只[GLQ], 12月3-5日,同一地点, 13只[RWL &MK];

贵州: 4月2日, 贵阳三江农场, 18只[YL];

云南: 3月28日, 盈江附近, 6只[MK & RWL];

Abundant in Eastern and Southern China. The significant records were as follows:

Jiangsu: 15 at Zijinshan, Nanjing on 24 April [ZYu]; 30 at Laoshan FF, Jiangpu on 15 October [ZLin];

Anhui: 22 at Yaoluoping NR, Yuexi on 3 May [QH]; 15 at Tianzhushan, Qianshan on 4 May [YJ]:

Sichuan: Two at Tangjiahe NR, Qingchuan on 29 June [LS]. Also reported from Emei Shan, Wolong NP & Jiuzhaigou NP;

Shaanxi: 10 within one hour's drive north of Hanzhong on 7 June [PH et al.];

Tibet: 41 at Chayu, Linzhi on 15 May [DJT]; 44 at Motuo on 28 May [ZGF];

Hunan: 15 at Junshan, Yueyang on 2 May [GLQ]; and still 13 there on 3 and 5 December [RWL &MK].

Guizhou: 18 at Sanjiang Farm, Guiyang on 2 April [YL];

Yunnan: Six near Yingjiang on 28 March [MK & RWL].

#### 0934# 大树莺 Chestnut-crowned Bush Warbler Cettia major

云南: 10月18日, 丽江老君山, 2只[JHo & JW];

四川: 6月21日和22日,峨眉山,分别是8只和5只[PH]; 6月26-30日期间,卧龙,有3天是1只或2只[PH et al.];

Sichuan: Eight & five at Emei Shan on 21st & 22 June respectively; one or two at Wolong on three dates 26-30 June; one on Baxi road between Ruoergai & Jiuzhaigou on 3 July [PH et al.];

Yunnan: Two at Laojunshan, Lijiang on 18 October [JHo & JW].

# 0935# 异色树莺 Aberrant Bush Warbler Cettia flavolivacea

四川: 6月20-25日, 峨眉山, 总共17只[PH et al.]; 6月26-30日, 卧龙, 总共17只[PH et al.]; 7月6日, 九寨沟, 1只[PH et al.];

Sichuan: Up to 17 at Emei Shan during 20-25 June [PH et al.]; up to 17 at Wolong during 26-30 June [PH et al.]; one at Jiuzhaigou on 6 July [PH et al.].

### 0936# 黄腹树莺 Yellowish-bellied Bush Warbler Cettia acanthizoides

陕西: 5月24-28日, 太白山森林公园, 2只[BA]; 6月7-10日, 太白山森林公园, 6只[PH et al.,BA];

江西: 4月8-10日, 铅山武夷山自然保护区, 听见5只[BA];

四川: 6月20日和6月23日,峨眉山,分别为3只和2只[PHet al.]; 6月27日6月28日,巴郎山,2只[PH et al.]; 7月1日,鹧鸪山,1只[PH et al.]; 7月5日,九寨沟,2只[PH et al.]; 广西: 12月11日,广西大学,1只[JAW];

西藏: 12月21日, 日喀则地区 6只[ZGF];

Tibet: Six at Rikaze on 21 December [ZGF];

Shaanxi: Between two & six at Taibaishan FP on five dates 24-28 May & 7-10 June [PH et al., BA]; Sichuan: Three & two at Emei Shan on 20th & 23 June respectively [PH et al.]; two on the Balangshan Pass, Wolong on 27th & 28 June [PH et al.]; one at Zhegushan on 1 July [PH et al.]; one at Jiuzhaigou on 5 July [PH et al.];

Jiangxi: Five heard at Wuyishan NR, Yanshan on 8-10 April [BA];

Guangxi: One at Guangxi University on 11 December [JAW].

### 0937# 棕顶树莺 Grey-sided Bush Warbler Cettia brunnifrons

云南: 3月21日, 高黎贡山百花岭, 1只[MK & RWL];

四川: 6月25日,平武王朗自然保护区,1只[LS]; 6月22日,峨眉山,1只[PH et al.];

Sichuan: One at Wanglang NR, Pingwu on 25 June [LS]; one at Emei Shan on 22 June [PH et al.];

Yunnan: One near Baihualing, Gaoligongshan on 21 March [MK & RWL].

# 0938# 宽尾树莺 Cetti's Bush Warbler Cettia cetti

新疆: 5月6日,沙湾千泉湖,6只[GJun];

Xinjiang: Six at Qianquanhu, Shawan on 6 May [GJun].

### 0939# 斑胸短翅莺 Spotted Bush Warbler Bradypterus thoracicus

[亚种davidi有时也被视作独立的种"北短翅莺" Pere David's Bush Warbler B.davidi(包括亚种suschkini),而亚种 przevalskii及thoracicus有时也被视作独立的种Southern Spotted Bush Warbler B. przevalskii。二者的鸣声区别很大,前者为一种单调重复的buzz,后者为快速的三音节tchi-tchi-tchzzzz。]

亚种*przewalskii*:

青海: 7月19日, 西宁北山, 1只[ZJ];

四川: 6月26日,卧龙,2只[PH]; 7月1日,鹧鸪山,1只[PH]; 7月7日,平武王朗自然保护区,2只[LS];

陕西:5月25日和6月7日—10日,太白山,在海拔2075-2300米之间,有5天有1只和4只之间[PH et al.];5月28日,太白山海拔2700-2800米,4只[BA];

亚种davidi:

陕西: 5月28日, 太白山2100-2220米, 4只[BA];

河北: 5月20日, 乐亭快乐岛, 5只[BB et al.];

吉林: 6月3日, 通榆向海自然保护区, 2只[PH et al.];

浙江: 5月1日, 嵊泗县大洋山岛, 听到1只[BP et al.];

Race przewalskii:

Qinghai: One at Beishan, Xining on 19 July [ZJ].

Sichuan: Two or three birds on three dates at Wolong on 26-30 June [PH et al.]; one at

Zhegushan on 1 July [PH et al.]; two at Wanglang NR, Pingwu on 7 July [LS].

Shaanxi: One, one, two & four between 2300-2800 metres at Taibaishan on 23rd, 24th May [PH], 27 May [BA] & 8 June [PH et al.]. The song is a fast three-syllable tchi-tchi-tchzzzzzz.

Race davidi:

Sichuan: Two at Wolong on 26th June and one at Zhegushan on 1st July [PH]. 2 at Wanglang

NR. on 7 July [LS].

Shaanxi: Between one & four on five dates 25 & 28 May & between 7-10 June & between 2075-2300 metres at Taibaishan [PH et al., BA]. The song is a repeated single buzz, clearly different from the race przevalskii..

Hebei: Five on Happy Island, Laoting on 20 May [BB et al.].

Jilin: Two at Xianghai NR, Tongyu on 3 June [PH et al.].

Zhejiang: One heard at Davangshan Dao, Shengsi county on 1 May [BP et al.].

[Taxonomic note: davidi is sometimes treated as a separate species, Pere David's Bush Warbler (with subspecies suschkini), whilst przewalskii and kashmiririensis are treated as subspecies of thoracicus. The songs of the two are extremely different, with davidi giving a repeated single buzz and przewalskii a fast three-syllable tchi-tchi-tchzzzzzzz.]

# 0941# 中华短翅莺 Chinese Bush Warbler Bradypterus tacsanowskius

河北: 5月6日, 乐亭快乐岛, 5只[BB et al.];

青海: 6月3日, 青海湖, 1只亚成[JH];

Hebei: Five at Happy Island, Laoting on 6 May [BB et al.];

Qinghai: A juvenile at Koko Nur on the exceptionally early date of 3 June [JH].

### 0942# 棕褐短翅莺 Brown Bush Warbler Bradypterus luteoventris

陕西: 6月7日, 秦岭垭口, 1只[PH et al.];

四川: 6月26日, 卧龙, 1只[PH];

青海:7月23日,班玛玛可河林场,1只[WQ];

云南: 3月23日, 高黎贡山百花岭, 1只[MK & RWL];

Shaanxi: One at Qinling Mountain Pass on 7 June [PH et al.].

Sichuan: One at Wolong on 26 June [PH et al.].

Yunnan: One near Baihualing, Gaoligongshan on 23 March [MK & RWL].

Qinghai: One at Makehe FF, Banma on 23 July [WQ].

# 0943.1# 高山短翅莺 Russet Bush Warbler Bradypterus mandelli

江西: 4月8-10日,铅山武夷山自然保护区,听见1只[BA],11月2日,九连山自然保护区、3只[RWL]。

陕西: 5月24日, 太白山森林公园, 红桦岭附近, 2只[PH];

云南: 3月24日, 高黎贡山百花岭, 1只[MK & RWL];

Jiangxi: One heard at Wuyishan NR, Yanshan on 8-10 April [BA]; three at Jiulianshan NR on 2 November [RWL].

Shaanxi: Two near Honghualing, Taibaishan FP on 24 May [PH].

Yunnan: One near Baihualing, Gaoligongshan on 21 March [MK & RWL].

### 0944# 矛斑蝗莺 Lanceolated Warbler Locustella lanceolata

内蒙古: 10月4日, 图牧吉, 1只[PH];

河北: 北戴河及快乐岛有多笔迁徙记录,数量最大的是: 5月19日,乐亭快乐岛,25只[BB et al.],9月29日和30日,北戴河,各5只[PH et al.];

河南: 5月12日, 罗山董寨自然保护区, 1只[LY];

上海: 10月2日, 崇明东滩, 1只[QH];

Nei Mongol: One at Tumuji on 4 October [PH].

Hebei: Several migration records at Beidaihe and Happy Island. The largest spring count was 25 at Happy Island, Laoting on 19 May [BB et al.]; five at Beidaihe on both 29th & 30 September [PH et al.].

Henan: One at Dongzhai NR, Luoshan on 12 May [LY].

Shanghai: One at Dongtan, Chongming Island on 2 October [QH].

# 0946# 小蝗莺 Pallas's Grasshopper Warbler Locustella certhiola

北京: 6月15日, 坝河湿地, 1只[LJY]; 6月1日, 颐和园, 1只[PH et al.];

河北: 5月17日, 乐亭快乐岛, 3只[BB et al.]; 5月19日和20日和秋季9月29日, 北戴河, 毎日1只[PH et al.];

吉林: 6月3日, 通榆向海自然保护区, 2只[PH et al.];

新疆: 7月31日, 乌鲁木齐, 2只; 8月17日, 库尔勒北部, 10只[PH];

Beijing: One in the Summer Palace on 1 June [PH et al.]; one at Bahe on 15 June [LJY].

Hebei: Three on Happy Island, Laoting on 17 May [BB et al.]; singles at Beidaihe on both 19th & 20 May & in autumn on 29 September [PH et al.].

Jilin: Two at Xianghai NR, Tongyu on 3 June [PH et al.].

Xinjiang: Two at Wulabo near Urumqi on the 31 July; 10 in the Haemodun Grasslands north of Korla on the 17 August [PH].

# 0951# 斑背大尾莺 Japanese Swamp Warbler Locustella pryeri VU

河北: 5月11日,秦皇岛北戴河,2只[CLiang]和5月13日,另外3只[PH et al.];5月13日,乐亭快乐岛,1只[BB et al.];

北京: 9月5日, 野鸭湖, 1只[PH]; 北京的第一笔记录;

江西: 2月3日,新建南矶山保护区,12只[LJS],12月31日,新建南矶山,10只[LXD];

上海: 崇明东滩: 4月8日, 5只[ZLin]; 5月2日, 20只[GJ]; 5月24日, 20只[ZLin]; 5月26日, 2只[YZD]; 6月30日, 发现巢1个, 幼鸟6只[GXJ]; 7月6日, 20只[WJY];

Hebei: Two at Beidaihe, Qinhuangdao on 11 May [CLiang] with another there on 13 May [PH et al.]. One at Happy island on 13 May[BB et al.]

Beijing: One at Wild Duck Lake, Yanqing on 5 September [PH]. The first record for Beijing. Jiangxi: Two at Nanjishan NR, Xinjian on 3 February [LJS]; 10 at Nanjishan, Nanchang on 31 December [LXD].

Shanghai: There was an exceptional series of records from Dongtan, Chongming Dao. Five on 8 April [ZLin], 20 on 2 May [GJ], 20 on 24 May [ZLin] & two on 26 May [YZD]. Most significantly a nest found with six juveniles was found on 30 June [GXJ]. In late summer there were a further 20 birds there on 6 July [WJY].

# 0952# 水蒲苇莺 Sedge Warbler Acrocephalus schoenobaenus

新疆: 5月6日,沙湾千泉湖,1只[GJun],7月3日,北屯至青河,1只[MKW et al.];Xinjiang: One at Qianquanhu, Shawan on 6 May [GJun]; one between Beitun and Qinghe on 3 July [MKW et al.].

# 0954# 黑眉苇莺 Black-browed Reed Warbler Acrocephalus bistrigiceps

北京,广东,河北,上海有记录

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是:5月13日,乐亭快乐岛,20只[BB et al.]和5月20日,北戴河,100只[PH et al.];

北京: 5月27日, 圆明园 2只[SG], 北京最早的记录; 5月29日, 昌平沙河水库, 20只 [WJ]; 10月22日, 延庆野鸭湖, 4只, 最晚的记录[ZLi];

上海:崇明东滩,5月26日,1只[YZD],7月6日,1只[WJY],5月19日,奉贤五四农场,2只[WJY];

广东: 3月26日,深圳红树林,2只,广东最早的记录[TSX];11月13日,广州番禺新垦1只,最晚的记录[YHY];

吉林也有记录。

Hebei: Several migration records at Beidaihe and Happy Island. The largest counts were 20 on Happy Island, Laoting on 13 May [BB et al.] & 100 at Beidaihe on 20 May [PH et al.].

Beijing: Two at Yuanmingyuan on 27 May [SG] were the first of the spring in the Capital – a late date. Elsewhere there were 20 at Shahe Reservoir, Changping on 29 May [WJ]. Four at Wild Duck Lake, Yanqing on 22 October [ZLi] was the latest record of the year from Beijing. Shanghai: Singles at Dontan, Chongming Island on 26 May and 6 July respectively[YZD & WJY]; two also note at Wusi,Farm,Fengxian on 19 May[YZD].

Guangdong: Two at Hongshulin, Shenzhen on 26 March, was the first record of the year in the province [TSX]; one at Xinken, Panyu, Guangzhou on 13 November [YHY] was the latest. Also reported from Jilin.

### 0955# 稻田苇莺 Paddyfield Warbler Acrocephalus agricola

新疆: 7月6日, 鄯善至库尔勒, 14只[MKW et al.]; 8月11日, 阿克苏附近, 1只; 8月17日和8月18日, 博斯腾湖, 分别记录了8只和1只[PH];

Xinjiang: 14 between Shanshan and Korla on 6 July [MKW et al.]; one near Matan south of Aksu on 11 August; eight & one at Bosten Hu on 17th & 18 August respectively [PH].

# 0956# 远东苇莺 Manchurian Reed Warbler Acrocephalus tangorum VU

吉林: 10月7日, 通榆向海自然保护区, 1只[PH];

河北: 5月21日,北戴河新开河口, 3只[BB et al.], 5月14日和20日,分别是1只和3只 [PH et al.]; 10月3日,乐亭京唐港,3只[ZLi];

Jilin: One at Xianghai NR, Tongyu on 7 October [PH].

Hebei: One, three & three at Xinkaihe Reservoir, Beidaihe on 14th, 20th & 21 May respectively [PH et al. & BB et al.]; three at Jingtanggang, Laoting on 3 October [ZLi].

### 0957# 钟翅苇莺 Blunt-winged Warbler Acrocephalus concinens

河北: 5月18日,秦皇岛祖山森林公园,1只[PH et al.];

上海: 5月3日、5月26日、6月4日、崇明东滩,分别有2只、4只、1只环志的个体 [GXJ],上海新记录;

Hebei: One territorial bird on Old Peak FP, Qinhuangdao on 18 May [PH et al.].

Shanghai: Two, four & one were banded at Chongming Dao, Dongtan on the 3 May, 26 May and 4 June respectively [GXJ]. These were the first records for Shanghai.

# 0958# 芦苇莺 Eurasian Reed Warbler Acrocephalus scirpaceus

新疆: 7月6日, 鄯善至库尔勒, 2只[MKW et al.]; 7月30日, 乌鲁木齐, 5只; 8月9日, 阿图什托卡额依水库, 2只; 8月20日, 博斯腾湖, 2只, 8月18日, 库尔勒东南的菜窝铺湖, 5只[PH];

Xinjiang: Two between Shanshan and Korla on 6 July [MKW et al]; five at Urumqi on the 30 July; two at Tuokaeyi Reservoir, Artux on 9 August; two at Bosten Hu on 20 August; five at Caiwopu Hu southeast of Korla on 18 August [PH].

# 0959# 布氏苇莺 Blyth's Reed Warbler Acrocephalus dumetorum

新疆: 7月3日, 北屯至青河, 1只[MKW et al.]; 8月9日, 喀什附近, 3只[PH];

Xinjiang: One between Beitun and Qinghe on 3 July [MKW et al.]; three at Tuokaeyi Reservoir near Kashi on 9 August [PH].

### 0960# 大苇莺 Great Reed Warbler Acrocephalus arundinaceus

新疆: 4月23日, 昌吉五家渠青格达湖, 20只[GJun]; 7月3日, 北屯至青河, 20只 [MKW et al.]; 8月11日, 阿克苏附近, 3只, 8月20日, 博斯腾湖, 3只[PH];

Xinjiang: 20 at Qinggedahu, Wujiaqu, Changji on 23 April [GJun]; 20 between Beitun and Qinghe on 3 July [MKW et al.]; three near Aksu on 11 August; three at Bosten Hu on 20 August [PH].

### 0961# 东方大苇莺 Oriental Reed Warbler Acrocephalus orientalis

北京,福建,广东,河北,辽宁,青海,山东,山西,上海,天津,浙江有记录:

辽宁: 6月14日, 丹东鸭绿江湿地保护区, 200只[BQQ];

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是: 5月20日,乐亭快乐岛,30只[BB et al.];

北京: 5月8日, 顺义汉石桥, 1只, 最早的记录[LHY]; 5月29日, 昌平沙河水库, 100只[WJ]; 8月27日, 1只, 最晚的记录[LHY];

上海: 5月2日, 崇明东滩, 100只[GJ]; 5月26日, 200只[YZD]; 6月16日, 奉贤五四农场, 100只[YZD]; 8月13日, 崇明东滩, 1只[QH];

浙江: 4月25日, 杭州江滨, 1只[QH]; 10月16日, 1只[ZhuY];

Liaoning: 200 at Yalu Jiang Wetland NR, Dandong on 14 June [BQQ]

Hebei: Several migration records at Beidaihe and Happy Island. The largest count was 30 on Happy Island, Laoting on 20 May [BB et al.].

Beijing: One at Hanshiqiao, Shunyi County on 8 May [LHY] was the first of the year in the Capital area while 100 at Shahe Reservoir, Changping on 29 May [WJ] was the highest count. The latest report of the year was one on 27 August [LHY].

Shanghai: 100 at Dongtan, Chongming Island on 2 May [GJ] & 200 there on 26 May [YZD]; 100 at The Wusi Farm, Fengxian on 16 June [YZD]; one at Dongtan, Chongming Island on 13 August [QH].

Zhejiang: One at Jiangbin, Hangzhou on 25 April [OH]; one on 16 October [ZhuY].

Reports were also received from Fujian, Guangdong, Jilin, Qinghai, Shandong & Tianjin.

# 0963# 厚嘴苇莺 Thick-billed Warbler Acrocephalus aedon

北京, 广西, 河北, 河南, 山西, 天津有记录

北京: 5月29日, 昌平沙河水库, 1只[WJ]; 8月27日, 延庆野鸭湖, 1只[ZLi];

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是:5月13日,秦皇岛北戴河,50只[WRO]:

Beijing: One at Shahe Reservoir, Changping on 29 May [WJ]; one at Wild Duck Lake, Yanqing on 27 August [ZLi].

Hebei: Several migration records at Beidaihe and Happy Island. The largest count was a remarkable 50 at Beidaihe, Oinhuangdao on 13 May [WRO].

Reports were also received from Guangxi, Henan, Shanxi and Tianjin.

# 0965# 赛氏篱莺 Sykes's Warbler Hippolais rama

新疆: 8月3日, 喀什附近, 8只[PH]; 8月2日, 喀什东南部, 6只[PH].

Xinjiang: Six southeast of Kashi (near Ciytla & Aral Reservoir) on 2 August; eight west of Kashi on 3 August [PH].

# 0967# 金头缝叶莺 Mountain Tailorbird Orthotomus cuculatus

广西: 1月21日, 靖西底定保护区, 2只[JAW];

云南: 3月22日, 高黎贡山百花岭, 5只[MK & RWL];

Guangxi: Two at Diding NR, Jingxi on 21 January [JAW].

Yunnan: One near Baihualing, Gaoligongshan on 22 March [MK & RWL].

# 0968# 长尾缝叶莺 Common Tailorbird Orthotomus sutorius

广东,广西,贵州,西藏,云南有记录:

西藏: 5月28日, 林芝墨脱, 3只[ZGF];

广东: 12月10日, 广州广东树木公园, 14只[WXL];

广西: 9月15日, 龙州弄岗保护区, 50只[LZY];

贵州: 3月11日, 惠水百鸟河, 1只 [YL];

云南: 7月25日, 个旧绿水河, 20只[WC]; 12月8日, 中科院热带植物园, 18只[SXL];

There were records in Guangdong, Guangxi, Guizhou, Tibet and Yunnan. High counts or important records included:

Tibet: Three at Motuo, Linzhi on 28 May [ZGF].

Guangdong: 14 at Shumu Park, Guangzhou on 10 December [WXL].

Guangxi: 50 at Nonggang NR, Longzhou on 15 September [LZY].

Guizhou: Singles at Bainiaohe, Huishui on 11 March[YL].

Yunnan: 20 at Lushuihe, Gejiu on 25 July [WC]; 18 at Tropical BG of Chinese Academy of Sciences on 8 December [SXL].

# 0970# 花彩雀莺 White-browed Tit Warbler Leptopoecile sophiae

甘肃: 1月23日, 兰州大学榆中校区, 4只[ZLY];

青海: 9月21-22日,黑玛河附近,分别6只和4只;9月25日,互助北山,4只[PH et al.] 四川:5月3日,若尔盖郎木寺,8只[ZMH];6月27日,卧龙巴朗山垭口,1只[PH et al.];7月1日,鹧鸪山,6只[PH et al.]和12月4日,理县鹧鸪山,8只[SY];7月3日,若尔盖和九寨沟之间的巴西路上,2只[PH et al.];

西藏: 7月27日, 布达拉宫, 2只[TS]; 12月21日, 日喀则地区, 34只[ZGF];

Gansu: Four at Lanzhou University on 23 January [ZLY].

Qinghai: Six & four near Heimahe on 21st & 22 September respectively; four at Huzhu Beishan on 25 September [PH et al.].

Sichuan: Eight at Langmusi, Ruoergai on 3 May [ZMH]; one at the Balangshan Pass, Wolong on 27 June [PH et al.]; six & eight at Zhegushan on 1 July [PH et al.] & 4 December [SY] respectively; two on Baxi road between Ruoergai & Jiuzhaigou on 3 July [PH et al.].

Tibet: Two at Potala Palace on 27 July [TS];34 at Rikaze on 21 December [ZGF].

# 0971# 凤头雀莺 Crested Tit Warbler Leptopoecile elegans

内蒙古: 7月10日, 贺兰山南寺, 1雄[BA];

青海: 7月18日, 大通东峡林场, 6只[ZJ]; 7月23日, 班玛玛可河林场, 6只[WQ];

Qinghai: Six at Dongxia FF, Datong on 18 July [ZJ]; six at Makehe FF, Banma on 23 July [WQ].

Nei Mongol: One male at Nan Si. Helanshan on 10 March [BA].

# 0972# 叽咋柳莺 Common Chiffchaff Phylloscopus collybita

青海: 6月10日, 格尔木, 3只[JH];

新疆: 7月25日, 阿勒泰克兰河谷, 2只[GJun];

Xinjiang: Two at Altaykelanhegu on 25 July [GJun].

Qinghai: Three at Golmud on 10 June[JH].

# 0973# 东方叽咋柳莺 Mountain Chiffchaff Phylloscopus sindianus

新疆: 8月7日和8月8日, 塔什库尔干周边, 分别10只和1只[PH];

Xinjiang: Ten & one in and around Taxkorgan on 7 & 8 August respectively [PH].

### 0975# 褐柳莺 Dusky Warbler Phylloscopus fuscatus

黑龙江: 5月7日, 伊春带岭北山, 6只[LJY]; 10月2日, 带岭永翠河, 5只[WXL];

北京: 4月21日, 北京大学, 2只[ZAH]; 5月12日, 10只[ZAH]; 9月28日, 天坛, 10只[WRQ]; 10月22日, 野鸭湖, 1只[WRQ];

河北:秦皇岛北戴河:5月13日和20日,都有20只[WRQ和PH et al.];9月17日,10只

[LS]; 10月5日, 10只[WRQ]和10月1日, 40只[PH et al.];

河南: 12月3日, 罗山董寨保护区, 6只[ZMH;

江苏: 12月13日, 射阳盐城珍禽保护区, 1只[YLi];

湖北: 2月19日, 黄梅龙感湖, 3只[CLiang];

广东: 1月16日, 南昆山自然保护区, 10只[YHY]; 4月15日, 深圳, 1只[ZGF];

此外,四川也有记录。

Heilongjiang: Six at Dailing, Yichun on 7 May [LJY]; five at Yongcuihe, Dailing on 2 October [WXL];

Beijing: Two at Beijing University on 21 April & 10 there on 12 May [ZAH]; 10 at Tiantan on 28 September [WRQ]; one at Wild Duck Lake on 22 October [WRQ].

Hebei: At Beidaihe there were 20 on both 13th [WRQ] & 20 May [PH et al.] while in autumn there were 10 on both 17 September [LS] & 5 October [WRQ] & 40 on 1 October [PH et al.].

Henan: Six at Dongzhai NR, Luoshan on 3 December [ZMH].

Jiangsu: One at Yancheng NR, Sheyang on 13 December [YLi].

Hubei: Three at Longganhu, Huangmei on 19 February [CLiang].

Anhui: Three at Tanjiaqiao, Huangshan on 1 February [YZD].

Guangdong: 10 at Nankunshan NR, Panyu on 16 January [YHY]; one at Shenzhen city on 15 April [ZGF].

Reports were also received from Sichuan.

# 0976# 烟柳莺 Smoky Warbler Phylloscopus fuligiventer

新疆: 7月14日, 喀什至塔什库尔干, 1只[MKW et al.];

Xinjiang: One between Kashi and Taxkorgan on 14 July [MKW et al.]

### 0977# 黄腹柳莺 Tickell's Leaf Warbler Phylloscopus affinis

贵州,青海,四川,西藏有记录:

青海: 7月29日, 青海湖, 20只[FZ]; 7月28日, 橡皮山, 30只[WQ];

四川: 1月31日,峨眉山, 1只[DK]; 6月26日 – 30日,卧龙, 有3天3只或4只, 7月1日,鹧鸪山垭口, 10只, 7月3日,若尔盖和九寨沟之间的巴西路上,6只[PH et al.]; 10月23日,康定新都桥, 1只[DK];

西藏: 5月8日, 哲蚌寺, 3只[DJT]; 10月3日, 日喀则羊卓雍措, 2只[LZY];

云南: 3月26日, 瑞丽莫里森林公园, 4只[MK & RWL];

贵州: 2月27日, 贵阳金华湖 2只, 这是贵州的第一笔记录[YL];

Qinghai: 20 at Koko Nur on 29 July [FZ]; 30 at Rubber Mountain on 28 July [WQ].

Sichuan: One at Emei Shan on 31 January [DK]; three or four on three dates at Wolong 26-30 June; 10 on Zhegushan Pass on 1 July; six on Baxi road between Ruoergai & Jiuzhaigou on 3 July [PH et al.]; one at Xinduqiao, Kangding on 23 October [DK].

Tibet: Three at Zhebangsi on 8 May [DJT]; two at Rikaze on 3 October [LZY].

Guizhou: Two at Jinhuahu, Guiyang on 27 February [YL]. This was the first record for Guizhou.

Yunnan: Four at Moli FP, Ruili on 26 March [MK & RWL].

# 0978# 棕腹柳莺 Buff-throated Warbler Phylloscopus subaffinis

陕西: 5月23日, 5月24日, 6月3日, 太白山森林公园, 各1只[PH];

四川: 3月29日,成都大熊猫繁殖基地,5只[SY];

云南: 3月23日, 高黎贡山百花岭, 100只[MK & RWL], 10月15日, 丽江老君山, 20只 [JHo & JW]; 12月30日, 高黎贡山百花岭, 10只[PH];

Shaanxi: Singles at Taibaishan FP on 23 & 24 May & 3 June [PH et al.].

Sichuan: Five at the Giant Panda Breeding Centre, Chengdu on 29 March [SY] were unusually low. Elsewhere birds were also reported from summit of Emei Shan & Balangshan Pass, Wolong NR.

Yunnan: 100 near Baihualing, Gaoligongshan on 23 March [MK & RWL]; 20 at Laojunshan, Lijiang on 15 October [JHo & JW]; ten at Baihualing, Gaoligongshan on 30 December [PH].

### 0979# 灰柳莺 Sulphur-bellied Warbler Phylloscopus griseolus

新疆: 5月1日,和静巴轮台,1只[GJun],7月30日,尼勒克喀什河河谷,5只[GJun],8月6日,喀什到塔什库尔干途中,2只,8月16日,库尔勒附近,1只[PH];

Xinjiang: One at Baluntai, Hejing on 1 May [GJun]; five at Kashi River Valley, Nilka on 30 July [GJun]; two between Kashi and Taxkorgan on 6 August; one north of Korla on 16 August [PH].

# 0980# 棕眉柳莺 Yellow-streaked Warbler Phylloscopus armandii

北京,河北,青海,四川,西藏,内蒙古有记录:

河北: 5月18日,祖山森林公园,2只和5月31日,兴隆雾灵山自然保护区,1只[PH et al.],内蒙古:7月9-10日,贺兰山自然保护区和南寺普遍易见[BA];

陕西: 6月7日,太白山森林公园,4只[PH et al.];5月23日-24日,分别3只和1只[PH et al.]

青海: 7月18日, 大通东峡林场, 20只[ZJ];

西藏: 5月21日, 拉萨哲蚌寺, 20只[DJT];

Hebei: Two on Old Peak FP on 18 May; one at Wulingshan NR, Xinglong on 31 May [PH et al.].

Shaanxi: Three, one & four at Taibaishan FP on 23rd & 24 May & 7 June [PH et al.].

Qinghai: 20 at Dongxia FF, Datong on 18 July [ZJ].

Tibet: 20 at Zhebangsi, Lhasa on 21 May [DJT].

Nei Mongol: Common at Nan Si and Helanshan NR on 9-10 March [BA].

Reports were also received from Beijing & Sichuan.

# 0981# 巨嘴柳莺 Radde's Warbler Phylloscopus schwarzi

北京,广东,广西,河北,上海,四川,江西有记录。

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是:5月13日,乐亭快乐岛,20只[BB et al.];

北京: 6月18日,延庆松山保护区,1只[LiX];

江西: 10月31-11月2日, 九连山自然保护区, 23只[RWL];

广东: 11月24日, 广州帽峰山, 1只[PYS];

四川: 6月18日, 康定丹巴, 1只[CLiang];

Hebei: Several migration records at Beidaihe and Happy Island. The largest count was 20 on

Happy Island, Laoting on 13 May [BB et al.].

Beijing: One at Songshan NR, Yanging on 18 June [LiX].

Jiangxi: 23 at Jiulianshan NR on 31 October-2 November [RWL].

Guangdong: One at Maofengshan, Guangzhou on 24 November [PYS].

Sichuan: One at Danba, Kangding on 18 June [CLiang].

Reports were also received from Guangxi & Shanghai.

# 0982# 橙斑翅柳莺 Buff-barred Warbler Phylloscopus pulcher

陕西,青海,四川,西藏,云南有记录:

陕西: 5月24日-6月10日, 太白山森林公园, 2-5只[BA, PH et sl.];

西藏: 5月20日,日喀则地区,50只[DJT];5月26日,林芝八一,40只[DJT];5月28日,墨脱,40只[ZGF];7月2日,日喀则地区,17只[ZGF];7月23日,林芝地区,20只[ZGF];7月27日,芒康周边,20只[ZGF];12月21日,日喀则地区,41只[ZGF];

四川: 6月20日 - 25日,峨眉山,共计19只,6月26日 - 30日,卧龙共计10只,7月1只,鹧鸪山垭口,15只,7月3日,若尔盖和九寨沟之间的巴西路上,10只,7月5日,九寨沟,20只[PH et al.];

云南: 10月1日,大理苍山,1只[WC]; 12月29日 -31日,高黎贡自然保护区,百花岭每日5只 -10只之间[PH et al.];

Shaanxi: Between two & five at Taibaishan FP during 24 May- 10 June [BA, PH et al.].

Tibet: 50 at Rikaze on 2 July [DJT];40 at Bayi, Linzhi on 26 May [DJT]; 40 at Motuo on 28 May [ZGF]; 17 at Rikaze on 2 July [ZGF]; 20 at Linzhi on 23 July [ZGF]; 20 at Zhoubian, Mangkang on 27 July [ZGF]; 41 at Rikaze on 21 December [ZGF].

Sichuan: Up to 19 on Emei Shan during 20-25 June; up to 10 at Wolong during 26-30 June; 15 on Zhegushan Pass on 1 July; 10 on Baxi road between Ruoergai & Jiuzhaigou on 3 July. 20 at Jiuzhaigou on 5 July [PH et al.].

Yunnan: One at Cangshan, Dali on 1 October [WC]; between five & 10 daily at Baihualing, Gaoligong NR 29-31 December [PH].

Reports were also received from Qinghai.

### 0983# 灰喉柳莺 Ashy-throated Warbler Phylloscopus maculipennis

四川, 西藏, 云南有记录。

四川: 6月22日和23日, 峨眉山, 各2只[PH];

西藏: 12月21日, 日喀则地区, 22只[ZGF];

云南: 12月29-31日, 高黎贡山百花岭, 8-15只[PH];

Sichuan: Two at Emei Shan on 22nd & 23 June [PH et al.].

Tibet: 22 at Rikaze on 21 December [ZGF].

Yunnan: Between 8 & 15 at Baihualing, Gaoligongshan during 29-31 December [PH et al.].

# 0984# 黄腰柳莺 Pallas's Leaf Warbler Phylloscopus proregulus

北京,福建,广东,广西,贵州,河北,河南,黑龙江,湖北,江苏,江西,辽宁,山东,上海,四川,天津,香港,云南,浙江,重庆有记录。

黑龙江: 伊春带岭夏候鸟,最早记录5月7日, 北山 4只[LJY]; 最晚记录10月2日, 带岭永翠河,10只[WXL];

河北: 5月13日, 乐亭快乐岛和捞鱼尖地区, 200只[PH et al.]和5月14日, 秦皇岛北戴河, 20只[WJ], 这么大数量对于这个季节而言有点晚;

江苏: 12月10日, 江浦老山林场, 20只[ZYu];

广西: 11月26日,柳州沙塘君武森林公园,31只[YDH];

贵州: 10月22日, 平塘掌布, 20只[YL];

Heilongjiang: Noted as a summer breeder at Dailing, Yichun were four on 7 May [LJY] was the earliest record and 10 on 2 October [WXL] was the latest.

Hebei: 200 in the Happy Island/Laoyujian area, Laoting on 13 May [PH et al.] & 20 at Beidaihe, Qinhuangdao on 14 May [WJ] was late in the season for so many.

Jiangsu: 20 at Laoshan FF, Jiangpu on 10 December [ZYu].

Guangxi: 31 at Junwu FP, Shatang, Liuzhou on 26 November [YDH].

Guizhou: 20 at Zhangbu, Pingtang on 22 October [YL].

Reports were also received from Beijing, Fujian, Guangdong, Henan, Hubei, Jiangxi, Liaoning, Shandong, Shanghai, Tianjin,, Yunnan, Zhejiang & Chongqing.

# 0985.1# 淡黄腰柳莺 Sichuan Leaf Warbler Phylloscopus forresti

[Martens et al. (2004) 依据分子生物学和声学的证据,讨论了亚洲地区黄腰柳莺类 (*P. proregulus s.l.*) 的系统演化和分类。文中认为*Phylloscopus chloronotus* 的亚种*simlaensis* 和*chloronotus*应为独立种,"*chloronotus*" 学名更改为"*Phylloscopus forresti*",中文名暂不变,英文名变为Sichuan Leaf Warbler。有兴趣的鸟友可以阅读原始文献及Rheindt (2006) 在BirdingAsia上的综述。]

陕西: 5月28日,太白山森林公园,1只[BA];

四川: 6月底至7月初,于峨眉山、卧龙、若尔盖、九寨沟有普遍记录[PH];

云南: 12月29-30日, 高黎贡山百花岭, 分别1只和8只[PH];

Note that this species is now spilt from Lemon-rumped Warbler *Phylloscopus chloronotus*.

Shaanxi: One at Taibaishan FP on 28 May [BA].

Sichuan: Reported as common at Emei Shan (up to 30 birds daily), Wolong (up to 15 birds daily), Ruoergai (five on Zhegushan Pass on 1 July) & Jiuzhaigou (up to 15 birds daily) during late June to early July [PH et al.].

Yunnan: One & eight at Baihualing, Gaoligongshan on 29th & 30 December respectively [PH].

0986# 甘肃黄腰柳莺 Gansu Leaf Warbler Phylloscopus kansuensis

青海: 7月18日, 大通东峡林场, 10只[ZJ]; 9月25-27日, 互助北山, 4只和6只之间[PH et al.];

Qinghai: 10 at Dongxia FF, Datong on 18 July [ZJ]; between four & six birds at Huzhu Beishan between 25-27 September [PH et al.].

0987# 云南柳莺 (四川柳莺) Chinese Leaf Warbler Phylloscopus yunnanensis

北京,河北,湖北,四川,西藏,重庆,陕西,云南有记录:

河北: 5月7日, 北戴河, 1只[PH et al.]; 5月10日, 乐亭快乐岛, 1只[BB et al.]; 5月19日, 秦皇岛祖山森林公园, 3只[PH et al.]; 5月31日, 兴隆雾灵山20只[PH et al.];

北京: 7月2日,门头沟区百花山,10只[LHY];

陕西: 5月28日, 太白山2200米以上常见[BA]:

云南: 12月29日, 高黎贡山百花岭, 听到1只[PH]:

四川:6月底至7月初,于峨眉山、卧龙、若尔盖、九寨沟有零星记录[PH];7月3日,若尔盖和九寨沟之间的巴西路上,20只[PH et al.];10月22日,汶川卧龙自然保护区3只[LS];

西藏: 5月15日, 林芝察隅, 2只, 西藏新记录[DJT];

Hebei: One at Beidaihe on 7 May [PH et al.]; one at Happy Island, Laoting on 10 May [BB et al.]; three territorial birds at Old Peak FP, Qinhuangdao on 19 May [PH et al.]; 20 at Wulingshan, Xinglong on 31 May [PH et al.].

Beijing: Ten at Baihuashan, Mentougou on 2 July [LHY].

Sichuan: Small numbers were recorded at Emei Shan, Wolong & Jiuzhaigou during late June to early July. In addition there were 20 on the Baxi road between Ruoergai & Jiuzhaigou on 3 July [PH et al.]; three at Wolong NR, Wenchuan on 22 October [LS].

Shaanxi: Very common (with up to 30 birds per day) from above 1710 to at least 3170 metres at Taibaishan FP during late May-early June May [PH et al., BA].

Yunnan: One heard at Baihualing, Gaoligongshan on 29 December [PH].

Tibet: Two at Chayu, Linzhi on 15 May. The first record for Tibet [DJT].

Reports were also received from Hubei & Chongqing.

### 0988# 黄眉柳莺 Yellow-browed Warbler Phylloscopus inornatus

黑龙江:夏候鸟,最早的记录5月7日, 伊春带岭北山,10只[LJY];最晚记录10月2日,带岭永翠河,10只[WXL];

北京: 11月23日, 大兴麋鹿苑, 1只[HXR];

河北:秦皇岛北戴河: 5月3日,1只[LHY];5月4日,35只[HP];5月9日,秦皇岛北戴河,100只[PH et al.];10月5日,1只[WRQ];

河南: 4月12日, 信阳鸡公山, 30只[LY]; 12月3日, 罗山董寨保护区, 1只[ZMH];

江苏: 2月11日, 常熟虞山国家森林公园, 1只[ZMH];

广西: 11月26日, 沙塘君武森林公园, 26只[YDH];

海南: 11月9日, 昌江霸王岭, 102只[WJY]; 11月12日, 东方大田保护区, 50只[WJY];

江西: 10月30-11月2日, 九连山自然保护区, 37只[RWL];

云南在冬季也有记录。

Heilongjiang: Noted as a summer breeder at Dailing, Yichun where 10 on 7 May [LJY] was the earliest record and 10 on 2 October [WXL] the latest.

Beijing: One at Miluyuan, Daxing on 23 November [HXR] was late for so far north.

Hebei: Beidaihe, Qinghuangdao: one on 3 May[LHY], 35 on 4 May[HP], One on 5 October[WRQ] and 100 at Beidaihe, Qinhuangdao on 9 May [PH et al.].

Henan: 30 at Jigongshan, Xinyang on 12 April [LY]; one at Dongzhai NR, Luoshan on 3 December [ZMH].

Jiangsu: One at Yushan National FP, Changshu on 11 February [ZMH].

Guangxi: 26 at Junwu FP, Shatang on 26 November [YDH].

Hainan: 102 at Bawangling, Changjiang on 9 November [WJY]; 50 at Datian NR, Dongfang on 12 November [WJY].

Jiangxi: 37 at Jiulianshan NR between 30 October-2 November [RWL].

Also reported from Yunnan in winter.

# 0989# 淡眉柳莺 Hume's Warbler Phylloscopus humei

北京,河北,青海,四川,西藏,新疆有记录。

亚种*mandellii*:

北京: 6月12日, 白草畔森林公园, 常见种[LiX];

河北: 5月28日, 兴隆雾灵山保护区, 优势种[LHY], 5月13日, 30只[PH et al.]

四川: 7月1日, 鹧鸪山垭口, 4只; 7月3日, 若尔盖到九寨沟路上在巴西, 10只; 7月5日, 九寨沟, 8只[PH]; 7月23日, 崇州鞍子河自然保护区, 10只[SY];

陕西: 5月28日, 太白山2270米以上常见[BA];

内蒙古: 7月9-10日, 贺兰山自然保护区和南寺普遍易见[BA];

青海: 9月23日, 茶卡附近, 1只迁徙, 9月25日-27日, 互助北山, 每日有1只或2只[PH et al.];

西藏: 5月20日, 林芝地区 15只, 为西藏新记录[DJT];

亚种humei:

新疆: 7月4日, 青河至北屯, 2只[MKW et al.]; 7月24日, 北屯额尔齐斯河谷, 2只 [GJun];

Race mandellii:

Beijing: Common at Baicaopan FP on 12 June [LiX].

Hebei: Abundant at Wulingshan NR, Xinglong in late May-early June [LHY]. Counts included 30 there on 31 May [PH et al.].

Sichuan: Four on Zhegushan Pass on 1 July; ten on Baxi road between Ruoergai & Jiuzhaigou on 3 July; eight at Jiuzhaigou on 5 July [PH et al.]; 10 Anzihe NR, Chongzhou on 23 July [SY]. Shaanxi: Very common above 2270 metres at Taibaishan FP during late May & early June [PH et al., BA].

Nei Mongol: Common at NR and Nan Si, Helanshan on 9-10 March [BA].

Qinghai: One migrant near Chaka on 23 September; one or two birds daily at Huzhu Beishan 25-27 September [PH et al.].

Tibet: 15 at Linzhi on 20 May [DJT]. The first record for Tibet.

Race humei:

Xinjiang: Two between Qinghe and Qitai on 4 July [MKW et al.]; two at Ertix river valley, Beitun on 24 July [GJun].

# 0990# 极北柳莺 Arctic Warbler Phylloscopus borealis

安徽、北京、广东、广西、贵州、河北、黑龙江、湖北、江苏、江西、青海、上海、

四川, 天津, 云南, 浙江, 重庆有记录。

黑龙江: 5月7日, 伊春带岭北山, 2只[LJY];

北京: 5月21日, 圆明园, 30只[WRQ]; 5月22日, 怀柔怀沙河, 20只[LHT];

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是:9月16日,乐亭祥云林场,15只[CLiang];

Heilongjiang: Two at Dailing, Jiangyichun on 7 May [LJY] were very early.

Beijing: 30 at Yuanmingyuan on 21 May [WRQ]; 20 at Huaishahe, Huairou on 22 May [LHT].

Hebei: Numerous reports of migrants at Beidaihe and Happy Island. The largest autumn count in the province was 15 at Xiangyun FF, Laoting on 16 September [CLiang].

Records were also received from Anhui, Guangdong, Guangxi, Guizhou, Hubei, Jiangsu, Jiangxi, Jilin, Qinghai, Shanghai, Sichuan, Tianjin, Yunnan, Zhejiang & Chongqing.

### 0991# 暗绿柳莺 Greenish Warbler Phylloscopus trochiloides

亚种viridanus

新疆: 7月30日, 尼勒克喀什河河谷, 4只 [GJun];

亚种obscuratus:

陕西,青海,四川,西藏有记录。

陕西: 5月底至6月初,太白山下板寺以上常见[PH et al.,BA];

四川: 6月底至7月初,于峨眉山、卧龙、若尔盖、九寨沟有普遍记录[PH];

青海: 7月25日, 班玛玛可河林场, 30只[WQ]; 7月18日, 大通东峡林场, 10只[ZJ];

西藏: 5月28日, 墨脱, 10只[ZGF];

Race viridanus

Xinjiang: Four at Kashi, Valley, Nilka on 30 July [GJun].

Race obscuratus:

Shaanxi: Very common (up to 30 birds per day) above 2450 metres & Xiabansi, Taibaishan FP during late May and early June [PH et al., BA].

Sichuan: Reported as common at Emei Shan (with up to 10 birds daily), Wolong (up to 10 birds daily), Ruoergai (15 on Zhegushan Pass on 1 July & 10 on Baxi road between Ruoergai & Jiuzhaigou on 3 July) & Jiuzhaigou (12 in Primeval Forest on 5 July) during late June to early July [PH et al.].

Qinghai: 30 at Makehe FF, Banma on 25 July [WQ]; 10 at Dongxia FF, Datong on 18 July [ZJ]; Tibet: 10 at Motuo on 28 May [ZGF].

# 0992# 双斑绿柳莺 Two-barred Warbler Phylloscopus plumbeitarsus

北京广西,海南,河北,四川,云南有记录。

北京: 5月22日, 怀柔怀沙河, 1只[LHT]; 5月22日, 朝阳温榆河, 10只[BA]; 9月28日, 天坛, 1只[WRQ];

河北: 北戴河及快乐岛有多笔迁徙记录,数量最大的是: 5月19日,乐亭快乐岛,30只 [BB et al.];

四川: 9月16日, 理县孟屯, 2只[SY];

广西: 12月11日, 广西大学, 2只[JAW];

云南: 2月6日, 开远泸江公园附近农田, 8只[LYang];

海南: 11月12日, 东方大田保护区, 2只[WJY];

Hebei: Several migration records at Beidaihe and Happy Island. The largest count was 20 on Happy Island, Laoting on 19 May [BB et al.].

Beijing: One at Huaishahe, Huairou on 22 May [LHT]; 10 at Wenyu River, Chaoyang District on 22 May [BA]; one at Tiantan on 28 September [WRQ].

Sichuan: Two at Mengtun, Li county on 16 September [SY].

Guangxi: Two at Guangxi University on 11 December [JAW].

Yunnan: Eight at Lujiang Park, Kaiyuan on 6 February [LYang] was an exceptional winter report.

Hainan: Two at Datian NR, Dongfang on 12 November [WJY].

# 0993.1# 淡脚柳莺(灰脚柳莺) Pale-legged Warbler Phylloscopus tenellipes

河北: 在北戴河和快乐岛有几个迁徙记录,最大数目是5月17日,北戴河,13只[PH et al.];和5月19日,乐亭快乐岛,20只[BB et al.];

江苏: 12月6日, 南京幕府山, 1只[ZYu];

上海: 5月2日, 崇明东滩, 1只[GJ];

广东: 4月3日, 广州中山大学, 1只[YHY]; 9月18日, 1只[YHY];

海南: 11月12日,东方大田保护区,3只[LJY];11月25日,昌江霸王岭自然保护区,4 只[JHo & JW];

Hebei: Several migration records at Beidaihe and Happy Island. The largest counts were 13 at Beidaihe on 17 May [PH et al.] & 20 on Happy Island, Laoting on 19 May [BB et al.].

Jiangsu: One at Mufushan, Nanjing on 6 December [ZYu].

Shanghai: One at Dongtan, Chongming Island on 2 May [GJ].

Guangdong: One at Zhongshan University, Guangzhou on 3 April [YHY]; one at Zhongshan University, Guangzhou on 19 September [YHY].

Hainan: Three at Datian NR on 12 November [LJY]; four at Bawangling NR on 25 November [JHo & JW].

### 0993.2# 日本淡脚柳莺 Sakhalin Leaf Warbler Phylloscopus borealoides

浙江: 4月30日-5月3日,嵊泗县大洋山岛,多笔记录,为浙江新记录同时为中国大陆罕见的记录[BP];

Zhejiang: Several individuals were recorded at Dayangshan Dao, Chengsi county between 30 April and 3 May [BP]. These are the first records for Zhejiang province. This species is a rare, and undoubtedly over-looked. migrant in coastal Mainland China.

### 0994# 乌嘴柳莺 Large-billed Leaf Warbler Phylloscopus magnirostris

河北,湖北,青海,四川,陕西,西藏有记录。

河北:5月31日,兴降雾灵山自然保护区,1只[PH];

湖北:7月19日,神农架自然保护区,4只[YZD];

陕西: 5月底至6月初,太白山1560-2360米之间常见[PH et al.,BA];

四川: 6月底至7月初,于峨眉山、卧龙、若尔盖、九寨沟有多只记录[PH et al.];

青海: 7月25日, 班玛玛可河林场, 30只[WQ];

西藏: 5月15日, 察隅, 16只[DJT]; 5月28日, 墨脱, 93只[ZGF];

Hebei: One at Wulingshan NR, Xinglong on 31 May [PH et al.].

Hubei: Four at Shennongjia NR on 19 July [YZD].

Shaanxi: Common, with up to 25 birds per day, between 1560-2360 metres at Taibaishan FP during late May & early June [PH et al., BA].

Sichuan: Reported as fairly common at Emei Shan (up to 13 birds daily), Wolong (up to 15 birds daily), Ruoergai (two near base of Zhegushan Pass on 1st & five on Baxi road on 3 July) & Jiuzhaigou (up to five daily) during late June to early July [PH et al.].

Qinghai: Singles at Makehe FF, Banma on 25 July [WQ].

Tibet: 16 at Chayu on 15 May [DJT]; a massive 93 at Motuo on 28 May [ZGF].

### 0995# 冕柳莺 Eastern Crowned Warbler Phylloscopus coronatus

北京, 广东, 河北, 上海, 四川, 浙江, 陕西有记录。

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是: 5月9日,乐亭快乐岛,15只 [BB et al.];

北京: 4月21日, 中国农业大学西区, 3只[WJ]; 6月5日, 八达岭, 3只[PH et al.]; 9月17日, 百望山, 1只[WJ];

广东: 4月3日, 广州中山大学, 1只[YHY]; 10月1日, 肇庆鼎湖山风景区, 1只[XZW];

陕西: 6月5日,秦岭,12只;5月底至6月初,太白山低海拔处常见[PH et al., BA];

Hebei: Several migration records at Beidaihe and Happy Island. The largest count was 15 on Happy Island, Laoting on 9 May [BB et al.].

Beijing: Three at China Agricultural University on 21 April [WJ]; three at Badaling on 5 June [PH et al.]; one at Baiwangshan in the city on 17 September [WJ].

Guangdong: One at Zhongshan University on 3 April [YHY]; one at Dinghushan, Zhaoqing on 1 October [XZW].

Shaanxi: 12 in the Qinling north of Hanzhong on 5 June; fairly common on the lower slopes of Taibaishan FP during late May & early June [PH et al., BA].

Reports were also received from Shanghai, Sichuan & Zhejiang.

### 0997.1# 冠纹柳莺 La Touche's Leaf Warbler Phylloscopus claudiae

陕西: 5月28日, 太白山2100米处, 2只[BA];

河北: 北戴河及快乐岛有多笔迁徙记录,数量最大的是: 5月3日,乐亭快乐岛,5只 [BB et al.]; 5月18日和19日,秦皇岛祖山森林公园,都有20只,5月31日,兴隆雾灵山,30只[PH et al.];

北京: 5月4日,百望山,1只[HD];7月9日,白草畔,6只[ZJ];7月24日,小龙门林场4只[CLiang];

湖北: 4月17日, 大悟仙居顶林场, 30只[LY];

四川: 6月底至7月初,于峨眉山、卧龙、若尔盖、九寨沟有多只记录[PH et al.];

青海: 7月23日, 班玛玛可河林场, 1只[WQ]; 7月18日, 大通东峡林场, 2只[ZJ];

Shaanxi: Not uncommon between 1560-2100 metres at Taibaishan FP during late May-early June [PH et al., BA].

Hebei: Several migration records at Beidaihe and Happy Island. The largest counts were

five on Happy Island, Laoting on 3 May [BB et al.]; 20 territorial birds at Old Peak FP, Oinhuangdao on both 18th & 19 May; 30 at Wulingshan, Xinglong on 31 May [PH et al.].

Beijing: One at Baiwangshan on 4 May [HD]; six at Baicaopan on 9 July [ZJ]; four at Xiaolongmen FF on 24 July [CLiang].

Hubei: 30 at Xianjuding FF, Dawu on 17 April [LY].

Sichuan: Reported as fairly common at Emei Shan (up to 15 birds daily), Wolong (up to 10 birds daily) & Jiuzhaigou (up to six daily) during late June to early July. Also two on Baxi road between Ruoergai & Jiuzhaigou on 1 July [PH et al.].

Qinghai: One at Makehe FF, Banma on 23 July [WQ]; two at Dongxia FF, Datong on 18 July [ZJ].

# 0997.2# 华南冠纹柳莺 Goodson's Leaf Warbler Phylloscopus goodsoni

江西: 4月8-10日, 铅山武夷山自然保护区, 易见[BA];

广西: 12月11日, 广西大学, 2只[JAW];

海南: 11月17日, 乐东尖峰岭保护区, 1只[LQX];

Jiangxi: Common at Wuyishan NR, Yanshan on 8-10 April [BA].

Guangxi: Two at Guangxi University on 11 December [JAW].

Hainan: One at Jiangfengling NR, Ledong on 17 November [LQX].

# 0997.3# 西南冠纹柳莺 Blyth's Leaf Warbler Phylloscopus reguloides

西藏: 5月14日, 林芝地区, 10只[DJT]; 5月15日, 林芝察隅, 80只[DJT]; 5月28日, 墨脱, 46只[ZGF], 应该是本种;

Tibet: 10 at Linzhi on 14 May [DJT]; 80 at Chayu, Linzhi on 15 May [DJT]; 46 at Motuo on 28 May [ZGF], thought to be of this species.

# 0998.1 # 白斑尾柳莺Ogilvie-Grant's Leaf Warbler Phylloscopus ogilviegranti

江西: 4月8-10日, 铅山武夷山自然保护区, 听见和看见若干[BA];

陕西: 5月25日-6月8日, 太白山森林公园(海拔1690-2255米), 有2天, 共计8只[PH et all:

四川: 4月22-24日,屏山老君山,10-20只[BA],6月-21日—25日,峨眉山,有3天,1只和4只之间PH et al.];

Jiangxi: A few at Wuyishan NR, Yanshan on 8-10 April [BA].

Shaanxi: Up to eight birds were noted on two dates – 25 May to 8 June (1690-2255 metres) in Taibaishan FP [PH et al.].

Sichuan: 10-20 at Laojunshan, Pingshan between 22-24 April [BA]; between one & four on three days on Emei Shan 21-25 June [PH et al.].

# 0999# 海南柳莺 Hainan Leaf Warbler Phylloscopus hainanus VU

海南: 昌江霸王岭自然保护区: 1月15日, 10只[BA]; 1月27日, 15只[LG]; 8月22日, 3只[YCC]; 11月9日, 12只[WJY]; 12月27日, 25只[LG];

乐东尖峰岭保护区: 3月1日, 2只[YCC]; 11月17日, 2只[LQX];

5月12日, 琼中鹦哥岭青介, 7只[YCC]; 7月4日, 万宁兴隆, 1只[YZD];

Hainan: At Bawangling, Changjiang there were 10 on 15 January [BA], 15 on 27 January [LG], three on 22 August [YCC], 12 on 9 November [WJY] & 25 on 27 December [LG]. While at Jianfengling NR, Ledong there were two on both 1 March [YCC] & 17 November [LQX]. Elsewhere there were seven at Yinggeling, Qiongzhong on 12 May [YCC] & one at Xinglong, Wanning on 4 July [YZD].

### 1000# 黄胸柳莺 Yellow-vented Warbler Phylloscopus cantator

西藏: 5月28日, 林芝墨脱, 32只, 西藏新记录[ZGF]:

云南: 3月26日, 瑞丽莫里森林公园, 1只[MK & RWL];

Tibet: An impressive 32 at Motuo, Linzhi on 28 May. The first record for Tibet [ZGF].

Yunnan: One at Moli FP, Ruili on 26 March [MK & RWL].

### 1001# 黑眉柳莺 Sulphur-breasted Warbler Phylloscopus ricketti

江西: 4月8-10日, 铅山武夷山自然保护区, 4只[BA];

广西: 9月27日, 龙州弄岗保护区, 4只[JAW];

四川: 6月23日, 峨眉山, 1只[PH et al.];

云南: 10月11日, 腾冲和顺侨乡, 1只[XY];

Jiangxi: Four at Wuyishan NR, Yanshan on 8-10 April [BA].

Guangxi: Four at Nonggang NR, Longzhou on 27 September [JAW].

Sichuan: One at Emei Shan on 23 June [PH et al.].

Yunnan: One at Heshunqiaoxiang, Tengchong on 11 October [XY].

### 1002.1# 比氏鹟莺Bianchi's Warbler Seicercus valentini

陕西: 5月底至6月初,太白山2200-2750米之间常见[BA];

江西: 4月8-10日, 铅山武夷山自然保护区, 10只[BA];

四川: 6月底至7月初,于峨眉山、卧龙、若尔盖、九寨沟有普遍记录[PH et al.];

云南: 12月2日, 高黎贡山百花岭, 3只[JH et al.];

Shaanxi: Common between 2200-2700 metres at Taibaishan FP during late May-early June [PH et al., BA].

Jiangxi: Ten at Wuyishan NR, Yanshan on 8-10 April [BA].

Sichuan: Reported as common at higher elevations at Emei Shan (up to 20 birds daily), Wolong (up to 20 birds daily) & Jiuzhaigou (up to 10 birds daily) during late June to early July. Also two on the Zhegushan Pass on 1st & one on Baxi road between Ruoergai & Jiuzhaigou on 3 July [PH et al.].

Yunnan: Three at Baihualing, Gaoligongshan on 2 December [JH et al.].

# 1002.2# 淡尾鹟莺Plain-tailed Warbler (Alström's Warbler)Seicercus soror

陕西: 5月底至6月初,太白山低海拔处常见[BA];

四川: 6月21-25日, 峨眉山, 有3天看见1-8只[PH et al.];

江西: 4月8-10日, 铅山武夷山自然保护区, 1只[BA];

Shaanxi: Common at lower elevations (between 700-1190 metres) at Taibaishan FP during late May-early June [BA].

Sichuan: Between one & eight on three dates at Emei Shan on 21-25 June [PH et al.]. Jiangxi: One at Wuyishan NR, Yanshan on 8-10 April [BA].

# 1002.3# 韦氏鹟莺Whistler's Warbler Seicercus whistleri

西藏: 5月15日, 察隅, 40只[DJT]; 5月28日, 墨脱, 63只[ZGF];

Tibet: 40 at Chayu on 15 May [DJT]; 63 at Motuo on 28 May [ZGF].

### 1002.4# 灰冠鹟莺Grev-crowned Warbler Seicercus tephrocephalus

四川: 4月22-24日, 屏山老君山, 海拔1700-1900m之间常见[BA];

Sichuan: Common along the ridge between 1700-1900 metres at Laojunshan, Pingshan between 22-24 April [BA].

### 1002.5# 峨眉鹟莺Marten's Warbler Seicercus omeiensis

陕西: 5月28日,太白山1800-2200米之间常见[BA],7月23日,峨眉山,雷洞坪到洗象池之间,2只[PH et al.];

Shaanxi: Common between 1800-2200 m at Taibaishan FP on 28 May(identified on basis of trilling song and complete eye-ring unbroken at the rear) [BA]; two between Leidongping & Xixiangchi, Emei Shan on 23 July [PH et al.].

# 1003# 灰头鹟莺 Grey-hooded Warbler Seicercus xanthoschistos

西藏: 5月28日, 林芝墨脱, 3只[ZGF]; 12月21日, 日喀则地区, 11只[ZGF];

Tibet: Three at Motuo, Linzhi on 28 May [ZGF]; 11 at Rikaze on 21 December [ZGF].

# 1004# 白眶鹟莺 White-spectacled Warbler Seicercus affinis

江西: 4月8-10日, 铅山武夷山自然保护区, 听见看见20只[BA];

西藏: 5月28日, 林芝墨脱, 10只[ZGF];

Tibet: 10 at Motuo, Linzhi on 28 May [ZGF].

Jiangxi: 20 at Wuyishan NR, Yanshan on 8-10 April [BA].

### 1005# 灰脸鹟莺 Grey-cheeked Warbler Seicercus poliogenys

云南: 12月1、2日, 高黎贡山百花岭, 各4只[JH et al.]

西藏: 5月28日, 林芝墨脱, 28只, 西藏新记录[ZGF];

Yunnan: Four at Baihualing, Gaoligongshan on both 1st and 2 December [JH et al.];

Tibet: 28 at Motuo, Linzhi on 28 May [ZGF]. This impressive count constituted the first record for Tibet.

# 1006# 栗头鹟莺 Chestnut-crowned Warbler Seicercus castaniceps

陕西: 5月25日和6月10日,太白山森林公园,各1只[PH];

江西: 4月8-10日, 铅山武夷山自然保护区, 易见[BA];

广西: 12月11日, 广西大学, 4只[JAW]; 12月29日, 金秀老山林场, 2只[JAW]; 10月

21日, 临桂安江坪, 10只[LZY];

四川: 12月14日,新津老君山,2只[QG];

云南: 高黎贡山百花岭常见, 最大数量12月3日, 8只[BA et al.];

Shaanxi: Singles at Taibaishan FP on 25 May & 10 June [PH et al.].

Jiangxi: Common at Wuyishan NR, Yanshan on 8-10 April [BA].

Guangxi: Four at Guangxi University on 11 December [JAW]; two at Laoshan FF, Jinxiu on

29 December [JAW]; 10 at Anjiangping, Lingui on 21 October [LZY].

Sichuan: Two at Laojunshan, Xinjin on 14 December [QG].

Yunnan: Common at Baihualing, Gaoligongshan. The maximum count was of eight on 3

December [BA et al.].

# 1007# 宽嘴鹟莺 Broad-billed Warbler Tickellia hodgsoni

云南: 12月29日, 高黎贡山百花岭, 8只[PH];

西藏: 5月28日, 林芝墨脱 3只[ZGF].

Tibet: Three at Motuo, Linzhi on 28 May [ZGF].

Yunnan: One at Baihualing, Gaoligongshan on 29 December [PH].

# 1008# 棕脸鹟莺 Rufous-faced Warbler Abroscopus albogularis

安徽,福建,广西,贵州,海南,河南,湖北,江西,四川,西藏,浙江,重庆有记 录。

河南: 4月12日, 信阳鸡公山, 2只[LY];

四川: 1月28日, 崇州白塔湖, 30只[LHY];

重庆: 12月23日,铜梁鹅岭公园,50只[LHT];

贵州: 3月19日, 瓮安朱家山自然保护区, 35只[YL];

西藏: 墨脱多处有记录,海拔分布从800—2000m,单日最高记录为6月5日,5只[ZGF];

海南: 11月11日, 昌江霸王岭自然保护区, 15只[LY];

High counts & unusual records included:

Henan: Two at Jigongshan, Xinyang on 12 April [LY].

Sichuan: 30 at Baitanhu, Chongzhou on 28 January [LHY].

Chongqing: 50 at E'ling Park, Tongliang on 23 December [LHT].

Guizhou: 35 at Zhujiashan NR, Weng'an on 19 March [YL].

Tibet: Recorded in several place at Motuo. The altitude is from 800m to 2000m. The peak 5 was recorded on 8 June [ZGF].

Hainan: 15 at Bawangling NR on 11 November [LY].

Reports were also received from Anhui, Shaanxi, Fujian, Guangxi, Hubei, Jiangxi & Zhejiang.

### 1009# 黑脸鹟莺 Black-faced Warbler Abroscopus schisticeps

云南: 10月10日, 剑川石宝山, 25只[JHo & JW]; 高黎贡山百花岭常见, 最大数量12月3日, 30只[BA]; 12月29日, 高黎贡山百花岭, 10只[PH];

西藏: 5月28日, 墨脱, 10只[ZGF];

Tibet: 10 at Motuo on 28 May [ZGF].

Yunnan: 25 at Shibaoshan, Jianchuan on 10 October [JHo & JW]. Described as common at Baihualing, Gaoligongshan where the largest count was 30 on 3 December [BA].10 at

Baihualing, Gaoligongshan on 29 December [PH].

### 1010# 黄腹鹟莺 Yellow-bellied Warbler Abroscopus superciliaris

广西: 9月27日,龙州弄岗保护区,12只[JAW];10月5日,崇左生态公园,1只[TSX];10月21日,临桂安江坪,2只[LZY],该省新记录;

Guangxi: 12 at Nonggang NR, Longzhou on 27 September [JAW]; one at Chongzuo on 5 October [TSX]; two at Anjiangping Lingui on 21 October [LZY]. These are the first records for Guangxi.

# 1011# 沼泽大尾莺 Striated Grassbird Megalurus palustris

云南: 3月26日, 瑞丽附近, 7只[MK & RWL]; 3月28日, 盈江附近, 9只[MK & RWL]; 5月2日, 开远南洞风景区, 1只[LYang];

Yunnan: Seven near Ruili on 26 March [MK & RWL]; nine near Yingjiang on 28 March [MK & RWL]; one at Nandong, Kaiyuan on 2 May [LYang].

# 1013# 黑脸噪鹛 Masked Laughingthrush Garrulax perspicillatus

南方常见留鸟,安徽,福建,广东,广西,河南,湖北,湖南,江苏,江西,浙江有记录。

江苏: 1月29日,紫金山,30只[ZYu];6月24日,江浦老山林场,30只[ZYu];6月27日,中山植物园,30只[ZYu];8月25日,雨花台,30只[LM];11月19日,玄武湖,30只[LM];

湖北: 1月3日, 武汉植物园, 40只[TXD];

Jiangsu: 30 at Zijinshan on 29 January [ZYu]; 30 at Laoshan FF, Jiangpu on 24 June [ZYu]; 30 at Zhongshan BG, on 27 June [ZYu]; 30 at Yuhuatai on 25 August [LM]; 30 at Xuanwuhu on 19 November [LM].

Hubei: 40 at Wuhan BG, 3 January[TXD];

Widespread with reports also received from Anhui, Fujian, Guangdong, Guangxi, Henan, Hubei, Hunan, Jiangxi & Zhejiang.

### 1014# 白喉噪鹛 White-throated Laughingthrush Garrulax albogularis

甘肃,湖南,陕西,四川,西藏,云南有记录。

甘肃: 1月23日, 兰州大学, 6只[ZLY];

四川: 4月22-24日, 屏山老君山, 15-20只[BA], 8月31日, 青川唐家河自然保护区, 30只[OPJ];

云南: 10月16日,丽江老君山,30只[JHo & JW];12月30日,高黎贡山百花岭,40只[PH];

Gansu: Six at Lanzhou University on 23 January [ZLY].

Sichuan: 15-20 at Laojunshan, Pingshan between 22-24 April [BA]; 30 at Tangjiahe NR, Qingchuan on 31 August [QPJ].

Yunnan: 30 at Laojunshan, Lijiang on 16 October [JHo & JW]; 40 at Baihualing, Gaoligongshan on 30 December [PH].

Reports were also received from Hunan, Shaanxi & Tibet.

# 1015# 白冠噪鹛 White-crested Laughingthrush Garrulax leucolophus

云南: 1月13日, 勐腊望天树, 3只[DC]; 4月18日, 沧源勐定, 5只[OB];

西藏: 5月28日, 林芝墨脱, 67只[ZGF];

Yunnan: Three at Wangtianshu, Mengla on 13 January [DC]; five at Mengding, Cangyuan on 18 April [OB].

Tibet: 67 at Motuo, Linzhi on 28 May [ZGF].

# 1016# 小黑领噪鹛 Lesser Necklaced Laughingthrush Garrulax monileger

亚种melli

江西: 10月31日, 九连山自然保护区, 10只[RWL];

广东: 5月5日,始兴车八岭自然保护区,1只与黑领噪鹛混群[BA]: 9月18日,广州白 云山风景区,4只[GGW]:

亚种schmackeri

海南: 3月9日,海口人民公园,5只[LG];

Race melli

Jiangxi: 10 at Jiulianshan NR on 31 October [RWL].

Guangdong: One, together with Great Necklaced Laughingthrush, at Chebaling NR, Shixing on 5 May [BA]; four at Baiyunshan, Guangzhou on 18 September [GGW].

Race schmackeri

Hainan: Five at People's Park, Haikou on 9 March [LG].

# 1017# 黑领噪鹛 Greater Necklaced Laughingthrush Garrulax pectoralis

福建,广东,海南,江苏,江西,陕西,上海,西藏,云南,浙江有记录。

陕西: 1月11日, 佛坪瓦寨子村, 22只[LY];

江苏: 1月29日, 南京紫金山, 25只[ZYu];

西藏: 5月28日, 林芝墨脱, 3只[ZGF], 该省新记录;

福建: 12月9日, 福州森林公园, 25只[ZJ];

江西: 5月24日, 九连山自然保护区, 15只[RWL];

亚种semitorquatus

海南: 11月9日, 昌江霸王岭, 2只[WJY];

Shaanxi: 22 at Wazhaizicun, Foping on 11 January [LY].

Jiangsu: 25 at Zijinshan, Nanjing on 29 January [ZYu].

Jiangxi: 15 at Jiulianshan NR on 24 May [RWL].

Tibet: Three at Motuo, Linzhi on 28 May [ZGF]. The first record for Tibet.

Fujian: 25 at Fuzhou FP on 9 December [ZJ].

Race semitorquatus

Hainan: Two at Bawangling, Changjiang on 9 November [WJY].

Reports were also received from Guangdong, Shanghai, Yunnan & Zhejiang.

# 1018# 条纹噪鹛 Striated Laughingthrush Garrulax striatus

西藏: 5月28日, 林芝墨脱, 14只[ZGF]; 12月21日, 日喀则地区, 14只[ZGF];

Tibet: 14 at Motuo, Linzhi on 28 May [ZGF]; 14 at Rikaze on 21 December [ZGF].

# 1020.1# 褐胸噪鹛Rufous-cheeked Laughingthrush Garrulax castanotis

[以往亚种castanotis属于Grey Laughingthrush G. maesi, 这是一个海南特有的亚种, 根 据Collar (2006)的观点,将亚种castanotis和越南、老村的亚种varennei归为独立的种 Rufous-cheeked Laughingthrush *Garrulax castanotis*, 详细内容请参见Collar (2006)原文。 中文名暂不变。]

亚种castanotis

海南: 11月24日, 昌江霸王岭自然保护区, 20只[JHo & JW];

Hainan: 20 at Bawangling NR on 24 November [JHo & JW].

[This form (nominate castanotis), which is endemic to Hainan, together with the form varennei, which is found in Laos and Vietnam, were separated from Grey Laughingthrush G. maesi by Collar (2006). ]

# 1021# 栗颈噪鹛 Rufous-necked Laughingthrush Garrulax ruficollis

西藏: 5月28日, 林芝墨脱 4只[ZGF]:

Tibet: Four at Motuo, Linzhi on 28 May [ZGF].

# 1022# 黑喉噪鹛 Black-throated Laughingthrush Garrulax chinensis

亚种monachus:

海南: 11月8日, 东寨港自然保护区, 10只[LY];

Race monachus:

Hainan: 10 at Dongzhaigang NR on 8 August [LY].

# 1023.1# 黄喉噪鹛 Courtois's Laughingthrush Garrulax courtoisi

[根据Collar (2006)的观点,将其从Yellow-throated Laughingthrush G. galbanus中分 出来作为一个独立种,我们遵从La Touche当年为其定的英文名,称为Courtois's Laughingthrush.

江西: 5月5日, 婺源赋春镇 20只[GLQ]; 7月3日, 全县 10只[LJ];

Jiangxi: 20 of the nominate subspecies at Fuchunzhen, Wuyuan on 5 May [GLQ] and 10 in Wuyuan County on 3 July [LJ].

[This species has been split from the extra-limital Yellow-throated Laughingthrush G. galbanus by Collar (2006).]

### 1025# 山噪鹛 Pere David's Laughingthrush Garrulax davidi

北京, 甘肃, 河北, 河南, 辽宁, 青海, 四川有记录。

北京: 1月15日, 北京植物园, 15只[SM];

河南: 9月23日, 洛阳周山森林公园, 6只[DQ];

四川: 7月2日, 红原附近, 1只; 7月3日, 若尔盖和九寨沟之间的巴西路上, 6只[PH et al.]; 7月23日, 崇州鞍子河自然保护区, 2只[SY];

Beijing: 15 at Beijing BG on 15 January [SM].

Henan: Six at Zhoushan FP, Luoyang on 23 September [DQ].

Sichuan: One near Hongyuan on 2 July; six on the Baxi road between Ruoergai & Jiuzhaigou on 3 July [PH et al.]; two at Anzihe NR, Chongzhou on 23 July [SY].

Reports were also received from Gansu, Hebei, Liaoning & Qinghai.

# 1027# 灰翅噪鹛 Moustached Laughingthrush Garrulax cineraceus

陕西: 1月19日, 佛坪自然保护区三官庙, 4只[LY];

四川: 10月2日, 理县孟屯, 10只[SY];

Shaanxi: Four at Sanguanmiao, Foping NR on 19 January [LY].

Sichuan: 10 Mengtun, Li county on 2 October [SY].

# 1029# 斑背噪鹛 Barred Laughingthrush Garrulax lunulatus

陕西,四川有记录。

陕西: 1月19日, 佛坪三官庙, 4只[LY];

四川: 1月15日,都江堰龙池,4只[SY];5月22日,汶川卧龙五一棚,3只[DK];6月27日,卧龙,1只;7月4日和6日,九寨沟,分别有1只和5只[PH et al.];10月1日,理县孟中,5只[YL];

Shaanxi: Four at Sanguanmiao, Foping on 19 January [LY].

Sichuan: Four at Longchi, Dujiangyan on 15 January [SY]; three & one at Wolong, Wenchuan on 22 May [DK] & 27 June [PH et al.]; one & five at Jiuzhaigou NP on 4th & 6 July respectively [PH et al.]; 5 at Mengtun, Li county on 1 October [YL].

### 1031# 大噪鹛 Giant Laughingthrush Garrulax maximus

青海,四川,西藏有记录。

青海:7月24日, 班玛玛可河林场,8只[WQ];

四川: 6月14日, 康定雅江县, 16只[CLiang]; 巴郎山、卧龙、鹧鸪山、巴西及若尔盖至九寨沟途中有记录;

Qinghai: Eight at Makehe FF, Banma on 24 July [WQ].

Sichuan: 16 at Yajiang county, Kangding on 14 June [CLiang]. Birds were also reported from Balangshan Pass, Wolong, Zhegushan Pass, Baxi & road between Ruoergai & Jiuzhaigou.

Reports were also received from Tibet.

# 1032# 眼纹噪鹛 Spotted Laughingthrush Garrulax ocellatus

四川: 8月22日, 汶川卧龙自然保护区, 2只[ZGF]; 11月26日, 都江堰龙池, 3只[WQian];

西藏: 12月21日, 日喀则地区, 14只[ZGF];

云南: 12月29日, 高黎贡山百花岭, 4只[PH];

Sichuan: Two at Wolong NR, Wenchuan on 22 August [ZGF]; three at Longchi, Dujiangyan on 26 November [WOian].

Tibet: 14 at Rikaze on 21 December [ZGF].

Yunnan: Four at Baihualing, Gaoligongshan on 29 December [PH].

# 1033# 灰胁噪鹛 Grey-sided Laughingthrush Garrulax caerulatus

云南: 12月31日, 高黎贡山百花岭, 8只[PH];

Yunnan: Eight at Baihualing, Gaoligongshan on 31 December [PH].

# 1034.1# 棕噪鹛 Rufous Laughingthrush Garrulax berthemyi

[根据Collar (2006)的观点,将berthemyi和ricinus两个亚种从Rusty Laughingthrush *G. poecilorhynchus*中分出作为一个独立种。英文名遵从La Touche当年的命名Rufous Laughingthrush。二者都是中国所特有:一个在大陆分布,一个在台湾分布。]

安徽: 8月10日, 祁门牯牛降自然保护区, 7只[WJ];

江西: 4月8-10日, 铅山武夷山自然保护区, 听见和看见若干[BA];

四川: 4月22-24日, 屏山老君山, 4只[BA];

Anhui: Seven at Guniujiang NR, Qimen on 10 August [WJ].

Jiangxi: A few at Wuyishan NR, Yanshan on 8-10 April [BA].

Sichuan: Common at Laojunshan, Pingshan between 22-24 April [BA].

[Collar (2006) separated the form *berthemyi* (including the form *ricinus* which he merged with *berthemyi*) from Rusty Laughingthrush *G. poecilorhynchus*. Both species are endemic to China: berthemyi on the mainland and *poecilorhynchus* on Taiwan.]

### 1036.1# 画眉 Chinese Hwamei Garrulax canorus

[根据Li et al (2006)及Collar (2006)的观点,台湾亚种taewanus已被作为独立种分出。] 南方各省常见种。

陕西: 1月11日, 佛坪瓦寨子村, 8只[LY];

亚种owstoni

海南: 1月27日, 昌江霸王岭, 4只[LG];

Abundant in the South

Shaanxi: Eight at Wazhaizicun, Foping on 11 January [LY].

Hainan: Four at Bawangling, Changjiang on 27 January [LG].

[G. canorus has been split from G. taewanus by Li et al.(2006) and Collar (2006).]

#### 1037# 白颊噪鹛 White-browed Laughingthrush Garrulax sannio

数量较大的记录:

陕西: 1月11日, 佛坪瓦寨子村, 12只[LY];

Notable record:

Shaanxi: 12 at Wazhaizicun, Foping on 11 January [LY].

### 1038# 细纹噪鹛 Streaked Laughingthrush Garrulax lineatus

西藏: 7月2日, 日喀则地区, 25只[ZGF]; 12月21日, 20只[ZGF];

Tibet: 25 at Rikaze on 2 July [ZGF]; 20 at Rikaze on 21 December [ZGF].

### 1040# 纯色噪鹛 Scaly Laughingthrush Garrulax subunicolor

西藏: 5月28日, 林芝墨脱, 4只[ZGF]; 12月21日, 日喀则地区, 4只[ZGF];

云南: 12月30日, 高黎贡山百花岭, 6只[PH];

Tibet: Four at Motuo, Linzhi on 28 May [ZGF]; four at Rikaze on 21 December [ZGF]. Yunnan: Six at Baihualing, Gaoligongshan on 30 December [PH].

# 1041# 橙翅噪鹛 Elliot's Laughingthrush Garrulax elliotii

甘肃,贵州,湖北,青海,四川,西藏,云南有记录。

甘肃: 1月23日, 兰州榆中县兴隆山, 3只[ZLY]:

湖北:7月19日,神农架自然保护区,2只[YZD];

四川: 2月16日, 理县孟屯, 50只[SY]:

西藏: 7月30日, 昌都类乌齐, 6只[ZGF];

云南: 11月27日, 大理苍山, 5只[ZYong];

High counts & unusual records included:

Gansu: Three at Yuzhong county, Lanzhou on 23 January [ZLY].

Hubei: Two at Shennongjia NR on 19 July [YZD].

Sichuan: 50 at Mengtun, Li county on 16 February [SY].

Tibet: Six at Leiwuqi, Changdu on 30 July [ZGF].

Yunnan: Five at Cangshan, Dali on 27 November [ZYong].

Reports were also received from Shaanxi, Guizhou & Qinghai.

# 1042# 杂色噪鹛 Variegated Laughingthrush Garrulax variegatus

西藏: 7月2日, 日喀则地区, 14只[ZGF];

Tibet: 14 at Rikaze on 2 July [ZGF].

# 1043# 灰腹噪鹛 Prince Henri's Laughingthrush Garrulax henrici

西藏: 5月9日, 曲水雄色寺, 50只[DJT]; 5月10日, 扎囊桑耶镇青朴修行地, 130只 [DJT]; 12月21日, 日喀则地区, 93只[ZGF];

Tibet: 50 at Xiongse Si, Qushui on 9 May [DJT]; 130 at Sangyezhen, Zhanang on 10 May [DJT]; 93 at Rikaze on 21 December [ZGF].

#### 1044# 黑顶噪鹛 Black-faced Laughingthrush Garrulax affinis

四川: 6月22日, 峨眉山万佛顶, 1只[PH et al.]; 12月5日, 若尔盖巴西, 3只[SY];

西藏: 5月28日, 墨脱, 34只[ZGF]; 12月21日, 日喀则地区, 85只[ZGF];

云南: 12月31日, 高丽贡山百花岭, 2只[PH].

Sichuan: One at Wanfoding, Emei Shan on 22 June [PH et al.]; three at Baxi, Ruoergai on 5 December [SY].

Tibet: 34 at Motuo on 28 May [ZGF]; 85 at Rikaze on 21 December [ZGF].

Yunnan: Two above Baihualing, Gaoligongshan on 31 December [PH].

# 1046.1# 红头噪鹛 Chestnut-crowned Laughingthrush Garrulax erythrocephalus

[根据Collar (2006)的观点,原来这个多型种被分为四个种,其中两个在中国有分布,分别是Chestnut-crowned Laughingthrush *G. erythrocephalus* (其中*nigrementum* 和 *imprudens* 亚种在西藏分布,*woodi*亚种在滇西和滇北有分布)和Silver-eared Laughingthrush *G. melanostigma* (其中*connectens*亚种在滇东南分布,指名亚种*melanostigmai*在滇西南分

布。在Collar的文章中并未提到后者在中国有分布,但依据Cheng (1987)《中国鸟类区系纲要》,该亚种在西蒙山曾有记录)。从分布区域来看,05年年报中所收录的记录都应该是G. erythrocephalus。不过,鉴于两个种在云南的分布区域很接近(甚至可能重合),因此有必要在该地区开展进一步的观察。年报暂不更改中文名。1

西藏: 12月21日, 日喀则地区, 84只[ZGF];

云南: 10月4日, 大理苍山, 8只[JHo & JW]; 12月3日, 高黎贡山百花岭, 5只[BA]; 12月9日, 保山白花岭保护区, 3只[LLW]; 12月29日和31日, 高丽贡山百花岭, 分别2只和1只[PH];

Tibet: 84 at Rikaze on 21 December [ZGF].

Yunnan: Eight at Cangshan, Dali on 4 October [JHo & JW]; five at Baihualing, Gaoligongshan on 3 December [BA], three on 9 December [LLW] & two & one on 29th & 31 December respectively [PH].

[Collar (2006) separated what had previously been treated as a highly polytypic species into four species, two of which occur in China: Chestnut-crowned Laughingthrush *G. erythrocephalus* with subspecies *nigrementum* and *imprudens* (which Collar apparently merged with *nigrimentum*) occurring in Tibet and *woodi* occurring in north and west Yunnan; and Silver-eared Laughingthrush *G. melanostigma* with subspecies connectens occurring in southeast Yunnan and nominate *melanostigma* occurring in southwest Yunnan. The nominate subspecies is not listed from China by Collar (2006) but is recorded from Ximeng Mountain by Cheng (1987).

Based on these ranges, all records from China in 2005 can be ascribed to *G. erythrocephalus*. The two species appear to approach very closely (or may even meet) in west-central Yunnan and further detailed observations from this area are needed.]

# 1047#丽色噪鹛 Red-winged Laughingthrush Garrulax formosus

四川: 1月15日,都江堰龙池,2只[SY];3月6日和6月23日,峨眉山,各2只[BA]和[PH et al.];4月9日,平武老河沟林场,1只[LS];4月22-24日,屏山老君山,较常见[BA];8月22日,汶川卧龙自然保护区,3只[ZGF];12月2日,康定泸定县二郎山林场,4只[CLiang];

云南: 11月5日, 个旧马吃水前后山, 1只[WC];

Sichuan: Two at Longchi, Dujiangyan on 15 January [SY]; two at Emei Shan on both 6 March [BA] & 23 June [PH et al.]; one at Laohegou FF, Pingwu on 9 April [LS]. Described as fairly common at Laojunshan, Pingshan between 22--24 April [BA]. Three at Wolong NR, Wenchuan on 22 August [ZGF]; four at Luding county, Kangding on 2 December [CLiang]. Yunnan: One at Gejiu on 5 November [WC].

# 1048# 赤尾噪鹛 Red-tailed Laughingthrush Garrulax milnei

西藏: 5月28日, 林芝墨脱, 2只[ZGF];

广西: 7月23日, 桂林猫儿山, 5只[LZY]; 1月21日, 靖西底定保护区, 1只[JAW];

云南: 3月22日, 高黎贡山百花岭, 8只[MK & RWL]; 11月5日, 个旧马吃水前后山, 1只[WC];

Tibet: Two at Motuo, Linzhi on 28 May [ZGF].

Guangxi: Five at Mao'ershan, Guilin on 23 July [LZY]; one at Diding NR, Jingxi on 21 January [JAW].

Yunnan: Eight near Baihualing, Gaoligongshan on 22 March [MK & RWL]; one at Gejiu on 5 January [WC].

### 1049# 红翅薮鹛 Red-faced Liocichla Liocichla phoenicea

西藏: 5月28日, 林芝墨脱, 5只[ZGF];

云南: 3月25日,瑞丽南京里, 3只[MK & RWL], 11月5日,个旧马吃水前后山,2只[WC];

Tibet: Five at Motuo, Linzhi on 28 May [ZGF].

Yunnan: Three at Nanjingli, Ruili on 25 March [MK & RWL]; two at Machishui, Gejiu on 5 November [WC].

### 1050# 灰胸薮鹛 Emei Shan Liocichla Liocichla omeiensis VU

四川: 4月22-24日, 屏山老君山, 10只[BA]; 6月23-25日, 峨眉山, 分别2只和4只[PH]; Sichuan: 10 at Laojunshan, Pingshan between 22-24 April [BA]; between two & four at Emei Shan daily 23-25 June [PH et al.].

# 1052# 棕胸雅鹛 Buff-breasted Babbler Pellorneum tickelli

亚种fulvum

广西: 9月27日, 龙州弄岗保护区 8只[JAW]; 该省新记录;

云南: 12月9日, 勐腊绿石林, 8只[LS];

Race fulvum

Guangxi: Eight at Nonggang NR, Longzhou on 27 September [JAW]. The first record for Guangxi.

Yunnan: Eight at Lyshilin, Mengla on 9 December [LS].

### 1053# 白腹幽鹛 Spot-throated Babbler Pellorneum albiventre

云南: 1月13日, 勐腊望天树, 4只[DC];

Yunnan: Four at Wangtianshu, Mengla on 13 January [DC].

### 1054# 棕头幽鹛 Puff-throated Babbler Pellorneum ruficeps

云南: 3月27日, 瑞丽铜壁关自然保护区, 4只[MK & RWL];

Yunnan: Four at Tongbiguan, Ruili on 27 March [MK & RWL].

# 1055# 长嘴钩嘴鹛 Large Scimitar Babbler Pomatorhinus hypoleucos

海南: 3月5日, 琼中湾岭, 1只[YCC]; 3月11日, 乐东尖峰岭保护区, 2只[YCC]; 5月12日, 琼中鹦哥岭青介, 3只[YCC]; 8月22日, 昌江霸王岭, 1只[YCC];

Hainan: One at Wanling, Qiongzhong on 5March[YCC]; Two at Jianfenglin NR,ledong on 11 March[Ycc]. Three at Yinggeling, Qiongzhong on 12 May [YCC]; one at Bawangling, NR, Cangjiang on 22 August [YCC].

# 1056.1# 斑胸钩嘴鹛Black-streaked Scimitar Babbler Pomatorhinus gravivox

[根据Collar (2006)的观点,原来的多型种被分为了5个种,其中三个在中国有分布,分别是: Black-streaked Scimitar Babbler *P. gravivox* (包括亚种*dedeken、cowensae、decarle、odicus*以及*gravivox*,在中国西部西至青海,东到山西、河南的很大范围内有分布。)、Grey-sided Scimitar Babbler *P. swinhoei* (中国东南部的特有种,亚种abbreviatus分布于桂、湘、粤等省,亚种swinhoei分布于赣、皖、浙、闽等省)以及Black-necklaced Scimitar Babbler P. erythrocnemis(台湾地区特有)。年报暂不更改中文名。]

[Collar (2006) split the highly polytypic *Pomatorinus erythrogenys* complex into five species, three of which occur in China: Black-streaked Scimitar Babbler *P. gravivox* with races *dedekeni*, *cowensae*, *decarlei*, *odicus* and *gravivox* occurring over a wide range in west China north to Qinghai and east to Shanxi and Henan (and extralimitally in Burma and Indochina); Grey-sided Scimitar Babbler *P. swinhoei* endemic to southeast China, with races *abbreviatus* in Guangxi, Hunan and Guangdong and swinhoei in Jiangxi, Anhui, Zhejiang and Fujian; and Black-necklaced Scimitar Babbler *P. erythrocnemis* endemic to Taiwan.]

河南: 9月23日, 洛阳周山森林公园, 1只[DQ];

陕西: 1月11日,佛坪瓦寨子村,5只[LY]; 6月7-10日,太白山森林公园,有1只或2只 [PH et al.]

四川: 6月14日, 雅江县, 2只[CLiang], 6月20日和24日, 峨眉山脚下, 分别是2只和1只[PH et al.];

云南: 5月2日, 开远南洞风景区, 2只[LYang]; 9月13日, 六库青山公园, 3只[WRQ; 12月1日, 高黎贡山百花岭, 听到2只[BA];

福建,贵州,湖北,江西和浙江也有记录。

Henan: One at Zhoushan FP, Luoyang on 23 September [DQ].

Shaanxi: Five at Wazhaizicun, Foping on 11 January [LY]; one or two in Taibaishan FP on two dates between 7-10 June [PH et al.].

Sichuan: Two at Yajiang county on 14 June [CLiang]; two & one at the base of Emei Shan on 20th & 24 June respectively [PH et al.].

Yunnan: Two at Nandong, Kaiyuan on 2 May [LYang]; three at Qingshan Park, Liuku on 13 September [WRQ]; two at Baihualing, Gaoligongshan on 2 December [BA].

Reports were also received from Fujian, Guizhou, Hubei, Jiangxi & Zhejiang.

### 1056.2# Grey-sided Scimitar Babbler Pomatorhinus swinhoei

江西: 10月29-11月2日, 九连山自然保护区, 每天7只[RWL et al.];

浙江: 5月2日, 泰顺乌岩岭, 1只[LiX];

福建:10月8日,明溪均峰山,1只[XMBWS],12月8日,建瓯万木林保护区,1只[ZJ];

Jiangxi: Up to seven daily at Jiulianshan NR between 29 October and 2 November [RWL et al.].

Zhejiang: One at Wuyanling, Taishun on 2 May [LiX].

Fujian: One at Junfengshan, Mingxi on 8 October [XMBWS]; one at Wanmulin NR, Jianou

on 8 December [ZJ].

# 1059.1# 棕颈钩嘴鹛 Streak-breasted Scimitar Babbler Pomatorhinus ruficollis

[根据Collar (2006)的观点,台湾亚种musicus被作为独立种对待。]

四川: 4月22-24日, 屏山老君山, 20只[BA];

云南: 12月31日, 高黎贡山百花岭, 15只[PH];

西藏: 12月21日, 日喀则地区, 14只[ZGF];

海南: 11月9日, 昌江霸王岭, 76只亚种nigrostellatus[WJY]; Collar (2006)认为这个亚种很特殊, 但是尚未达到"种"的水平。

High counts included:

Sichuan: 20 at Laojunshan, Pingshan between 22--24 April [BA].

Yunnan: 15 at Baihualing, Gaoligongshan on 31 December [PH].

Tibet: 14 at Rikaze on 21 December [ZGF].

Hainan: 76 of the Hainan endemic subspecies *nigrostellatus* at Bawangling, Changjiang on 9 November [WJY], an unusually high count of this species. Collar (2006) noted that *nigrostellatus* was distinctive, but did not consider that it should be raised to species status.

[Collar (2006) has given full species status to this Taiwanese endemic, which was formally treated as a subspecies of P. ruficollis.]

# 1060# 棕头钩嘴鹛 Red-billed Scimitar Babbler Pomatorhinus ochraceiceps

云南: 1月13日, 勐腊望天树, 3只[DC]; 3月26日, 瑞丽莫里森林公园, 3只[MK & RWL];

Yunnan: Three at Wangtianshu, Mengla on 13 January [DC]; three at Moli FP, Ruili on 26 March [MK & RWL].

### 1061# 红嘴钩嘴鹛 Coral-billed Scimitar Babbler Pomatorhinus ferruginosus

西藏: 5月28日, 林芝墨脱, 2只[ZGF];

Tibet: Two at Motuo, Linzhi on 28 May [ZGF].

# 1062# 剑嘴鹛 Slender-billed Scimitar Babbler Xiphirhynchus superciliaris

云南: 高黎贡山百花岭, 12月2日, 2只, 4日听到1只, 10日, 1只, 11、12日分别两只 [JH]; 12月29日和30日, 分别1只和4只[PH];

Yunnan: At least five different individuals were noted near Baihualing, Gaoligongshan: two on 2 December, one on 4th, one on 10th, two on 11th & two on 12th [JH]. One & four more were seen there on 29th & 30 December respectively [PH].

# 1065# 短尾鹪鹛 Streaked Wren Babbler Napothera brevicaudata

云南: 3月26日, 瑞丽莫里森林公园, 3只[MK & RWL];

广西: 9月27日, 龙州弄岗保护区, 6只[JAW];

Guangxi: Six at Nonggang NR, Longzhou on 27 September [JAW].

Yunnan: Three at Moli FP, Ruili on 26 March [MK & RWL].

# 1066# 纹胸鹪鹛 Eyebrowed Wren Babbler Napothera epilepidota

亚种laotiana

广西: 12月29日, 金秀老山林场, 3只[JAW];

云南: 11月24日, 瑞丽莫里热带雨林区, 1只[ZYong];

亚种hainanus

海南: 11月9日, 昌江霸王岭, 2只[WJY];

Subspecies laotiana

Guangxi: Three at Laoshan FF, Jinxiu on 29 December [JAW].

Yunnan: One at Moli, Ruili on 9 November [ZYong].

Subspecies hainanus

Hainan: Two at Bawangling, Changjiang on 9 November [WJY].

### 1067# 鱗胸鹪鹛 Scaly-breasted Wren Babbler Pnoepyga albiventer

四川: 8月31日, 青川唐家河自然保护区, 2 只[QPJ]; 10月11日, 平武老河沟林场, 1 只[LS]; 6月21-24日, 峨眉山, 5只至8只[PH];

云南: 12月30日和31日, 高黎贡山百花岭, 3只和1只[PH];

西藏: 5月28日, 墨脱 3只[ZGF]; 7月19日, 林芝八一, 2只[ZGF]; 12月21日, 日喀则地区, 2只[ZGF];

Sichuan: Two at Tangjiahe NR, Qingchuan on 31 August [QPJ]; one at Laohegou FF, Pingwu on 11 October [LS]; between five & eight at Emei Shan on three dates 21-24 June [PH et al.].

Tibet: Three at Motuo on 28 May [ZGF]; two at Bayi, Linzhi on 19 July [ZGF]; two at Rikaze on 21 December [ZGF].

Yunnan: Three & one at Baihualing, Gaoligongshan on 30th & 31 December respectively [PH].

# 1068.1# 小鳞胸鹪鹛 Pygmy Wren Babbler Pnoepyga pusilla

[根据Collar (2006)的观点,台湾亚种被当作独立种。]

陕西: 6月8日, 太白山森林公园, 50只[PH];

江西: 4月8-10日, 铅山武夷山自然保护区, 容易听见[BA];

湖南: 12月3日, 岳阳君山, 听到4只[RWL & MK];

广东: 5月6-7日, 乳源南岭国家森林公园, 听见1只[BA];

四川: 4月22-24日, 屏山老君山, 听到5-10只[BA]; 6月26日-30日期间, 汶川卧龙自然保护区, 有4天1只或2只[PHet al.]; 8月22日, 汶川卧龙自然保护区, 3只[ZGF]; 10月2日, 理县孟屯, 1只[SY]; 10月10日, 绵阳平武, 1只[LS];

西藏: 5月28日, 林芝墨脱, 19只[ZGF];

云南: 3月23日, 高黎贡山百花岭, 3只[MK & RWL]; 12月8日, 勐腊中科院热带植物园, 1只[SXL]; 12月28日, 高黎贡山百花岭, 1只[PH]

Shaanxi: 50 at Taibaishan FP on 8 June[PH].

Jiangxi: Common at Wuyishan NR, Yanshan on 8-10 April [BA].

Hunan: Four heard at Junshan, Yueyang on 3 December [RWL & MK].

Guangdong: One at Nanling FP, Ruyuan on 6-7 May [BA].

Sichuan: 5-10 were heard daily at Laojunshan, Pingshan between 22-24 April [BA]; one or two at Wolong NR, Wenchuan on four dates during 26-30 June [PH et al.] & three there on 22 August [ZGF]; one at Mengtun, Lixian on 2 October [SY]; one at Pingwu, Mianyang on 10 October [LS];

Tibet: 19 at Motuo, Linzhi on 28 May [ZGF].

Yunnan: Three near Baihualing, Gaoligongshan on 23 March [MK & RWL]; one at the Tropical BG of CAS, Mengla on 8 December [SXL]; one near Baihualing, Gaoligongshan on 28 December [PH].

Reports were also received from Shaanxi.

[Collar (2006) has given full species status to *Pnoepyga formosana*.]

# 1071# 斑翅鹩鹛 Bar-winged Wren Babbler Spelaeornis troglodytoides

云南: 10月3日, 大理苍山, 1只[JHo & JW];

Yunnan: One at Cangshan, Dali on 3 October [JHo & JW].

# 1072# 丽星鹩鹛 Spotted Wren Babbler Spelaeornis formosus

江西: 4月8-10日, 铅山武夷山自然保护区, 听见1只[BA];

云南: 高黎贡山百花岭, 12月3日[JHa]; 31日[PH], 各1只;

Jiangxi: One at Wuyishan NR, Yanshan on 8-10 April [BA].

Yunnan: Singles at Baihualing, Gaoligongshan on 3rd [JHa] and 31st [PH] December.

# 1073# 长尾鹩鹛 Grey-bellied Wren Babbler Spelaeornis reptatus

[根据Collar (2006)的观点,将原Long-tailed Wren-babbler *S. chocolatinus*分成四个新种,其中只有*Spelaeornis reptatus*在中国有分布,英文名改为Grey-bellied Wren Babbler,中文名不变。]

云南: 高黎贡山百花岭常见, 3月22日, 1只[MK]; 最大数量12月2日, 5只[BA];

Yunnan: Not uncommon at Baihualing, Gaoligongshan. One there on 22 March [MK]; the largest count was five on 2 December [BA].

[Collar (2006) has separated the former Long-tailed Wren-babbler *S. chocolatinus* into four species, of which only *S. reptatus* occurs in China.]

### 1074# 楔嘴鹩鹛 Eastern Wedge-billed Wren Babbler Spelaeornis roberti

[根据Collar (2006)的观点,原Wedge-billed Wren-babbler S. humei被分成2个种,其中东部的Spelaeornis roberti在中国有分布。]

云南: 高黎贡山百花岭, 11月3日, 一对[JH]; 12月30-31日, 6只[PH];

Yunnan: At Baihualing, Gaoligongshan, a pair on 3 November [JH] and six different birds between 29-31 December [PH].

[The former Wedge-billed Wren-babbler *S. humei* has been separated into two species by Collar (2006); the eastern representative of the species pair occurs in China.]

### 1076# 红头穗鹛 Rufous-capped Babbler Stachyris ruficeps

福建,广东,广西,贵州,海南,湖北,江西,陕西,四川,西藏,云南,浙江,重 庆有记录。

广东: 12月3日,广州石门国家森林公园, 30只[GGW];

广西: 8月25日,柳州三门江森林公园,30只[LZY];

湖北: 2月8日, 恩施穿洞子林场, 35只[WYY];

陕西: 1月19日, 佛坪三官庙, 2只[LY], 目前中国最靠北的记录;

云南: 4月18日,沧源勐定,1只[OB]; 高黎贡山百花岭,3月23日和12月31日,各有15只[MK & PH];

西藏: 7月19日, 林芝八一, 1只[ZGF], 5月15日, 察隅, 7只[DJT], 应都为西藏首次记录;

海南: 11月9日, 昌江霸王岭, 10只[WJY];

Guangdong: 30 at Shimen National FP on 3 December [GGW].

Guangxi: 30 at Sanmenjiang FP, Liuzhou on 25 August [LZY].

Hubei: 35 at Chuandongzi FF, Enshi on 8 February [WYY].

Shaanxi: Two at Sanguanmiao, Foping on 19 January [LY], the northernmost record yet from China.

Tibet: One at Bayi, Linzhi on 19 July [ZGF]; seven at Chayu on 15 May [DJT], possibly the first records for Tibet.

Yunnan: One at Mengding, Cangyuan on 18 April [OB]; 15 at Baihualing, Gaoligongshan on 23 March [MK] and again 15 there on 31 December [PH].

Hainan: 10 at Bawangling, Changjiang on 9 November [WJY].

Reports were also received from Fujian, Guizhou, Sichuan, Jiangxi, Zhejiang & Chongqing.

### 1077# 金头穗鹛 Golden Babbler Stachvris chrysaea

西藏: 5月28—6月21日, 林芝和墨脱, 共111只, 其中6月11日, 40只, 6月14日, 20只 [ZGF];

云南: 3月27日,瑞丽铜壁关自然保护区,3只,同一天,瑞丽南京里,2只[MK & RWL];11月25日,盈江东侧山地,2只[ZYong];

Yunnan: Three at Tongbiguan, Ruili on 27 March, two at Nanjingli on the same date [MK & RWL]; two at Yingjiang on 25 November [ZYong].

Tibet: Reported as common at Motuo, Linzhi with 111 bird-days during 28 May and 21 June, among them, 40 on 11 June and 20 on 14 June [ZGF].

### 1078# 黑头穗鹛 Grey-throated Babbler Stachyris nigriceps

云南: 12月30日, 高黎贡山百花岭, 听到1只[PH];

西藏: 5月28日, 林芝和墨脱, 12只[ZGF];

Tibet: 12 at Motuo, Linzhi on 28 May [ZGF].

Yunnan: One at Baihualing, Gaoligongshan on 30 December [PH].

# 1079# 斑颈穗鹛 Spot-necked Babbler Stachyris striolata

亚种tonkinensis

广西: 12月29日, 金秀老山林场, 3只[JAW];

亚种swinhoei

海南: 1月15日, 昌江霸王岭自然保护区, 1只[BA]; 1月27日, 昌江霸王岭 5只[LG]; 11月11日, 昌江霸王岭自然保护区, 5只[LY];

Race tonkinensis

Guangxi: Three at Laoshan FF, Jinxiu on 29 December [JAW].

Race swinhoei

Hainan: One at Bawangling NR, Changjing on 15 January [BA] with five there on both 27

January [LG & 11 November [LY].

# 1080# 纹胸巨鹛 Striped Tit Babbler Macronous gularis

亚种lutescens

广西: 9月15日, 龙州弄岗保护区, 50只[LZY];

云南: 12月9日, 勐腊绿石林, 5只[LS];

Race luteslens

Guangxi: 50 at Nonggang NR, Longzhou on 15 September [LZY].

Yunnan: Five at Lyshilin, Mengla on 9 December [LS].

# 1081# 红顶鹛 Chestnut-capped Babbler Timalia pileata

亚种smithi

广西: 10月5日, 崇左生态公园, 3只[TSX];

云南: 9月9日, 个旧乌谷哨-牛灞荒, 1只[WC];

Race smithi

Guangxi: Three at Chouzuo on 5 October [TSX].

Yunnan: One at Gejiu on 9 September [WC].

# 1082# 金眼鹛雀 Yellow-eyed Babbler Chrysomma sinense

云南: 3月21日,保山至高黎贡山百花岭,1只[MK & RWL]; 11月19日,保山白花岭保护区,7只[ZYong];

Yunnan: One between Baoshan and Baihualing, Gaoligongshan on 21 March [MK & RWL]; seven at Baihualing NR, Baoshan on 19 November [ZYong].

# 1083# 宝兴鹛雀 Rufous-tailed Babbler Chrysomma poecilotis

四川: 6月29日, 卧龙, 1只[PH]; 10月2日, 理县孟屯, 1只[SY]; 10月23日, 康定, 4只[DK]; 12月4日, 天全喇叭河自然保护区, 6只[CLiang];

云南: 10月6日, 大理苍山, 2只[JHo & JW];

Sichuan: One at Wolong on 29 June [PH et al.]; one at Mengtun, Li county on 2 October [SY]; four at Kangding on 23 October [DK]; six at Labahe NR, Tianquan on 4 December [CLiang]. Yunnan: Two at Cangshan, Dali on 6 October [JHo & JW].

# 1084# 矛纹草鹛 Chinese Babax Babax lanceolatus

四川: 9月16日, 理县孟屯, 20只[SY];

云南: 10月5日, 大理苍山, 13只[JHo & JW];

Sichuan: 20 at Mengtun, Li county on 16 September [SY].

Yunnan: 13 at Cangshan, Dali on 5 October [JHo & JW].

# 1085# 大草鹛 Giant Babax Babax waddelli

西藏: 5月9日,曲水雄色寺7只[DJT],5月10日,扎囊桑耶镇青朴修行地,18只[DJT],5月11日,山南地区,2只[DJT],5月12日,林芝地区,3只[DJT],5月13日,林芝八一,5只[DJT],12月21日,日喀则地区,5只[ZGF],

Tibet: Seven at Xiongse Si, Qushui on 9 May [DJT]; 18 at Zhanang on 10 May [DJT]; two at Shannan on 11 May [DJT]; three at Linzhi on 12 May & five at Bayi, Linzhi on 13 May [DJT]; five at Rikaze on 21 December [ZGF].

### 1086# 棕草鹛 Tibetan Babax Babax koslowi

青海: 6月10日,囊谦, 12只[TJ]; 7月28日,玉树尕尔寺,11只[KHL];

Qinghai: 12 at Nangqian on 10 June [TJ]; 11 at Ga'ersi, Yushu on 28 July [KHL].

# 1087# 银耳相思鸟 Silver-eared Mesia Leiothrix argentauris

西藏: 5月28日, 林芝墨脱, 12只[ZGF];

云南: 2月1日,个旧宝华公园,60只[WC];3月30日,盈江铜壁关自然保护区,10只[MK & RWL];11月19日,保山白花岭保护区,100只[ZYong];

Tibet: 12 at Motuo, Linzhi on 28 May [ZGF].

Yunnan: 60 at Baohua Park, Gejiu on 1 February [WC]; 100 at Baihualing, Gaoligongshan NR on 19 November [ZYong] was the highest of several reports there; ten at Tongbiguan, Yingjiang on 30 March [MK & RWL].

### 1088# 红嘴相思鸟 Red-billed Leiothrix Leiothrix lutea

河南: 5月17日,罗山董寨保护区,1只[LY];

四川: 4月4日, 峨眉山, 50只[CLiang]; 12月3日, 泸州合江笔架山, 200只[LZC]; 12月9日, 忠山公园, 50只[LZC]; 4月9日, 平武老河沟林场, 15只[LS];

广西: 10月8日, 桂林猫儿山, 50只[JAW];

云南: 3月20日,昆明西山,11只[MK & RWL];11月19日,保山白花岭保护区,60只[ZYong];

西藏: 5月15日, 林芝察隅 40只[DJT];

High counts & unusual records included:

Henan: One at Dongzhai NR, Luoshan on 17 May [LY].

Sichuan: 50 at Emei Shan on 4 April [CLiang]; 200 at Bijiashan, Hejiang, Luzhou on 3 December [LZC]; 50 at Zhongshan Park on 9 December [LZC];15 at Laohegou FF, Pingwu on 9 April [LS];

Guangxi: 50 at Mao'ershan on 8 October [JAW].

Yunnan: 11 at Western Hill FP, Kunming on 20 March [MK & RWL]; 60 at Baihualing NR, Baoshan on 19 November [ZYong].

Tibet: 40 at Chayu, Linzhi on 15 May [DJT].

# 1089# 斑胁姬鹛 Himalayan Cutia Cutia nipalensis

[英文名是根据Collar (2006)将legalleni作为独立种Vietnamese Cutia分出而作的相应更改。]

云南: 3月22日, 高黎贡山白花岭, 1只[MK]; 11月19日, 同一地点, 3只[ZYong]; 12月2日, 同一地点, 2只[BA];

西藏: 5月28日, 林芝墨脱, 2只[ZGF];

Yunnan: One at Baihualing, Gaoligong NR on 22 March [MK], three there on 19 November [Zyong] with two there on 2 December [BA].

Tibet: Two at Motuo, Linzhi on 28 May [ZGF].

[The English name of this species has been amended, following Collar (2006) to accommodate his separation of the form legalleni as a distinct species Vietnamese Cutia.]

# 1090# 棕腹鵙鹛 Black-headed Shrike Babbler Pteruthius rufiventer

西藏: 5月28日, 林芝墨脱, 1只, 西藏新记录[ZGF];

云南: 12月1-12日, 高黎贡山百花岭, 21只次[JH], 和12月29日-31日期间, 有3天1只和5只之间[PH],

Yunnan: 21+ bird-days near Baihualing, Gaoligongshan over 1-12 December [JH] & between one & five there daily during 29-31 December [PH]

Tibet: One at Motuo, Linzhi on 28 May [ZGF]. The first record for Tibet.

# 1091# 红翅鵙鹛 White-browed Shrike Babbler Pteruthius flaviscapis

江西: 4月8-10日, 铅山武夷山自然保护区, 易见[BA];

海南: 1月15日, 昌江霸王岭自然保护区, 1只[BA]; 11月10日, 昌江霸王岭自然保护区, 5只[LY];

四川: 4月22-24日, 屏山老君山, 5只[BA]; 6月24日, 峨眉山雷洞坪以下, 1只[PH et al.]; 8月31日, 青川唐家河自然保护区, 1只[QPJ]; 11月26日, 都江堰灵岩山, 10只[WQian];

云南: 3月20日,昆明西山,8只;3月22日,高黎贡山百花岭,2只;3月25-28日,瑞丽地区,共8只[MK];7月27日,个旧贾沙丫沙底,1只[WC];12月2日,高黎贡山百花岭,2只[BA]和12月29日-31日,在那每日约有1至3只[PH];

西藏: 12月13日, 林芝地区 2只[ZGF];

Jiangxi: Common at Wuyishan NR, Yanshan on 8-10 April [BA].

Hainan: One at Bawangling NR on 15 January [BA] with five there on 10 November [LY].

Sichuan: Five at Laojunshan, Pingshan between 22-24 April [BA]; one below Leidongping on 24 June [PH et al.]; one at Tangjiahe NR, Qingchuan on 31 August [QPJ]; 10 at Lingyanshan, Dujiangyan on 26 November [WQian].

Yunnan: Eight at Xishan, Kunming on 20 March [MK], two at Baihualing, Gaoligongshan on 22 March [MK], eight bird-days in the Ruili area during 25-28 March [MK]; one at Gejiu on 27 July [WC]; two at Baihualing, Gaoligongshan on 2 December [BA] with between one & three there daily 29-31 December [PH].

Tibet: Two at Linzhi on 13 December [ZGF].

# 1092# 淡绿鵙鹛 Green Shrike Babbler Pteruthius xanthochlorus

湖北: 2月8日, 恩施穿洞子林场 2只[WYY], 该省第一笔记录;

江西: 1月30日, 武夷山保护区, 5只[WXL], 该地区的新记录, 为亚种pallidus;

四川: 6月24日, 峨眉山, 1只[PH et al.];

云南: 7月27日, 个旧贾沙丫沙底, 1只[WC];

西藏: 12月21日, 日喀则地区, 10只[ZGF];

Jiangxi: Five at Wuyishan NR on 30 January. The first record for the reserve [WXL]. The isolated subspecies obscurus is known to occur in adjacent areas of northwest Fujian.

Hubei: Two at Chuandongzi FF, Enshi on 8 February [WYY]. The first record for Hubei and referable to the subspecies pallidus.

Sichuan: One near Wannian Si, Emei Shan on 24 June [PH et al.].

Yunnan: One at Gejiu on 27 July [WC].

Tibet: 10 at Rikaze on 21 December [ZGF].

### 1093# 栗喉鵙鹛 Black-eared Shrike Babbler Pteruthius melanotis

云南: 12月29日, 30日和31日, 高黎贡山百花岭, 分别有1只, 3只和8只[PH];

Yunnan: One, three & eight at Baihualing, Gaoligongshan on 29th, 30th & 31 December respectively [PH].

### 1094# 栗麵鵙鹛 Chestnut-fronted Shrike Babbler Pteruthius aenobarbus

海南: 12月26日, 昌江霸王岭自然保护区, 3只[LG];

云南: 12月2日, 高黎贡山百花岭, 2只[BA]; 12月31日, 2只.[PH]

Hainan: Three at Bawangling NR on 26 December [LG];

Yunnan: Two at Baihualing, Gaoligongshan on 2nd [BA] & 31 December [PH].

# 1095# 白头鵙鹛 Collared Babbler Gampsorhynchus torquatus

[根据Collar (2006)的观点,以前的*G. rufulus*被分为两个种,其中亚种*torquatus、luciae* 和*saturiator*被归为Collared Babbler *G. torquatus*,而*G. rufulus*成为单型种。根据分布范围,下面的记录应为*G. torquatus*。

但值得注意的是*G. rufulus*在中国的分布情况并不清晰:郑作新在《中国鸟类区系纲要》(1987)中认为*rufulusiy*亚种在云南西部有分布,而Collar认为在缅甸伊洛瓦底江以东,*torquatus*亚种取代了*rufulus*,*rufulus*在中国没有其分布。不过,Collar也指出,在伊洛瓦底江盆地,有些*torquatus*的个体兼有*torquatus*和*rufulus*的特征。未来,还需进一步对云南西部分布的个体的羽色及鸣声作更进一步观察和记录,以作确认。]

云南: 1月13日, 勐腊望天树 2只[DC];

Yunnan: Two at Wangtianshu, Mengla on 13 January [DC].

[Collar (2006) separated the former White-hooded Babber *G. rufulus* into two species, placing the races *torquatus*, *luciae* and *saturiator* together as Collared Babbler and leaving only the nominate form in the diminished *rufulus*. The above record (from south Yunnan) can be ascribed to torquatus on range.

It should be noted that the status of *rufulus* in China is uncertain: *rufulus* was listed from west Yunnan by Cheng (1987) but was not listed for China by Collar who considered that *rufulus* 

was replaced by *torquatus* east of the Irrawaddy River in Burma. However, Collar also noted that *torquatus* in the Irrawaddy Basin was variable with some individuals showing mixed characters of *torquatus* and *rufulus* 'possibly through hybridisation'. Confirmation of plumage features and vocalizations of birds such as those reported from Ruili in China Bird Report 2004 is required.]

### 1096# 锈额斑翅鹛 Rusty-fronted Barwing Actinodura egertoni

云南: 高黎贡山百花岭常见,最大数量3月21日,18只[MK & RWL];

西藏: 12月21日, 日喀则地区 6只[ZGF].

Tibet: Six at Rikaze on 21 December [ZGF].

Yunnan: Common at Baihualing, Gaoligongshan where he largest count was of 18 birds on 21 March [MK & RWL].

### 1097# 白眶斑翅鹛 Spectacled Barwing Actinodura ramsayi

广西: 1月21日, 靖西底定保护区。10只[JAW];

Guangxi: 10 at Diding NR, Jingxi on 21 January [JAW].

### 1098# 纹头斑翅鹛 Hoary-throated Barwing Actinodura nipalensis

西藏: 12月13日, 林芝地区, 10只[ZGF];

Tibet: 10 at Linzhi on 13 December [ZGF].

# 1099# 纹胸斑翅鹛 Streak-throated Barwing Actinodura waldeni

云南: 12月8日, 高黎贡山百花岭, 3只[JH];

西藏: 5月28日, 林芝墨脱, 3只[ZGF];

Tibet: Three at Motuo, Linzhi on 28 May [ZGF]

Yunnan: Three near Baihualing, Gaoligongshan on 8 December [JH].

### 1100# 灰头斑翅鹛 Streaked Barwing Actinodura souliei

四川: 4月24日, 屏山老君山, 2只[JH]; 12月4日, 天全喇叭河自然保护区, 8只[CLiang]; 10月22日, 汶川卧龙自然保护区, 3只[LS];

Sichuan: Two at Laojunshan, Pingshan on 24 April [JH]; eight at Labahe NR, Tianquan on 4 December [CLiang]; three at Wolong NR, Wenchuan on 22 October [LS].

### 1102# 蓝翅希鹛 Blue-winged Minla Minla cyanouroptera

四川: 4月22-24日, 屏山老君山, 常见[BA]; 10月12日, 攀枝花米易, 10只[QPJ];

西藏: 5月15日, 林芝察隅, 2只, 西藏新记录[DJT];

广东: 11月30日,广州白云山风景区,1只[YHY],应该是逃逸或放生种群,在香港,一部分逃逸种群已经野化。

云南: 10月12日, 昆明西山, 40只[ZMH];

Sichuan: Common at Laojunshan, Pingshan between 22-24 April [BA]; 10 at Miyi, Panzhihua on 12 October [QPJ].

Tibet: Two at Chayu, Linzhi on 15 May [DJT]. The first record for Tibet.

Guangdong: One at Baiyunshan, Guangzhou on 30 November [YHY]. This was most likely a feral or ex-captive bird. A feral population is now well established in Hong Kong.

Yunnan: 40 at Xishan, Kunming on 12 October [ZMH].

# 1103# 斑喉希鹛 Chestnut-tailed Minla Minla strigula

四川: 10月12日, 攀枝花米易, 5只[QPJ];

云南: 3月25日,瑞丽南京里, 25只[MK & RWL];高黎贡山百花岭常见,最大数量12月3日,17只[BA];

西藏: 12月13日, 林芝地区, 8只[ZGF];

Sichuan: Five at Miyi, Panzhihua on 12 October [QPJ];

Yunnan: 25 at Nanjingli, Ruili on 25 March [MK & RWL]. Common at Baihualing, Gaoligongshan where the largest count was 17 on 3 December [BA].

Tibet: 8 at Linzhi on 13 December [ZGF].

# 1104# 火尾希鹛 Red-tailed Minla Minla ignotincta

四川: 3月6日, 峨眉山, 2只[BA]; 4月22-24日, 屏山老君山, 20只[BA]; 10月1日, 理县孟中, 3只[YL];

云南: 高黎贡山百花岭有多笔数量,最大数量12月3日,4只[BA];11月26日,腾冲来 凤山森林公园,12只[ZYong];

Sichuan: Two at Emei Shan on 6 March [BA]; 20 at Laojunshan, Pingshan between 22-24 April [BA]; three at Mengtun, Li county on 1 October [YL].

Yunnan: A few records at Baihualing, Gaoligongshan where the largest count was four on 3 December [BA]; 12 at Laifengshan FP, Tengchong on 26 November [ZYong].

# 1105# 金胸雀鹛 Golden-breasted Fulvetta Alcippe chrysotis

四川: 4月22-24日, 屏山老君山, 20只[BA]; 12月4日, 天全喇叭河自然保护区, 7只 [CLiang];

云南: 3月21日, 高黎贡山百花岭, 30只[MK & RWL]和12月29日, 有15只[PH], 10月6日, 大理苍山, 20只[JHo & JW];

陕西: 1月19日, 佛坪三官庙, 30只[LY];

Shaanxi: 30 at Sanguanmiao, Foping on 19 January [LY].

Sichuan: 20 at Laojunshan, Pingshan between 22-24 April [BA]; seven at Labahe NR, Tianquan on 4 December [CLiang].

Yunnan: 30 at Baihualing, Gaoligongshan on 21 March [MK & RWL]with 15 there on 29 December [PH]: 20 at Cangshan. Dali on 6 October [JHo & JW].

# 1107# 黄喉雀鹛 Yellow-throated Fulvetta Alcippe cinerea

西藏: 7月19日, 林芝八一, 2只[ZGF]; 5月28日, 墨脱, 8只[ZGF];

云南: 3月22日, 高黎贡山百花岭, 40只[MK & RWL]; 但是, 12月30日, 只有1只 [PH];

Yunnan: 40 near Baihualing, Gaoligongshan on 22 March [MK & RWL]but just one there on 30 December [PH];

Tibet: Two at Bayi, Linzhi on 19 July [ZGF]; eight at Motuo on 28 May [ZGF].

# 1108# 栗头雀鹛 Rufous-winged Fulvetta Alcippe castaneceps

云南: 12月3日, 高黎贡山百花岭, 50只[BA];

Yunnan: 50 at Baihualing, Gaoligongshan on 3 December [BA].

### 1109# 白眉雀鹛 White-browed Fulvetta Alcippe vinipectus

四川: 2月16日, 理县孟屯, 100只[SY]; 11月26日, 都江堰龙池, 1只[WQian];

西藏: 7月2日, 日喀则地区, 26只[ZGF]; 12月21日, 186只[ZGF];

云南: 10月1日,大理苍山,20只[JHo & JW];12月30日和31日,高黎贡山百花岭,比较普通,每日6只[PH];

Sichuan: 100 at Mengtun, Li county on 16 February [SY]; one at Longchi, Dujiangyan on 26 November [WQian].

Tibet: 26 at Rikaze on 2 July [ZGF]; 186 at Rikaze on 21 December [ZGF].

Yunnan: 20 at Cangshan, Dali on 1 October [JHo & JW]; fairly common at Baihualing, Gaoligongshan with six on both 30th & 31 December [PH].

# 1110# 高山雀鹛 Chinese Fulvetta Alcippe striaticollis

青海: 7月25日, 班玛玛可河林场 9只[WQ];

四川: 6月26日, 汶川卧龙自然保护区, 1只[PH et al.]和 8月22日, 4只[ZGF];

Qinghai: Nine at Makehe FF, Banma on 25 July [WQ].

Sichuan: One & four at Wolong NR, Wenchuan on 26 June [PH et al.] & 22 August [ZGF] respectively.

# 1111# 棕头雀鹛 Spectacled Fulvetta Alcippe ruficapilla

[根据Collar (2006)的观点,原*A. ruficapilla*下的亚种*danisii*被提升为老挝的特有种。因此,中国过去的*danisi*的记录应属于亚种*sordidior*,即在中国,棕头雀鹛只有指名亚种*ruficapilla*(分布于甘肃以及四川的北部和中部)和*sordidior*亚种有分布(四川西南部、贵州和云南)。]

云南: 10月4日, 大理苍山, 5只[JHo & JW];

Yunnan: Five at Cangshan, Dali on 4 October [JHo & JW].

[Formerly considered a subspecies of *A. ruficapilla*, the taxon *danisi* is treated by Collar (2006) as a full species endemic to Laos. Records of this taxon in China assigned by Cheng (1987) to *danisi* have been reallocated to *sordidior*. Under this new arrangement, two subspecies of *A. ruficapilla* occur in China: nominate *ruficapilla* in Gansu and northern and central parts of Sichuan and sordidior in southwest Sichuan, Guizhou and Yunnan.]

# 1112.1 # 褐头雀鹛 Grey-hooded Fulvetta Alcippe cinereiceps

[Collar (2006)遵从Rasmussen and Anderton (2005)的观点,对原Alcippe cinereiceps进行了重新划分。其中在中国有分布的包括: Streak-throated Fulvetta A. manipurensis (指名亚种manipurensis分布于滇西,亚种tonkiniensis分布于滇东南,后者在郑作新先生的

著作中并未提及),Grey-hooded Fulvetta A. cinereiceps(包括亚种fessa、cinereiceps、fucata、berliozi以及guttaticollis)和台湾特有种Yushan Fulvetta Alcippe formosana(其英文名来自其最初发现地:台湾中部的玉山)。新的中文名暂不拟。]

陕西: 1月19日, 佛坪三官庙 8只[LY]; 5月28日, 太白山森林公园, 4只[BA];

四川: 6月20-25日, 峨眉山, 1-4只, 同日在九寨沟保护区外, 1只[PH];

江西: 4月8-10日, 铅山武夷山自然保护区, 易见[BA];

湖北: 4月21日, 官昌三峡大坝中堡岛, 1只[ZYF];

Shaanxi: Eight at Sanguanmiao, Foping on 19 January [LY]; four at Taibaishan FP on 28 May [BA].

Sichuan: Between one & four on four dates at Emei Shan during 20-25 June; one just outside Jiuzhaigou NP on 24 June [PH et al.].

Hubei: One at Sanxia Dum, Yichang on 21 April [ZYF].

Jiangxi: Common at Wuyishan NR, Yanshan between 8-10 April [BA].

[Collar (2006) followed Rasmussen and Anderton (2005) in splitting *A. cinereiceps*. Under the new arrangement, the species relevant to China are these: Streak-throated Fulvetta *A. manipurensis*, with nominate *manipurensis* in western Yunnan and the subspecies *tonkiniensis* in southeast Yunnan (though this taxon is not listed by Cheng (1987)); Grey-hooded Fulvetta *A. cinereiceps*, with subspecies *fessa*, nominate *cinereiceps*, *fucata*, *berliozi* and *guttaticollis*; and the Taiwan endemic Yushan Fulvetta *Alcippe formosana*. For avoidance of confusion, English names for *A. manipurensis* and the diminished *A. cinereiceps* follow Collar (2006), whilst Yushan Fulvetta is suggested for *A. formosana* to refelect that this montane taxon was first found at Yushan in the central highlands of Taiwan.]

### 1112.2# Streak-throated Fulvetta Alcippe manipurensis

云南: 12月31日, 高黎贡山百花岭, 3只[PH];

Yunnan: Three at Baihualing, Gaoligongshan on 31 December [PH].

### 1113# 路德雀鹛 Ludlow's Fulvetta Alcippe ludlowi

西藏: 5月28日, 墨脱, 7只[ZGF]; 7月23日, 林芝地区, 1只[ZGF];

Tibet: Seven at Motuo on 28 May [ZGF]; one at Linzhi on 23 July [ZGF].

# 1115# 褐顶雀鹛 Dusky Fulvetta Alcippe brunnea

海南: 1月15日, 昌江霸王岭自然保护区, 2只[BA];

四川: 6月24日和25日, 峨眉山, 1只和2只, 盈修, 7月7日1只[PH et al.].

Hainan: Two at Bawangling NR on 15 January [BA].

Sichuan: Two & one at Emei Shan on 24th & 25 June respectively; one near Yingxiu on 7 July [PH et al.].

### 1116# 褐胁雀鹛 Rusty-capped Fulvetta Alcippe dubia

四川: 10月1日, 理县孟屯, 2只[YL]; 10月12日, 攀枝花米易, 10只[QPJ];

西藏: 7月19日, 林芝八一, 1只, 西藏新记录[ZGF];

云南: 10月10日, 剑川石宝山, 6只[JHo & JW]; 12月3日, 高黎贡山百花岭, 10只[JH et al.];

Sichuan: Two at Mengtun, Li county on 1 October [YL]; 10 at Miyi, Panzhihua on 12 October [OPJ].

Tibet: One at Bayi, Linzhi on 19 July [ZGF]. The first record for Tibet.

Yunnan: Six at Shibaoshan, Jianchuan on 10 October [JHo & JW]; ten at Baihualing, Gaoligongshan on 3 December [JH et al.].

# 1117# 褐脸雀鹛 Brown-cheeked Fulvetta Alcippe poioicephala

云南: 12月8日, 勐腊中科院热带植物园, 32只[SXL]; 12月14日, 景洪勐养野象谷, 20只[LS];

Yunnan: 32 at Tropical BG of Chinese Academy of Sciences, Mengla on 8 December [SXL]; 20 at Yexianggu, Mengyang, Jinghong on 14 December [LS].

# 1118# 灰眶雀鹛 Grey-cheeked Fulvetta Alcippe morrisonia

南方常见种。

浙江: 1月20日, 开化古田山自然保护区, 160只[WJB];

江西: 4月2日, 赣州九连山自然保护区, 100只[ZGF];

陕西: 1月19日, 佛坪三官庙, 5只[LY];

四川: 12月4日, 天全喇叭河自然保护区, 5只[CLiang];

广东: 8月5日, 龙门南昆山自然保护区, 100只[WYY]; 12月3日, 广州石门国家森林

公园, 300只[GGW]; 12月24日, 新丰云髻山自然保护区, 120只[DJT];

广西: 10月21日,临桂安江坪,100只[LZY];10月24日,桂林尧山半山之尼姑庵,100只[LZY];

海南: 11月9日, 昌江霸王岭, 150只[WJY];

云南: 高黎贡山百花岭常见, 最大数量12月31日, 60只[PH];

Abundant in south China. The more significant records were as follows:

Zhejiang: 160 at Gutianshan NR, Kaihua on 20 January [WJB].

Jiangxi: 100 at Jiulianshan NR, Ganzhou on 2 April [ZGF].

Shaanxi: Five at Sanguanmiao, Foping on 19 January [LY].

Sichuan: 5 at Labahe NR, Tianquan on 4 December[CLiang].

Guangdong: 100 at Nankunshan NR, Longmen on 5 August [WYY]; 300 at Shimen National FP, Guangzhou on 3 December [GGW]; 120 at Yunjishan NR, Xinfeng on 24 December [DJT].

Guangxi: 100 at Anjiangping, Lingui on 21 October [LZY]; 100 at Yaoshan, Guilin on 24 October [LZY].

Hainan: 150 at Bawangling, Changjiang on 9 November [WJY].

Yunnan: Common at Baihualing, Gaoligongshan where the largest count was 60 on 31 December [PH].

1119# 白眶雀鹛 Nepal Fulvetta Alcippe nipalensis

西藏: 5月28日, 林芝墨脱, 24只[ZGF];

云南: 12月14日, 瑞丽, 2只[JH];

Tibet: 24 at Motuo, Linzhi on 28 May [ZGF].

Yunnan: Two near Ruili on 14 December [JH].

# 1120# 栗背奇鹛 Rufous-backed Sibia Heterophasia annectens

云南: 3月27日,瑞丽铜壁关自然保护区,3只[MK & RWL],7月27日,个旧贾沙丫沙底,1只[WC];

Yunnan: Three at Tongbiguan, Ruili on 27 March [MK & RWL]; one at Gejiu on 27 July [WC].

# 1121# 黑顶奇鹛 Rufous Sibia Heterophasia capistrata

西藏: 7月2日, 日喀则地区, 114只[ZGF]; 12月21日, 162只[ZGF];

Tibet: Particularly impressive counts were 114 at Rikaze on 2 July and 162 there on 21 December [ZGF].

# 1122# 灰奇鹛 Grey Sibia Heterophasia gracilis

云南: 3月28日, 盈江附近, 10只[MK & RWL]; 11月25日, 盈江东侧山地, 1只 [ZYong];

Yunnan: Ten near Yingjiang on 28 March [MK & RWL]; one at Yingjiang on 25 November [ZYong].

# 1123# 黑头奇鹛 Black-headed Sibia Heterophasia desgodinsi

[根据Collar (2006)的观点, 原Heterophasia melanoleuca被分成了两个种, 其中只有 desgodinsi分布于中国。]

广西: 1月21日, 靖西底定保护区, 6只[JAW];

四川: 4月22-24日, 屏山老君山, 10-15只[BA];

云南: 2月12日, 大理石宝山, 15只[WM], 10月11日, 剑川石宝山, 8只[JHo & JW], 12月1日, 高黎贡山百花岭, 4只[BA];

Guangxi: Six at Diding NR, Jingxi on 21 January [JAW].

Sichuan: 10-15 at Laojunshan, Pingshan between 22-24 April [BA].

Yunnan: 15 at Shibaoshan, Dali on 12, February [WM]; eight at Shibaoshan, Jianchuan on 8 October [JHo & JW]; four at Baihualing, Gaoligongshan on 1 December [BA].

[The former *Heterophasia melanoleuca* has been separated into two species by Collar (2006), with nominate *desgodinsi* occurring in China.]

### 1125# 丽色奇鹛 Beautiful Sibia Heterophasia pulchella

西藏: 5月15日, 林芝察隅, 3只[DJT]; 5月28日, 墨脱, 3只[ZGF]; 12月13日, 林芝地区10只[ZGF];

云南: 高黎贡山百花岭常见, 最大数量12月31日, 40只[PH];

Tibet: Three at Chayu, Linzhi on 15 May [DJT]; three at Motuo on 28 May [ZGF]; 10 at Linzhi on 13 December [ZGF].

Yunnan: Common at Baihualing, Gaoligongshan where the largest count was 40 on 31

December [PH].

# 1126# 长尾奇鹛 Long-tailed Sibia Heterophasia picaoides

云南: 3月25日,瑞丽南京里,6只[MK & RWL],12月12日,高黎贡山百花岭,5只[JH],

Yunnan: Six at Nanjingli, Ruili on 25 March [MK & RWL]; five near Baihualing, Gaoligongshan on 12 December [JH].

# 1127.1# 栗耳凤鹛 Striated Yuhina Yuhina castaniceps

[根据Collar (2006)的观点,原*Y. castaniceps*中的*torqueola*亚种被提升为种。郑作新在《中国鸟类区系纲要》(1987)中将滇西的记录归为*plumbeiceps*亚种,而这一亚种在缅甸北部也有分布,因此极有可能林芝的记录也可归为此亚种。*torqueola*在华东是中距离迁徙的,因此年报收录的东部地区的记录都应归为此种(亚种)。]

西藏: 5月28日, 林芝墨脱76只, 西藏新记录[ZGF];

云南: 3月22日, 高黎贡山百花岭, 20只[MK & RWL];

Tibet: 76 at Motuo, Linzhi on 28 May [ZGF]. The first record for Tibet.

Yunnan: 20 near Baihualing, Gaoligongshan on 22 March [MK & RWL].

[Collar (2006) split this species, restricting *Y. castaniceps* to the western forms *rufigenis*, *plumbeiceps*, nominate *castaniceps* and *striata* and elevating the southern and eastern torqueola to full species rank. Cheng (1987) listed *plumbeiceps* from western Yunnan and, since this is the form which occurs in northern Burma, it is most likely that the observation from Linzhi is also referable to this species and race. However, since *torqueola* is a medium-distance migrant in eastern China, extralimital records of this form could occur.]

# 1127.2# Chestnut-collared Yuhina Yuhina torqueola

福建,广东,广西,贵州,江西,浙江,重庆有记录。

浙江: 1月20日, 开化古田山自然保护区, 60只[WJB], 7月2日, 磐安大盘山自然保护区, 20只[QH];

江西: 10月31日, 九连山自然保护区, 40只[RWL];

广东: 12月3日,广州石门国家森林公园, 100只[GGW];

广西: 10月3日, 弄岗自然保护区, 110只[TSX]; 10月21日, 临桂安江坪, 100只[LZY]; 10月24日, 桂林尧山, 100只[LZY];

Zhejiang: 60 at Gutianshan NR, Kaihua on 20 January [WJB]; 20 at Dapanshan NR, Pan'an on 2 July [OH].

Jiangxi: 40 at Jiulianshan NR on 31 October [RWL].

Guangdong: 100 at Shimen National FP, Guangzhou on 3 December [GGW].

Guangxi: 110 at Nongguang NR, on 3 October [TSX]; 100 at Anjiangping, Lingui on 21 October [LZY]; 100 at Yaoshan, Guilin on 24 October [LZY].

October [LZ 1], 100 at Taoshan, Gunin on 24 October [LZ

Also reported from Fujian, Guizhou & Chongqing.

### 1128# 白项凤鹛 White-naped Yuhina Yuhina bakeri

西藏: 5月28日, 林芝墨脱, 6只[ZGF];

Tibet: Six at Motuo, Linzhi on 28, May [ZGF].

# 1129# 黄颈凤鹛 Whiskered Yuhina Yuhina flavicollis

西藏: 7月19日, 林芝八一, 8只[ZGF]; 5月15日, 察隅, 2只[DJT]; 12月13日, 林芝地区, 25只[ZGF]; 5月28日, 墨脱, 4只[ZGF]; 7月2日, 日喀则地区, 13只[ZGF]; 云南: 5月13日, 昆明西山, 1只[ZLin]; 9月11日, 泸水片马, 2只[WRQ]; 11月19日, 保山白花岭保护区, 40只[ZYong];

Tibet: Eight at Bayi, Linzhi on 19 July [ZGF]; two at Chayu, Linzhi on 15 May [DJT]; 25 at Linzhi on 13 December [ZGF]; four at Motuo on 28 May [ZGF]; 13 at Rikaze on 2 July [ZGF]. Yunnan: 40 at Baihualing, Baoshan on 19 November [ZYong]; one at Xishan, Kunming on 13 May [ZLin] was a particularly notable local record; two at Pianma, Lushui on 11 September [WRQ].

### 1130# 纹喉凤鹛 Stripe-throated Yuhina Yuhina gularis

四川: 4月22-24日, 屏山老君山, 10-15只[BA]; 7月17日, 平武王朗自然保护区, 1只 [LS];

西藏: 5月19日, 林芝地区, 1只[DJT]: 7月2日, 日喀则地区, 14只[ZGF];

云南: 3月24日, 高黎贡山百花岭, 30只[MK & RWL];

Sichuan: 10-15 at Laojunshan, Pingshan between 22-24 April [BA]; one at Wanglang NR, Pingwu on 17 July [LS].

Tibet: One at Linzhi on 19 May [DJT]; 14 at Rikaze on 2 July [ZGF].

Yunnan: 30 near Baihualing, Gaoligongshan on 24 March [MK & RWL].

### 1131# 白领凤鹛 White-collared Yuhina Yuhina diademata

陕西: 6月7-10日, 太白山国家森林公园, 每天6只[PH];

四川: 1月25日, 昆明西山, 6只[PH]; 2月16日, 理县孟屯, 100只[SY]; 10月22日, 卧龙自然保护区, 100只[LS]; 12月28日, 虎跳峡, 6只[RWL];

云南: 1月29日, 个旧乌谷哨-牛灞荒, 2只[WC], 10月7日, 大理苍山, 35只[JHo & JW].

High counts or unusual reports included:

Shaanxi: Six noted daily at Taibaishan NFP during 7-10 June [PH].

Sichuan: Six at Xishan, Kunming on 25 January [PH]; 100 at Mengtun, Lixian on 16 February [SY]; 100 at Wolong NR on 22 October [LS]; six at Tiger Leaping Gorge, Shigu on 28 December [RWL].

Yunnan: Two at Gejiu on 29 January [WC]; 35 at Cangshan, Dali on 7 October [JHo & JW].

# 1132# 棕肛凤鹛 Rufous-vented Yuhina Yuhina occipitalis

西藏: 5月15日, 林芝察隅, 22只[DJT]; 5月28日, 墨脱, 2只[ZGF]; 12月21日, 日喀则地区, 20只[ZGF];

云南: 高黎贡山百花岭常见,最大数量11月9日和12月31日,保山白花岭保护区,20只[LLW]和[PH];11月27日,大理茶山4只[ZYong];

Tibet: 22 at Chayu, Linzhi on 15 May [DJT]; two at Motuo on 28 May [ZGF]; 20 at Rikaze on

# 21 December [ZGF]

Yunnan: Common at Baihualing, Gaoligongshan where the largest counts were 20 on both 9 November [LLW] & 31 December [PH]; four at Cangshan, Dali on 27 November [ZYong].

# 1134# 黑额凤鹛 Black-chinned Yuhina Yuhina nigrimenta

江西: 5月9日, 铅山武夷山自然保护区, 23只[YCC];

广西: 8月21日, 融冰元宝山, 2只[JAW];

四川: 6月20日, 峨眉山, 15只[PH et al.];

西藏: 5月15日, 林芝察隅, 40只[DJT]; 5月28日, 墨脱40只[ZGF];

Jiangxi: 23 at Wuyishan NR, Yanshan on 9 May [YCC].

Guangxi: Two at Yuanbaoshan, Rongbing on 21 August [JAW].

Sichuan: 15 around Wannian Si, Emei Shan on 20 June [PH et al.].

Tibet: 40 at Chayu, Linzhi on 15 May [DJT]; 40 at Motuo on 28 May [ZGF].

Also reported from Chongqing.

# 1135# 白腹凤鹛 White-bellied Yuhina Erpornis zantholeuca

福建: 4月14日, 厦门坂头水库, 20只[ZLin];

广东: 12月3日,广州石门国家森林公园, 25只[GGW];

广西: 10月21日, 临桂安江坪, 20只[LZY];

云南: 7月27日,个旧贾沙丫沙底,20只[WC];12月30日和31日,高黎贡山百花岭,3 只和4只[PH];

海南: 11月9日, 昌江霸王岭, 61只[WJY];

Fujian: 20 at Bantou Reservoir on 14 April [ZLin].

Guangdong: 25 at Shimen National FP, Guangzhou on 3 December [GGW].

Guangxi: 20 at Anjiangping, Lingui on 21 October [LZY].

Yunnan: 20 at Jiashayashadi, Gejiu on 27 July [WC]; three & four at Baihualing,

Gaoligongshan on 30th & 31 December respectively [PH].

Hainan: 61 at Bawangling NR, Changjiang on 9 November [WJY].

### 1136# 火尾绿鹛 Fire-tailed Myzornis Myzornis pyrrhoura

西藏: 12月21日, 日喀则地区, 11只[ZGF];

Tibet: 11 at Rikaze on 21, December [ZGF].

### 1137# 文须雀 Bearded Parrotbill Panurus biarmicus

新疆: 7月24日, 福海乌伦古湖, 30只[GJun], 7月26日, 克拉玛依艾里克湖, 50只 [GJun], 8月9日, 喀什到巴楚途中, 13只, 8月20日, 博斯腾湖, 12只[PH];

Xinjiang: High counts included - 30 at Burultokay, Fuhai on 24 July [GJun]; 50 at Alik Lake, Kelamay on 26 July [GJun]; 13 between Kashi and Bachu on 9 August; &12 at Bosten Hu on

20 August [PH].

### 1138# 红嘴鸦雀 Great Parrotbill Conostoma oemodium

四川: 8月22日, 汶川卧龙自然保护区, 5只[ZGF]; 11月26日, 都江堰龙池, 8只

[WQian];

Sichuan: Five at Wolong NR on 22 August [ZGF]; eight at Longchi, Dujiangyan on 26 November [WQian].

# 1139# 三趾鸦雀 Three-toed Parrotbill Paradoxornis paradoxus

四川: 9月16日, 理县孟屯, 1只[SY];

Sichuan: One at Mengtun, Lixian on 16 September [SY].

### 1140# 褐鸦雀 Brown Parrotbill Paradoxornis unicolor

云南: 10月1日, 大理苍山, 15只[JHo & JW];

四川: 6月22日, 峨眉山, 1只[PH et al.];

Sichuan: One on the Golden Summit, Emei Shan on 22 June [PH et al.].

Yunnan: 15 at Cangshan, Dali on 1 October [JHo & JW].

# 1141# 灰头鸦雀 Grey-headed Parrotbill Paradoxornis gularis

浙江: 1月20日, 开化古田山自然保护区, 30只[WJB]; 3月5日, 杭州如意尖, 30只[QH];

安徽: 2月1日, 黄山谭家桥, 30只[YZD];

江西: 2月2日, 婺源, 10只[ZYC];

四川: 3月6日, 峨眉山, 5只[BA];

云南: 12月3日, 高黎贡山百花岭, 15只[JH & JHa];

海南: 5月12日, 琼中鹦哥岭青介2只[YCC]; 11月25日, 昌江霸王岭自然保护区, 20只 [JHo & JW];

Zhejiang: 30 at Ruyijian, Hangzhou on 5 March [QH]; 30 at Gutianshan NR, Kaihua on 20 January [WJB].

Anhui: 30 at Tanjiaqiao, Huangshan on 1 February [YZD].

Jiangxi: Ten at Wuyuan on 2 February [ZYC].

Sichuan: Five at Emei Shan on 6 March [BA].

Yunnan: 15 at Baihualing, Gaoligongshan on 3 December [JH & JHa].

Hainan: Two at Yinggeling, Qiongzhong on 12 May [YCC]; 20 at Bawangling NR on 25

November [JHo & JW].

# 1143# 点胸鸦雀 Spectacled Parrotbill Paradoxornis guttaticollis

广西: 1月21日, 靖西底定保护区, 10只[JAW];

贵州: 8月21日, 毕节灵峰山, 5只[YL];

云南: 3月30日, 盈江铜壁关自然保护区, 3只[MK & RWL];

四川: 6月28日, 卧龙巴朗山垭口, 2只[PH et al.];

陕西: 5月4日, 洋县长青自然保护区, 1只[RJ];

Guangxi: 10 at Diding NR, Jingxi on 21 January [JAW].

Guizhou: Five at Lingfengshan, Bijie on 21 August [YL].

Yunnan: Three at Tongbiguan, Yingjiang on 30 March [MK & RWL].

Sichuan: Two on mid-slopes of Balangshan Pass, Wolong on 28 June [PH et al.].

Shaanxi: One at Changqing NR, Yangxian on 4 May [RJ].

# 1144# 白眶鸦雀 Spectacled Parrotbill Paradoxornis conspicillatus

甘肃: 1月23日, 兰州榆中县兴隆山, 8只[ZLY];

陕西: 1月19日, 佛坪三官庙50只[LY]; 5月23日, 24日, 太白山森林公园, 各有1只 [PH];5月28日, 太白山森林公园, 1对在筑巢[BA];

四川: 6月28日, 巴郎山中海拔, 2只[PH]; 11月26日, 都江堰龙池4只[WQian];

Gansu: Eight at Yuzhong, Lanzhou on 23 January [ZLY].

Shaanxi: 50 at Sanguanmiao, Foping on 19 January [LY]; singles respectively & a pair nest building at Honghualing. Taibaishan FP on 23rd. 24th [PH] & 28 May [BA] respectively.

Sichuan: Two on the mid-Balangshan Pass, Wolong on 28 June [PH et al.]; four at Longchi, Dujiangyan on 26 November [WQian].

# 1145# 棕头鸦雀 Vinous-throated Parrotbill Paradoxornis webbianus

华东和华南常见种。

辽宁: 8月10日, 沈阳棋盘山森林公园, 5只[LZY];

北京: 1月15日, 北京植物园, 150只[SM];

山东: 2月8日,安丘汶河安丘段,20只[ZAH];山东新记录;

河南: 2月10日, 黄河湿地保护区, 111只[DQ], 2月10日, 三门峡陕州故城风景区, 100只[DQ],

陕西: 1月11日, 佛坪瓦寨子村, 65只[LY];

湖北: 2月8日, 恩施穿洞子林场, 100只[WYY];

湖南: 12月3-5日, 岳阳君山, 每天110只[RWL & MK];

江苏: 12月3日, 江宁南山湖, 200只[ZYu];

上海: 1月22日, 崇明东滩, 100只[YJ]; 2月24日, 奉贤奉新, 100只[YZD]; 3月5日,

宝钢水库, 100只[YJ]; 4月10日, 江湾老机场100只[YJ];

浙江: 11月24日, 海宁东西湖, 100只[XL]; 12月11日, 西湖150只[ZhuY];

Common & widespread in Eastern and Southern China.

Liaoning: Five at Qipanshan FP, Shenyang on 10 August [LZY].

Beijing: 150 at Beijing BG on 15 January [SM].

Shandong: 20 at Wenhe, An'qiu on 8 February [ZAH], apparently the first record for the province.

Henan: 111 at Huanghe Wetland NR on 10 February [DQ]; 100 at Shanzhou, Sanmenxia on 10 February [DQ].

Shaanxi: 65 at Wazhaizi, Foping on 11 January [LY].

Hubei: 100 at Chuandongzi FF, En'shi on 8 February [WYY].

Hunan: Day-counts of up to 110 at Junshan, Yueyang during 3-5 December [RWL & MK].

Jiangsu: 200 at Nanshanhu, Jiangning on 3 December [ZYu].

Shanghai: 100 at Dongtan, Chongming Island on 22 January [YJ]; 100 at Fengxin, Fengxian on 24

February [YZD]; 100 at Baogang Reservoir on 5 March [YJ]; 100 at Jiangwan on 10 April [YJ];

Zhejiang: 100 at Dongxihu, Haining on 24 November [XL]; 150 at Xihu on 11 December [ZhuY].

### 1146# 褐翅鸦雀 Brown-winged Parrotbill Paradoxornis brunneus

云南: 2月13日, 丙中洛, 10只[ZLin]; 11月26日, 腾冲来凤山森林公园, 6只

[ZYong];

Yunnan: 10 at Bingzhongluo on 13 February [ZLin]; six at Laifengshan FP, Tengchong on 26 November [ZYong].

# 1147# 灰喉鸦雀 Ashy-throated Parrotbill Paradoxornis alphonsianus

四川: 1月31日, 峨眉山, 30只[DK]; 12月17日, 泸州凤凰湖森林公园, 50只[LZC]; High counts included:

Sichuan: 30 at Emei Shan on 31 January [DK]; 50 at Fenghuanghu FP, Luzhou on 17 December [LZC].

# 1148# 暗色鸦雀 Grey-hooded Parrotbill Paradoxornis zappeyi VU

四川: 6月2日, 瓦屋山2只[DK]; 6月21日和7月5日, 峨眉山分别1只[PH et al.]和3只[DK]; 9月16日, 理县孟屯2只[SY];

Sichuan: Two at Wawushan, Hongya on 2 June [DK]; one & three at Emei Shan on 21 June [PH et al.] & 5 July [DK] respectively; two at Mengtun, Lixian on 16 September [SY].

### 1150# 黄额鸦雀 Fulvous Parrotbill Paradoxornis fulvifrons

陕西: 1月19日, 佛坪三官庙, 4只[LY];

四川: 6月2日, 瓦屋山, 2只[DK];

Shaanxi: Four at Sanguanmiao, Foping on 19 January [LY].

Sichuan: Two at Wawushan, Hongya on 2 June [DK].

### 1151# 橙额鸦雀 Black-throated Parrotbill Paradoxornis nipalensis

云南: 3月22日, 高黎贡山百花岭, 40只[MK & RWL];

Yunnan: Regular near Baihualing, Gaoligongshan with the highest count being 40 on 22 March [MK & RWL].

# 1152# 金色鸦雀 Golden Parrotbill Paradoxornis verreauxi

江西: 4月8-10日, 铅山武夷山自然保护区, 1只[LJS];

四川: 3月6日, 峨眉山, 50只[BA]; 4月16日, 彭州九峰山, 15只[DK]; 4月22-24日, 屏山老君山, 6只[BA];

Jiangxi: One at Wuyishan NR, Yanshan on 8-10 April [LJS].

Sichuan: 50 at Emei Shan on 6 March [BA]; 15 at Jiufengshan, Pengzhou on 16 April [DK]; six at Laojunshan, Pingshan between 22-24 April [BA].

### 1153# 短尾鸦雀 Short-tailed Parrotbill Paradoxornis davidianus

福建: 10月8日, 明溪均峰山, 1只[XMBWS];

Fujian: One at Junfengshan, Mingxi on 8 October [XMBWS].

# 1155# 红头鸦雀 Greater Rufous-headed Parrotbill Paradoxornis ruficeps

西藏: 5月28日, 林芝墨脱, 5只[ZGF];

Tibet: Five at Motuo, Linzhi on 28 May [ZGF].

### 1156# 震日鸦雀 Reed Parrotbill Paradoxornis heudei

辽宁: 3月26日,盘锦双台河自然保护区,5只[WRQ];

上海: 8月27日, 崇明东滩, 40只[ZLin];

江苏: 12月13日, 射阳盐城珍禽保护区, 5只[YLi];

浙江: 3月1日, 镇海后海塘, 1只[LYou];

Liaoning: Five at Shuangtaihe NR, Panjin on 26 March [WRQ].

Shanghai: 40 at Dongtan, Chongming Island on 27 August [ZLin].

Jiangsu: Five at Yancheng NR, Sheyang on 13 December [YLi].

Zhejiang: One at Houhaitang, Zhenhai on 1 March [LYou].

### 1157# 灰白喉林莺 Great Whitethroat Sylvia communis

新疆: 6月12日, 乌鲁木齐板房沟(南山), 1只[GJun];

Xinjiang: One at Banfanggou, Urumqi on 12 June [GJun].

# 1158# 白喉林莺 Lesser Whitethroat Sylvia curruca

河北: 5月11日, 乐亭快乐岛, 1只[BB et al.];

甘肃: 5月15日, 酒泉卫星发射基地, 3只[CYD];

新疆: 7月24日, 北屯额尔齐斯河谷, 3只[GJun]; 7月24日, 福海乌伦古湖, 80只[GJun];

Hebei: One on Happy Island, Laoting on 11 May [BB et al.] was perhaps only the second record for the province.

Gansu: Three at Jiuquan Satellite base on 15, May [CYD].

Xinjiang: Three at Ertix River valley, Beitun on 24 July [GJun]; 80 at Burultokay, Fuhai on 24 July [GJun].

# New-5# 休氏白喉林莺 Hume's Whitethroat Sylvia althaea

新疆: 8月3日, 喀什以西, 1只, 中国新记录[PH];

Xinjiang: One west of Kashi on 3 August [PH], the first record for China.

### 1159.1# 沙白喉林莺 Desert Whitethroat Sylvia minula

新疆:7月21日,托里塔岔口至托里沿线,1只[GJun],8月3日,喀什西部,10只[PH],8月10日,小海子水库附近,10只,8月15-19日期间,库尔勒附近普惠地区,10只-25只[PH],10月5日,喀什塔什库尔干沿线3只[GJun].

Xinjiang: One at Tuoli on 21 July [GJun]; 10 west of Kashi on 3 August [PH]; 10 near Xiaohaizi Reservoir on 10 August; 10-25 in the Puhui area near Korla on three dates during 15-19 August [PH]; three at Taxkorgan, Kashi on 5 October [GJun].

# 1161# 横斑林莺 Barred Warbler Sylvia nisoria

新疆: 5月13日,乌鲁木齐8只[GJun];6月3日,乌鲁木齐东山石人沟,5只[GJun];7月10-11日,若羌经且末至民丰,12只[MKW et al.];8月2日,喀什东南次依特拉附近,10只,8月3日,喀什以西,20只,8月4日,喀什东南10只[PH];

Xinjiang: A locally common breeder. Higher counts included - eight near Urumqi on 13 May [GJun]; five at Qidongshan, Urumqi on 3 June [GJun]; 12 between Ruoqiang and Minfeng via Qiemo on 11-12 July [MKW et al.]; 10 near Ciytla, southeast of Kashi on 2 August; 20 west of Kashi on 3 August; 10 southeast of Kashi on 4 August [PH].

### 雀形目 PASSERIFORMES > 百灵科 Alaudidae

### 1164# 长嘴百灵 Tibetan Lark Melanocorypha maxima

青海: 6月9日, 玉树玛多之间, 1只[TJ]; 7月26日, 鄂拉山口, 8只[WQ]; 9月21日和24日, 青海湖附近, 分别是10只和6只[PH et al.];

四川: 5月1日, 若尔盖, 7只[YHY]和7月2日, 有10只[PH et al.]; 8月13日, 若尔盖, 30只[WJY]; 12月6日, 若尔盖麦溪, 5只[SY];

Qinghai: One between Yushu and Maduo on 9 June [TJ]; eight on the Ela Shan Pass on 26 July [WQ]; 10 & 6 near Koko Nur on 21st & 24 September respectively [PH et al.].

Sichuan: Seven at Ruoergai on 1 May [YHY], 10 there on 2 July [PH et al.], 30 on 13 August [WJY] & five on 6 December [SY].

# 1165# 蒙古百灵 Mongolian Lark Melanocorypha mongolica

内蒙古: 6月2日, 图牧吉, 20只[PH];

河北: 5月6日, 乐亭快乐岛, 5只[BB et al.]; 同日北戴河, 1只[PH et al.]

北京: 9月10日, 延庆野鸭湖, 3只[ZZH];

青海: 6月7日, 共和恰不恰, 2只[TJ], 7月20日, 贵德至玛沁沿线, 4只[ZYong], 7月26日, 鄂拉山口, 3只[WO];

Nei Mongol: 20 at Tumuji on 2 June [PH et al.].

Hebei: Five on Happy Island, Laoting [BB et al.] & one at Beidaihe, Qinhuangdao on 6 May [PH et al.].

Beijing: Three at Wild Duck Lake, Yanging on 10 September [ZZH].

Qinghai: Two at Qiabuqia, Gonghe on 7 June [TJ]; four between Guide and Maqin on 20 July [ZYong]; three at the Ela Shan Pass on 26 July [WQ].

# 1166# 白翅百灵 White-winged Lark Melanocorypha leucoptera

新疆: 7月21日, 塔岔口至托里沿线, 2只[GJun];

Xinjiang: Two between Tachakou and Tuoli on 21 July [GJun].

### 1167# 黑百灵 Black Lark Melanocorypha yeltoniensis

新疆: 1月23日,卡拉麦里自然保护区,250只[WCB],迄今中国最大的种群数;

Xinjiang: Nearly 250 at Kalamaili on 23 January [WCB], by far the largest flock recorded in China.

### 1168# 大短趾百灵 Great Short-toed Lark Calandrella brachydactyla

北京: 4月17日, 野鸭湖, 约300只一群[BA]; 11月6日, 野鸭湖, 1只[Zli];

青海: 9月20日, 青海湖江西沟附近, 1000只[PH];

新疆: 7月14日, 喀什至塔什库尔干, 6只[MKW et al.]; 7月21日, 塔岔口至托里沿线, 5只[GJun];

Beijing: 300 in one flock at Wild Duck Lake on 17 April [BA] with one there on 6 November [ZLi].

Qinghai: 1000 near Jiangxigou, Koko Nur on 20 September [PH et al.].

Xinjiang: Six between Kashi and Taxkorgan on 14 July [MKW et al.]; five between Tachakou and Tuoli on 21 July [GJun].

#### 1169# 细嘴短趾百灵 Hume's Short-toed Lark Calandrella acutirostris

青海: 7月20日, 贵德至玛沁沿线, 2只[ZYong]; 7月28日, 青海湖, 30只[RKY]; 7月29日, 小北湖, 23只[RKY];

西藏: 5月9日, 曲水雄色寺, 15只[DJT], 5月10日, 扎囊桑耶镇青朴修行地, 50只 [DJT], 7月2日, 日喀则地区, 7只[ZGF];

新疆:8月5日,喀什附近,6只,8月6日,喀什到塔什库尔干途中,2只,8月9日,喀什到巴楚途中,6只[PH];

Qinghai: Two between Guide and Maqin on 20 July [ZYong]; 30 at Koko Nur on 28 July [RKY]; 23 at Xiaobeihu on 29 July [RKY].

Tibet: 15 at Xiongse Si, Qushui on 9 May [DJT]; 50 at Zhanang on 10 May [DJT]; seven at Rikaze on 2 July [ZGF].

Xinjiang: Higher counts included six near Kashi on 5 August; eight between Kashi and Taxkorgan on 6 August; six between Kashi and Bachu on 9 August [PH].

#### 1170# (亚洲) 短趾百灵 Asian Short-toed Lark Calandrella cheleensis

吉林: 10月5-7日, 诵榆向海自然保护区数群, 一天最大数量100只[PH];

北京: 11月25日, 延庆野鸭湖, 约1000只[BA]; 4月10日, 野鸭湖, 80只[ZYong];

河北: 5月3日, 乐亭快乐岛, 10只[BB et al.];

山东: 2月12日, 昌邑潍河, 8只[LJQ]; 4月10日, 30只[LJQ];

青海: 7月20日, 贵德至玛沁沿线, 20只[ZYong]; 7月28日, 青海湖, 3只[RKY];

新疆: 8月15日, 库尔勒, 4只; 8月17日, 博斯腾湖, 5只[PH]; 10月8日, 阿图什至乌什沿线, 40只[GJun];

Jilin: Several flocks at Xianghai NR, Tongyu on 5-7 October with 100 as the maximum day count [PH].

Beijing 1000 at Wild Duck Lake on 25 November [BA]; 80 there on 10 April [ZYong].

Hebei: 10 on Happy Island, Laoting on 3 May [BB et al.].

Shandong: Eight at Weihe, Changyi on 2 February & 30 there on 10 April [LJQ].

Qinghai: 20 between Guide and Maqin on 20 July [ZYong]; three at Koko Nur, Gonghe on 28 July [RKY].

Xinjiang: Four at Korla on 15 August & five at Bosten Hu on 17 August [PH]; 40 between Artux and Wushi on 8 October [GJun].

#### 1171# 凤头百灵 Crested Lark Galerida cristata

辽宁: 3月26日, 盘锦双台河自然保护区, 6只[WRQ];

北京: 3月26日, 怀柔水库, 1只[WN]; 4月10日, 野鸭湖, 1只[ZYong];

山东: 8月26日, 莱州大山林场, 15只[ZXX];

河南: 2月10日, 孟津黄河湿地保护区, 1只[DQ];

宁夏: 10月3日,中卫腾各里湖保护区,2只[LiX];

青海: 7月27日, 共和149公里, 20只[RKY];

四川: 8月13日, 若尔盖, 3只[WJY];

新疆: 3月5日, 昌吉五家渠103团, 12只[GJun]; 8月12日, 阿克苏附近, 15只[PH]; 12月10日, 五家渠青格达湖, 30只[GJun]; 10月2日, 库尔勒沙漠公路沿线, 30只[GJun];

Liaoning: Six at Shuangtaihe NR, Panjin on 26 March [WRQ].

Beijing: One at Huairou Reservoir on 26 March [WN]; one at Wild Duck Lake on 10 April [ZYong].

Shandong: 15 at Dashan FF, Laizhou on 26 August [ZXX].

Henan: One at Yellow River Wetland NR, Mengjin on 10 February [DQ].

Ningxia: Two at Tenggeli Hu NR, Zhongwei on 3 October [LiX].

Sichuan: Three at Ruoergai on 13 August [WJY].

Qinghai: 20 near Gonghe on 27 July [RKY].

Xinjiang: 12 at '103 Corps.', Changji on 5 March [Gjun]; 15 near Aksu on 12 August [PH]; 30 at Oinggeda Hu on 10 December [GJun]; 30 at near Korla on 2 October [GJun].

#### 1172# 云雀 Eurasian Skylark Alauda arvensis

内蒙古、辽宁、北京、天津、河北、河南、湖北、湖南(北部)、江苏、江西(南昌附近)、上海、四川均有多笔记录、数量较大的记录:

北京: 3月19日, 野鸭湖, 200只[CYZ]]和10月30日, 100只, [BA]; 10月10日, 密云水库, 400只[PH]; 10月22日, 野鸭湖, 100只[Zli];

河北: 10月1日, 北戴河南飞的250只[PH et al.];

上海: 3月3日, 星火农场, 100只[YZD].

内蒙古: 10月4日, 图牧吉, 150只[PH];

Nei Mongol: 150 at Tumuji on 4 October [PH].

Beijing: 200 at Wild Duck Lake on 19 March [CYZ] with 100 there on 30 October [BA]; 400 at Miyun Reservoir on 10 October [PH].

Hebei: 250 flew south at Beidaihe on 1 October [PH et al.].

Shanghai: 100 at Xinghuo Farm on 3 March [YZD].

Also reported from Liaoning, Tianjin, Henan, Hubei, Hunan, Jiangsu, Jiangxi & Sichuan.

#### 1174# 小云雀 Oriental Skylark Alauda gulgula

安徽、浙江、江西、湖北、湖南、福建、贵州、青海、四川、云南、海南、西藏均有广泛记录,数量最大的记录为12月21日,西藏日喀则地区,185只[ZGF],此外无重要记录

Tibet: 185 at Rikaze on 21 December [ZGF].

Also reported from Anhui, Zhejiang, Jiangxi, Hubei, Hunan, Fujian, Guizhou, Qinghai, Sichuan. Yunnan & Hainan.

#### 1175# 角百灵 Horned Lark Eremophila alpestris

甘肃、青海、四川、西藏、新疆均有广泛记录,其中数量较大的几笔记录为:

甘肃: 12月6日, 碌曲贡巴, 20只[SY];

青海: 7月28日,橡皮山,50只[WQ],9月20日和23日,日月山垭口和黑马河之间,100只[PH et al.];

四川: 5月2日, 若尔盖, 28只[YL];

西藏: 12月21日, 日喀则地区, 560只[ZGF];

新疆: 1月21日, 卡拉麦里保护区, 200只[GJun]

High counts included:

Gansu: 20 at Gongba, Luqu on 6 December [SY].

Qinghai: 50 at Xiangpishan on 28 July [WQ]; 100 between the Sun-Moon Mountain Pass and

Heimahe on 20th & 23 September [PH et al.].

Sichuan: 28 at Ruoergai on 2 May [YL].

Tibet: 560 at Rikaze on 21 December [ZGF].

Xinjiang: 200 at Kalamaili NR on 21 January [GJun].

#### 雀形目PASSERIFORMES > 太阳鸟科 Nectariniidae

#### 1178# 黄腹啄花鸟 Yellow-bellied Flowerpecker Dicaeum melanoxanthum

四川: 6月18日, 康定丹巴, 1只[CLiang]; 10月2日, 理县孟屯, 2只[SY];

云南:个旧宝华公园历年有稳定越冬群体,数量较大的记录如:1月28日,12只[WC];

12月1、3日, 高黎贡山百花岭, 分别2、1只[BA];

西藏: 7月27日, 芒康周边, 3只, 西藏新记录[ZGF];

Sichuan: One at Danba, Kangding on 18 June [CLiang]; two at Mengtun, Lixian on 2 October [SY].

Yunnan: Noted as a common winter visitor to the Baohua Park, Gejiu where the most significant record was of 12 on 28 January [WC]. Elsewhere there was a pair and one female at Baihualing, Gaoligongshan on 1st and 3 December [BA].

Tibet: Three at Mangkang on 27 July [ZGF]. The first record for Tibet.

#### 1179# 纯色啄花鸟 Plain Flowerpecker Dicaeum concolor

广西: 12月11日, 广西大学, 2只[JAW];

海南: 1月27日, 昌江霸王岭保护区, 10只[LG];

云南: 3月29日, 盈江铜壁关自然保护区, 3只[MK & RWL];

Guangxi: Two at Guangxi University on 11 December [JAW].

Hainan: Ten at Bawangling, Changjiang on 27 January [LG].

Yunnan: Three at Tongbiguan, Yingjiang on 29 March [MK & RWL].

#### 1180# 红胸啄花鸟 Fire-breasted Flowerpecker Dicaeum ignipectus

湖北: 7月19日, 神农架自然保护区木鱼镇, 12只[YZD];

江西: 10月29日, 九连山自然保护区, 1只[RWL];

广东:各地常见,数量较大的记录如:2月9日,广州石门森林公园,10只[DJT];

海南: 11月9日, 昌江霸王岭保护区, 12只[WJY];

四川: 3月20日,邛崃平落骑龙山,2只[SY]; 6月20日,峨眉市附近,4只[PH et al.]; 7月23日,崇州鞍子河自然保护区,2只[SY]; 8月22日,汶川卧龙自然保护区,1只 [ZGF];

云南:个旧宝华公园终年常见,数量最大的记录:7月30日,10只(多为幼鸟)[WC];昆明西山终年常见,数量最大的记录:12月18日,5只[LLW];12月1日,高黎贡山百花岭,5只[JH et al.];

西藏: 5月15日-5月18日, 林芝察隅, 2只[DJT]; 5月28日-6月21日, 林芝墨脱, 7只 [ZGF]; 12月21至31日, 日喀则, 3只[DJT];

Hubei: 12 at Muyuzhen, Shennongjia NR on 19 July [YZD].

Jiangxi: One at Jiulianshan NR on 29 October [RWL].

Guangdong: Noted as common in the province with the highest count being 10 at Shimen FP, Guangzhou on 9 February [DJT].

Hainan: 12 at Bawangling, Changjiang on 9 November [WJY].

Sichuan: Two at Qilongshan, Qionglai on 20 March [SY]; four near Emei City on 20 June [PH et al.]; two at Anzihe NR, Chongzhou on 23 July [SY]; one at Wolong NR, Wenchuan on 22 August [ZGF].

Yunnan: Noted as a common resident in Baohua Park, Gejiu where high counts included 10 (mostly juveniles) on 30 July [WC]. Also noted as a common resident on Xishan, Kunming where there were five on 18 December [LLW]. Regular at Baihualing, Gaoligongshan with the maximum count being five on 1 December [JH et al.].

Tibet: Two at Chayu, Linzhi between 15-18 May [DJT]; up to seven at Motuo, Linzhi between 28 May and 21 June [ZGF]; three at Rikaze between 21-31 December [ZGF].

#### 1181# 朱背啄花鸟 Scarlet-backed Flowerpecker Dicaeum cruentatum

广东: 5月1日, 郁南同乐大山保护区, 1只[LXD];

海南: 7月6日, 三亚南山, 5只[YZD]; 11月8日, 海口东寨港, 2只[WJY]; 11月9日, 昌江霸王岭保护区, 2只[WJY]; 11月12日, 东方大田保护区, 2只[WJY];

云南: 12月6日, 景洪版纳保护区管理局, 4只[SXL]; 12月8日, 勐腊中科院热带植物园, 6只[SXL]; 12月9日, 勐腊绿石林, 3只[LS];

Guangdong: One at Dashan NR, Tongle, Yu'nan on 1 May [LXD].

Hainan: Five at Nanshan, Sanya on 6 July [YZD]; two at Dongzhaigang, Haikou on 8 November [WJY]; two at Bawangling, Changjiang on 9 November [WJY]; two at Datian NR, Dongfang on 12 November [WJY].

Yunnan: Four at NR Agency of Xishuangbanna, Jinghong on 6 December [SXL]; six at the Tropical BG of ADCC, Mengla on 8 December [SXL]; three at Lyshilin, Mengla on 9 December [LS].

#### 1182# 紫颊直嘴太阳鸟 Ruby-cheeked Sunbird Anthreptes singalensis

云南: 10月11日, 腾冲和顺侨乡, 2只雌鸟[XY]; 12月8日, 勐腊中科院植物园, 1只 [SXL]; 12月14日, 勐养野象谷, 1只[LS];

Yunnan: Two females at Heshun, Tengchong on 11 October [XY]; one at CAS Tropical BG, Mengla on 8 December [SXL]; one at Wild Elephant Valley, Mengyang on 14 December [LS].

#### 1184# 黄腹花蜜鸟 Olive-backed Sunbird Nectarinia jugularis

广西: 9月27日, 龙州弄岗保护区, 10只[JAW];

海南: 1月27日, 昌江霸王岭保护区, 10只[LG]; 3月1日, 乐东尖峰岭自然保护区, 1 只[YCC]; 7月6日, 三亚南山, 11只[YZD]; 11月8日, 海口东寨港, 50只[WJY]; 11月 12日, 东方大田保护区, 10只[WJY];

云南: 10月11日, 腾冲和顺侨乡, 1只 [XY]; 12月8日, 勐腊中科院植物园, 3只 [SXL];

Guangxi: Ten at Nonggang NR, Longzhou on 27 September [JAW].

Hainan: Ten at Bawangling, Changjiang on 27 January [LG]; one at Jianfengling NR, Ledong on 1 March [YCC]; 11 at Nanshan, Sanya on 6 July [YZD]; up to 50 at Dongzhaigang, Haikou on 8 November [WJY]; ten at Datian NR, Dongfang on 12 November [WJY].

Yunnan: One at Heshun, Tengchong on 11 October [XY]; three at the Tropical BG of ADCC on 8 December [SXL].

#### 1185# 紫色花蜜鸟 Purple Sunbird Nectarinia asiatica

云南: 3月21日, 保山至高黎贡山百花岭, 2只[MK & RWL]; 4月18日, 沧源勐定, 5只 [OB];

Yunnan: Two between Baoshan and Baihualing, Gaoligongshan on 21 March [MK & RWL]; five at Mengding, Cangyuan on 18 April [OB].

#### 1186# 蓝喉太阳鸟 Mrs. Gould's Sunbird Aethopyga gouldiae

湖北:7月17日,十堰武当山金顶,1只[YZD];

四川: 4月25日,平武老河沟林场,6只[LS]; 5月22日,汶川卧龙保护区五一棚,2只 [DK]; 5月23日,木里瓦厂区林场,1只[SXL]; 6月20日-26日,峨眉山,有4天,在4只和5只之间,6月26日-30日之间,卧龙,有4天是1只和3之间[PH et al.]; 7月23日,崇州 鞍子河保护区,10只[SY]; 10月2日,理县孟屯,1只[SY];

贵州: 10月22日, 平塘掌布, 1只[YL];

云南: 3月27日,个旧西部山区,1只[WC];4月18日,沧源勐定,1只[OB];10月11日,腾冲和顺侨乡,1只雄鸟[XY];12月1日,高黎贡山百花岭,3只[JH et al.];

西藏: 5月15日-5月18日, 林芝察隅, 9只[DJT]; 5月28日-6月 21日, 林芝墨脱, 11只 [ZGF]; 7月2日, 日喀则地区, 2只[ZGF];

Hubei: One at Wudangshan, Shiyan on 17 July [YZD].

Sichuan: Six at Laohegou FF, Pingwu on 25 April [LS]; two at Wolong NR, Wenchuan on 22 May [DK]; one at Wachangqu FF, Muli on 23 May [SXL]; between four & five on four dates at Emei Shan 20-26 June; between one & three on four dates at Wolong 26-30 June [PH et al.]; ten at Anzihe NR, Chongzhou on 23 July [SY]; one at Mengtun, Lixian on 2 October [SY]. Guizhou: One at Zhangbu, Pingtang on 22 October [YL].

Yunnan: One in the mountains west to Gejiu city on 27 March [WC]; one at Mengding, Cangyuan on 18 April [OB]; a male at Heshun, Tengchong on 11 October [XY]; three at

Baihualing, Gaoligongshan on 1 December [JH et al.].

Tibet: Nine between 15-18 May at Chayu, Linzhi[DJT]; 11 between 28 May and 21 June at Motuo, Linzhi [ZGF]; two at Rikaze on 2 July [ZGF].

#### 1187# 绿喉太阳鸟 Green-tailed Sunbird Aethopyga nipalensis

云南: 5月13日, 昆明西山, 1只雌鸟[ZLin], 高黎贡山百花岭有多笔记录, 最大数量是12月31日, 15只[PH];

西藏: 5月28日-6月21日, 林芝墨脱, 11只[ZGF]; 日喀则地区: 7月2日, 10只; 12月21-31日, 共31只, 单日最高记录为12月28日, 12只[ZGF];

Yunnan: A female at Xishan, Kunming on 13 May [ZLin]. Noted as being quiet common at Baihualing, Gaoligongshan where the maximum count was 15 on 31 December [PH].

Tibet: Up to 11 at Motuo, Linzhi between 28 May and 21 June [ZGF]; at Rikaze there were ten on 2 July & 31 bird-days between 21-31December with 12 as the peak count on 28 December [ZGF].

### 1188# 叉尾太阳鸟 Fork-tailed Sunbird Aethopyga christinae

南方各省常见。

浙江: 3月9日, 杭州植物园, 5只[WJY];

广东:各地常见,数量较大的记录如:3月5日,广州龙洞水库,8只(3只雄鸟)[GGW],12月3日,深圳福田红树林,5只[YHY],12月10日,广州广东树木公园,6只[WXL];

广西: 10月3日, 龙州弄岗保护区, 8只[TSX];

海南: 7月6日, 三亚南山, 5只[YZD]; 11月9日, 昌江霸王岭保护区, 9只[WJY];

Common in south China. Notable records were:

Zhejiang: Five at Hangzhou BG on 9 March [WJY].

Guangdong: Described as common in the region with significant records as follows: eight (three males) at Longdong Reservoir, Guangzhou on 5 March [GGW]; five at Futian, Shenzhen on 3 December [YHY]; six at Guangdongshumu Park, Guangzhou on 10 December [WXL].

Guangxi: Eight at Nonggang NR, Longzhou on 3 October [TSX].

Hainan: Five at Nanshan, Sanya on 6 July [YZD]; nine at Bawangling, Changjiang on 9 November [WJY].

### 1189# 黑胸太阳鸟 Black-throated Sunbird Aethopyga saturata

广西: 1月21日, 靖西底定自然保护区, 15只[JAW];

云南: 1月13日, 勐腊望天树, 1只[DC], 3月26日, 瑞丽莫里森林公园, 3只[MK & RWL], 7月27日, 个旧贾沙丫沙底, 5只(至少3雄)[WC], 12月8日, 勐腊中科院植物园, 1只[SXL],

西藏: 5月28日-6月21日, 林芝墨脱, 11只[ZGF];

Guangxi: 15 at Diding NR. Jingxi on 21 January [JAW].

Yunnan: One at Wangtianshu, Mengla on 13 January [DC]; three at Moli FP, Ruili on 26 March [MK & RWL]; five (including at least three males) at Yashadi, Gejiu on 27 July [WC]; one at the Tropical BG of ADCC, Mengla on 8 December [SXL].

Tibet: Up to 11 at Motuo, Linzhi between 28 May and 21 June [ZGF].

# 1190# 黄腰太阳鸟 Crimson Sunbird Aethopyga siparaja

云南: 7月27日,个旧贾沙丫沙底,1只雄鸟[WC];11月24日,瑞丽莫里热带森林,4 只[ZYong];12月8日,勐腊中科院植物园,30只[SXL];12月9日,勐腊绿石林,2只 [LS];

Yunnan: A male at Yashadi, Gejiu on 27 July [WC]; four at Moli, Ruili on 24 November [ZYong]; an exceptionally high count of 30 at the Tropical BG of ADCC, Mengla on 8 December [SXL]; two at Lushilin on Mengla on 9 December [LS].

#### 1191# 火尾太阳鸟 Fire-tailed Sunbird Aethopyga ignicauda

云南: 12月1日, 高黎贡山百花岭, 17只[BA];

西藏: 5月28日—6月21 日, 林芝墨脱, 2只[ZGF]; 12月21-31日, 日喀则地区, 共47 只。单日最高记录为12月31日, 25只[ZGF];

Tibet: Two at Motuo, Linzhi between 28 May and 21 June [ZGF]; 47 bird-days at Rikaze between 21-31 December with 25 as the peak count on 31 December [ZGF].

Yunnan: Regular at Baihualing, Gaoligongshan with the highest count being 17 on 1 December [BA].

#### 1192# 长嘴捕蛛鸟 Little Spiderhunter Arachnothera longirostris

云南: 1月13日, 勐腊望天树, 1只[DC]; 12月8日, 勐腊中科院植物园, 2只[SXL]; Yunnan: One at Wangtianshu, Mengla on 13 January [DC]; two at the Tropical BG of ADCC, Mengla on 8 December [SXL].

#### 1193# 纹背捕蛛鸟 Streaked Spiderhunter Arachnothera magna

广西: 1月21日, 靖西底定自然保护区, 1只[JAW];

云南: 1月13日, 勐腊望天树, 2只[DC]; 12月8日, 勐腊中科院植物园, 2只[SXL]; 12月14日, 勐养野象谷, 1只[LS]; 12月30日和31日, 高黎贡山百花岭, 3只和1只[PH]; 西藏: 5月28日—6月21日, 林芝墨脱, 98只[ZGF];

Guangxi: One at Diding NR, Jingxi on 21 January [JAW].

Yunnan: Two at Wangtianshu, Mengla on 13 January [DC]; two at CAS Tropical BG, Mengla on 8 December [SXL]; one at Yexianggu, Mengyang on December 14th [LS]; three & one at Baihualing, Gaoligongshan on 30th & 31 December respectively [PH].

Tibet: 98 at Motuo, Linzhi between 28 May and 21 June. [ZGF].

#### 雀形目PASSERIFORMES > 麻雀科 Passeridae

#### 1194# 黑顶麻雀 Saxaul Sparrow Passer ammodendri

新疆: 3月28日, 吉木萨尔卡拉麦里保护区, 10只[MM]; 7月16日, 克拉玛依艾里克湖, 100只[GJun]; 8月4日, 喀什附近, 30只; 8月15日, 库尔勒, 30只[PH]; 10月2日, 库尔勒沙漠公路沿线, 2只[GJun];

Xinjiang: Ten at Kalamaili NR, Jimusa'er on 28 March [MM]; high counts of 100 at Ailikehu,

Kelamayi on 16 July [GJun]; 30 near Kashi on 4 August & 30 at Korla on 15 August [PH]; two besides the Desert Highway at Korla on 2 October [GJun].

#### 1195# 家麻雀 House Sparrow Passer domesticus

新疆:各地常见,数量较大的记录如:5月2日,和静巴音布鲁克,25只[GJun],7月30日,乌鲁木齐,40只,8月7日,塔什库尔干周边,150只,8月9日,喀什到巴楚途中,30只[PH],10月29日,石河子玛纳斯河谷,20只[GJun],12月17日,乌鲁木齐燕儿窝鸿雁池水库,35只[GJun];

青海: 9月22日, 茶卡附近, 130只[PH]:

四川:川西高原各地较常见,泸州的种群可能是近代才扩散形成的。5月4日,若尔盖辖曼乡,45只[ZMH];5月5日,理县米亚罗,7只[YL];11月5日,泸州大驿坝,30只[LZC];

Xinjiang: Described as a common resident. The most significant records were as follows: 25 at Bayanbuluk, Hejing on 2 May [MM]; 40 at Urumqi on 30 July; 150 in and around Taxkorgan on 7 August; 30 between Kashi and Bachu on 9 August [PH]; 20 at the Manasi River valley, Shihezi on 29 October [GJun]; 35 at Hongyanchi Reservoir, Yanerwo, Urumqi on 17 December [GJun].

Qinghai: 130 near Chaka on 22 September. Undoubtedly migrants this was thought to be a large flock for so far east in China [PH].

Sichuan: Described as a common resident in the western plateau of Sichuan. The population in Luzhou might have just recently become established. 45 at Xiaman village, Ruoergai on 4 May [ZMH]; seven at Miyaluo, Lixian on 5 July [YL]; 30 at Dayiba, Luzhou on 5 November [LZC].

#### 1196# 黑胸麻雀 Spanish Sparrow Passer hispaniolensis

新疆: 5月3日, 伊宁察布查尔, 2只[GJun]; 10月5日, 喀什塔什库尔干沿线, 18只 [GJun]; 8月11日, 阿克苏附近, 1雄[PH];

Xinjiang: Two at Qapqal, Yining on 3 May [GJun]; 18 beside the road to Taxkorgan on 5 October [GJun]; one male near Aksu on 11 August [PH].

#### 1197# 山麻雀 Russet Sparrow Passer rutilans

北京:为在中国分布的北限,夏候鸟,在西部山区繁殖。5月28日,门头沟小龙门林场,1只[ZYong];6月11日,永定河峡谷,5只[ZYong];9月17日,百望山,1只雄鸟[HD]:

南方各省山区常见,数量较大的记录有:

湖北: 4月14日,广水中华山国家森林公园, 80只[LY];

浙江: 4月3日, 天目山石谷, 50只[QC]; 5月2日, 绍兴西白山, 200只[QC];

四川: 10月12日, 攀枝花米易, 50只[QPJ];

贵州: 3月11日, 惠水百鸟河, 113只[YL]: 12月10日, 贵阳贵州大学, 600只[YL]:

云南: 2月13日, 楚雄紫溪山, 20只[WM];

另外,河南、陕西、安徽、江苏、江西、广西、西藏等省区有记录。

Beijing: Already established as the species' northeastern-most breeding area, Russet

Sparrow remains a summer visitor & breeds in the mountainous region to the west to the capital. Records this year were: one at Xiaolongmen FF, Mentougou on 28 May; five at the Yongdinghe River valley on 11 June [ZYong]; one male at Baiwangshan on 17 September [HD].

Described as locally common in southern China where significant records were as follows:

Hubei: High counts of 80 at Zhonghuashan FP, Guangshui on 14 April [LY].

Zhejiang: 50 at Shigu, Tianmushan on 3 April [QC]; 200 at Xibaishan, Shaoxing on 2 May [QC].

Sichuan: 50 at Miyi, Panzhihua on 12 October [QPJ].

Guizhou: 113 at Bainiaohe, Huishui on 11 March [YL]; high counts of 600 at Guizhou University, Guiyang on 10 December [YL].

Yunnan: 20 at Zixishan, Chuxiong on 13 February [WM].

Also reported from Henan, Shaanxi, Anhui, Jiangsu, Jiangxi, Guangxi and Tibet.

# 1198# 树麻雀 Eurasian Tree Sparrow Passer montanus

全国各地常见。

A common resident around settlements throughout the country.

#### 1199# 石雀 Rock Sparrow Petronia petronia

新疆: 8月8日, 塔什库尔干附近, 4只[PH], 10月5日, 喀什塔什库尔干沿线, 2只 [GJun],

青海: 7月20日, 贵德到玛沁沿线, 1只[ZYong]; 7月21日, 贵德到班玛沿线, 1只[ZYong]; 7月28日, 共和橡皮山, 1只[FZ]; 7月29日, 共和小北湖, 18只[RKY]9月20日, 日月山口经青海湖至鸟岛镇, 60只, 和9月24日, 相近数目的鸟在湖的南岸[PH et al.];

四川: 5月4日, 若尔盖辖曼乡, 2只[ZMH]; 7月2日, 红原和若尔盖之间, 4只[PH et al.]; 西藏: 5月8日, 拉萨哲蚌寺, 2只[DJT];

Xinjiang: Four near Taxkorgan on 8 August [PH] & two more there on 5 October [GJun].

Qinghai: Singles between Guide and Maqin on 20 July & between Guide and Banma on 21 July [ZYong]; one at the Rubber Mountain, Gonghe on 28 July [FZ]; 18 at Xiaobeihu, Gonghe on 29 July [RKY]; 60 between the Rubber Mountain Pass and Niaodao Town via Koko Nur on 20 September & a similar number along the southern shore of the lake on 24 September [PH et al.];

Sichuan: Two at Manxia Village, Ruoergai, Maerkang on 4 May [ZMH]; four between Hongyuan & Ruoergai on 2 July [PH et al.].

Tibet: Two at Zhebangsi, Lhasa on 8 May [DJT].

#### 1200# 白斑翅雪雀 White-winged Snowfinch Montifringilla nivalis

新疆: 8月6日,喀什到塔什库尔干途中,8只,8月16日,库尔勒,19只[PH];10月5日,喀什塔什库尔干沿线,10只[GJun];

青海: 7月26日, 兴海温泉乡鄂拉山口, 40只[WQ]; 7月30日, 玛多国道214沿线, 32只

[CLiang]; 7月31日, 杂多县城及扎青乡, 10只[CLiang]; 9月22日, 黑马河峡谷, 4只[PH et al.];

Xinjiang: Eight between Kashi and Taxkorgan on 6 August; 19 on the Luotuo Juan Pass north of Korla on 16 August [PH]; 10 between Kashi and Taxkorgan on 5 October [GJun].

Qinghai: 40 at Ela Shan Pass, Xinghai on 26 July [WQ]; 32 at Maduo on 30 July [CLiang]; 10 between Zhaduo and Zhaqing village on 31 July [CLiang]; four near Heimahe on 22 September [PH et al.].

#### 1201# 褐翅雪雀 Tibetan Snowfinch Montifringilla adamsi

四川: 7月2日, 红原到若尔盖之间, 7只[PH];

青海:7月26日,兴海温泉乡鄂拉山口,15只[WQ];7月31日,杂多县城及扎青乡,15只[CLiang];8月10日,班玛与久治,15只[ZGF];9月23日,橡皮山附近,50只[PH];

西藏: 5月15日-5月18日, 林芝察隅, 20只[DJT], 7月2日-7月14日, 日喀则地区, 30只[ZGF],

Sichuan: Seven between Hongyuan and Ruoergai on 2 July [PH et al.].

Qinghai: 15 at Ela Shan Pass, Xinghai on 26 July [WQ]; 15 between Zaduo and Zhaqing village on 31 July [CLiang]; 15 between Banma and Jiuzhi on 10 August [ZGF]; 50 near Rubber Mountain on 23 September [PH et al.].

Tibet: Counts of 20 at Chayu, Linzhi between 15 May-18 May [DJT]; 30 at Rikaze between 2-14July [ZGF].

#### 1202# 白腰雪雀 White-rumped Snowfinch Pyrgilauda taczanowskii

青海:各地易见,数量较大的记录如:7月21日,玛沁到班玛沿线,40只[ZYong],7月26日,兴海温泉乡鄂拉山口,15只[WQ],7月31日,杂多县城附近及扎青乡,50只[CLiang],8月10日,班玛与久治,80只[ZGF],

四川: 8月13日, 若尔盖, 25只[WJY]; 7月2日, 若尔盖和大坝之间, 8只[PH et al.]; 12月6日, 若尔盖热尔大坝, 10只[SY];

西藏: 5月3日, 拉萨羊八井, 1只[XL]; 7月2日-7月14日, 日喀则地区, 1只[ZGF]; 12月21日至31日, 日喀则地区, 1只[ZGF];

Qinghai: Noted as common with significant records including the following: 40 between Maqin and Banma on 21 July [ZYong]; 15 at Ela Shan Pass, Xinghai on 26 July [WQ]; 50 between Zaduo and Zhaqing village on 31 July [CLiang]; 80 between Banma and Jiuzhi on 10 August [ZGF].

Sichuan: 25 at Ruoergai, Maerkang on 13 August [WJY]; eight between Ruoergai & Da Ba on 2 July [PH et al.]; 10 at Reerdaba, Ruoergai on 6 December [SY].

Tibet: One at Yangbajing, Lhasa on 3 May [XL]; one at Rikaze between 2-14 July and one there between 21-31 December[ZGF].

#### 1203# 黑喉雪雀 Pere David's Snowfinch Pyrgilauda davidiana

青海: 6月7日, 共和恰不恰, 1只[TJ], 9月20日和21日, 青海湖黑马河附近, 分别是3只和4只[PH et al.]

Qinghai: One at Qiabuqia, Gonghe on 7 June [TJ]; three & four near Heimahe, Koko Nur on

#### 20th & 21 September respectively.[PH et al.].

#### 1204# 棕颈雪雀 Rufous-necked Snowfinch Pyrgilauda ruficollis

青海: 各地常见,数量较大的记录有: 7月21日,玛沁到班玛沿线,40只[ZYong];7月31日,杂多县城和扎青乡,100只[CLiang];7月28日,共和橡皮山,21只[WQ];8月10日,班玛与久治,46只[ZGF];

四川: 8月13日, 若尔盖, 4只[WJY]; 7月2日, 若尔盖和大坝之间, 8只[PH et al.]; 12月6日, 若尔盖热尔大坝, 10只[SY];

西藏: 5月20日, 林芝地区, 15只[DJT]; 12月23日, 拉萨至日喀则途中, 100只 [ZGF];

Qinghai: Noted as common with significant records as follows: 40 between Maqin and Banma on 21 July [ZYong]; 100 together between Zhaduo and Zhaqing village on 31 July [CLiang]; 21 at Rubber Mountain, Gonghe on 28 July [WQ]; 46 together between Banma and Jiuzhi on 10 August [ZGF].

Sichuan: Four at Ruoergai, Ma'erkang on 13 August [WJY]; eight between Ruoergai & Da Ba on 2 July [PH et al.]; 10 at Reerdaba, Ruoergai on 6 December [SY].

Tibet: 15 at Linzhi on 20 May [DJT]; 100 between Lhasa and Rikaze on 23 December [ZGF].

#### 1205# 棕背雪雀 Blanford's Snowfinch Pyrgilauda blanfordi

新疆: 10月5日, 喀什塔什库尔干沿线, 15只[GJun];

青海: 6月7日, 共和恰不恰, 1只[TJ]; 7月20日, 贵德到玛沁沿线, 3只[ZYong]; 7月28日, 共和橡皮山, 1只[WQ]; 9月23日, 茶卡附近, 6只[PH];

四川: 5月2日, 若尔盖, 7只[ZMH];

Xinjiang: 15 by the side of the road across Taxkorgan on 5 October [GJun].

Qinghai: One at Qiabuqia on 7 June [TJ]; three between Guide and Maqin on 20 July [ZYong]; one at the Rubber Mountain, Gonghe on 28 July [WQ]; six near Chaka on 23 September [PH et al.].

Sichuan: Seven at Ruoergai, Ma'erkang on 2 May [ZMH].

#### 1206# 山鹡鸰 Forest Wagtail Dendronanthus indicus

河北: 5月18日, 乐亭快乐岛, 3只[BB et al.]; 5月28日, 兴隆雾灵山保护区, 在山下记录1只[LHY]; 8月6日, 平山马凹, 1只[TXD];

北京: 5月22日,怀柔怀沙河,1只[LHT]; 6月5日,八达岭,1只[PH et al.]; 6月12日,百草畔,1只[LiX]; 8月7日,怀柔怀沙河,1只[ZJ]; 10月5日,百望山,5只[HD];

天津:7月28日和30日,1只南飞飞过塘沽海滨[PH];

山东: 6月6日, 莱州有繁殖记录, 25只[ZXX];

河南:罗山董寨保护区5月3日到5月28日有记录,如:5月21日,12只[ZYong];8月7日,洛宁陈吴村,5只[DQ];

安徽: 5月3日, 岳西鹞落坪保护区, 1只[QH]; 8月6日, 砀山飞机农场, 1只[LM];

江苏: 江浦5月下旬到8月下旬有记录,如:5月21日,狮子岭林场,4只[LM];6月29日,20只[ZYu];8月17日,狮子岭林场,2只[ZYu];

浙江:杭州植物园5月中旬到6月底有记录,如:5月18日,1只[QH];6月5日,6只,其

中4只幼鸟[QH]; 7月30日, 泰顺乌岩岭, 1只[GX];

湖南: 5月6日,长沙民政学院,1只[ZYF];

广西: 4月16日,柳州沙塘君武森林公园,1只[YDH];

四川: 7月23日,崇州鞍子河保护区,3只[SY];8月23日,成都沙河公园,1只[QG];10月22日,汶川卧龙自然保护区,1只[LS];

云南: 1月29日, 开远华西村林地, 1只[LB], 7月27日, 个旧贾沙丫沙底, 1只[WC],

西藏: 5月15日-5月18日, 林芝察隅, 1只, 西藏新记录[DJT];

Hebei: Three on Happy Island, Laoting on 18 May [BB et al.]; one at the foot of Wulingshan NR, Xinglong on 28 May [LHY]; one at Ma'ao, Pingshan on 6 August [TXD].

Beijing: Singles at Huaishahe, Huairou on 22 May [LHT] & 7 August [ZJ]; one at Badaling on 5 June [PH et al.]; one at Baicaopan on 12 June [LiX]; five at Baiwangshan on 5 October [HD]. Tianiin: Singles flew south over Tanggu Harbor on 28th& 30 July [PH].

Shandong: Breeding report from Laizhou on 6 June when 25 were counted [ZXX].

Henan: Recorded at Dongzhai NR, Luoshan during May and high counts of 12 on 21 May [ZYong]; five at Chenwu village, Luoning on 7 August [DQ].

Anhui: One at Yaoluoping NR, Yuexi on 3 May [QH]; one at Dangshan on 6 August [LM].

Jiangsu: Recorded at Jiangpu between late May and late August. Numerous records from Shiziling FF included four on 21 May [LM] & a maximum of 20 on 29 June. In autumn there were two on 17 August [ZYu].

Zhejiang: Recorded at Hangzhou BG between mid May and late June e.g. one on 18 May [QH]; six (including four juveniles) on 5 June [QH]. Elsewhere there was one at Wuyanling, Taishun on 30 July [GX].

Hunan: One at Changshan on 6 May [ZYF].

Guangxi: One at Junwu FP, Liuzhou on 16 April [YDH].

Sichuan: Three at Anzihe NR, Chongzhou on 23 July [SY]; one at Shahe Park, Chengdu on 23 August [QG]; one at Wolong NR, Wenchuan on 22 October [LS].

Yunnan: One at Huaxi village, Kaiyuan on 29 January [LB]; one at Yashadi, Jiasha on 27 July [WC].

Tibet: One at Chayu, Linzhi between 15-18 May [DJT]. The first record for Tibet.

#### 1207# 白鹡鸰 White Wagtail Motacilla alba

亚种leucopsis:

北方地区春季较早和冬季较晚的记录:

北京: 2月27日,房山十渡,1只,可能为越冬鸟[WRQ]; 3月6日,怀柔水库,1只 [LHY]; 10月22日,延庆野鸭湖,1只[HD];

数量较大的记录:

辽宁: 3月31日, 东港合降水库, 300只[BQQ];

浙江: 2月4日, 绍兴长乐镇, 100只[QC];

湖南: 9月17日, 长沙, 60只[LJY];

云南: 2月4日, 弥勒湖泉公园, 50只[WC];

亚种alboides:

青海: 7月22日, 班玛玛可河林场, 30只[WQ];

四川: 10月12日, 攀枝花米易, 30只[QPJ];

贵州: 10月29日,安顺黄果树天星桥,202只集群夜宿[ZhuY];

云南: 8月2日, 昆明黑龙潭, 大于100只集群夜宿[QC];

亚种ocularis:

北京: 4月2日, 延庆野鸭湖, 大于40只[LHY]; 9月30日, 延庆野鸭湖, 40只[LJY]; 11

月13日, 昌平沙河水库, 2只[WJ]:

河北: 5月7日和8日, 北戴河, 分别是40只和50只[PH et al.];

福建: 1月8日, 厦门集美兑山, 约20只[XMBWS];

云南: 2月4日, 弥勒湖泉公园, 30只[WC];

亚种personata:

新疆各地常见夏候鸟,如:3月6日,乌鲁木齐乌拉泊,16只[GJun];

青海: 9月23日, 茶卡附近, 1只[PH et al.];

亚种lugens:

上海: 2月28日,新虹桥中心花园,1只[XL];

浙江: 5月7日,椒江椒江农场,1只[ZhuY];10月16日,杭州江滨,1只[ZhuY];11月5

日,杭州蒋村西溪,1只[QC];

Race leucopsis:

The earliest spring & latest autumn records in Beijing & north China are as follows:

Beijing: Two early birds were noted – the first at Shidu on 27 February [WRQ]- had perhaps wintered locally while the second bird, another single, this time at Huairou Reservoir on 6 March was also unusually early [LHY]. The latest autumn report was of one at Wild Duck Lake, Yanqing on 22 October [HD].

Elsewhere other significant records were as follows:

Liaoning: A high count of 300 at Helong Reservoir, Donggang on 31 March [BOO].

Zhejiang: 100 at Changle town, Shaoxing on 24 February [QC].

Hunan: 60 at Changsha on 17 September [LJY].

Yunnan: 50 at Huquan Park, Mile on 4 February [WC].

Race alboides:

Significant records as follows:

Qinghai: 30 at Makehe FF, Banma on 22 July [WQ].

Sichuan: 30 at Miyi, Panzhihua on 12 October [QPJ].

Guizhou: 202 individuals gathered in a night-roost at Huangguoshu, Anshun on 29 October

Yunnan: More than 100 individuals gathered in a night-roost at Heilongtan, Kunming on 2 August [QC].

Race ocularis:

Beijing: 40 at Wild Duck Lake, Yanqing on 2 April [LHY]; 40 at Wild Duck Lake, Yanqing on 30 September [LJY]; two at Shahe Reservoir, Changping on 13 November [WJ].

Hebei: 40 &50 at Beidaihe on7th & 8 May respectively [PH et al.].

Fujian: 20 at Duishan, Xiamen on 8 January [XMBWS].

Yunnan: 30 at the Huquan Park, Mile on 4 February [WC].

Race personata:

Common summer visitor to Xinjiang, e.g. 16 at Wulapo, Urumqi on 6 March [GJun].

Qinghai: One near Chaka on 23 September [PH et al.].

Race lugens:

Shanghai: One at Xinhongqiao on 28 February [XL].

Zhejiang: One at Jiaojiang Farm, Jiaojiang on 7 May [ZhuY]; one at Jiangbin, Hangzhou on 16 October [ZYing]; one at Xixi, Hangzhou on 5 November [QC].

#### 1210# 黄头鹡鸰 Citrine Wagtail Motacilla citreola

亚种citreola: 东部不常见,北方记录主要来自北京。

北京: 4月24日,延庆野鸭湖,20只[LHY];5月4日,北京大学,1只雄鸟[ZAH];昌平沙河水库春季4月底到5月中,秋季10月初有记录,如:5月15日,1只[WZ];10月5日,1只[WJ];

河北: 5月7日, 北戴河, 1只[per PH];

四川: 7月1日-3日, 红原-若尔盖地区, 3天有1只和5只之间[PH et al.]; 11月25日, 广汉鸭子河, 1只[WQian];

云南: 2月4日, 弥勒湖泉公园, 250只[WC]; 2月17日, 开远泸江公园附近农田, 50只 (有少量 *calcarata*) [LB]; 9月30日, 蒙自长桥海, 1只[LLW];

亚种 calcarata:

青海: 7月27日, 共和149公里, 15只[RKY]; 9月22日, 青海湖和茶卡之间, 30只[PH et al.];

四川: 5月4日, 若尔盖, 11只[YL]; 5月10日, 绵阳平武, 2只[LS]; 10月2日, 理县孟屯, 2只[SY];

贵州: 2月6日, 威宁草海, 30只[YL];

云南: 2月4日, 弥勒湖泉公园, 50只[WC];

西藏: 5月8日, 拉萨哲蚌寺, 5只[DJT];

亚种werae:

新疆: 3月24日, 昌吉五家渠青格达湖, 6只[GJun]; 5月2日, 和静巴音布鲁克, 6只 [GJun]; 7月10日, 且末至民丰, 50只[GJun];

Race citreola:

Described as uncommon in east China & the majority of records came from Beijing.

Beijing: 20 at Wild Duck Lake, Yanqing on 24 April [LHY]; one male at Beijing University on 4 May [ZAH]. Recorded at Shahe Reservoir between late April and mid May and again in early October e.g. one on 15 May & one on 5 October [WJ].

Hebei: One at Beidaihe on 7 May [per PH].

Sichuan: Between one & five on all three days in the Hongyuan-Ruoergai areas 1-3 July [PH et al.]; one at Yazihe, Guanghan on 25 November [WQian] was an unusual winter record.

Yunnan: 250 at the Huquan Park, Mile on 4 February [WC]; 50 near Lujiang Park, Kaiyuan on 17 February (a few *calcarata* also occurred in this flock) [LB]; one at Changqiaohai, Mengzi on 30 September [LLW].

Race calcarata:

Qinghai: 15 at Gonghe on 27 July [RKY]; 30 between Koko Nur & Chaka on 22 September [PH et al.].

Sichuan: 11 at Ruoergai, Ma'erkang on 4 May [YL]; two at Pingwu, Mianyang on 10 May [LS];

two at Mengtun, Lixian on 2 October [SY].

Guizhou: 30 at Caohai NR, Weining on 6 February [YL].

Yunnan: 50 at the Huquan Park, Mile on 4 February [WC].

Tibet: Five at Zhebangsi, Lhasa on 8 May [DJT].

Race werae:

Xinjiang: Locally common – the more significant records were - six at Qinggedahu, Changji on 24 March [GJun]; six at Bayanbulak, Hejing on 2 May [GJun]; 50 between Qiemo and Minfeng on 10 July [GJun].

#### 1211# 黄鹡鸰 Yellow Wagtail Motacilla flava

亚种thunbergi:

新疆: 7月31日, 乌鲁木齐, 2只, 此前中国境内的记录很少[PH];

在东部地区各亚种迁徙季节常混群出现。

亚种*macronyx*:

北京: 4月21日, 北京大学, 1只[WC]; 5月6日, 坝河湿地, 10只[ZJ]; 10月2日, 昌平沙河水库, 1只[WC];

河北: 5月7日和9日, 北戴河, 分别是150只和50只[PH et al.];

云南: 2月6日,个旧北坡水库,1只[WC];

亚种simillima:

北京: 5月6日, 坝河湿地, 10只[ZJ];

河北: 5月6日, 北戴河, 10只[PH et al.];

上海: 9月10日, 川沙三甲港, 100只[ZWQ];

亚种taivana:

黑龙江: 5月7日, 伊春带岭保护区, 4只[LJY]; 5月10日, 扎龙自然保护区, 20只与亚 *种macronyx*混群[LJY];

北京: 5月6日, 坝河湿地, 1只[ZJ];

上海: 1月8日,崇明东滩,100只[ZWQ];

浙江: 11月17日, 海宁东西湖, 3只[ZhuY];

海南: 11月8日, 东寨港, 2只[WJY];

不能分辨亚种但数量较大的记录,如:

河北:秦皇岛北戴河5月初到5月中有记录,如:5月14日,100只[LHY];

北京: 5月8日, 昌平沙河水库, 30只[ZYQ];

天津: 5月2日,大港区北大港水库,100只[CJZ];

山东: 5月1日, 昌邑潍河, 30只[LJQ];

上海: 8月25日,奉贤星火农场, 20只[YZD]; 9月3日,川沙三甲港, 400只[YZD];

浙江: 9月10日, 杭州江滨, 30只[ZhuY];

广东: 11月6日, 广州番禺新垦, 30只[YHY];

广西: 12月11日, 合浦山口红树林保护区, 30只[JAW];

云南: 3月25日, 瑞丽江, 125只[MK & RWL];

另外,新疆、四川等省区也有零散记录。

Race thunbergi:

Xinjiang: Two near Urumqi on the 31 July [PH]. This form has only been recorded in China a

couple of times before.

In east China several subspecies frequently occur in the same flock during migration.

Race macronyx:

Beijing: One at Beijing University on 21 April [WC]; 10 at Bahe Wetland on 6 May [ZJ]; one at Shahe Reservoir, Changping on 2 October [WC].

Hebei: 150 & 50 at Beidaihe on 7th & 9 May respectively [PH et al.].

Yunnan: One at Beipo Reservoir, Gejiu on 6 February [WC].

Race simillima:

Beijing: 10 at Bahe Wetland on 6 May [ZJ].

Hebei: 10 at Beidaihe on 6 May [PH et al.].

Shanghai: High counts of 100 at Sanjiagang, Chuansha on 10 September [ZWQ].

Race taivana:

Heilongjiang: Four at Dailing NR, Yichuan on 7 May [LJY]; 20 at Zhalong NR on 10 May

[LJY]. Mixed hocks with race macronyx

Beijing: One at Bahe Wetland on 6 May [ZJ].

Shanghai: 100 at Dongtang, Chongming on 8 January [ZWQ].

Zhejiang: Three at Dongxihu, Haining on 17 November [ZYing].

Hainan: Two at Dongzhaigang, Haikou on 8 November [WJY].

Significant records, but subspecies unknown, as follows:

Hebei: A common passage migrant at Beidaihe between early and mid-May with the highest count being 100 on 14 May [LHY].

Beijing: 30 at Shahe Reservoir, Changping on 8 May [ZYQ].

Tianjin: 100 at Beidagang Reservoir on 2 May [CJZ].

Shandong: 30 at Changyi on 1 May [LJQ].

Shanghai: 20 at Xinghuo Farm, Fengxian on 25 August [[YZD]; 300 at Sanjiagang,

Chuanshan on 3 September [YZD].

Zhejiang: 30 at Jiangbin, Hangzhou on 10 September [ZhuY].

Guangdong: 30 at Xinken, Panyu on 6 November [YHY].

Guangxi: 30 at Shankou NR, Hepu on 11 December [JAW].

Yunnan: Three at Ruili river on 25 March [MK & RWL].

In addition there were a few reports of singles and small flocks in Sichuan and Xinjiang

#### 1212# 灰鹡鸰 Grey Wagtail Motacilla cinerea

黑龙江: 5月7日, 伊春带岭凉水保护区, 3只[LJY];

北京:北京大学4月初到5月下旬以及8月底有记录,如:4月4日,1只[WJ]:4月30日,

8只[ZAH];5月21日,1只[LS];8月26日,2只[WC];山区溪谷夏季常见繁殖鸟。最晚

记录为: 10月15日, 延庆妫水河沿岸, 1只[ZLi];

其它数量较大的记录:

河北: 5月17日, 北戴河周围, 16只[PH et al.], 较晚的大群记录;

安徽: 5月3日, 岳西鹞落坪保护区, 16只[QH];

上海: 11月25日, 川沙镇, 30只[XL];

新疆: 7月24日, 和静乌伦古湖, 100只[GJun];

南方秋冬较早的记录:

云南: 9月2日,丽江拉市海,2只[WRQ];

Heilongjiang: Three at Dailing, Yichun on 7 May [LJY].

Beijing: Recorded at Beijing University between early April and late May and again in late August. Counts here include one on 4 April [WJ], eight on 30 April [ZAH], one on 21 May [LS] & two on 26 August [WC]. The latest record was one at Guishuihe, Yanqing on 15 October [ZLi].

Elsewhere significant records were as follows:

Hebei: 16 around Beidaihe on 17 May [PH et al.] was late for so many.

Anhui: 16 at Yaoluoping NR, Yuexi on 3 May [QH].

Shanghai: 30 at Chuansha on 25 November [XL].

Xinjiang: 100 at Burultokay, Hejing on 24 July [GJun].

Yunnan: Two at Lashihai NR, Lijiang on 2 September were the first of the second winter period back in south China [WRO].

#### 1213# 理氏鹨 Richard's Pipit Anthus richardi

吉林: 6月2日, 图牧吉30只[PH et al.];

北京: 5月8日, 昌平沙河水库, 5只[ZYQ]; 8月21日, 延庆野鸭湖, 2只[LHT]; 9月5日, 延庆康西大草原, 25只[PH]; 11月13日, 昌平沙河水库, 30只[WJ], 为较晚记录; 山东: 9月17日, 莱州湾, 27只[ZXX];

上海:川沙三甲港9月初到11月初有记录,如:9月10日,1只[XL];9月29日,20只 [ZLin];11月6日,10只[ZWQ];其他记录有10月4日,崇明北湖,5只[WJY];

广东:珠海淇澳岛1月到4月上旬有记录,如:1月16日,2只[LXD],4月10日,2只[LXD],10月22日,惠州水产科学研究所,10只[WYY],

广西: 12月11日, 合浦山口红树林保护区, 6只[JAW];

新疆:8月17日,库尔勒附近,15只;8月23日,乌鲁木齐附近,15只[PH];较高数目是7月31日和8月23日,乌鲁木齐以南的乌拉博水库,分别是8只和15只,8月17日,库尔勒以北,15只[PH];

青海: 7月28日, 共和青海湖, 2只[RKY];

西藏: 5月8日, 拉萨哲蚌寺, 2只[DJT];

云南: 3月25日, 瑞丽江, 6只[MK & RWL]; 12月28日, 宝山, 1只[PH];

另外,河北、山东、江苏、浙江、福建、海南、四川等省区有零散记录。

Jilin: 30 at Tumuji on 2 June [PH et al.].

Beijing: Five at Shahe Reservoir, Changping on 8 May [ZYQ]; two at Wild Duck Lake, Yanqing on 21 August [HT]; 25 on the Kangxi Grasslands, Yanqing on 5 September [PH]; 30 at Shahe Reservoir, Changping on 13 November [WJ] was late for so many.

Shandong: 27 at Laizhou Wan on 17 September [ZXX].

Shanghai: Noted on passage at Sanjiagang, Chuansha between early September and early November with records as follows - one on 10 September [XL], 20 at 29 September [ZLin], ten on 6 November [ZWQ]. Elsewhere there were five at Beihu, Chongming on 4 October [WJY].

Guangdong: Noted as a scarce winter visitor at Qi'aodao, Zhuhai from January to April, e.g.

two on 16 January [LXD], two on 10 April [LXD] & 10 at Huizhou on 22 October [WYY].

Guangxi: Six at Shankou NR, Hepu on 11 December [JAW].

Xinjiang: 15 near Korla on 17 August & 15 near Urumqi on 23 August [PH]; Higher counts included eight & 15 near Wulabo Reservoir south of Urumqi on 31 July & 23 August respectively; 15 in the Haemodun Grasslands north of Korla on 17 August [PH].

Qinghai: Two at Koko Nur, Gonghe on 28 July [RKY].

Tibet: Two at Zhebangsi, Lhasa on 8 May [DJT].

Yunnan: Six at Ruili river on 25 March [MK & RWL]& one near Baoshan on 28 December [PH]. In addition there were small numbers of birds recorded in Hebei, Shandong, Jiangsu, Zhejiang, Fujian, Hainan and Sichuan.

#### 1214# 田鹨 Paddyfield Pipit Anthus rufulus

云南: 2月4日, 弥勒湖泉公园, 20只[WC], 7月30日, 开远三角海, 1只[LB], 11月6日, 开远泸江公园附近农田, 1只[LB];

Yunnan: 20 at Huquan Park, Mile on 4 February [WC]; one at Sanjiaohai, Kaiyuan on 30 July [LB]; one near Lujiang Park, Kaiyuan on 6 November [LB].

#### 1215# 平原鹨 Tawny Pipit Anthus campestris

新疆: 5月4日, 博乐赛里木湖, 1只, 6月3日, 乌鲁木齐东山石人沟, 10只, 7月21日, 塔岔口至托里沿线, 1只。[GJun], 7月31日, 乌鲁木齐, 3只[PH],

Xinjiang: One at Sailimuhu, Bole on 4 May. The year's peak count was of 10 at Shirengou, Urumqi on 3 June. Other reports included one between Tuoli and Tachakou on 21 July [GJun] & three near Urumqi on the 31 July [PH].

#### 1216# 布莱氏鹨 Blyth's Pipit Anthus godlewskii

吉林: 6月3日, 通榆向海自然保护区, 1只[PH et al.];

北京: 5月14日, 延庆野鸭湖, 10只[BA];

河北: 5月2日,北戴河联峰山,2只飞过[BB et al.]和5月20日,另外1只[PH et al.];5月12日和13日,乐亭快乐岛,分别是3只和1只[PH et al.];9月25日,北戴河东海滩,5只[BA];

天津: 7月30日, 汉沽彩虹桥池塘, 1只飞过[PH];

青海: 9月20日, 21日和23日, 青海湖和茶卡之间, 分别是5只3只和1只[PH et al.];

Jilin: One at Xianghai NR, Tongyu on 3 June [PH et al.].

Beijing: 10 at Wild Duck Lake, Yanging on 14 May [BA].

Hebei: Two at Beidaihe on 2 May [BB et al.] & another there on 20 May [PH et al.]; three &one on Happy Island, Laoting on 12th & 13 May respectively [PH et al.]; five at the Sandflats Beidaihe on 25 September [BA].

Tianjin: One flew south over the Caihongqiao Pools, Hangu on 30 July [PH].

Qinghai: Five, three & one between Koko Nur & Chaka on the 20th, 21st & 23 September respectively [PH et al.].

#### 1217# 林鹨 Tree Pipit Anthus trivialis

新疆: 8月17日, 博斯腾湖, 1只[PH];

Xinjiang: One at Lianhua Hu, Bosten Hu on 17 August [PH].

#### 1218# 树鹨 Olive-backed Pipit Anthus hodgsoni

除新疆等省区外,全国各地多有记录,常见。

江西: 11月2日, 九连山自然保护区, 106只[RWL et al.];

北方春季较早的记录:

北京: 4月2日, 密云白河峡谷, 1只[HP];

北方秋季较晚的记录:

北京: 10月29日, 圆明园, 2只[LDJ];

南方春季较晚的记录:

福建: 4月24日, 厦门万石植物园, 2只[HZY];

南方秋季较早的记录:

云南: 9月11日, 泸水片马, 2只[WRQ];

其余无重要记录。

Reported as a common migrant throughout the country except in Xinjiang.

Jiangxi: 106 at Jiulianshan NNR, Longnan on 2 November [RWL et al.].

Beijing: One at Baihe valley, Miyun on 2 April [HP] was apparently the earliest record in north China during spring migration, while two at Yuanmingyuan on 29 October [LDJ] were apparently the latest autumn birds.

Fujian: Two at Wanshi BG, Xiamen on 24 April [HZY] were the latest spring birds in South China.

Yunnan: Two at Pianma, Lushui on 11 September [WRQ] were the first birds of the autumn back in South China.

### 1219# 北鹨 Pechora Pipit Anthus gustavi

吉林: 10月6日, 通榆向海自然保护区, 1只[PH];

河北: 5月12日,13日,乐亭快乐岛,分别是1只和1只[PH et al.]和5月18日,3只[BB et al.];5月15-21日,北戴河,有4天有1只或2只[PH et al.];秋季,9月29日,大蒲河,1只和10月1日,北戴河,1只[PH et al.];

天津: 7月30日和31日,每日有1只飞过塘沽海滨以南[PH];

上海: 5月2日, 崇明东滩, 2只[GJ];

浙江: 4月30日-5月1日, 嵊泗县大洋山岛, 1只[BP et al.]; 5月22日, 杭州西湖, 1只; 9月13日, 杭州下沙, 1只[ZhuY];

Jilin: One at Xianghai NR, Tongyu on 6 October [PH].

Hebei: One, one & three on Happy Island, Laoting on 12th, 13th & 18 May [BB et al., PH et al.]; one or two at Beidaihe on four dates 15-21 May [PH et al.]. In autumn singles were at the Dapuhe on 29 September & Beidaihe on 1 October [PH et al.].

Tianjin: Singles flew south over Tanggu Harbor on both 30th & 31 July [PH].

Shanghai: Two at Dongtan, Chongming on 2 May [GJ].

Zhejiang: One at Dayangshan Dao, Sengsi between 30 April and 1 May [BP et al.]; one at Xihu, Hangzhou on 22 May [ZhuY]; one at Xiasha, Hangzhou on 13 September [ZhuY].

#### 1220# 草地鹨 Meadow Pipit Anthus pratensis

新疆: 5月2日,和静巴音布鲁克,4只;5月3日,伊宁察布查尔,6只[GJun];

Xinjiang: Four at Bayanbulak, Hejing on 2 May & six at Qapqal, Yining on 3 May [GJun].

#### 1221# 红喉鹨 Red-throated Pipit Anthus cervinus

吉林: 10月6日, 诵榆向海自然保护区, 1只[PH];

北京: 9月18日, 延庆野鸭湖, 10只[BA];

河北: 5月7日, 北戴河, 10只[PH et al.]和秋季很常见的9月24-25日之间, 北戴河, 至少20只[BA];

山东: 4月24日, 莱州河套水库, 36只[ZXX];

天津: 5月2日,大港区北大港水库,2只[CJZ];

上海: 3月10日, 崇明东滩, 30只[ZLin]; 10月3日, 川沙三甲港, 10只[ZLin];

浙江: 10月16日, 杭州江滨, 2只[ZhuY];

福建: 1月8日, 厦门集美兑山, 1只[XMBWS];

广东: 10月22日, 惠州惠水产科学研究所, 1只[WYY];

四川: 10月22日, 汶川卧龙自然保护区, 1只[LS];

云南: 滇中以南各地近水处多有记录, 如: 2月4日, 弥勒湖泉公园, 100只[WC];

Jilin: One at Xianghai NR, Tongyu on 6 October [PH].

Beijing: Ten at Wild Duck Lake on 18 September [BA].

Hebei: 10 at Beidaihe on 7May [PH et al.] and more common in autumn with at least 20 there between 24-25 September [BA].

Shandong: 36 at Hetao Reservoir, Laizhou on 24 April [ZXX].

Tianjin: Two at Beidagang Reservoir on 2 May [CJZ].

Shanghai: 30 at Dongtan, Chongming on 10 March [ZLin]; 10 at Sanjiagang, Chuansha on 3 October [ZLin].

Zhejiang: Two at Jiangbin, Hangzhou on 16 October [ZhuY].

Fujian: One at Duishan, Xiamen on 8 January [XMBWS].

Guangdong: One at Huizhou on 22 October [WYY].

Sichuan: One at Wolong NR, Wenchuan on 22 October [LS].

Yunnan: Reported to be a widespread winter visitor to south and central Yunnan with a particularly high count of 100 at Huquan Park, Mile on 4 February [WC].

#### 1222# 粉红胸鹨 Rosy Pipit Anthus roseatus

河北: 5月28日, 兴隆雾灵山保护区, 1只[LHY];

四川: 5月4日, 理县孟屯, 1只[YHY]; 5月24日, 卧龙巴朗山, 12只[DK]和6月27日和

28日, 分别是10只和30只鸟[PH et al.]; 11月5日, 泸州大驿坝, 10只[LZC];

贵州: 3月5日, 贵阳贵州大学, 1只[YL];

新疆: 8月16日, 库尔勒附近, 15只[PH];

青海也有记录。

Hebei: One at Wulingshan NR, Xinglong on 28 May [LHY].

Sichuan: One at Mengtun, Lixian on 4 May [YHY]; 12 at Balangshan, Wolong on 24 May

[DK] with 10 & 30 birds there on 27th & 28 June respectively [PH et al.]; 10 at Dayiba, Luzhou on 5 November [LZC].

Guizhou: One at Guizhou University, Guiyang on 5 March [YL].

Xinjiang: 15 near the Luotuo Juan Pass north of Korla on 16 August [PH].

Also reported from Qinghai.

### 1223# 水鹨 Water Pipit Anthus spinoletta

黄河以南各地近水地带常见冬候鸟。北方多为过境鸟,但在条件适宜的地点有越冬个体。

黑龙江: 5月7日, 伊春带岭凉水保护区, 2只[LJY];

河北: 5月3日,秦皇岛北戴河,1只[LHY];

北京: 1月16日, 昌平十三陵水库, 2只[WQ]; 3月3日, 昌平沙河水库, 1只[WRQ]; 4月

24日,延庆野鸭湖,20只[LHY];10月15日,延庆妫水河沿岸,1只[ZLi];担马河河谷冬季有越冬个体,如:11月20日,20只[ZLin];其它地方如通州河在冬季有游荡个体;

天津: 12月23日, 大港区北大港水库, 10只[LY];

山东: 2月12日, 昌邑潍河沿岸, 40只[LJQ];

河南:冬季多有记录,如:2月10日,孟津黄河湿地保护区,30只[DQ];

湖北: 近水低地多见冬候鸟, 如: 3月13日, 武汉沉湖, 15只[TXD];

湖南: 2月10日, 岳阳采桑湖, 常见[CLiang];

江苏: 2月1日, 溧水石臼湖, 30只[ZYu];

上海: 3月29日,奉贤星火农场,4只[YZD]; (南方春季较晚记录)

浙江: 10月6日,杭州下沙,1只[ZhuY]; (南方秋季较早记录)

江西: 12月31日,新建南矶山保护区,30只[LXD];

广东: 3月5日, 广州龙洞水库, 7只[GGW];

四川: 12月10日, 广汉鸭子河, 5只[CLiang];

贵州: 3月1日, 惠水百鸟河, 1只; 11月20日, 贵阳贵州大学, 1只。[YL]

云南: 10月2日, 开远三角海, 2只[LB](西南秋季较早记录); 2月17日, 开远泸江公园附近农田, 5只[LB];

青海: 9月20日, 湟源和日月山之间, 20只[PH et al.];

Noted as a widespread winter visitor in low density to suitable habitats south to the Yellow River. Also noted on passage at numerous sites in north China, sometimes even wintering in suitable locations at this latitude.

Heilongjiang: Two at Liangshui NR, Dailing on 7 May [LJY].

Hebei: One at Beidaihe on 3 May [LHY] was exceptionally late.

Beijing: Two at Shisanling Reservoir, Changping on 16 January [WQ]; one at Shahe Reservoir on 3 March [WRQ]; 20 at Wild Duck Lake, Yanqing on 24 April [LHY]; one at Guishuihe, Yanqing on 15 October [ZLi]. A reasonable number of birds wintered in the Jumahe river valley with 20 there on 20 November [ZLin]. Elsewhere birds lingered around the Tongzhou River throughout both winter periods.

Tianjin: 10 at Beidagang Reservoir on 23 December [CJZ].

Shandong: 40 near Weihe on 12 February [LJQ].

Henan: Frequently recorded during both winter periods e.g. 30 at the Yellow River Wetland

NR, Mengjin on 10 February [DQ].

Hubei: Reported as a common winter visitor to lowland e.g. 15 at Chenhu, Wuhan on 13 March [TXD].

Hunan: Reported to be common at Caisanghu, Yueyang on 10 February [CLiang].

Jiangsu: 30 at Shijiuhu, Shushui on 1 February [ZYu].

Shanghai: Four at Xinghuo Farm, Fengxian on 29 March [YZD] Which was the latest spring record in south China.

Zhejiang: One at Xiasha, Hangzhou on 6 October [ZhuY]. This was the earliest autumn record in south China

Jiangxi: 30 at Nanjishan NR, Nangchang on 31 December [LXD].

Guangdong: Seven at Longdong Reservoir, Guangzhou on 9 March [GGW].

Sichuan: Five at Yazihe, Guanghan on 10 December [CLiang].

Guizhou: One at Bainiaohe, Huishui on 1 March [YL]; one at Guizhou University, Guiyang on 20 November [YL].

Yunnan: Two at Sanjiaohai, Kaiyuan on 2 October [LB]. This was the earliest autumn record in the Southwest. Elsewhere there were five near Lujiang Park, Kaiyuan on 17 February [LB].

Oinghai: 20 between Huangyuan & the Sun-Moon Mountain Pass on 20 September [PH et al.].

#### 1224# 黄腹鹨 Buff-bellied Pipit Anthus rubescens

黑龙江: 9月30日, 伊春带岭碧水保护区, 1只[WXL];

辽宁: 4月25日, 丹东鸭绿江湿地保护区, 2只[BQQ];

吉林: 10月5-7日, 通榆向海自然保护区数群, 一天最大数量40只[PH];

河北:最晚的春季报告是来自于北戴河,5月7日,2只和5月9日,1只[PH et al.];

北京: 4月9日, 怀柔水库, 1只[LJY] (北方春季较早记录); 延庆野鸭湖4月下旬及9、10月有记录, 如: 4月24日, 100只[LHY]; 9月30日, 50只[LJY]; 10月12日, 11只 [ZLi]; 10月10日, 密云, 40只[PH];

天津: 4月9日,上古林至汉沽沿海,50只,部分为繁殖羽[LHY],12月23日,大港区北大港水库,20只[LY];

江苏; 2月1日, 溧水石臼湖, 20只[ZYu];

安徽: 2月1日, 黄山谭家桥, 20只[FZ];

上海: 10月4日,崇明北湖,2只[YZD](南方秋季较早记录);崇明东滩春季直到3月底,

秋季11月初开始有记录,如:11月20日,50只[YJ];

浙江: 2月12日, 仙居下各镇羊棚头村, 25只[WXM]; 11月17日, 海宁东西湖, 60只 [ZhuY];

江西: 12月31日,新建南矶山保护区,30只[LXD];

湖北: 4月16日, 武汉青山倒口湖, 1只[TYZ](南方春季较晚记录);

湖南: 12月3-6日, 岳阳东洞庭湖, 40只[TXD, RWL &MK];

贵州: 各地有越冬记录, 春季最晚到3月, 秋季最早为11月。贵州大学3月、11月、12月有记录, 如: 3月5日, 7只, 12月3日, 24只。3月11日, 惠水百鸟河, 41只 [YL],

云南: 秋冬11月底开始至早春2月有记录于各地水滨环境,不如红喉鹨等常见,较大数目的记录如: 2月6日,个旧北坡水库,28只[WC];

另外,河南、陕西、福建、广东、重庆等省区亦有越冬记录。

Heilongjiang: One at Dailing NR, Yichun on 30 September [WXL].

Liaoning: Two at Yalu Jiang Wetland NR, Dandong on 25 April [BOO].

Jilin: Fairly common at Xianghai NR, Tongyu on 5-7 October with 40 as the maximum day count [PH].

Hebei: The latest spring records from Beidaihe were two on 7th &one on 9 May [PH et al.].

Beijing: One at Huairou Reservoir on 9 April [LJY]. This was the earliest spring record in north China. Elsewhere the species was recorded at Wild Duck Lake, Yanqing during late April, September and October where high counts included 100 on 24 April [LHY], 50 on 30 September [LJY] & 11 on 12 October [ZLi]; 40 at Miyun on 10 October [PH].

Tianjin: 50 between Shanggulin and Hangu on 9 April [LHY]; 20 at Beidagang Reservoir on 23 December [LY].

Jiangsu: 20 at Shijiuhu, Shushui on 1 February [ZYu].

Anhui: 20 at Tanjiaqiao, Huangshan on 1 February [FZ].

Shanghai: Two at Beihu, Chongming on 4 October [YZD]. This was the earliest record during autumn in south China. Elsewhere the species was recorded at Dongtan, Chongming until late March in spring and from early november inautumn and high counts included 50 on 20 November [YJ].

Zhejiang: 25 at Xiage, Xianju on 12 February [WXM]; 60 at Dongxihu, Haining on 17 November [ZhuY].

Jiangxi: 30 at Nanjishan NR on 31 December [LXD].

Hubei: One at Daokouhu, Wuhan on 16 April [TYZ]. This was the latest spring record in south China.

Hunan: 40 at Dongting Lake, Yueyang on 3-6 December [TXD, RWL &MK].

Guizhou: Noted as a common winter visitor throughout the region with records until March in spring and from November in autumn Seen at Guizhou University in March, November and December with records there included seven on 5 March & 24 on 3rd December. Elsewhere there were 41 at Bainiaohe, Huishui on 11 March [YL].

Yunnan: Noted as a common winter visitor to suitable habitats throughout the region until February in spring and from late November in autumn. Less common than Red-throated Pipit. 28 at Beipo Reservoir, Gejiu on 6 February [WC].

In addition there were winter records in Henan, Shaanxi, Fujian, Guangdong, and Chongging.

#### 1225# 山鹨 Upland Pipit Anthus sylvanus

四川: 6月26日,成都到卧龙途中,听到1只[PH];

Sichuan: One between Chengdu and Wolong on 26 June [PH et al.].

#### 1226# 领岩鹨 Alpine Accentor Prunella collaris

北京: 山区春季到4月初,秋季从10月中旬开始有记录,如:4月2日,密云白河峡谷,1只[WRQ];10月16日,密云白河峡谷,5只[ZJ];12月17日,怀柔水库,20只[ZLi];青海:7月26日,班玛到温泉沿线,1只[FZ];

四川: 6月27日和28日, 卧龙自然保护区, 巴朗山山顶周围, 分别是6只和4只[PH et al.]; 12月2日, 泸定二郎山林场, 2只[CLiang];

西藏: 6月17日, 林芝墨脱雪线附近 (3500m), 1只[ZGF];

Beijing: Recorded in mountainous areas from mid October 2005 to early April 2006 & counts included one at Baihe Valley, Miyun on 2 April [WRQ] & five there on 16 October [ZJ]; 20 at Huairou Reservoir on 17 December [ZLi].

Qinghai: One between Banma and Wenquan on 26 July [FZ].

Sichuan: Six & four around the summit of Balangshan Pass, Wolong NP on 27th & 28 June respectively [PH et al.]; two at Erlangshan FF, Luding on 2 December [CLiang].

Tibet: One near snowline (3500m) at Motuo, Linzhi on 17 June [ZGF].

#### 1228# 鸲岩鹨 Robin Accentor Prunella rubeculoides

青海: 各地夏季常见。7月21日,班玛到玛沁沿线,11只[ZYong];7月26日,兴海温泉乡鄂拉山口,13只[WQ];7月28日,共和橡皮山,6只[WQ];7月31日,杂多县城附近和扎青乡,15只[CLiang];9月21日,黑马河附近,20只[PH et al.];

四川: 5月2日, 若尔盖, 1只[YL]; 10月23日, 康定新都桥, 2只[DK];

西藏: 各地常见。1月16日, 拉萨拉鲁湿地, 4只[ZLY]; 5月8日, 拉萨哲蚌寺, 15只 [DJT]; 5月9日, 曲水雄色寺, 10只[DJT]; 5月15-18日, 林芝察隅, 16只[DJT]; 12月 22日, 拉萨附近, 70只[ZGF];

Qinghai: Reported to be common in summer & counts included 11 between Banma and Maqin on 21 July [ZYong]; 13 at Ela Shan Pass, Xinghai on 26 July [WQ]; six at the Rubber Mountain, Gonghe on 28 July [WQ]; 15 together at Zhaduo and Zhaqing Village on 31 July [CLiang]; 20 near Heimahe on 21 September [PH et al.].

Sichuan: One at Ruoergai, on 2 May [YL]; two at Xinduqiao, Kangding on 23 October [DK]. Tibet: Reported to be common e.g. four at Lalu Wetland NR, Lhasa on 16 January [ZLY]; 15 at Zhebangsi, Lhasa on 8 May [DJT]; 10 at Xiongsesi, Qushui on 9 May [DJT]; 16 between 15-18 May at Chayu, Linzhi [DJT]; 70 at Lhasa on 22 December [ZGF].

#### 1229# 棕胸岩鹨 Rufous-breasted Accentor Prunella strophiata

甘肃: 1月23日, 兰州兰州大学, 3只[ZLY];

湖北: 7月19日, 神农架板岩壁, 1只[YZD];

陕西: 1月11日, 佛坪县城, 2只[LY]; 5月24日, 太白山森林公园, 2只[PH et al.]6月10日, 太白山森林公园, 3只[PH et al.];

青海: 7月23日, 班玛玛可河林场, 3只[WQ]; 7月28日, 共和橡皮山, 5只[WQ]; 7月28日, 玉树朶尔寺, 4只[KHL]; 9月22日, 黑马河附近, 10只[PH et al.]; 9月25-27日, 互助北山, 10只[PH];

四川: 5月3日, 若尔盖, 4只[YL]; 2月16日, 理县孟屯, 100只(秋冬常见)[SY]; 相对小数目的记录来自于6月-7月之间,峨眉山山顶附近8只, 鹧鸪山2只, 喇嘛岭6只[PH et al.]; 10月23日, 康定新都桥, 6只[DK];

云南: 11月29日,丽江西郊田野, 3只[ZYong];

西藏: 5月8日, 拉萨哲蚌寺, 3只[DJT]; 7月30日, 昌都类乌齐, 4只[ZGF]; 12月11日, 林芝八一, 10只[ZGF]; 12月24-31日, 日喀则地区, 共37只[ZGF];

Gansu: Three at Lanzhou University on 23 January [ZLY].

Hubei: One at Shennongjia NR on 19 July [YZD].

Shaanxi: Two at Foping on 11 January [LY]; two & three at Taibaishan FP on 24 May & 10 June respectively [PH et al.].

Qinghai: Three at Makehe FF, Banma on 23 July [WQ]; five at the Rubber Mountain on 28 July [WQ]; four at Ga'ersi, Yushu on 28 July [KHL]; ten near Heimahe on 22 September; ten at Huzhu Beishan between 25-27 September [PH et al.].

Sichuan: Four at, Ruoergai on 3 May [YL]; an exceptional count of 100 at Mengtun, Lixian on 16 February. Also reported to be common here during autumn and winter [SY]. Relatively small numbers were reported from near the summit of Emei Shan (up to eight birds) & both the Zhegushan (two birds) & Lamalingshan Passes (six birds) during June-July [PH et al.]; six at Xinduqiao, Kangding on 23 October [DK].

Yunnan: Three in the fields west to suburban Lijiang on November 29th [ZYong].

Tibet: Three at Zhebangsi, Lhasa on 8 May [DJT]; four at Leiwuqi, Changdu on 30 July [ZGF]; 10 at Bayi, Linzhi on 11 December [ZGF]; 37 bird-days at Rikaze between 24-31 December [ZGF].

#### 1230# 棕眉山岩鹨 Siberian Accentor Prunella montanella

黑龙江: 10月2日, 伊春带岭永翠河, 5只[WXL];

吉林: 10月7日, 通榆向海自然保护区, 1只[PH et al.];

辽宁: 1月22日, 凤城凤凰山保护区, 3只[BQQ]; 3月26日, 盘锦双台河口保护区, 1只[WRQ]; 12月31日, 大连植物园, 4只[LY];

河北: 1月15日, 抚宁董家口, 1只[WRQ]; 10月2日, 北戴河, 1只, 这是秋季第一只 鸟的典型日子[PH et al.];

北京: 春季晚至3月底, 秋季早自10月底可见。2月3日, 密云白河峡谷, 20只[WQ]; 5月1日, 怀柔白河峡谷, 1只, 较晚的春季记录[BB et al.]; 10月10日, 密云5只, 这是今年冬候鸟的最高记录[PH], 10月22日, 延庆野鸭湖, 10只[HD]。

Heilongjiang: Five at Dailing NR, Heilongjiang on 2 October [WXL].

Jilin: One at Xianghai NR, Tongyu on 7 October [PH].

Liaoning: Three at Fenghuangshan NR, Fengcheng on 22 January [BQQ]; one at Shuangtaihe NR, Panjin on 26 March [WRO]; four at Dalian BG on 31 December [LY].

Hebei: One at Dongjiakou, Funing on 15 January [WRQ]; one at Beidaihe on 2 October [PH et al.] - a typical date for the first bird of the autumn.

Beijing: Recorded from late October to early March. 20 at Baihe Valley, Miyun on 3 February [WQ]; one at Baihe Valley, Huairou, on 1 May was exceptionally late [BB et al.]; Five at Miyun on the 10 October [PH] were the first of the second winter period. A slightly late date, 10 at Wild Duck Lake, Yanqing on 22 October [HD].

#### 1231# 褐岩鹨 Brown Accentor Prunella fulvescens

内蒙古: 7月9日, 贺兰山自然保护区, 20只, 7月10日, 贺兰山南寺, 1只[BA]; 青海: 7月27日, 共和149公里, 2只[RKY]; 7月28日, 共和橡皮山, 1只[WQ]; 7月28日, 玉树杂尔寺, 1只[KHL]; 8月10日, 班玛与久治, 7只[ZGF]; 9月23日, 茶卡附近, 8只[PH];

四川: 10月23日, 康定新都桥, 8只[DK];

西藏: 较常见,数量较大的记录如: 1月16日,拉萨拉鲁湿地,6只[ZLY];5月7日,拉萨机场到,26只[DJT];5月9日,曲水雄色寺,50只;5月10日,扎囊桑耶镇青朴修行地,30只[DJT];拉萨附近:12月21日,95只,次日,40只[ZGF];

Nei Mongol: 20 at Helanshan NR on 9 March and one at Nan Si, Helanshan on 10 March [BA]. Qinghai: Two at Gonghe on 27 July [RKY]; one at the Rubber Mountain, Gonghe on 28 July [WQ]; one at Ga'ersi, Yushu on 28 July [KHL]; seven between Banma and Jiuzhi on 10 August [ZGF]; one near Chaka on 23 September [PH et al.].

Sichuan: Eight at Xinduqiao, Kangding on 23 October [DK].

Tibet: Described as common with significant records as follows: six at Lalu Wetland NR, Lhasa on 16 January [ZLY]; 26 between Lhasa Airport and the city on 7 May [DJT]; 50 at Xiongsesi, Qushui on 9 May [DJT]; 30 at Qingpu, Zhanang on 10 May [DJT]; 95 at Lhasa on 21 December and 40 there the next day [ZGF].

#### 1232# 黑喉岩鹨 Black-throated Accentor Prunella atrogularis

新疆: 11月5日, 乌鲁木齐乌拉泊, 2只[GJun];

Xinjiang: Two at Wulapo, Urumqi on 5 November [GJun].

#### 1234# 栗背岩鹨 Maroon-backed Accentor Prunella immaculata

陕西: 6月9日, 太白山森林公园, 听到1只[PH et al.];

青海: 7月24日, 班玛玛可河林场, 3只[WQ];

四川: 4月4日, 峨眉山, 6只[CLiang]; 5月24日, 汶川卧龙巴朗山, 1只[DK]; 6月22日, 峨眉山山顶附近, 1只, 7月1日, 鹧鸪山, 2只, 7月3日, 若尔盖和九寨沟之间的巴西路上, 1只, 7月4日和5日九寨沟, 分别是1只和6只[PH et al.]; 12月6日, 若尔盖麦溪, 3只[SY];

云南: 10月31日, 德钦, 30只[JHo & JW]; 12月4日, 高黎贡山百花岭, 1只[JHa];

西藏: 7月27日, 芒康周边, 2只[ZGF]; 12月13日, 林芝地区, 7只[ZGF];

Shaanxi: One at Taibaishan FP on 9 June [PH et al.].

Qinghai: Three at Makehe FF, Banma on 24 July [WQ].

Sichuan: Six at Emei Shan on 4 April [CLiang]; one at Balangshan, Wenchuan on 24 May [DK]; one near summit of Emei Shan 22 June; two on Zhegushan Pass on 1 July; one on Baxi road between Ruoergai & Jiuzhaigou on 3 July; one & six at Jiuzhaigou on 4th & 5 July respectively [PH et al.]; three at Ruoergai, on 6 December [SY].

Yunnan: 30 at Deqin on 31 October [JHo & JW]; one at Baihualing, Gaoligongshan on 4 December [JHa].

Tibet: Two at Mangkang on 27 July [ZGF]; seven at Linzhi on 13 December [ZGF].

#### 1238# 红梅花雀 Red Avadavat Amandava amandava

云南: 7月25日,个旧绿水河,1只雄鸟[WC];另外昆明有疑似逸鸟记录。

Yunnan: One male at Lushuihe, Gejiu on 25 July [WC]. Escaped birds were also recorded at Kunming.

#### 1239# 白腰文鸟 White-rumped Munia Lonchura striata

分布区内的常见留鸟,北抵河南、陕西,西到西藏南部,在多数适宜生境下常见。数量较大的记录如:

安徽: 2月1日, 黄山谭家桥, 70只[YZD];

江西: 3月20日, 婺源, 100只[CJZ];

贵州: 10月22日, 平塘掌布, 61只; 11月26日, 贵阳贵州大学, 70只[YL];

其余各每次几只到几十只不等的记录遍布各省区。

边缘分布:

陕西: 1月11日, 佛坪瓦寨子村, 14只[LY];

西藏: 5月28日至6月21日, 林芝墨脱, 5只, 西藏新记录[ZGF];

Described as common residents in suitable habitats throughout south China including both

Henan, Shaanxi. Significant records as follows:

Anhui: 70 at Tanjiaqiao, Huangshan on 1 February [YZD].

Jiangxi: 100 at Wuyuan on 20 March [CJZ].

Guizhou: 61 at Zhangbu, Pingtang on 22 October [YL]; 70 at Guizhou University, Guiyang on 26 November [YL].

Records from marginal areas of the species' distribution:

Shaanxi: 14 at Wazhaizi, Foping on 11 January [LY].

Tibet: Five at Motuo, Linzhi between 28 May and 21 June [ZGF]. The first records for Tibet.

#### 1240# 斑文鸟 Scaly-breasted Munia Lonchura punctulata

分布区内的常见留鸟,北抵安徽,西到西藏南部,在多数适宜生境下常见。数量较大的记录如:

浙江: 2月4日, 嵊州长乐镇, 55只[QC];

广东: 11月3日,广州白云区竹料镇,大于100只,在稻田取食[PYS];

来自西藏的记录:

西藏: 5月28日——6月21日, 林芝墨脱, 18只[ZGF];

Described as a common resident in suitable habitats throughout central, south and southwest China. Significant records as follows:

Zhejiang: 55 at Changle, Chenzhou on 4 February [QC].

Guangdong: More than 100 birds gathered at rice paddies at Liaozhu, Guangzhou on 3 November [PYS].

Tibet: 18 at Motuo, Linzhi between 28 May and 21 June [ZGF].

#### 雀形目PASSERIFORMES > 燕雀科Fringillidae

#### 1243# 苍头燕雀 Chaffinch Fringilla coelebs

北京: 1月5日, 昌平至永陵沿途, 1只[GJJ]; 2月26日, 妙峰山, 2只[WQ]; 3月6日, 怀柔水库, 3只[LHY]; 4月9日, 怀柔水库, 1只[LJY];

新疆: 2月11日, 乌鲁木齐板房沟(南山), 2只; 3月13日, 燕儿窝鸿雁池水库, 2只; 5月5日, 温泉县城至博乐沿线, 1只; 10月15日, 青河县城及桦林公园, 2只 [GJun];

Beijing: One between Changping & Yongling on 5 January [GJJ]; two at Miaofeng Shan on

26 February [WQ]; three at Huairou Reservoir on 6 March [LHY] and one there on 9 April [LJY].

Xinjiang: Two at Banfanggou (Nan Shan), Urumqi on 11 November; three at Hongyanchi Reservoir, Yan'erwo on 13 March; one between Wenchuan & Bole on 5 May; two at Hualin Park, Qinghe on 15 October [GJun].

#### 1244# 燕雀 Brambling Fringilla montifringilla

南方春天最晚记录:浙江:杭州,4月15日,1只[QH];

华北春天最晚记录:河北: 5月9日,乐亭快乐岛,2只,很晚的春季记录[BB et al.];零星个体在北戴河逗留到5月15日[PH et al.];

秋季最早记录:河南:9月23日,洛阳周山森林公园,3只[DQ];

数量较大的记录有:

黑龙江: 9月30日, 伊春带岭, 300只[WXL];

北京: 12月12日, 北京植物园, 300只[WRQ];

江苏: 1月26日南京玄武湖,,40只[ZYu];

上海: 12月27日, 宝钢水库, 90只[ZLin];

四川: 3月12日, 崇州西山乡, 50只[SY];

贵州: 12月3日, 贵阳贵州大学, 30只[YL];

新疆: 2月11日, 乌鲁木齐板房沟(南山), 20只[GJun];

The latest record in spring in South China was from Zhejiang: one at Hangzhou on 15 April [OH].

The latest record in spring in North China was from Hebei: 30 on Happy Island, Laoting on 8 May [BB et al.] was late for so many while singles lingered at Beidaihe until 15 May [PH et al.].

The earliest autumn record was from Henan: three at Zhoushan FP, Luoyang on 23 September [DQ]. These birds were exceptionally early.

Notable large flocks were as follows:

Heilongjiang: 300 at Dailing, Yichun on 30 September [WXL].

Beijing: 300 at Beijing BG on 12 December [WRQ].

Jiangsu: 40 at Xuanwu Hu, Nanjing on 26 January [ZYu].

Shanghai: 90 at Baogang Reservoir on 27 December [ZLin].

Sichuan: 50 at Xishan Xiang, Chongzhou on 12 March [SY].

Guizhou: 30 at Guizhou University, Guiyang on 3 December [YL].

Xinjiang: 20 at Banfanggou (Nan Shan), Urumqi on 11 February [GJun].

#### 1245# 金额丝雀 Fire-fronted Serin Serinus pusillus

新疆: 5月5日, 温泉县城至博乐沿线, 2只; 6月12日, 乌鲁木齐板房沟(南山), 32只; [GJun]; 11月27日, 乌鲁木齐板房沟(南山), 32只[GJun];

Xinjiang: Two between Wenchuan & Bole on 5 May; 32 at Banfangguo (Nan Shan), Urumqi on 12 June and one there on 27 November [GJun].

#### 1246# 金翅雀 Grey-capped Greenfinch Carduelis sinica

各地普遍有记录,50只以上大数量的有:

北京: 12月10日,房山十渡,60只[TZ];

上海: 3月24日,奉贤五四农场,50只[YZD];11月10日,宝钢水库,80只[XL];

江西: 3月20日, 婺源全县, 500只[CJZ];

四川: 11月25日, 广汉鸭子河, 50只[WQian];

贵州: 3月11日, 惠水百鸟河, 51只; 3月19日, 瓮安朱家山保护区, 80只; 12月3日,

贵阳贵州大学, 269只[YL]:

Recorded throughout the country. Notable records were as follows:

Beijing: 60 at Shidu, Fangshan on 10 December [TZ].

Shanghai: 50 at Wusi Farm, Fengxian on 24 March [YZD]; 80 at Baogang Reservoir on 10 November [XL].

Jiangxi: 500 at Wuyuan on 20 March [CJZ].

Sichuan: 50 at Yazi He, Guanghan on 25 November [WQian].

Guizhou: 51 at Bainiao He, Huishui on 11 March; 80 at Zhujiashan NR Weng'an on 19 March;

269 at Guizhou University, Guizhou on 3 December [YL].

#### 1246.a 欧金翅雀 European Greenfinch Carduelis chloris

新疆: 5月3日, 伊宁, 2只[ZDH]; 5月5日, 石河子, 16只[XJ]; 10月29日, 玛纳斯河, 1只[WCB]; 11月4日, 石河子, 11只[LHJ]; 11月20日, 昌吉, 2只[ZB];

Xinjiang: Two at Yining on 3 May [ZDH]; 16 at Shihezi on 5 May [XJ]; one at Manasi He on 29 October [WCB]; 11 at Shihezi on 4 November [LHJ]; two at Changji on 20 November [ZB].

#### 1247# 高山金翅雀 Yellow-breasted Greenfinch Carduelis spinoides

西藏: 7月2日, 日喀则, 36只[ZGF]:

Tibet: 36 at Rikaze on 2 July [ZGF].

#### 1248# 黑头金翅雀 Black-headed Greenfinch Carduelis ambigua

贵州、四川、云南、西藏有记录,数量较大的有:

贵州: 2月11日, 威宁草海, 47只[YL];

四川: 10月12日, 攀枝花米易, 20只[QPJ];

云南: 1月29日, 个旧乌谷哨-牛灞荒, 120只, 2月1日, 宝华公园, 50只[WC]; 12月23日, 丽江, 100只[RWL];

西藏: 5月11日, 扎囊, 20只[DJT]; 5月15日, 察隅, 22只[DJT]; 7月19日, 林芝八一, 10只[ZGF];

Recorded in Guizhou Sichuan, Yunnan and Tibet.

Notable records were as follows:

Guizhou: 47 at Caohai, Weining on 11 February [YL].

Sichuan: 20 at Miyi, Panzhihua on 12 October [QPJ].

Yunnan: 120 between Wugushao & Niubahuang, Gejiu on 29 January; 50 at Baohua Park on 1 February [WC]; 100 at Lijiang on 23 December [RWL].

Tibet: 20 at Zharang on 11 May [DJT]; 22 at Chayu on 15 May [DJT]; 10 at Bayi, Linzhi on 19 July [ZGF].

#### 1249# 黄雀 Eurasian Siskin Carduelis spinus

黑龙江: 5月7日, 伊春带岭, 4只[LJY];

河南: 2月26日, 罗山董寨自然保护区, 5只[LY];

山东: 3月13日, 莱州, 32只[ZXX];

上海: 11月9日, 宝钢水库, 30只[ZLin];

江苏. 10月30日,南京紫金山,75只;12月3日,江宁南山湖,30只[ZYu];12月9日,

江浦老山林场, 40只[FWG];

浙江: 12月4日,杭州植物园,25只[LTJ];12月18日,孤山曲苑植物园,20只[QC];

新疆: 11月12日, 石河子玛纳斯河谷, 2只[GJun];

Heilongjiang: Four at Dailing, Yichun on 7 May [LJY]

Henan: Five at Dongzhai NR, Luoshan on 26 February [LY].

Shandong: 32 at Laizhou on 13 March [ZXX].

Shanghai: 30 at Baogang Reservoir on 9 November [ZLin].

Jiangsu: 75 at Zijinshan, Nanjing on 30 October; 30 at Nanshan Hu, Jiangning on 3 December [ZYu]; 40 at Laoshan FF, Jiangpu on 9 December [FWG].

Zhejiang: 25 at Hangzhou BG on 4 December [LTJ]; 20 at Quyuan BG, Gushan on 8 December [QC]..

Xinjiang: Two at Manasi, Shihezi on 12 November [GJun].

#### 1250# 藏黄雀 Tibetan Serin Carduelis thibetana

四川: 7月1日, 鹧鸪山, 6只[PH]; 7月3日, 坝西与若尔盖和九寨沟之间, 10只[PH et al.]; 7月5日, 九寨沟, 2只[PH et al.];

西藏: 林芝, 5月20日, 4只; 5月26日, 6只[DJT];

云南: 12月1日, 高黎贡山百花岭, 2只[JH];

Sichuan: Six at Zhegushan on 1 July; 10 on Baxi road between Ruoergai & Jiuzhaigou on 3 July; two at Jiuzhaigou on 5 July [PH et al.].

Tibet: Four at Linzhi on 20 May and six there on 26 May [DJT].

Yunnan: Two at Baihualing, Gaoligongshan on 1 December [JH].

#### 1251# 红额金翅雀 European Goldfinch Carduelis carduelis

新疆: 5月3日,查尔县城及周边,10只,7月4日,青河至奇台,5只[MKW et al.],7 月22日,额敏167团,4只,7月23日,额敏到铁厂沟,10只,7月25日,阿勒泰克兰河谷,5只,7月30日,尼勒克喀什河河谷,4只[GJun],

Xinjiang: Ten at Cha'er on 3 May; five between Qinghe and Qitai on 4 July [MKW et al.]; four at Emin on 22 July; ten between Emin & Tiechanggou on 23 July; five at Kelan River Valley, Altay on 25 July; four at Kashi He Valley, Nilka on 30 July [GJun].

#### 1254# 黄嘴朱顶雀 Twite Carduelis flavirostris

青海、四川、西藏、新疆有记录,数量较大的有:

青海: 7月28日, 共和橡皮山, 30只[WQ]; 7月29日, 小北湖, 70只[RKY];

四川: 12月6日, 若尔盖, 2000只[SY];

西藏: 5月8日, 拉萨哲蚌寺, 70只, 5月12日, 林芝, 40只[DJT], 日喀则, 7月2日, 50只, 12月21日, 265只[ZGF];

新疆: 10月5日, 喀什塔什库尔干沿线, 25只[GJun];

Recorded in Qinghuai, Sichuan, Tibet and Xinjiang. Notable records were as follows:

Qinghai: 30 at Rubber Mountain, Gonghe on 28 July [WQ], 70 at Xiaobeihu on 12 May [RKY].

Sichuan: 2000 at Ruoergai on 6 December [SY] was an exceptional count and possibly a national record.

Tibet: 70 at Bangzhe Si, Lhasa on 8 May; 40 at Linzhi on 12 May [DJT]; 50 at Rikaze on 2 July and 265 there on 21 December [ZGF].

Xinjiang: The highest count was 25 at Taxkorgan, Kashi on 5 October [GJun].

#### 1255# 赤胸朱顶雀 Eurasian Linnet Carduelis cannabina

新疆: 5月5日,温泉县城至博乐沿线,2只;6月12日,乌鲁木齐板房沟(南山),2只;7月5日,奇台至鄯善,6只[MKW et al.];7月30日,尼勒克喀什河河谷,2只[GJun];

Xinjiang: Two between Wenquan & Bole on 5 May; two at Banfanggou (Nan Shan), Urumqi on 12 June; six at Qitai and Shanshan on 5 July; two at Kashi river valley, Nilka on 30 July [GJun].

#### 1256# 林岭雀 Plain Mountain Finch Leucosticte nemoricola

青海: 班玛、玛沁、共和、兴海、贵德、杂多7月下旬各有2只、5只、3只、4只、2 只、2只记录[WQ/ZYong/CLiang];

四川: 卧龙巴郎山,6月22日,7只[CLiang]和6月27日和28日,在那分别有20只和15只 [PH et al.],7月1日,红原附近,1只[PH et al.],卧龙保护区10月22日,5只[LS];

西藏: 1月16日, 拉萨拉鲁湿地, 1只[ZLY];

新疆: 7月12日, 叶城至莎车, 10只[MKW et al.]; 8月6日, 喀什到塔什库尔干途中, 8只[PH];

Qinghai: Two at Banma, five at Maqin, three at Gonghe, four at Xinghai, two at Guide, two at Zhaduo at the end of July [WQ/ZYong/CLiang].

Sichuan: Seven, 20 & 15 at Balangshan, Wolong on 22nd [CLiang], 27th & 28th [PH et al.] June respectively; one near Hongyuan on 1 July [PH et al.]; five at Wolong NR on 22 October [LS].

Tibet: One at Lalu Wetland, Lhasa on 16 January [ZLY].

Xinjiang: Ten between Yecheng and Shache on 12 July [MKW et al.]; eight between Kashi and Taxkorgan on 6 August [PH].

#### 1257# 高山岭雀 Brandt's Mountain Finch Leucosticte brandti

四川: 6月27日和6月28日, 巴郎山, 各1只[PH et al.];

青海:玛沁、兴海、贵德7月下旬各有1只记录[WQ & ZYong];7月30日,玛多国道214

沿线, 2只; 7月31日, 杂多县城附近和扎多乡, 10只[CLiang];

西藏: 5月15日, 察隅, 50只[DJT]; 日喀则, 7月2日, 90只; 12月21日, 30只[ZGF];

新疆: 5月1日, 和静巴轮台, 12只[GJun];

Sichuan: Singles near the summit of and at the Balangshan Pass on both 27th & 28 June [PH et al.]. Qinghai: One at Maqin, one at Xinghai and one at Guide at the end of July [WQ & ZYong]; two at

214 National Road near Maduo on 30 July; 10 at Zhaduo on 31 July [CLiang].

Tibet: 50 at Chayu on 15 May [DJT]; 90 at Rikaze on 2 July and 30 there on 21 December [ZGF]; Xinjiang: 12 at Baluntai, Hejing on 1 May [GJun].

#### 1262# 蒙古沙雀 Mongolian Finch Bucanetes mongolica

青海: 7月27日, 共和149公里, 25只[RKY]; 9月23日, 茶卡附近, 9只[PH et al.];

新疆: 5月2日,和静巴音布鲁克,30只[GJun],8月3日,喀什以西,25只,8月6日,喀什到塔什库尔干途中,6只[PH],8月7日和8日,塔什库尔干附近各记录到2只和1只[PH];

Qinghai: 25 at Gonghe on 27 July [RKY]; nine near Chaka on 23 September [PH et al.].

Xinjiang: 30 at Bayinbuluk, Hejing on 2 May [GJun]; 25 west of Kashi on 3 August & six between Kashi and Taxkorgan on 6 August; two & one near Taxkorgan on 7th & 8 August respectively [PH].

#### 1263# 巨嘴沙雀 Desert Finch Rhodospiza obsoleta

青海: 9月21日, 青海湖黑马河附近, 3只[PH et al.];

新疆: 7月13日, 莎车至喀什附近, 10只[MKW et al.], 8月4日, 喀什东南, 6只和8月10日, 阿克苏附近, 3只[PH];

Qinghai: Three near Heimahe, Koko Nur on 21 September [PH et al.].

Xinjiang: Ten between Shache and Kashi on 13 July [MKW et al.]; six southeast of Kashi on 4 August; three near Aksu on 10 August [PH].

#### 1264# 长尾雀 Long-tailed Rosefinch Uragus sibiricus

黑龙江: 9月30日, 带岭碧水, 20只; 10月2日, 带岭永翠河, 25只[WXL];

吉林: 2月2日, 吉林市松花江 1只[LiXD];

辽宁: 1月1日, 凤城凤凰山保护区, 1只[BQQ]; 12月31日, 大连植物园, 3只[LY];

河北: 11月12、13、19、20日, 北戴河, 共八只次[JH];

北京: 12月7日, 怀柔水库, 5只[LiX];

山西: 1月9日, 盂县藏山, 2只[GJJ]; 3月13日, 太原乌金山, 10只[GJJ];

山东: 2月15日, 莱州大山林场, 8只[ZXX];

青海: 7月22日, 玛可河林场, 22只 [WQ];

四川: 理县孟屯, 2月16日, 5只[YY]; 10月2日, 3只[SY]; 4月17日, 松潘九寨沟口, 1只[ZYF];

新疆: 10月15日, 青河县城及桦林公园, 3只, 石河子玛纳斯河谷, 10月29日, 2只, 11月12日, 4只[GJun],

云南: 10月31日, 德钦, 1只[JHo & JW];

Heilongjiang: 20 at Bishui, Dailing on 30 September; 25 at Yongcui He, Dailing on 2 October [WXL].

Jilin: One at Songhua Jiang, Jilin City on 2 February [LiXD].

Liaoning: One at Fenghuang Shan NR, Fengcheng on 1 January [BQQ]; three at Dalian BG on 13 December [LY].

Hebei: At Beidaihe there were eight bird-days in mid-November - four on 12th, two on 13th, one probably first calendar-year bird on 19th and one heard on 20 November [JH].

Beijing: Five at Huairou Reservoir on 7 December [LiX].

Shanxi: Two at Zangshan, Yuxian on 9 January [GJJ]; 10 at Wujinshan, Taiyuan on 13 March [GJJ].

Shandong: 8 at Dashan FF, Laizhou on 15 February [ZXX].

Qinghai: 22 at Makehe FF on 22 July, two there on 24 July and one on 25 July [WQ].

Sichuan: One at Jiuzhaigou, Songpan on 17 April [ZYF]; five at Mengtun, Li County on 15 October [YY] and three there on 2 October [SY].

Xinjiang: Three at Qinghe County and Hualin Park on 15 October; two at Manasi He Valley, Shihezi on 29 October and four there on 12 November [GJun].

Yunnan: One at Deqin on 31 October [JHo & JW].

### 1265# 赤朱雀 Blanford's Rosefinch Carpodacus rubescens

陕西: 6月10日, 太白山森林公园, 1雄[PH et al.];

Shaanxi: One male near Xiabansi, Taibaishan FP on 10 June [PH et al.].

#### 1266# 暗胸朱雀 Dark-breasted Rosefinch Carpodacus nipalensis

四川: 4月22-24日, 屏山老君山, 1只[BA]; 6月22日, 卧龙巴郎山, 10只[CLiang]; 6月22日, 峨眉山顶附近, 1只, 7月5日, 九寨沟原始森林, 1只[PH et al.]; 10月2日, 理县孟屯, 5只[SY];

西藏; 12月21日, 日喀则, 6只[ZGF];

云南: 10月31日, 德钦, 4只[JHo & JW]; 12月1日, 高黎贡山百花岭, 3只[BA];

Sichuan: One at Laojunshan, Pingshan between 22-24 April [BA]; ten at Balangshan, Wolong on 22 June [CLiang]; one near summit of Emei Shan on 22 June; one in Primeval Forest, Jiuzhaigou on 5 July [PH et al.]; five at Mengtun, Li County on 2 October [SY].

Tibet: Six at Rikaze on 21 December [ZGF].

Yunnan: Four at Deqin on 31 October [JHo & JW]; three at Baihualing, Gaoligongshan on 1 December [BA].

#### 1267# 普通朱雀 Common Rosefinch Carpodacus erythrinus

内蒙古: 7月9-10日, 贺兰山自然保护区和南寺普遍易见[BA];

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是:5月9日,乐亭快乐岛,至少50只[BB et al.];

北京: 5月有多笔记录,最高为圆明园,5月21日,8只[WRQ];延庆野鸭湖,8月27日,1只[ZLi];北京植物园,12月10日,1只,较罕见的越冬记录[ZLei];

河南: 9月23日, 洛阳周山森林公园, 7只[DQ];

湖北: 7月19日, 神农架保护区, 1只[YZD];

青海: 7月22日, 玛可河林场, 20只 [WQ]; 7月28日, 玉树尕尔寺, 12只[KHL]; 8月10日, 班玛-久治, 7只[ZGF];

四川: 理县孟屯, 2月16日, 2只, 9月16日, 3只, 鹧鸪山, 12月4日, 5只[SY], 6月22日和23日, 峨眉山山顶附近, 分别是1只和2只, 6月26日-30日每日, 卧龙, 1只和6只之间, 7月1日, 鹧鸪山垭口, 8只, 7月3日, 若尔盖和九寨沟之间的巴西路上, 3只, 7月7日, 九寨沟自然保护区外面, 2只[PH et al.], 8月13日, 若尔盖, 8只[WJY], 5月23

日,木里瓦厂区林场,20只[SXL];

西藏: 5月8日和21日, 拉萨哲蚌寺, 15和20只; 5月20日, 林芝, 8只[DJT]; 7月27日, 芒康, 6只; 12月11日, 林芝八一, 20只[ZGF];

新疆: 5月6日,沙湾千泉湖,2只;乌鲁木齐板房沟(南山),6月12日,4只;8月21日,2只;10月22日,2只;阿勒泰克兰河谷,7月25日,5只;尼勒克喀什河河谷,7月30日,4只[GJun];8月16日,库尔勒附近,30只[PH];喀什塔什库尔干沿线,9月6日,10只[GLQ];8月3日,喀什以西,5只[PH];8月7日,喀什塔什库尔干沿线,6只[PH];8月23日,乌鲁木齐南乌拉泊水库,3只[PH].

Nei Mongol: Common at NR and Nan Si, Helanshan on 9-10 March [BA].

Hebei: Several migration records at Beidaihe and Happy Island. The largest count was of at least 50 on Happy Island, Laoting on 9 May [BB et al.].

Beijing: There were many records in May and up to eight at Yuanmingyuan on 21 May [WRQ]. In autumn there was one at Wild Duck Lake, Yanqing on 27 August [ZLi]. One at Beijing BG on 10 December [Zlei] was exceptionally late.

Henan: Seven at Zhoushan FP, Luoyang on 23 September [DQ].

Hubei: One at Shennongjia NR on 19 July [YZD].

Qinghai: 20 at Makehe FF on 22 July [WQ]; 12 at Ga'er Si, Yushu on 28 July [KHL]; seven between Banma & Jiuzhi on 10 August [ZGF].

Sichuan: Two at Mengtun, Li County on 16 February and three there on 16 September [SY]; 20 at Wachanqu FF, Muli on 23 May [SXL]; one & two near the summit of Emei Shan on 22nd & 23 June respectively; between one & six daily at Wolong 26-30 June; eight on Zhegushan Pass on 1 July; three on Baxi road between Jiuzhaigou & Ruoergai on 3 July; two just outside Jiuzhaigou NP on 7 July [PH et al.]; eight at Ruoergai on 13 August [WJY]; five at Zhegushan on 4 December [SY].

Tibet: 20 at Zhebang Si, Lhasa on 8 May and 15 there on 21 May; six at Mangkang on 27 July; two at Leiwuqi on 30 July; 20 at Bayi, Linzhi on 11 December [ZGF].

Xinjiang: Two at Qianquan Hu, Shawan on 6 May; four at Banfanggou (Nan Shan), Urumqi on 12 June & two there on both 21 August and 22 October; five at the Kelan River Valley, Altay on 25 July; four at Kashi He Valley, Nilka on 30 July [GJun]; five west of Kashi on 3 August; three between Kashi & Taxkorgan on 6 August [PH]; six & 10 at Taxkorgan, Kashi on 7 August [PH] & 6 September [GLQ] respectively; 30 near Korla on 16 August [PH]; three at Wulabo Reservoir south of Urumqi on 23 August [PH].

Birds were also reported from Jilin, Shaanxi & Tianjin.

#### 1268# 红眉朱雀 Beautiful Rosefinch Carpodacus pulcherrimus

内蒙古: 7月9日, 贺兰山自然保护区, 10-20只, 7月10日, 贺兰山南寺, 20只[BA], 北京: 7月2日, 白草畔森林公园, 8只[LiX];

山西: 5月28日, 绵山, 1只[GJJ];

青海: 7月20日, 贵德与马沁之间, 1只[ZYong], 7月25日, 玛可河林场, 4只, 7月28日, 共和橡皮山, 3只[WQ], 9月21日和22日, 黑马河附近, 分别是5只和6只, 9月25日和27日, 互助北山, 分别是25只和15只[PH et al.];

甘肃: 5月3日, 郎木寺, 18只[ZMH];

四川: 理县孟屯, 2月16日, 3只[SY]; 6月14日, 雅江, 5只; 6月18日, 丹巴, 10只 [CLiang]; 10月23日, 新都桥, 10只[DK];

云南: 9月7日, 贡山丙中洛, 1只[WRQ];

西藏: 12月21日, 日喀则, 8只[ZGF];

Nei Mongol: 10-20 at Helanshan NR on 9 March and 20 at Nan Si, Helanshan the next day [BA].

Beijing: Eight at Baicaopan on 2 July [LiX].

Shanxi: One at Mianshan on 28 May [GJJ].

Qinghai: One between Guide & Maqin on 20 July [ZYong]; up to four at Makehe FF, on 25 July; three at Rubber Mountain, Gonghe on 28 July [WQ]; five & six near Heimahe on 21st & 22 September respectively; 25 & 15 at Huzhu Beishan on 25th & 27 September [PH et al.].

Gansu: 18 at Langmu Si on 3 May [ZMH].

Sichuan: Three at Mengtun, Li County on 16 February [SY]; five at Yajiang on 14 June; 10 at Danba on 18 June [CLiang]; 10 at Xinduqiao on 23 October [DK].

Yunnan: One at Binzhongluo, Gongshan on 7 September [WRQ].

Tibet: Eight at Rikaze on 21 December [ZGF].

#### 1269# 曙红朱雀 Pink-rumped Rosefinch Carpodacus eos

青海: 7月22日, 23日, 24日, 25日, 玛可河林场, 各有20只, 15只, 24只, 5只, 7月28日, 共和橡皮山, 6只[WQ], 7月28日, 玉树尕尔寺, 20只[KHL];

四川: 6月27日和28日,卧龙自然保护区,巴朗山,分别是1只和5只,7月3日,若尔盖和九寨沟之间的喇嘛岭,12只[PH et al.];

西藏: 拉萨、察隅、林芝、曲水、扎囊5月有多笔记录,最高数量是扎囊桑耶镇青朴修 行地,5月10日,60只,5月13日,林芝八一,50只[DJT],7月27日,芒康,4只,12月21日,日喀则,60只[ZGF],

Qinghai: At Makehe FF there were 20 on 22 July, 15 on 23 July, 24 on 24 July, 5 on 25 July; six at Rubber Mountain, Gonghe on 28 July [WQ]; 20 at Ga'er Si. Yushu on 28 July [KHL].

Sichuan: One & five on the Balangshan Pass, Wolong NP on 27th & 28 June respectively; 12 on the Lamalingshan Pass between Ruoergai & Jiuzhaigou on 3 July [PH et al.].

Tibet: There were several records in Lhasa, Chayu, Linzhi, Qushui, Zhrang in May. Up to 60 at Qingpu, Sangye, Zharang on 10 May; 50 at Bayi, Linzhi on 13 May [DJT]; four at Mangkang on 27 July; 60 at Rikaze on 21 December [ZGF].

#### 1270# 玫红眉朱雀 Pink-browed Rosefinch Carpodacus rhodochrous

西藏: 日喀则, 7月2日, 3只; 12月21日, 15只[ZGF];

Tibet: Three at Rikaze on 2 July and 15 there on 21 December [ZGF].

# 1271# 酒红朱雀 Vinaceous Rosefinch Carpodacus vinaceus

陕西: 5月底和6月初在太白山森林公园有2-6只的记录[PH et al.,BA]; 5月28日, 太白山森林公园, 5只[BA];

湖北: 7月19日, 神农架, 2只[YZD];

四川: 2月15日, 崇州白塔湖, 5只; 3月12日, 西山乡, 3只; 7月23日, 鞍子河保护区, 5只[SY]; 4月1日, 峨眉山, 1只和6月20日-25日, 有3天在那, 有1只和4只之间[PH

et al.]; 6月14日,雅江,3只[CLiang];7月6日,九寨沟自然保护区外面,1只[PH et al.];10月2日,理县孟屯,5只[SY];5月3日,若尔盖,2只[YL];7月17日,平武王朗保护区,2只;汶川卧龙保护区,10月22日,4只[LS];

Shaanxi: Between two & six at Taibaishan FP during late May-early June [PH et al., BA].e.g.5 at Taibaishan FP on 28 May [BA];

Hubei: Two at Shennongjia on 19 July [YZD].

Sichuan: Five at Baita Hu, Chongzhou on 15 February; three at Xishan Xiang on 12 March; five at Anzi He NR on 23 July [SY]; one at Emei Shan on 1 April [CLiang] with between one & four birds there on three dates 20-25 June [PH et al.]; three at Yajiang on 14 June [CLiang]; one just outside Jiuzhaigou NP on 6 July [PH et al.]; five at Mengtun, Li County on 2 October [SY]; two at Ruoergai on 3 May [YL]; two at Wanglang NR, Wuping on 17 July; four at Wolong NR on 22 October [LS].

#### 1272# 棕朱雀 Dark-rumped Rosefinch Carpodacus edwardsii

四川: 6月23日, 峨眉山, 3只[PH]; 12月4日, 理县鹧鸪山, 3只[SY];

Sichuan: Three near Leidongping, Emei Shan on 23 June [PH]; three at Zhegushan, Li County on 4 December [SY].

#### 1273#沙色朱雀 Pale Rosefinch Carpodacus synoicus

青海: 8月8日, 西宁北山, 1只[CLiang];

Qinghai: One at Bei Shan, Xining on 8 August [CLiang].

#### 1274# 北朱雀 Pallas's Rosefinch Carpodacus roseus

辽宁: 宽甸白石砬子保护区, 12月17日, 2只; 12月29日, 21只[BQQ];

Liaoning: Two at Baishilazi NR Kuandian on 17 December and 21 there on 29 December [BQQ].

#### 1275# 斑翅朱雀 Three-banded Rosefinch Carpodacus trifasciatus

四川: 7月5日,九寨沟,2只[PH et al.];理县孟屯,2月16日,5只;10月2日,3只[PH et al.];7月1日和12月4日,理县鹧鸪山,都是3只[PH et al.和SY];7月3日,若尔盖和九寨沟之间的巴西路上[PH et al.];

Sichuan: Five at Mengtun, Li Xian on 16 February and 3 there on 2 October; three on Zhegushan on both 1 July [PH et al.] & 4 December [SY]; one on Baxi road between Ruoergai & Jiuzhaigou on 3 July; two at Jiuzhaigou on 5 July [PH et al.].

#### 1276# 点翅朱雀 Spot-winged Rosefinch Carpodacus rhodopeplus

四川: 2月16日, 理县孟屯, 3只[SY]; 6月22日, 峨眉山, 2只[PH et al.];

西藏: 12月21日, 日喀则, 59只[ZGF];

Sichuan: Three at Mengtun, Li Xian on 16 February [SY]; two at Golden Summit, Emei Shan on 22 June [PH et al.].

Tibet: 59 at Rikaze on 21 December [ZGF] was an exceptional count.

#### 1277# 白眉朱雀 White-browed Rosefinch Carpodacus thura

宁夏: 10月5日, 贺兰山, 2只[LiX];

青海:7月18日,大通东峡林场,20只[ZJ];7月24日,玛可河林场,30只[WQ];7月28日,玉树尕尔寺,8只[KHL];9月25-27日,互助北山,25只[PH et al.];

四川:崇州、泸定、雅江、理县、若尔盖、平武、天全有多笔记录,数量大的有:雅江,6月14日,8只[CLiang];鹧鸪山,12月4日,20只[SY];

西藏: 林芝、曲水、扎囊、类乌齐、芒康、日喀则有记录,数量大的有: 类乌齐,7月30日、10只;日喀则、12月21日、26只[ZGF];

Ningxia: Two at Helan Shan on 5 October [LiX].

Qinghai: 20 at Dongxia FF, Datong on 18 July [ZJ]; 30 at Makehe FF, on 24 July [WQ]; eight at Ga'er Si, Yushu on 28 July [KHL]; 25 at Huzhu Beishan between 25-27 September [PH et al.].

Sichuan: There were numerous records in Chongzhou, Luding, Yajiang, Lixiang, Ruoergai, Pingwu, Tianguan and up to six at Yajiang on 14 June; 20 at Zhegushan on 4 December [SY].

Tibet: There are records from Linzhi, Qushui, Zharang, Leiwuqi, Mangkang, Rikaze and up to ten at Leiwuqi on 30 July; 26 at Rikaze on 21 December [ZGF].

#### 1279# 拟大朱雀 Streaked Rosefinch Carpodacus rubicilloides

青海:7月21日,玛沁至班玛沿线,2只[ZYong];7月28日,橡皮山,7只[WQ];8月10日,班玛-久治,1只[ZGF];9月22日,黑马河附近,3只[PH et al.];

四川: 2月16日, 理县孟屯, 2只[SY];

西藏: 5月7日, 拉萨机场-拉萨, 7只; 5月8日, 哲蚌寺, 6只; 5月9日, 曲水雄色寺, 8只; 5月10日, 扎囊桑耶镇青朴修行地, 6只[DJT]; 12月21日, 日喀则, 44只[ZGF];

Qinghai: Two between Maqin & Banma on 21 July [ZYong]; seven at Rubber Mountain, Gonghe on 28 July [WQ]; one between Banma & Jiuzhi on 10 August [ZGF]; three near Heimahe on 22 September [PH et al.].

Sichuan: Two at Mengtun, Li County on 16 February [SY].

Tibet: Seven between Lhasa Airport & Lhasa on 7 May; six at Zhebang Si on 8 May; eight at Xiongse Si on 9 May; six at Qingpu, Sangye, Zharang on 10 May [DJT]; 44 at Rikaze on 21 December [ZGF].

#### 1280# 大朱雀 Great Rosefinch Carpodacus rubicilla

青海: 7月21日, 玛沁至班玛沿线, 4只[ZYong]; 6月7日, 鄂拉山, 1只; 6月9日, 玉树一玛多, 1只[TJ];

西藏: 5月10日, 扎囊桑耶镇青朴修行地, 2只[DJT]; 7月27日, 雄色寺, 1只[TS]; 12月21日, 日喀则, 4只[ZGF];

新疆: 7月14日, 喀什至塔什库尔干, 2只[MKW et al.];

Qinghai: Four between Maqin & Banma on 21 July [ZYong]; one at Ela Shan, Xinghai on 7 June; one between Yushu & Maduo on 9 June [TJ].

Tibet: Two at Qingpu, Sangye, Zharang on 10 May [DJT]; one at Xiongse Si on 27 July [TS]; four at Rikaze on 21 December [ZGF].

Xinjiang: Two between Kashi and Taxkorgan on 14 July [MKW et al.].

#### 1281# 红胸朱雀 Red-fronted Rosefinch Carpodacus puniceus

四川: 6月28日, 巴郎山, 1雄[PH et al.];

Sichuan: One male near the summit of at the Balangshan Pass on 28 June [PH et al.].

#### 1282# 藏雀 Roborovski's Rosefinch Carpodacus roborowskii

青海: 6月8日, 玛多降落岭, 2只[TJ]; 7月26日, 鄂拉山, 6只[WQ];

Oinghai: Two at Jiangluo Ling on 8 June [TJ]; six at Ela Shan Pass on 26 July [WO].

#### 1283# 松雀 Pine Grosbeak Pinicola enucleator

黑龙江: 5月7日, 伊春带岭, 10只[LJY];

Heilongjiang: 10 at Dailing, Yichun on 7 May [LJY].

#### 1284# 红眉松雀 Crimson-browed Finch Propyrrhula subhimachala

四川: 7月1日, 鹧鸪山, 10只[PH et al.];

西藏: 5月14日, 林芝, 4只[DJT];

云南: 10月31日, 德钦, 1雌[JHo & JW]; 3月24日, 腾冲南亢, 1雌[MK & RWL];

Sichuan: Ten at Zhegushan on 1 July [PH et al.].

Tibet: Four at Linzhi on 14 May [DJT].

Yunnan: One female at Deqin on 31 October [JHo & JW]; one female at Nankang, Tengchong on 24 March [MK & RWL].

#### 1285# 血雀 Scarlet Finch Haematospiza sipahi

西藏: 5月28日, 墨脱, 1只, 7月2日, 日喀则, 4只[ZGF];

Tibet: One at Motuo on 28 May; four at Rikaze on 2 July [ZGF].

#### 1286# 红交嘴雀 Red Crossbill Loxia curvirostra

黑龙江: 5月7日, 伊春带岭, 20只[LJY];

内蒙古: 3月9-10日, 贺兰山自然保护区和南寺多次见到和听到单只和小群[BA];

四川: 7月1日,鹧鸪山到红原途中,11只;7月6日,九寨沟自然保护区外,1只[PH et al.]

青海: 7月18日, 大通东峡林场, 2只[ZJ]; 9月25-27日, 互助北山, 9只[PH et al.];

西藏: 7月30日, 昌都类乌齐, 1只[ZGF]; 林芝, 5月20日、26日, 各4只[DJT];

Heilongjiang: 20 at Dailing, Yichun on 7 May [LJY].

Nei Mongol: Singles and small flocks at NR and Nan Si, Helanshan on 9-10 March [BA].

Sichuan: 11 between Zhegushan and Hongyuan on 1 July; one just outside Jiuzhaigou NP on 6 July [PH et al.].

Qinghai: Two at Dongxia FF, Datong on 18 July [ZJ]; nine at Huzhu Beishan between 25-27 September [PH et al.].

Tibet: One at Leiwuqi on 30 July [ZGF]; four at Linzhi on both 20 May and 26 May [DJT].

### 1288# 褐灰雀 Brown Bullfinch Pyrrhula nipalensis

江西: 4月8-10日, 铅山武夷山自然保护区, 5只[BA];

云南: 12月31日, 高黎贡山百花岭, 8只[PH];

西藏: 林芝, 7月19日, 2只; 12月13日, 8只[ZGF];

Jiangxi: Five at Wuyishan NR, Yanshan on 8-10 April [BA].

Yunnan: A flock of eight at Baihualing, Gaoligongshan on 31 December [PH].

Tibet: Four at Linzhi on 19 July and eight there on 13 December [ZGF].

#### 1289# 红头灰雀 Red-headed Bullfinch Pyrrhula erythrocephala

西藏: 日喀则, 7月2日, 6只: 12月21日, 20只[ZGF];

Tibet: Six at Rikaze on 2 July and 20 there on 21 December [ZGF]. This species is very rare in China.

#### 1290# 灰头灰雀 Grey-headed Bullfinch Pyrrhula erythaca

湖北: 7月19日, 神农架, 4只[YZD];

陕西: 1月19日, 佛坪三官庙, 4只[LY], 5月28日, 太白山森林公园, 10只[BA];

四川:川西有多笔记录,数量大的有:1月15日,都江堰龙池,10只,2月16日,理县 孟屯,20只[SY];7月5日,九寨沟原始森林,10只[PH et al.];12月2日,泸定二郎山林 场,15只;12月4日,天全喇叭河保护区,35只[CLiang];其它记录来自峨眉山,卧龙自然保护区以及若尔盖和九寨沟间的坝西路上.

青海: 7月18日, 大通东峡林场, 4只[ZJ]; 7月22日, 玛可河林场, 4只[WQ]; 7月23日, 玛可河林场, 5只[WQ];

西藏: 5月12日, 林芝, 4只; 察隅, 5月15日, 5只[DJT]; 7月23日, 5只[ZGF];

Hubei: Four at Shennongjia on 19 July [YZD].

Shaanxi: Four at Sanguanmiao, Foping on 19 January [LY]; between two & 16 at Taibaishan FP during late May-early June [PH et al., BA].

Sichuan: Notable records were as fellows: 10 at Longchi, Dujiangyan on 15 January; 20 at Mengtun, Li County on 16 February [SY]; 10 in the Primeval Forest, Jiuzhaigou on 5 July [PH et al.]; 35 at Labahe NR, Tianquan on 4 December [CLiang]. Other reports were received from Emei Shan, Wolong NP, Baxi road between Ruoergai & Jiuzhaigou.

Qinghai: Four at Dongxia FF, Datong on 18 July [ZJ]; four at Makehe FF on 22 July and five there on 23 July [WQ].

Tibet: Four at Linzhi on 12 May; five at Chayu on both 15 May [DJT] and 23 July [ZGF].

#### 1291# 红腹灰雀 Eurasian Bullfinch Pyrrhula pyrrhula

亚种cineracea:

黑龙江:5月7日,伊春带岭凉水保护区,6只[LJY];

亚种griseiventris:

黑龙江:5月8日,伊春带岭北山,1只[LJY];

河北: 11月19、20、26、27日, 北戴河, 共八只次, 可能是2雌[JH];

Race cineracea:

Heilongjiang: Six at Liangshui NR, Dailing, Yichun on 7 May [LJY];

Race griseiventris:

Heilongjiang: Three at Beishan, Dailing, Yichun on 8 May [LJY].

Hebei: Eight bird-days at Beidaihe with two female-types on 19th, 20th, 26th & 27 November [JH].

#### 1292# 锡嘴雀 Hawfinch Coccothraustes coccothraustes

黑龙江: 5月7日, 伊春带岭北山, 10只, 5月8日, 带岭东山, 4只[LJY], 10月1日, 带岭凉水保护区, 5只, 10月2日, 带岭永翠河, 1只[WXL],

辽宁: 1月14日, 凤城凤凰山保护区, 3只; 12月11日, 丹东锦江公园, 2只[BQQ]; 12月31日, 大连植物园, 1只[LY];

北京: 10月22日,延庆野鸭湖,20只;11月26日,天坛,1只[ZLi];12月13日,北京植物园,2只[LY,PH & WQY]12月17日,怀柔水库,1只[LiX];12月24日,密云白河峡谷,5只[TZ];

上海: 12月25日, 松江天马山, 9只[ZLin];

新疆: 10月15日, 青河县城及桦林公园, 5只[GJun];

Heilongjiang: 10 at Beishan, Dailing, Yichun on 7 May; four at Dongshan, Dailing on 8 May[LJY]; five at Liangshui NR, Dailing on 1 October; one at Yongcui He, Dailing on 2 October [WXL].

Liaoning: Three at Fenghuang Shan NR, Fengcheng on 14 January; two at Jingjiang Park, Dandong on 11 December [BOO]; one at Dalian BG on 31 December [LY].

Beijing: 20 at Wild Duck Lake, Yanqing on 22 October; one at Tiantan on 26 November [ZLi]; two in Beijing Botanical Gardens on 13 December [LY& PH, WQY]; one at Huairou Reservoir on 17 December [LiX]; five at Baihe Valley, Miyun on 24 December [TZ].

Shanghai: Nine at Tianma Shan, Songjiang on 25 December [ZLin].

Xinjiang: 25 at Hualin Park, Qinghe County on 15 October [GJun].

#### 1293# 黑尾蜡嘴雀 Yellow-billed Grosbeak Eophona migratoria

四川、云南以东,北起辽宁、南到广东普遍有记录,数量大的有:

北京: 1月14日, 北京植物园, 40只[ZYong]; 12月10日, 陶然亭公园, 30只[LX];

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是: 5月9日,乐亭快乐岛,10只[BB];

上海: 12月18日, 宝钢水库, 35只[YZD];

江苏: 1月27日,南京中山植物园,50只;12月3日,江宁南山湖,50只;12月10日, 江浦老山林场,200只[ZYu];

浙江: 11月20日, 杭州植物园, 30只[QC];

江西: 12月31日,新建南矶山保护区,30只[LXD];

广东: 2月6日,梅州兴宁宁中竹一村,30只[HK];

陕西: 2月21日, 西安兴庆公园, 20只[LXD], 可能是该省北部的第一笔记录;

重庆: 2月6日,铜梁双江镇,30只[LHY];12月23日,鹅岭公园,20只[LHT];

云南: 2月8日, 昆明西华公园, 20只[WM];

夏天在安徽、江苏、河南、湖北有记录, 最高数量是

江苏: 7月4日, 六合金牛湖, 12只[ZYu];

Numerous records were received from Sichuan and Yunnan in southwest China east to Guangdong and north to Liaoning. Notable records were as fellows:

Beijing: 40 at Beijing BG on 14 January [ZYong]; 30 at Taoranting Park on 10 December [LX].

Hebei: Several migration records at Beidaihe and Happy Island. The largest count was 10 on Happy Island, Laoting on 9 May [BB et al.].

Shanghai: 35 at Baogang Reservoir on 18 December [YZD].

Jiangsu: 50 at Zhongshan BG, Nanjing on 27 January; 50 at Nanshan Hu, Jiangning on 3 December; an impressive 200 at Laoshan FF, Jiangpu on 10 December [ZYu].

Zhejiang: 30 at Hangzhou BG on 20 November [OC]

Jiangxi: 30 at Nanjishan NR on 31 December [LXD].

Guangdong: 30 at Ningzhong, Xingning, Meizhou on 6 February [HK]

Shaanxi: 20 at Xingqing Park, Xi'an on 21 February [LXD], possibly the first record for the northern half of the province.

Chongqing: 30 at Shuangliangzhen, Tongliang on 6 February [LHY]; 20 at E'ling Park on 23 December [LHT].

Yunnan: 20 at Xihua Park, Kunming on 8 February [WM].

Summer reports were also received from Anhui, Jiangsu, Henan and Hubei. The only notable records was as fellows:

Jiangsu: 12 at Jinniu Hu, Liuhe on 4 July [ZYu].

#### 1294# 黑头蜡嘴雀 Japanese Grosbeak Eophona personata

辽宁: 12月24日,凤城凤凰山保护区,1只[BQQ];

北京: 5月4日, 故宫, 1只[PH et al.];

河北: 5月20日, 北戴河, 1只[PH et al.];

湖北: 2月10日, 武汉植物园, 22只[TXD];

浙江: 10月23日,杭州孤山曲苑植物园,1只[ZhuY];

江西: 4月2日, 九连山自然保护区, 20只[ZGF];

四川: 3月20日, 邛崃平落, 2只; 12月22日, 成都北湖公园, 2只[SY];

Liaoning: One at Fenghuangshan NR on 24 December [BQQ].

Beijing: 1 in the Forbidden City on 4 May [PH et al.].

Hebei: One at Beidaihe on 20 May [PH et al.].

Hubei: 22 at Wuhan BG on 10 February [TXD].

Zhejiang: One at Quyuan BG, Gushan, Hangzhou on 23 October [ZhuY].

Jiangxi: 20 at Jiulian Shan NR on 2 April [ZGF].

Sichuan: Two at Pingluo, Oionglai on 20 March; two at Beihu Park, Chengdu on 22 December [SY].

#### 1295# 黄颈拟蜡嘴雀 Collared Grosbeak Mycerobas affinis

四川: 1月15日,都江堰龙池,10只,理县孟屯,2月16日,1只,10月2日,3只[SY],7月4日-6日,九寨沟自然保护区,每日1只或2只[PH et al.];

云南: 12月29日,丽江玉龙雪山,40只[RWL];

西藏: 5月12日, 林芝, 6只[DJT];

Sichuan: 10 at Longchi, Dujiangyan on 15 January; one at Mengtun, Li County on 16 February and three there on 2 October [SY]; one or two daily at Jiuzhaigou NR 4-6 July [PH et al.].

Yunnan: 40 at Yuelongxueshan, Lijiang on 29 December [RWL].

Tibet: Six at Linzhi on 12 May [DJT].

#### 1296# 白点翅拟蜡嘴雀 Spot-winged Grosbeak Mycerobas melanozanthos

西藏: 7月2日, 日喀则, 56只[ZGF];

Tibet: 56 at Rikaze on 2 July [ZGF].

#### 1297# 白斑翅拟蜡嘴雀 White-winged Grosbeak Mycerobas carnipes

陕西: 5月28日,太白山森林公园,1只[BA];

青海: 7月18日, 大通东峡林场, 4只[ZJ]; 7月24日, 玛可河林场, 5只[WQ]; 7月28日, 玉树尕尔寺, 6只[KHL]; 8月10日, 班玛至久治, 2只[ZGF]; 9月25日, 互助北山, 3只[PH et al.];

四川: 6月17日,康定跑马山, 6只; 12月2日,泸定二郎山林场, 15只[CLiang]; 6月21日和22日,峨眉山金顶,每日1只,6月26日和27日,卧龙自然保护区,每日1只,7月1日,鹧鸪山, 1只, 7月4日,5日和6日,九寨沟自然保护区周围,分别是15只,1只和2只[PH et al.]; 7月17日,平武王朗保护区,1只[LS]; 9月16日,理县孟屯,1只[SY]; 西藏: 5月10日,扎囊桑耶镇青朴修行地,4只; 5月9日,曲水雄色寺,2只; 5月13日,林芝八一,2只[DJT]; 7月27日,芒康,2只; 日喀则,7月2日,8只; 12月21日,28只[ZGF];

Shaanxi: One at Taibaishan FP on 28 May [BA].

Qinghai: Four at Dongxia FF, Datong on 18 July [ZJ]; Five at Makehe FF on 24 July [WQ]; six at Ga'ersi, Yushu on 28 July [KHL]; one at Makehe FF on 23 July [KHL]; two between Banma & Jiuzhi on 10 August [ZGF]; three at Huzhu Beishan on 25 September [PH et al.].

Sichuan: Six at Paoma Shan, Kangding on 17 June [CLiang]; 15 at Erlangshan FF, Luding on 2 December[Cliang]; singles on Golden Summit, Emei Shan on both 21st & 22 June; singles at Wolong NP on both 26th & 27 June; one on Zhegushan Pass on 1 July; 15, one &two in & immediately around Jiuzhaigou NP on 4th, 5th & 6 July respectively [PH et al.]; one at Wanglang NR, Pingwu on 17 July [LS]; one at Mengtun, Li County on 16 September [SY];15 at Er'lang Shan FF, Luding on 2 December [CLiang].

Tibet: Four at Qingpu, Sangye, Zharang on 10 May; two at Xiongse Si, Qushui on 9 May; two at Bayi, Linzhi on 13 May [DJT]; two at Mangkang on 27 July; eight at Rikaze on 2 July and 28 there on 21 December [ZGF].

#### 1298# 金枕黑雀 Gold-naped Finch Pyrrhoplectes epauletta

云南: 12月7、11、12日, 高黎贡山百花岭, 分别1雌、2只、1雌[JH]和12月30日, 在那有2只雄鸟[PH];

西藏: 日喀则, 7月2日, 2只; 12月21日, 7只[ZGF];

Yunnan: One or two birds were noted near Baihualing, Gaoligongshan on three dates between 7-12 December [JH] & two males were there on 30 December [PH].

Tibet: Two at Rikaze on 2 July and seven there on 21 December [ZGF].

# 1299# 朱鹀 Przevalski's Bunting Urocynchramus pylzowi

四川: 2月16日, 理县孟屯, 2只[SY];

青海: 7月28日, 共和橡皮山, 4只[WQ]; 9月22日, 黑马河峡谷, 3只[PH et al];

Sichuan: Two at Mengtun, Lixian on 16 February [SY].

Qinghai: Four at Rubber Mountain, Gonghe on 28 July [WQ]; three near Heimahe on 22 September [PH et al.].

#### 1300# 凤头鹀 Crested Bunting Melophus lathami

浙江: 4月30日, 嵊泗县大洋山岛, 2只[BP et al.];

四川: 3月6日, 崇州白塔湖, 8只[SY];

西藏: 5月28日, 林芝墨脱, 3只[ZGF];

广西: 12月11日, 合浦山口红树林保护区, 1只[JAW];

云南: 3月21日, 保山至高黎贡山百花岭, 8只[MK & RWL]; 7月24日, 开远长沟, 4只 [LYang];

Zhejiang: Two at Dayangshan Dao, Chengsi county on 30 April [BP et al.];

Sichuan: Eight at Baita Hu, Chongzhou on 6 March [SY];

Tibet: Three at Motou, Linzhi on 28 May [ZGF];

Guangxi: One at Shankou Mangrove NR, Hepu on 11 December [JAW].

Yunnan: Eight between Baoshan and Baihualing, Gaoligongshan on 21 March [MK & RWL];

four at Changgou, Kaiyuan on 24 July [LYang].

#### 1301# 蓝鹀 Slaty Bunting Latoucheornis siemsseni

安徽: 5月3日, 岳西鹞落坪自然保护区, 1只[WYC];

湖北: 2月8日, 恩施穿洞子林场, 4只[WYY];

陕西:太白山森林公园自5月末到7月初都有1-3只的记录[PH et al.,BA],5月28日,太白山森林公园,3只[BA],

四川: 多处记录 数量较大的有: 3月6日,崇州白塔湖,8只[SY];10月11日,老河沟林场,15只[LS];峨眉山,卧龙自然保护区和九寨沟亦有记录;

Anhui: One at Yaoluoping Reserve, Yuexi on 3 May [WYC].

Hubei: Four at Chuandongzi FF, Enshi on 8 February [WYY].

Shaanxi: Between one & three at Taibaishan FP on four dates during late May-early June [PH et al., BA]. e.g.Three on 28 May[BA];

Sichuan: Significant records were as following: Eight at Baita Hu, Chongzhou on 6 March [SY]; 15 at Laohegou FF on 11 October [LS]. Birds were also reported from Emei Shan, Wolong & Jiuzhaigou.

#### 1302# 黄鹀 Yellowhammer Emberiza citrinella

新疆: 2月11日, 乌鲁木齐南山干沟菊花台, 15只; 10月15日, 阿勒泰青河县, 6只; 11月12日, 石河子玛纳斯河河谷, 20只; 12月4日, 石河子玛纳斯河河谷, 11只[GJun] Xinjiang: 15 at Juhutai, Nanshangangou, Urumqi on 11 February and six at Qinghe, Altay on 15 October. At Manasi He Valley, Shihezi there were six on 12 November and 11 on 4 December [GJun].

#### 1303# 白头鹀 Pine Bunting Emberiza leucocephalos

山西: 1月9日, 盂县藏山, 15只[GJJ];

冬季北京多笔记录, 秋季最早记录是: 10月10日, 密云, 8只[PH]; 其他数量较大的有: 2月27日, 房山区十渡, 20只[WQ]; 11月19日, 延庆妫水河及沿岸, 50只[ZLi]; 陕西: 2月17日, 潼关黄河风景区, 8只[LXD];

青海: 7月20日, 贵德至玛沁沿线, 4只[FZ];

新疆: 11月12日, 石河子玛纳斯河河谷, 10只[GJun];

Shanxi: 15 at Zangshan, Yuxian on 9 January [GJJ].

Beijing: 20 at Shidu, Fangshan on 27 February [WQ]; Eight at Miyun on 10 October [PH] were possible the first autumn birds in the capital area. At Guishui He, Yanqing there were 10 on 22 October [WC] and 50 on 19 November [ZLi].

Shanxi: Eight at Yellow River Scenic Spot, Tongguan on 17 February [LXD].

Qinghai: Four between Guide and Magin on 20 July [FZ].

Xinjiang: Ten at Manasi He Valley, Shihezi on 12 November [GJun].

Reports were also received from Jilin.

#### 1304# 藏鹀 Kozlov's Bunting Emberiza koslowi

青海: 6月10日, 玉树囊谦, 5只[TJ]: 8月10日, 班玛久治, 3只[ZGF]:

Qinghai: Five at Nangqian, Yushu on 10 June [TJ]; three at Jiuzhi, Banma on 10 August [ZGF].

#### 1305# 灰眉岩鹀 Rock Bunting Emberiza cia

新疆: 5月1日,和静巴轮台,1只;7月25日,阿勒泰克兰河谷,2只[GJun];

Xinjiang: One at Baluntai, Hejing on 1 May; two at Kelan River Valley, Altay on 25 July [GJun].

#### 1306# 戈氏岩鹀 Godlewski's Bunting Emberiza godlewskii

北京: 3月13日, 密云白河峡谷, 50只[LHY]; 3月27日, 房山区十渡, 100只[LHY]; 3月17日, 密云水库大黄塘, 55只[PH];

河北: 1月15日, 抚宁董家口, 10只[WRQ];

山西: 12月16日, 太原晋阳湖, 1只[DQ];

湖北: 7月17日, 十堰武当山, 1只[YZD];

四川: 7月6日, 九寨沟自然保护区, 松番和茂县之间, 15只[PH et al.]; 12月5日, 若尔盖巴西, 8只[SY];

贵州: 2月4日, 毕节纱帽山, 2只[YL];

云南: 11月29日, 丽江西郊田野, 4只[ZYong];

宁夏: 10月5日, 贺兰贺兰山岩画景区, 20只[LiX];

甘肃: 1月23日, 兰州兰州大学, 12只[ZLY];

青海: 7月22日, 班玛玛可河林场, 10只[WQ], 7月28日, 玉树尕尔寺, 8只[KHL], 8月8日, 西宁北山, 10只[CLiang];

西藏: 5月7日, 拉萨机场, 90只[DJT]; 5月15日, 林芝察隅, 29只[DJT];

Beijing: 50 at Baihe Valley, Miyun on 13 March [LHY]; 55 at Dahuangtang, Miyun Reservoir on 17 March [PH]; 100 at Shidu, Fangshan on 27 March [LHY].

Hebei: 10 at Dongjiakou, Funing on 15 January [WRQ].

Shanxi: One at Jinyang Hu, Taiyuan on 16 December [DQ].

Hubei: One at Wudang Shan, Shiyan on 17 July [YZD].

Sichuan: 15 between Jiuzhaigou NP, Songpan & Maoxian on 6 July [PH et al.]; eight at Baxi, Ruoergai on 5 December [SY].

Guizhou: Two at Shamao Shan, Bijie on 4 February [YL].

Yunnan: Four at Lijiang on 29 November [ZYong]

Ningxia: 20 at Helanshan Painting Park, Helan on 5 October [LiX].

Gansu: 12 at Lanzhou University, Lanzhou on 23 January [ZLY].

Qinghai: 10 at Makehe FF, Banma on 22 July [WQ], eight at Ga'er Si, Yushu on 28 July

[KHL]; 10 at Beishan, Xining on 8 August [CLiang].

Tibet: 90 at Lhasa Airport on 7 May [DJT]; 20 on Cha'ou, Linzhi on 15 May [DJT].

#### 1307# 三道眉草鹀 Meadow Bunting Emberiza cioides

辽宁: 12月29日, 宽甸白石砬子保护区, 40只[BQQ];

北京: 4月2日, 密云白河峡谷, 40只[HP];

安徽: 5月3日, 岳西鹞落坪自然保护区, 15只[QH];

广西: 1月21日, 西底定保护区, 1只[JAW];

甘肃: 4月23日, 定西十八里铺, 1只[XL];

青海: 7月19日, 西宁北山, 4只[ZJ];

新疆: 10月15日, 阿勒泰清河县, 1只[GJun];

另辽宁,陕西,河北,天津,河南,山东,湖北,江苏,浙江,江西,福建,四川,

重庆,贵州均有记录

Liaoning: 40 at Baishilazi Reserve, Kuandian on 29 December [BQQ].

Beijing: 40 at Baihe Valley, Miyun on 4 April [HP].

Anhui: 15 at Yaoluoping Reserve, Yuexi on 3 May [QH].

Guangxi: One at Xididing Reservoir on 21 January [JAW].

Gansu: One at Shibalipu, Dingxi on 23 April [XL].

Oinghai: Four at Bei Shan, Xining on 19 July [ZJ].

Xinjiang: One at Qinghe, Altay on 15 October [GJun].

Other records were received from Chongqing Fujian, Guizhou, Hebei, Henan Hubei, Jiangsu,

Jiangxi, Jilin, Shandong, Shanxi, Sichuan, Tianjin & Zhejiang.

#### 1308# 栗斑腹鹀 Jankowski's Bunting Emberiza jankowskii VU

内蒙古: 6月1日, 图牧吉, 4只[PH]; 6月2日, 图牧吉, 1雄[PH et al.];

Nei Mongol: One singing male at Tumuji on 2 June [PH et al.] with four reported there the previous day [PH].

#### 1309# 灰颈鹀 Grey-necked Bunting Emberiza buchanani

新疆: 6月3日, 乌鲁木齐东山石人沟, 2只[GJun], 7月21日, 塔岔口至托里沿线, 2只 [GJun], 8月16日, 库尔勒附近, 2雄[PH];

Xinjiang: Two at Shirengou, Dongshan, Urumqi on 3 June [GJun]; two between Tachakou and Tuoli on 21 July [GJun]; two males north of Korla on 16 August [PH].

#### 1311# 白眉鹀 Tristram's Bunting Emberiza tristrami

黑龙江: 在伊春为夏侯鸟, 最早记录为5月7日, 伊春带岭北山, 4只[LJY];

辽宁: 4月25日, 丹东鸭绿江湿地保护区, 1只[BQQ];

河北: 5月3-19日,秦皇岛北戴河,有7天1只和3只之间[LHY & PH et al.];在秋季10月1日和2日,北戴河,分别是4只和1只[PH et al.];

北京: 12月16日, 北京植物园, 2只[ZJ], 冬季极不寻常的记录;

湖北: 4月16日, 武汉植物园, 3只[TXD];

湖南: 12月3日, 岳阳君山, 21只[RWL &MK];

浙江: 4月21日, 嵊泗县大洋山岛, 15只[BP et al.];

广东: 3月5日, 广州龙洞水库, 10只[GGW];

迁徙季节辽宁、安徽、江苏、上海、福建均有记录

Heilongjiang: Four at Beishan, Dailing, Yichun on 7 May [LJY], which was the earliest record as a summer.

Liaoning: One at Yalu Jiang Wetland Reserve, Dandong on 25 April [BOO].

Hebei: Between one & three at Beidaihe, Qinhuangdao on seven dates 3-19 May [LHY & PH et

al.]. In autumn there were four & one at Beidaihe on 1st & 2 October respectively [PH et al.]

Beijing: Two at Beijing BG on 16 December [ZJ], very unusual record for midwinter.

Hubei: Three at Wuhan BG on 16 April [TXD].

Hunan: 21 at Junshan, Yueyang on 3 December [RWL &MK].

Zhejiang: 15 at Dayangshan Dao, Chengsi county on 21 April [BP et al.].

Guangdong: 10 at Longdong Reservoir, Guangzhou on 5 March [GGW].

Other records were received from Liaoning, Anhui, Jiangsu, Shanghai and Fujian while migrating.

### 1312# 栗耳鹀 Chestnut-eared Bunting Emberiza fucata

黑龙江: 9月30日, 伊春带岭碧水保护区, 1只[WXL];

河北: 5月6日-19日,秦皇岛北戴河,有9天1只和4只之间[Cliang & PH et al.];

北京: 5月6日, 百望山, 2只[HD];

上海: 4月8日,崇明东滩,5只[ZLin];4月18日,崇明东滩,40只[BP et al.];10月30

日, 崇明东滩, 1只[XL];

浙江: 10月30日, 杭州江滨, 1只[QH];

四川: 3月12日, 崇州西山乡(一碗水), 1只[SY];

贵州: 11月26日, 贵阳贵州大学, 3只[YL];

Heilongjiang: One at Bishui Reserve, Dailing, Yichun on 30 September [WXL].

Hebei: Between one & four at Beidaihe on nine dates 6-19 May [CLiang & PH et al.].

Beijing: Two at Baiwangshan on 6 May [HD].

Shanghai: At Dongtan Reserve, Chongming there were five on 8 April [ZLin], 40 on 18 April [BP et al.] & one on 30 October [XL].

Zhejiang: One at Jiangbin, Hangzhou on 30 October [QH].

Sichuan: One at Xishan, Chongzhou on 12 March [SY].

Guizhou: Three at Guizhou University, Guiyang on 26 November [YL].

# 1313# 小鹀 Little Bunting Emberiza pusilla

秋冬春普遍有记录

春天最晚记录在天津:5月21日,大港区北大港水库,1只[CJZ];

黑龙江: 10月2日, 伊春带岭永翠河, 2只[WXL];

河北: 5月7日, 乐亭快乐岛, 1只局部白化个体[BB et al.];

北京: 4月3日,延庆野鸭湖,1只[LHY];5月8日,昌平沙河水库,150只[ZYQ];

天津: 3月26日, 大黄堡自然保护区, 100只[YY];

湖北: 4月17日, 大悟仙居顶林场, 100只[LY];

浙江: 4月24日, 嵊泗县大洋山岛, 100只[BP et al.];

广东: 11月1日,广州良田镇沙田村, 3只[PYS];

海南: 1月20日, 海口东寨港, 2只[YCC];

另辽宁、陕西、山西、天津、河南、山东、江苏、江西、上海、四川、重庆、广西、

云南均有记录

Described as locally common in winter, spring and autumn.

Heilongjiang: Two at Yongcui He, Dailing, Yichun on 2 October [WXL].

Hebei: One partial albino on Happy Island, Laoting on 7 May [BB et al.].

Beijing: One at Wild Duck Lake, Yanqing on 3 April [LHY]; 150 on Shahe Reservoir, Changping on 8 May [ZYO]; 100 at Miyun Reservoir on 10 October [PH].

Tianjin: 100 at Dahuangbao Reserve on 26 March [YY]; one at Beidagang Reservoir, Dagang on 21 May [CJZ].

Hubei: 100 at Xianjuding FF, Dawu on 17 April [LY].

Zhejiang: 100 at Dayangshan Dao, Chengsi on 24 April [BP et al.].

Guangdong: Three at Shatian, Liangtian, Guangzhou on 1 November [PYS].

Hainan: Two at Dongzhaigang Reserve, Haikou on 20 January [YCC].

Other records were received from Liaoning, Shaanxi, Shanxi, Tianjin, Henan, Shandong, Jiangsu, Jiangsi, Shanghai, Sichuan, Chongqing, Guangxi and Yunnan.

#### 1314# 黄眉鹀 Yellow-browed Bunting Emberiza chrysophrys

黑龙江:在伊春带岭为夏候鸟,最早记录为5月7日,伊春带岭北山,1只[LJY];最晚记录为9月30日,伊春带岭碧水保护区,2只[WXL];5月10日,扎龙自然保护区,1只[LJY];

河北:这种鸟在春季特别少有的记录仅来自于5月3日,北戴河,1只[LJY],5月12日,

乐亭快乐岛, 1只[CLiang]和5月15日, 北戴河, 1只[PH et al.];

河南: 9月23日, 洛阳周山森林公园, 2只[DQ];

安徽: 2月1日, 2月3日, 黄山谭家桥, 12只[YZD];

江苏: 12月11日, 南京菊花台, 5只[ZYu];

另北京、山东、湖北、上海、浙江、江西、四川均有记录

Heilongjiang: One at Dailing, Yichun on 7 May [LJY] and two there on 30 September [WXL]. one at Zhalong NR on 10 May [LJY].

Hebei: Particularly poor spring reports for this species received were of one at Beidaihe on 3 May [LJY]; one on Happy Island, Laoting on 12 May [CLiang]; one at Beidaihe on 15 May [PH et al.].

Henan: Two at Zhoushan FP, Luoyang on 23 September [DQ].

Anhui: 12 at Tanjiagiao, Huangshan on 1 and 3 February [YZD].

Jiangsu: Five at Juhuatai, Nanjing on 11 December [ZYu].

Other records were received from Beijing, Shandong, Hubei, Shanghai, Zhejiang, Jiangxi and Sichuan.

#### 1315# 田鹀 Rustic Bunting Emberiza rustica

北方秋季最早记录在北京: 9月28日, 天坛, 1只[WRQ];

新疆: 5月5日, 博乐温泉县, 1只[GJun];

黑龙江:5月7日,伊春带岭北山,1只[LJY];9月30日,伊春带岭碧水保护区,30只[WXL];

河北: 5月14日,秦皇岛北戴河,2只[HP],非常晚的春季记录;

北京: 2月9日, 昌平至四海沿途, 13只[GJJ];

江苏: 2月1日, 溧水石臼湖, 65只[ZYu];

上海: 10月29日, 川沙三甲港, 2只[XL];

另辽宁、安徽、浙江均有记录;

Beijing: One at Tiantan on 28 September [WRQ]. which was the earliest record in north china.

Xinjiang: One at Wenquan, Bole on 5 May [GJun].

Heilongjiang: One at Dailing, Yichun on 7 May [LJY] and 30 there on 30 September [WXL].

Hebei: Two at Beidaihe on 14 May [HP] were exceptionally late.

Beijing: 13 between Changping & Sihai on 9 February [GJJ].

Jiangsu: 65 at Shijiu Hu, Lishui on 1 February [ZYu].

Shanghai: Two at Sanjia Port, Chuansha on 29 October [XL].

Other records were received from Liaoning, Anhui and Zhejiang.

### 1316# 黄喉鹀 Yellow-throated Bunting Emberiza elegans

东部地区迁徙及越冬记录:

黑龙江: 5月7日, 伊春带岭北山, 30只[LJY], 10月2日, 伊春带岭永翠河, 20只[WXL],

辽宁: 12月29日, 宽甸白石砬子保护区, 4只[BQQ]; 12月31日, 大连植物园, 5只[LY];

河北: 4月2日, 秦皇岛北戴河, 30只[ZJ];

北京: 1月3日,延庆松山自然保护区,1只[BA];

山东: 2月15日, 莱州大山林场, 43只[ZXX];

江苏: 1月29日, 南京紫金山, 40只[ZYu]; 12月3日, 南京南山湖, 35只[ZYu];

另东部地区上海、浙江都有记录;

夏季北方记录:北京:6月27日,东灵山地区,1只[WJ];8月14日,小龙门林场,1只[LJQ];

中西部地区四川、贵州、云南、陕西、湖北都有记录,夏季的记录有:

湖北:7月19日,神农架自然保护区,3只[YZD],

贵州: 8月13日,贵阳三江农场,2只[YL];

云南: 8月30日, 大理苍山, 3只[WRQ];

Records of migrating or wintering birds in east china included:

Heilongjiang: 30 at Dailing, Yichun on 7 May [LJY] and 20 there on 2 October [WXL].

Liaoning: Four at Baishilazi NR, Kuandian on 29 December [BQQ]; five at Dalian BG, Dalian on 31 December [LY].

Hebei: 30 at Beidaihe on 2 April [ZJ].

Beijing: One at Songshan NR, Yanqing on 3 January [BA].

Shandong: 43 at Dashan FF, Laizhou on 15 February [ZXX].

Jiangsu: 40 at Zijin Shan, Nanjing on 29 January [ZYu]; 35 at Nanshanhu, Nanjing on 3 December [ZYu].

And other records of migrating or wintering birds were received from Shanghai and Zhejiang.

Records in summer in North China included:

Beijing: One at Dongling Shan on 27 June [WJ]; one at Xiaolongmen FF on 14 August [LJQ].

Records in mid and west China were from Sichuan, Guizhou, Yunnan, Shaanxi, Hubei inchuling summer records as follows:

Hubei: Three at Shennongjia NR on 19 July [YZD].

Guizhou: Two at Sanjiang Farm, Guiyang on 13 August [YL].

Yunnan: Three at Cang Shan, Dali on 30 August [WRQ].

#### 1317# 黄胸鹀 Yellow-breasted Bunting Emberiza aureola

黑龙江: 5月10日, 扎龙自然保护区, 2只[LJY];

河北:北戴河及快乐岛有多笔迁徙记录,数量最大的是:5月9日,乐亭快乐岛,至少50只[BB et al.];

北京: 5月18日, 北京大学1雌[ZAH];

山东: 9月17日, 莱州湾, 46只[ZXX];

河南: 9月23日, 洛阳周山森林公园, 2只[DQ];

安徽: 5月4日, 潜山天柱山, 1雌[YJ];

上海: 4月23日, 崇明东滩, 1只[YJ];

浙江: 4月30日, 嵊泗县大洋山岛, 多于1000只, 可能是中国东部近年最大的一笔记录

[BP et al.]; 10月12日, 杭州江滨, 1只[QH];

新疆: 10月15日, 阿勒泰清河县, 5只[GJun];

Heilongjiang: Two at Zhalong NR on 10 May [LJY].

Hebei: Several migration records at Beidaihe and Happy Island. The largest count was of at least 50 on Happy Island, Laoting on 9 May [BB et al.].

Beijing: One female at Beijing University on 18 May [ZAH].

Shandong: 46 at Laizhou Wan on 17 September [ZXX]

Henan: Two at Zhoushan FP, Luoyang on 23 September [DQ].

Anhui: One female at Tianzhu Shan, Oianshan on 4 May [YJ].

Shanghai: One at Dongtan, Chongming on 23 April [YJ].

Zhejiang: More than 1000 at Dayangshan Dao, Chengsi county on 30 April [BP et al.] This was probably the largest count in East China in recent years; one at Jiangbin, Hangzhou on 12 October [QH].

Xinjiang: Five at Qinghe, Altay on 15 October [GJun].

#### 1318# 栗鹀 Chestnut Bunting Emberiza rutila

黑龙江: 9月30日, 伊春带岭碧水保护区, 2只[WXL];

北京: 9月25日, 延庆野鸭湖, 2只[ZLi];

河北:5月3日,秦皇岛北戴河,2只雄[LHY];

山东: 5月9日, 莱州河套水库, 8只[ZXX];

湖北: 4月17日, 武汉马鞍山森林公园, 1只[TXD];

湖南: 12月5日, 岳阳君山, 1只, 这一纬度非常晚的记录[RWL &MK];

江苏: 5月3日, 江宁南山湖, 1只[ZYu];

上海: 11月6日, 崇明东滩, 10只, 雌或第一年冬羽[ZLin];

江西: 4月13日, 九连山自然保护区, 1只[LCK]; 10月30-11月2日, 九连山自然保护区, 277只, 其中11月1日高达150只[RWL];

Heilongjiang: Two at Dailing, Yichun on 30 September [WXL].

Beijing: Two at Wild Duck Lake, Yanqing on 25 September [ZLi].

Hebei: Between one & four at Beidaihe on 10 dates 7-20 May [LHY & PH et al.].

Shandong: Eight at Hetao Reservoir, Laizhou on 9 May [ZXX].

Hubei: One at Ma'anshan FP, Wuhan on 17 April [TXD].

Hunan: One at Junshan, Yueyang on 5 December [RWL &MK], quite a late record at this latitude.

Jiangsu: One at Nanshan Hu, Jiangning on 3 May [ZYu].

Shanghai: Ten at Dongtan, Chongming on 6 November – all were either females or first-winter birds [ZLin].

Jiangxi: One at Jiulian Shan, Longnan on13 April [LCK]; 277 at Jiulianshan NR between 30 October-2 November, with a peak count of 150 on 1 November [RWL].

#### 1320# 褐头鹀 Red-headed Bunting Emberiza bruniceps

新疆: 7月22日, 额敏167团, 2只[GJun]; 6月3日, 乌鲁木齐东山石人沟, 15只[GJun]; Xinjiang; Two at 167 Tuan, Emin on 22 July [GJun]; 15 at Dong Shan, Urumqi on 3 June [GJun].

#### 1321# 硫磺鹀 Japanese Yellow Bunting Emberiza sulphurata

浙江: 4月21日-5月2日,嵊泗县大洋山岛有记录,最大数量是21日,4只[BP et al.];秋季最高记录为10月30日,9只[XLH];其余观测记录,4月22日,3只,23日,1只,24日,3只,30日,2只[BP et al];10月29日,1只,31日,3只,11月1日,5只[XLH];福建:4月20日,福州,1雌[ZH];

Zhejiang: Recorded at Dayangshan Dao, Chengsi county between 21 April and 2 May, and 29 October and 1 November. The largest spring number was four on the 21st [BP et al.]. The peak count during autumn migration was nine on 30 October[XLG]. Other daily records were three at 22 and 24 April respectively, singles at 23 April [BP et al.] and single at 29, three at 31 October and five at 1st November[XLH].

Fujian: One female at Fuzhou on 20 April [ZH].

#### 1322# 灰头鹀 Black-faced Bunting Emberiza spodocephala

东中部地区迁徙与越冬季节有大量记录:

河北: 10月3日, 乐亭京唐港, 1只[ZLi]; 5月13日, 秦皇岛北戴河, 8只[WRQ]; 5月15日, 北戴河, 25只[PH et al.]; 10月5日, 11只[WRQ];

湖北: 3月13日,武汉沉湖,16只[TXD];7月17日,十堰武当山,2只[YZD];后者从时间及分布上看,应为sordida亚种;

江苏: 2月1日, 溧水石臼湖, 18只, *personata*亚种[ZYu]; 10月16日, 六合金牛湖, 4只[ZLin];

上海: 4月23日, 崇明东滩, 40只[YJ];

浙江: 5月1-3日, 嵊泗县大洋山岛, 20只[BP et al.];

江西: 11月1日,九连山自然保护区,20只包括雄性指名亚种,次日,同一地点,11只

[RWL]; 12月31日,新建南矶山,30只[LXD];

广东: 1月2日, 广州良田镇沙田村, 30只[GGW];

黑龙江:在伊春带岭为夏侯鸟:5月7日,伊春带岭北山,30只[LJY],最晚记录:10月2日,5只[WXL],

西部地区记录有:

四川: 6月18日, 绵阳平武, 2只[LS];

重庆: 2月11日, 巴南区南湖风景区, 1雄1雌, sordida亚种[LHY];

贵州: 8月21日, 毕节灵峰山, 2只[YL];

Innumerous reports of migrating and wintering birds in mid and east China were received. The more noteworthy included:

Hebei: One at Jingtanggang, Laoting on 3 October [ZLi]; 8 at Beidaihe, Qinghuangdao on 13 May[WRO]; 25 at Beidaihe on 15 May[PH et al.] and 11 there on 5 October [WRO].

Hubei: 16 at Chen Hu, Wuhan on 13 March [TXD]; two at Wudang Shan, Shiyan on 17 July [YZD]; the latter referable on range and summer date to the race *sordida*.

Jiangsu: 18 race *personata* at Shijiu Hu, Lishui on 1 February [ZYu]; four at Jinniu Hu, Luhe on 16 October [ZLin].

Shanghai: 40 at Dongtan, Chongming on 23 April [YJ].

Jiangxi: 20 including males of the nominate subspecies at Jiulianshan NNR, Longnan on 1 November, 11 there the next day [RWL]; 30 at Nanjishan, Nanchang on 31 December [LXD].

Zhejiang: Up to 20 at Dayangshan Dao, Chengsi county between 1-3 May [BP et al.].

Guangdong: 30 at Shatian, Guangzhou on 2 January [GGW].

Heilongjiang: 30 at Dailing, Yichun on 7 May [LJY] and five there on 2 October [WXL].

Records from West China included:

Sichuan: Two at Pingwu, Mianyang on 18 June [LS].

Chongqing: One male and one female of race *sordida* at Nan Hu, Banan on 11 February [LHY]. Guizhou: Two at Lingfeng Shan, Bijie on 21 August [YL].

#### 1323# 灰鹀 Grey Bunting Emberiza variabilis

上海: 4月16日, 崇明东滩, 1只第二年雄[BP et al.], 中国罕见记录;

Shanghai: One second-year male at Dongtan, Chongming Dao on 16 April [BP et al.], a rare record in China.

#### 1324# 苇鹀 Pallas's Bunting Emberiza pallasi

黑龙江:5月10日,扎龙自然保护区,1只[LJY];

吉林: 6月2日, 图牧吉, 3只雄鸟[PH et al.]; 10月5-7日, 通榆向海自然保护区数群, 一天最大数量30只[PH];

北京: 4月29日, 昌平沙河水库, 18只[ZYQ]; 10月22日, 延庆野鸭湖, 50只[ZLi]; 11月19日, 延庆妫水河及沿岸, 50只[ZLi]; 11月25日, 延庆野鸭湖, 100只[BA];

河北: 5月11日,秦皇岛北戴河,4只[CLiang];直到5月20日,北戴河,共计5只[PH et al.];

天津: 12月23日, 大港区北大港水库, 10只[LY];

江苏: 12月13日, 射阳盐城珍禽保护区, 20只[YL];

上海: 3月10日, 崇明东滩, 50只[ZLin];

浙江: 10月29日,杭州江滨,1只[LTJ];5月5日,椒江椒江农场,1只[WXM];

新疆: 8月16日, 库尔勒以北, 1只亚成体[PH];

Heilongjiang: One at Zhalong NR on 10 May [LJY].

Jilin: Three territorial males at Tumuji on 2 June [PH et al.]; several flocks at Xianghai NR, Tongyu on 5-7 October with 30 as the maximum day count [PH].

Beijing: 18 at Shahe Reservoir on 29 April [ZYQ]; 50 at Guishui He, Yanqing on 19 November [ZLi]; 100 at Wild Duck Lake on 25 November [BA] and 50 there on 12 November [TZ].

Hebei: Four at Beidaihe, Qinhuangdao on 11 May[CLing]; up to five there until 20 May [PH et al.].

Tianjin: Ten at Beidagang Reservoir, Dagang on 23 December [LY].

Jiangsu: 20 at Yancheng NR, Sheyang on 13 December [YL].

Shanghai: 50 at Dongtan, Chongming on 10 March [ZLin].

Zhejiang: One at Jiangbin, Hangzhou on 29 October [LTJ]; one at Jiaojiang Farm, Jiaojiang on 5 May [WXM].

Xinjiang: One juvenile in the Haemodun Grasslands north of Korla on 16 August [PH].

#### 1325# 芦鹀 Reed Bunting Emberiza schoeniclus

吉林: 10月6-7日, 通榆向海自然保护区, 单只记录[PH];

北京: 9月18日, 延庆野鸭湖, 2只, 较早的秋季记录[BA];

天津: 3月26日, 大黄堡自然保护区, 50只[YY];

河北: 5月2日,北戴河新开河,1只[BB et al.]; 9月29日和10月1日期间,北戴河,分别是1只和4只之间[PH et al.];

山东: 1月9日, 莱州河套水库, 14只[ZXX];

上海: 4月17日, 崇明东滩, 1只[BP et al.];

新疆:在阿克苏以南特别是博斯腾周边有记录,最大数量的记录为,8月20日,博斯腾湖,18只[PH];

Jilin: Singles at Xianghai NR, Tongyu on both 6th & 7 October [PH].

Beijing: An early autumn record was of two at Wild Duck Lake on 18 September [BA].

Tianjin: 50 at Dahuangbao NR on 26 March [YY].

Hebei: One at Xinkaihe Reservoir, Beidaihe on 2 May [BB et al.]; between one & four at Beidaihe during 29 September - 1 October [PH et al.].

Shandong: 14 at Hetao Reservoir, Laizhou on 9 January [ZXX].

Shanghai: One at Dongtan, Chongming Dao on 17 April [BP et al.].

Xinjiang: Noted south of Aksu and especially at several sites around Bosten Hu with the maximum 18 at the latter site on 20 August [PH].

#### 1326# 红颈苇鹀 Japanese Reed Bunting Emberiza yessoensis

黑龙江: 5月10日, 扎龙自然保护区, 10只[LJY];

吉林: 10月7日,通榆向海自然保护区,1只[PH];10月8日,镇赉莫莫格保护区,1只[PH];

河北: 5月2日-21日, 有11天, 北戴河, 有1只和4只鸟之间[PH et al.]; 5月2日北戴河 洋河口南, 2只, 21日, 新开河口, 1只, 5月3日, 北戴河至快乐岛, 4只, 5月14、18 日, 分别1只和3只[BB et al.];

北京: 10月22日, 延庆野鸭湖, 1只[ZLi];

上海: 1月4日、12月9日、12月16日,崇明东滩,分别有单只环志的个体,12月23和26日,分别有2只[GXJ];

Heilongjiang: Ten at Zhalong NR on 10 May [LJY].

Jilin: One at Xianghai NR, Tongyu on 7 October [PH], one at Melmeg NR, Zhenlai on 8 October [PH].

Hebei: At Beidaihe between one & four birds were noted on 11 dates 2-21 May [PH et al.]; one between Beidaihe & Happy Island on 3 May; on Happy Island, Laoting there was one on 14 May & three on 18 May [BB et al.].

Beijing: One at Wild Duck Lake, Yanqing on 22 October [ZLi]

Shanghai: Singles were banded at Chongming Dao, Dongtan on 4 January, 9 December and 16 December; two birds there on both 23rd and 26 December [GXJ].

#### 1328# 铁爪鹀 Lapland Longspur Calcarius lapponicus

黑龙江:5月10日,扎龙自然保护区,1只[LJY];

吉林: 10月5-7日,通榆向海自然保护区,2只,10月8日,镇赉莫莫格保护区,6只[PH]:

内蒙古: 10月4日, 图牧吉, 1只[PH];

北京:最早的冬季记录为,10月30日,延庆野鸭湖,3只,数量最大的记录是11月25日,约100只[BA];

天津: 12月23日, 北大港水库, 7只[PH];

Heilongjiang: One at Zhalong NR on 10 May [LJY].

Jilin: Two at Xianghai NR, Tongyu on 7 October; six at Melmeg NR, Zhenlai on 8 October [PH].

Nei Mongol: One at Tumuji on 4 October [PH].

Beijing: The earliest winter record was late - three at Wild Duck Lake on 30 October and the peak count of around 100 was also from there on 25 November [BA].

Tianjin: Seven at Beidagang Reservoir on 23 December [PH].

# 简报

# 中国鸟类新记录--白颊鹎(Pycnonotus leucogenys)

张高峰1,李锦昌2,江明亮3,张浩辉2

1、深圳观鸟会,广东深圳, star1k2002@yahoo.com.cn;

2、香港观鸟会,香港;

3、台北野鸟学会、台湾台北

在中国西藏日喀则地区的西南部亚东、定结、聂拉木、吉隆等县的喜马拉雅山脉中段南麓地区,与不丹、尼泊尔、印度相邻,受印度洋气候影响和海拔较低,该区域的鸟类和喜马拉雅山北麓区域相差很大,在这里可以看到一些在中国边缘分布的鸟种,如黑顶奇鹛(Heterophasia capistrata)、细纹噪鹛(Garrulax lineatus)、杂色噪鹛(Garrulax variegatus)、玫红眉朱雀(Carpodacus rhodochrous)、红头灰雀(Pyrrhula erythrocephala)等。2005年12月21日至31日,作者一行四人在此地区观鸟,非常幸运地记录到了白颊鹎(Pycnonotus leucogenys),这是中国首个确认的记录。约翰.马敬能等(2000)描述该鸟种在中国没有记录但指名亚种肯定见于喜马拉雅山脉东段西藏东南部雅鲁藏布江以东的地区,我们这次记录的地点在更西边。

2005年12月28日下午5点半左右,张高峰在海拔约2,400m的地方看到5只白颊鹎从山谷沿着山脊向上飞行,落在他眼前20m远的树枝上,顺光光线非常好,用8倍的双筒望远镜很清楚看清各个细节,约15分钟后它们继续沿着山脊向上飞(见图)。在差不多相同的时间里,另外二人(江、李)在海拔约2,300m另一处也看到6只。30日和31日我们四人在海拔约2,200m的地方又分别看到10和12只。

这些白颊鹎都是成鸟,褐色的长冠羽向前弯,脸颊白色,喉、颏及脸颊后部黑色,下体灰色,尾下覆羽黄色,尾黑而端白,嘴黑色。看到的大部分时间里在小树林中成小群活动,没有和其他鸟类混群。

白颊鹎分布在印度西北部和喜马拉雅山脉,在我们记录地点相邻的印度和尼泊尔为留鸟(Grimmett et al.,1998)。此次记录应为中国首个确认的野外记录。

#### NOTE

# Himalayan Bulbul ( Pycnonotus leucogenys ), a species new to China

Zhang Gaofeng 1. Lee Kam-Cheong 2. Chiang Ming-Liang 3 and Cheung Ho-Fai 2

- $1.\ Shenzhen\ Birdwatching\ Society,\ Shenzhen,\ Guangdong,\ email:\ star1k2002@yahoo.com.cn$ 
  - 2. Hong Kong Birdwatching Society, Hong Kong
    - 3. Wild Birds Society of Taipei, Taiwan

In the southeast region of Rikaze, Tibet, the counties of Yadong, Dingjie, Nielamu, Jilong are in the southern slope of central Himalayans. Birds in this area are substantially different from those of the northern slope. Many China bird species such as Rufous Sibia(*Heterophasia capistrata*), Streaked Laughingthrush(*Garrulax lineatus*), Variegated

Laughingthrush(*Garrulax variegatus*), Pink-browed Rosefinch(*Carpodacus rhodochrous*), Red-headed Bullfinch(yrrhula erythrocephala) are found only in a thin margin along this part of the Himalayas. The four authors went on a birdwatching trip to this region from 21st to 31st Dec 2005. We were very fortunate to record Himalayan Bulbul(*Pycnonotus leucogenys*) in this trip. This is the first confirmed record of this species in China. John MacKinnon et al.(2000) described that this species has not been recorded in China, but the nominate subspecies are definitely found in the eastern part of the Himalayas, in the southern part of Tibet to the east of the Yaluzangbujiang (Brahmaputra River) region. The present record is in a more western region.

On 28th Dec 2005, at about 17:30, Zhang Gaofeng was at 2,400m altitude and saw five Himalayan Bulbuls flying up a ridge from the valley below. They landed on branches 20m away from him. The light is very good and is directly shinning on them. He saw all the fine details of the birds using an 8x binoculars. After about 15 minutes, they continue flying up the ridge (see the following figure). At about the same time, Chiang Ming-Liang and Lee Kam-Cheong at 2,300m also saw six Himalayan Bulbuls. In the following day we saw 12 more Himalayan Bulbuls at about 2,200m.

All the Himalayan Bulbuls seen were adults. They had a long crest on the head that was brown and curved forward. They had white cheek, but their throat, chin, and back part of the cheek were black. Their lower parts were grey, and under-tail coverts were yellow. Their tail was black with white tip, and their bill was black. They were seen moving in small flocks in bushes, and weren't seen mixing with other bird species.

Himalayan Bulbul is distributed in the Northern part of India and along the Himalayas(Grimmet et al.,1998). It is a resident species in regions across the China border in India and Nepal. Our observation apparently the first confirmed record to China,

#### 参考文献

#### LITERATRVRE CITED

MacKinnon, J. and Phillipps, K. 2000. A Field Guide to the Birds of China. Oxford University Press, Oxford.

Grimmett, R.,C & T Inskipp.1998. Birds of the Indian Subcontinent. Christopher Helm (Publishers) Ltd., London.



图: 白颊鹎 (Pycnonotus leucogenys)

Figure Himalayan Bulbul (Pycnonotus leucogenys)

摄影: 张高峰 Photoed by Zhang Gaofeng

416

# 黑脸琵鹭(Platalea minor) 在广东省湛江红树林自然保护区的首次记录

蔡俊欣1,张苇2,戴明扬 (Thomas D. Dahmer) 3

- 1、广东省湛江市林业局, jxcaiimmcp@126.com;
- 2、广东省湛江市红树林国家级自然保护区, javyzhang@yahoo.com.cn;
  - 3、香港生态顾问有限公司, ecosys@pacific.net.hk

# 简介

在过去的13年中,全球的黑脸琵鹭 (Platalea minor) 种群一直保持着稳定的上升趋势,全球种群数量已经从1993年的351只至上升到2005年1,679只 (Dahmer et al. 2006)。在2004到2006年之间,中国大陆黑脸琵鹭的越冬种群数量更是大幅提升,从394只增加到603只 (ibid.)。除此以外,黑脸琵鹭的主要越冬地也从原来的6个 (包括韩国、日本、台湾、香港-深圳、海南岛和越南)增加到至少14个,这八个新的越冬地主要集中在中国境内:江苏省一个,福建省三个,广东省一个,海南岛两个,还有一个在澳门特别行政区(Yu 2006)。这些年来,黑脸琵鹭全球同步普查的结果不断创新高,除了是加强了普查力度的结果外,也反映了种群实际数目的真实增长 (Dahmer et al. 2006)。同时,观鸟活动在中国大陆的迅速发展,参与年度黑脸琵鹭普查的观鸟者越来越多,黑脸琵鹭的保护工作也越来越受到重视。2006年4月份,在中荷联合红树林管理和海岸保护计划2001-2006 (以下简称IMMCP)的资助下,调查人员在广东省湛江红树林自然保护区进行生物资源监测项目调查中,记录到该地区的第一只黑脸琵鹭,本报告将详细记述这次发现。

#### 湛江红树林自然保护区的黑脸琵鹭

根据以往的认知,从韩国的济州岛到柬埔寨的洞里萨湖的一些湿地,都有黑脸琵鹭迁徙或度冬的记录,其中90%的越冬种群都集中在18°30′-27°0′N到107°45′-120°37′E(图 1)之间。湛江红树林自然保护区方圆300公里的区域里,就有两个主要的越冬地,一个是越南的红河口湿地,另一个在海南岛。2006年1月份,在这两个越冬地共记录到155只琵鹭,占全球种群的9%(Yu 2006)。

湛江红树林自然保护区位于中国华南广东省西南部的雷州半岛上,绵延1,556公里的海岸线上有着17,336公顷的红树林和滩涂。保护区自1990年建区以来,从未有过黑脸琵鹭的正式记录。但是,据当地的村民说,90年代曾在雷州半岛见过该鸟种,而距今最近的未经确定的记录是2005年1月半岛东岸虾池的6只。

2005年和2006年的1月,通过参与亚洲水鸟调查(以下简称AWC)和黑脸琵鹭全球同步普查(以下简称BFSC),IMMCP开展了湛江红树林自然保护区的年度鸟类普查,并在每年的4到5月,对白鹭和苍鹭的巢数进行数算。2005年的AWC覆盖了2,469公顷的面积,而2006年的BFSC则覆盖了3,063公顷(IMMCP 2005a, 2006a)。

然而,黑脸琵鹭并不是在这两次调查中记录到的,而是在2006年4月18日,在调风河口进行鹭鸟鸟巢统计中,在雷州市调风镇附近记录到的(图2)。当时,这只黑脸琵鹭正和上百只鹭科鸟类混群栖息于红树上。一开始,我们在不到70米外的地方用20-60倍的单筒望远镜观察了约2分钟,在它起飞后继续用双筒望远镜观察,它在我们头顶飞过两次,然后慢慢从我们的视野中消失。

# 讨论

图1显示了南中国海黑脸琵鹭越冬地的地理位置。无论是每年从"三八线"的繁殖地沿着中国的海岸线向南迁徙(Ueta 2000),还是春季往北的迁飞过程中,在越南和海南岛越冬的琵鹭很有可能路过雷州半岛,该地区相比其他地方理想的生境条件是这种推测的有力依据。

过去几十年中,雷州半岛的海岸地区并不是理想的水鸟栖息地。超过一半的潮间带在城市建设或围垦养殖中慢慢消失了,捕鱼和大型底栖生物的采集活动令水鸟们的食物几乎消失殆尽(IMMCP 2005b, 2006b),而随之而来的人为干扰则对所有滩涂的生物造成了极大影响。偷猎活动更是对水鸟的生存带来了极大威胁(IMMCP 2004)。一些被捕到的野生大型的水鸟如雁鸭类、鹭类甚至可以在市场作为野味出售。

2006年湛江红树林自然保护区委任了一名主管,两名助理主管和其他人员,在IMMCP项目的资助下,建立了保护区总部和保护教育中心,并购置了野外调查和办公室需要的基本设备和交通工具。在经过了5年保护区工作的实践,待项目结束后,IMMCP的职员将在2006年10月正式转为保护区的职员。在IMMCP执行期间,保护区管理、生物监控和邻近地区共同管理计划都已经启动,这些转变使得保护区的资源和承受量都得到提高,使上面提到的种种不利因素的蔓延得到控制,从而让黑脸琵鹭和其他水鸟栖息地的条件得到改善。如果这种状况一直保持下去,那么,在最近的AWC中看到的鸟种和鸟数的明显增长趋势(IMMCP 2006a)将会持续下去,而在未来黑脸琵鹭全球普查中的报告上,很可能会增添一笔新的记录——雷州半岛黑脸琵鹭越冬种群。

(翻译: 蔡静亚 translator: Choi Cheng-A)

#### REPORT

# First Black-faced Spoonbill (Platalea minor) record at Zhanjiang Mangrove National Nature Reserve, Guangdong, China

1.Cai Jun-xin, Zhanjiang Forestry Bureau, Zhanjiang, Guangdong, jxcaiimmcp@126.com, 2.Zhang Wei, Zhanjiang Mangrove National Nature Reserve, Zhanjiang, Guangdong, javyzhang@yahoo.com.cn

3. Thomas D. Dahmer, Ecosystems Limited, Hong Kong, ecosys@pacific.net.hk

#### Introduction

The global population of Black-faced Spoonbill increased steadily over the 13 years from 1993-2005 from an estimated 351 to 1,679 birds (Dahmer et al. 2006). During 2004-2006 mainland China also had a rapid increase in total numbers of wintering birds from 394 to 603 (ibid.). Wintering areas of Black-faced Spoonbill increased in number during this 13 year period from six major sites (in Republic of Korea, Japan, Taiwan, Hong Kong-Shenzhen, Hainan Province and Vietnam) to include at least eight new sites in China (one in Jiangsu Province, three in Fujian Province, one in Guangdong Province, two in Hainan Province, and one at Macao Special Administrative Region) (Yu 2006). While the change in the estimated global population is considered to reflect a real increase as opposed to increased census effort (Dahmer et al. 2006), China has also seen rapid growth in participation in bird watching and in the annual census of Black-faced Spoonbill. One result of growing interest in conservation of Black-faced Spoonbill was the first documented observation of the species in Zhanjiang Mangrove National Nature Reserve (ZMNNR) in April 2006. This occurred as part of the reserve's biological resource monitoring program sponsored by the Sino-Dutch Integrated Mangrove Management and Coastal Protection Project 2001-2006 (IMMCP), and is described in this report.

#### Black-faced Spoonbill at ZMNNR

Black-faced Spoonbill is migratory and birds winter at a number of locations extending from Cheju Island in the Republic of Korea to the Tonle Sap wetland in Cambodia. Most of the wintering population (90%) is concentrated in an area extending from 18° 30' - 27° 0' N and 107° 45' - 120° 37' E (Figure 1). Within a 300 km radius of ZMNNR there are two major wintering sites, one at the Red River estuary in Vietnam and one on Hainan Island. These sites supported 155 Black-faced Spoonbills in January 2006 or over 9% of the global population (Yu 2006).

ZMNNR includes 17,336 ha of mangrove and mudflat habitats around the 1,556 km coastline of Leizhou Peninsula at the west border of Guangdong Province in south China. Presence of Black-faced Spoonbill in ZMNNR had not been confirmed since the reserve was first gazetted in 1990. However, villagers noted that the species was seen at Leizhou Peninsula in the early

1990s and the latest unconfirmed report was of six birds in prawn ponds on the east coast of the Peninsula in January 2005.

In January 2005 and 2006, the IMMCP project began annual monitoring of bird numbers and species at ZMNNR through participation in the Asian Waterbird Census (AWC) and Blackfaced Spoonbill Census (BFSC) each January, and counting of nesting herons and egrets in April-May. AWC and BFSC coverage was 2,469 ha in 2005 and 3,063 in 2006 (IMMCP 2005a, 2006a).

Black-faced Spoonbill was not recorded during either the 2005 or 2006 AWC or BFSC. However, one Black-faced Spoonbill was recorded at Tiaofeng Township, Leizhou City on 18 April 2006 during a count of herons and egrets at the Tiaofeng egretry (Figure 2). The bird was in a mixed species flock of over one hundred ardeids perched on mangrove trees. The Black-faced Spoonbill was initially observed for around 2 minutes through a 20-60x spotting scope at a distance of less than 70 m. The bird then flushed and was observed through binoculars as it circled overhead twice before flying out of view.

#### Discussion

Figure 1 shows the geographic relationships of Black-faced Spoonbill wintering sites around the South China Sea. Birds migrating southward from nesting sites at 38oN are known to follow the China coastline (Ueta 2000). Thus birds that winter at Vietnam and Hainan Island (155 birds in 2006) probably pass over Leizhou Peninsula in autumn, and to do so again when migrating northward in spring. Although it is only possible to speculate why birds typically bypass Leizhou Peninsula, one plausible explanation is that habitat conditions at other sites are better.

Habitat conditions in the coastal zone of Leizhou Peninsula have not been conducive to waterbird use in recent decades. More than half of the intertidal zone has been lost to urbanization or conversion to aquaculture or agriculture. Fishing and collection of intertidal macrobenthos have depleted waterbird prey (IMMCP 2005b, 2006b), and the associated human activities have increased disturbance levels to all intertidal wildlife. Hunting with firearms and trapping of birds with mist-nets have increased threats to waterbird survival (IMMCP 2004). Large-bodied birds such as anatids, ardeids, and threskionithids have been especially sought for commercial sales in food markets.

ZMNNR appointed a director, two associate directors and other support personnel to full-time permanent positions in 2006. Construction of a nature reserve headquarters building and conservation education center was completed in 2006 with funding from the IMMCP project. Vehicles and other equipment for field and office were purchased. IMMCP personnel, now with over 5 years of experience of an international conservation project, will transfer to ZMNNR employment on completion of the IMMCP project in October 2006. ZMNNR nature reserve management, bio-physical monitoring and adjacent-area co-management plans

were written and implementation was started during the IMMCP project. These changes in ZMNNR resources and capabilities are expected to reverse the adverse trends described in the above paragraph and lead to improved habitat conditions for Black-faced Spoonbill and other waterbirds. If so, the apparent trend of increasing species and bird numbers documented by AWC results (IMMCP 2006a) is expected to continue, and future BFSC results might document an established winter population of Black-faced Spoonbills on Leizhou Peninsula.

#### 参考文献

#### LITERATURE CITED

Dahmer, T. D., Yu Yat-tung and M. L. Felley. 2006. Change in Black-faced Spoonbill
 (*Platalea minor*) global population from 1988-2006. In Proceedings of Black-faced Spoonbill
 IMMCP. 2006a. Zhanjiang Mangrove National Nature Reserve Bird Monitoring Report
 2006. Sino-Dutch Integrated Mangrove Management and Coastal Protection in Leizhou
 Peninsula, Guangdong Province. Guangdong Forestry Department & ARCADIS
 Euroconsult, November 2006, Chikan, Zhanjiang, Guangdong.

IMMCP. 2006b. Intertidal Fish and Macrobenthos Biodiversity Survey and Monitoring Report for Gaoqiao Township, Lianjiang City, Zhanjiang Mangrove National Nature Reserve. Project report for Sino-Dutch Integrated Mangrove Management & Conservation Project, Zhanjiang City, Guangdong, China, September 2006.

IMMCP. 2005a. Zhanjiang Mangrove National Nature Reserve Bird Monitoring Report 2005. Sino-Dutch Integrated Mangrove Management and Coastal Protection in Leizhou Peninsula, Guangdong Province. Guangdong Forestry Department & ARCADIS Euroconsult, September 2005, Chikan, Zhanjiang, Guangdong.

IMMCP. 2005b. Intertidal Fish and Macrobenthos Biodiversity Survey and Monitoring Report for Gaoqiao Township, Lianjiang City, Zhanjiang Mangrove National Nature Reserve. Project report for Sino-Dutch Integrated Mangrove Management & Conservation Project, Zhanjiang City, Guangdong, China, December 2005.

IMMCP. 2004. Zhanjiang Mangrove National Nature Reserve Management Plan. Sino-Dutch Integrated Mangrove Management and Coastal Protection in Leizhou Peninsula, Guangdong Province. Guangdong Forestry Department & ARCADIS Euroconsult, February 2004, Zhanjiang, Guangdong.

IUCN. 1990. 1990 IUCN Red List of Threatened Animals. IUCN, Gland, Switzerland and Cambridge, UK.

Ueta, M. 2004. Black-faced Spoonbill radio-tracking using satellite telemetry in Ueta, M., R. Kurosawa, and D. Allen (eds.), Conservation and research of Black-faced Spoonbills and their habitats. Second edition. Wild Bird Society of Japan, Tokyo, Japan.

Yu. Y.T. and Wong, C.C. 2006. International Black-faced Spoonbill Census: 6-8 January 2006. The Hong Kong Bird Watching Society. Hong Kong.



图1. 全球黑脸琵鹭90%种群的越冬地示意图(卫星图来源于www.earth.google.com)
Figure 1 Winter sites for 90% of the global population of Black-faced Spoonbill (satellite imagery from www.earth.google.com)




图2. 2006年4月18日发现黑脸琵鹭的调风鹭林(阴影部分是红树林)

Figure 2 Location of Tiaofeng egretry and Black-faced Spoonbill sighting on April 18 2006 (dark shaded areas are mangrove stands)

# 提交观鸟记录的指引

《中国观鸟年报》是对一年来中国内地观鸟记录的总结,它提供了重要的鸟类分布信息,对观鸟者、鸟类学家、保护区工作人员均有重要的参考价值。因此,年报的出版离不开足够数量和质量的记录。为此,我们十分欢迎国内外的观鸟者、鸟类学家和从事鸟类保护区相关工作的朋友在每年的年底前提交你们当年的鸟类观察记录。

如何提交您的鸟类记录呢?可以有以下三种方式:

- 1、中国观鸟记录中心:登陆www.cnbirder.com,注册为正式用户,就可以通过在线输入的方式实现记录的提交和保存:
- 2、电子邮件:将您的记录以Excel、Word、PDF等形式,发送电邮至chinesewildbird@hotmail.com;
- 3、一般邮件: 将您的记录通过邮政信件, 寄到北京师范大学生命科学学院, 张正旺教授收, 邮政编码: 100875。

最后,十分感谢您对于年报工作的支持。记录被收入年报的提交者,将会在年报中获 鸣谢,并会收到我们赠阅的年报,谢谢!

424

中国观鸟年报编辑 2006年12月

# GUIDELINES FOR THE SUBMISSION OF RECORDS

The China Ornithological Society (COS) collects and compiles bird records from China mainland (including Macao SAR). The complied record is published in the annual "China Bird Report". Now we are preparing to Published

How to submit your records? You can choose any of the three following ways:

- 1. Online database: visit website www.cnbirder.com, register yourself as a member, and submit your records online to the "Database of China Bird Report" database (detailed instructions given on the website):
- 2. Email: e-mail your records in the format of Excel, Word or PDF etc., to chinesewildbird@ hotmail.com);
- 3、Regular mail: mail your paper records to the following address: Prof. Zhang Zhengwang, College of Life Science, Beijing Normal University, Zip code: 100875).

We sincerely thank for your support to the China Bird Report. Contributors whose records are included in the Report will be acknowledged, and they will also receive a complimentary copy for reference.

425

Editors of China Bird Report
December 2006



# 北京观鸟会

口号

认识鸟,了解鸟,帮助鸟。 科学观鸟。

立足北京, 开拓三北, 服务全国, 联络国际。

任务

发展队伍,提高水平; 鸟类研究和调查; 编辑年报和通讯; 推进两岸三地的交流;

电子信箱: beijingbws@163.com beijingbws@yahoo.com.cn

# **Beijing Bird Watching Society**

#### Our vision

- To know birds, understand birds and help birds.
  - · To watch birds scientifically.
- Based in Beijing, promote bird watching in North China, assist bird watching nationwide, and mediate communications with the rest of the world.

#### Our objectives

- · Bird watching activities.
- · Bird studies and surveys.
- Compile annual bird report and newsletters about bird watching in China.
- Promote communications of bird watching among China Mainland, Taiwan, Hong Kong and Macao.

Contact information:

426

E-mail: beijingbws@163.com beijingbws@yahoo.com.cn



# Chengdu Bird Watching Society



成都观鸟会诞生于2004年11月1日,是经民政部门批准成立的以"研究并保护鸟类及其栖息地,宣传并推动观鸟及观鸟产业"为宗旨的社会性专业团体。成员以鸟类、生物、生态、环保、农业、林业、旅游、新闻、摄影、艺术等专业机构与人士为主,同时广泛吸纳普通爱好者。成都观鸟会自成立以来,提出"时尚、运动、健康、生态"的观鸟理念与口号,面向社会大众积极开展多层次的观鸟宣传、培训等推广工作,同时广泛进行国内、国际交流与合作,在加强观鸟推广工作的基础上进行鸟类及其栖息地的研究与保护。成都观鸟会作为四川省旅游地学研究会观鸟专业委员会,结合四川以及西部地区的资源特点与国际观鸟业发展潮流,积极探索观鸟生态产业化之路,为建立经济发展与生态环保和谐统一的新模式进行着有益的基础性研究与尝试。

#### 联系方式:

办公室:成都市青羊北路11号4栋1-18室,邮编:610072 电 语:028-87761106,电 邮:chengdubirds@sina.com 网 站:http://www.wwfchina.org/bbs/chengdu.htm

Chengdu Bird Watching Society was founded in Nov. 1st. 2004. It was a specialty society authorized by civil administration department for search and protect the bird and their habitat, moreover, for popularize and impulse bird watching and bird watching industry. Our members are mostly including specialty organs and persons of ornithology, biology, ecology, environmental protection, agriculture, forestry, tourism, the press, photography and art. Meanwhile, we like to absorb the average persons who love bird. Science the CDBWS founded, we advocated an ideal and slogan with fashion, sport, health, and ecology for bird watching. We have different level of popularization and training on bird watching for average persons. On the other hand, we have intercourse and teamwork with domestic and international extensively on researching and protecting for the bird and their habitat based on popularize bird watching. Be the committee of specialized subject on bird watching of Sichuan Institute of Geography and Geology for Tourism, the CDBWS combined the resource peculiarity of Sichuan and western China and the international bird watching tide to explore the way of bird watching and ecology industrial positively, for establish a new way to accordant economical developing and ecology environmental protection to make basically useful research and attempt.

#### Please contact us at

Office: Room1-18, 4th Building, No.11 Qingyangbeilu, Chengdu, China, Postcode: 610072

427

Phone number: 028-87761106, E-mail: chengdubirds@sina.com

Website: http://www.wwfchina.org/bbs/chengdu.htm



# 福建省观鸟会介绍

福建省观鸟会,全称福建省野生动物保护协会观鸟分会,是在福建省野生动物保护协会领导下的非盈利性的 社团组织(二级协会)。协会设理事会、秘书处、观鸟活动部、公益行动部、生态部、财务部、外联部七 个执行部门。另由会员代表组建临事会, 为协会监督部门。

### 主要工作

- 1、平均每周一次协会活动,每月组织1次以上群众性观鸟活动;
- 2、长期开展未成年人生态道德教育公益活动,;
- 3、2004年开始开展福建省省级以上保护区鸟类调查工作;
- 4、2004年开始开展福州城区鸟类调查志愿行动;
- 5、每年在"爱鸟周"以及"保护野生动物宣传月"举办各种保护鸟类和生态环境的宣传活动;
- 6、2004年至今,执行黑脸琵鹭在福建的分布状况调查项目,第一次找到黑脸琵鹭在福建最大的越冬地;;
- 7、长期对福建省重要湿地——闽江河口湿地的鸟类进行监测,并在当地开展湿地保护宣传活动,为该湿地 的保护累积数据,为保护湿地不懈努力;
- 8、2006年7月份起,每月进入福州一家大型社区做推广观鸟活动。
- 9、2004年-2006年,连续三年自费定期调查福建省最大的黄嘴白鹭繁殖地;

会长:杨金(网名:紫啸鸫)

联系地址:福建省福州市01A-226信箱(邮编: 350001),

电子信箱: fjbirds@126.com, 电话: 0591-22565379, 网站: www.fjbirds.org

FBWS, whose full name is the Bird Watching Society of Fujian Wildlife Conservation Association, is an independent organization under the leadership of Fujian Wildlife Conservation Association. The society has executive council, secretary, bird-watching division, community service division, ecological division, financial division and communication division. Members also organize a monitoring committee to monitor the divisions.

- 1. Society activities are organized on a weekly basis and public bird-watching activities are held at least once a month:
- 2. Starting long-term environmental education programmes for young people;
- 3. Conducting bird surveys in provincial and national Nature reserves since 2004;
- 4. Conducting voluntary bird surveys in Fuzhou city since 2004;
- 5.Promoting the protection of birds and the environment during annual "Love Bird Week" and "Wildlife Protection Month";
- 6.Investigating the distribution pattern of Black-faced Spoonbill in Fujian since 2004 and the largest wintering site in Fujian was found;
- 7.Long-term monitoring of birds in the most important wetland in Fujian Province the Minjiang Estuary so as to collect useful data. Activities are also held there to promote the protection of wetlands;
- 8. Promoting bird-watching in a big community in the Fuzhou city on a monthly basis since July 2006;
- 9. Investigating the largest breeding site of Chinese Egret in Fujian Province from 2004 to 2006.

Chairman: Mr Yang Jin ("Blue Whistling Thrush") Address: Mailbox 01A-226, Fuzhou, Fujian, China; postcode: 350001 Email: fjbirds@126.com Tel: 0591-2256539 Website: www.fjbirds.org



# 上海野鸟会

# Shanghai Wild Bird Society

组织观鸟活动,培养观鸟队伍

Orgnize and promote bird watching activities

举报捕鸟行为,保护野牛鸟类

Report illegal capture, protect wild birds

参与鸟类研究,协助鸟类调查

Participate in bird research and population surveys

名称: 上海野鸟会(Shanghai Wild Bird Society)

地址: 上海市奉贤区南桥镇古华路 37 号 杨志栋 收

邮编: 201400

网址: http://bbs.almsdeed.com/index.asp?boardid=925

信箱: shanghaiwbs@gmail.com

Yang zhidong

Shanghai Wild Bird Society

37 Guhua RD. Nangiao Town Fengxian Distract Shanghai

Zip Code: 201400

Web Site: http://bbs.almsdeed.com/index.asp?boardid=925

E-mail: shanghaiwbs@gmail.com

# 深圳市观鸟协会



协会宗旨是保护野生鸟类,珍爱美好家园。协会业务主要有: 长期性推广市民赏鸟活动。

- ▲定期举办观鸟班,便于感兴趣的朋友加人到观鸟者的行列中;
- ▲冬季10月至次年4月在福田红树林生态公园举办公众赏鸟活动;
- ▲协助教育部门开展中、小学观鸟与环境教育活动,举办校园观鸟讲座、校外观鸟辅导及观鸟竞赛。 福田红树林保护区鸟类监测与科普教育项目。

受政府相关机构及相关单位委托实施有关野生鸟类的调查研究计划:

- ▲全球黑脸琵鹭同步调查及米埔-后海湾冬季黑脸琵鹭同步调查;
- ▲米埔-后海湾同步水鸟调查;
- ▲福田红树林保护区鸟类调查及禽流感疫情监测。

长期针对深圳及周边地区进行鸟类普查及环境检测:

- ▲深圳市鸟类分布调查;
- ▲广东省内重要林区鸟类分布调查:
- ▲协助周边地区推广公众观鸟活动;
- ▲协助周边地区开展鸟类调查工作。

建立野鸟基本资料库,编制相关调查报告:

▲建立野生鸟类图片资料库;编制、审核《深圳观鸟年报》;

联络方式:

电话: 755-83713418, 13798355583传真: 755-83713418

网页: www.szbird.org.cn电邮: admin@szbird.org.cn

通讯地址: 深圳市福田区红树林保护区管理局综合楼102室

#### **Shenzhen Bird Watching Society**

The main objective of the Shenzhen Bird Watching Society is "To Protect Wild Birds, To Treasure Our Home". Main works include:

Long-term promotion of bird-watching activities to citizens

Holding bird-watching courses regularly to help those interested in birds to become bird-watchers;

Holding public bird-watching activities in Futian Mangrove Ecological Park October to April every year;

Helping the Education Department to provide bird-watching and environmental education activities to primary and secondary schools, such as holding bird-watching talks at school, bird-watching tours and youth bird races.

Monitoring birds and holding education programmes in Futian Mangrove Nature Reserve

Being responsible for the research projects of wild birds proposed by the government or related governmental departments

Global Black-faced Spoonbill census and Mai Po Deep Bay wintering Black-faced Spoonbill census;

Mai Po Deep Bay waterbird census;

Bird surveys and monitoring Bird Flu in Futian Mangrove Nature Reserve;

Long-term bird surveys and environmental monitoring in Shenzhen and the surrounding areas

Bird distribution pattern in the Shenzhen city;

Bird distribution pattern in important forests of Guangdong Province;

Help in promoting bird-watching in the surrounding areas;

Help in conducting bird surveys in the surrounding areas.

Set up database of wild birds and write related research reports

Developing wild bird photo database and publishing "Shenzhen Bird Report".

Contact information

Tel: 755- 83713418, 13798355583, Fax: 755- 83713418, Website: http://www.szbird.org.cn , E-mail: admin@szbird.org.cn Office: Room 102 Complex Building, Guangdong Neilingding Futian National Nature Reserve, Mangrove, Futian, Shenzhen, China. (Postal Code: 518040)



# 厦门观鸟会

尽我们的力量关爱鸟类,创造人与自然和谐共处的美好未来。

主要工作:宣传鸟类保护 推广观鸟活动 开展爱鸟教育 进行鸟类研究

网址: www.xmbirds.org

联络人: 陈志鸿(岩鹭)

电邮: aiffel@hotmail.com

Xiamen Bird Watching Society

To try our best to love and protect birds in order to create a harmonious relationship between human and nature.

Main works: To promote the protection of birds

To promote bird-watching activities

To start education on bird appreciation

To conduct bird surveys

Website: www.xmbirds.org

Email: Ms Chen Zhihong ("Reef Egret") aiffel@hotmail.com

430



# 浙江野鸟会

Zhejiang Wild Bird Society

任务:

野生鸟类的调查和保护

观鸟活动的推广和组织

爱鸟知识的宣传和教育

办公地址: 杭州教工路71号 浙江自然博物馆内

邮政编码: 310012

联系电话: 0571-88219293, 13858129049

联系人: 范忠勇 (fanmonkey)

电邮: fanmonkey@126.com

网址: www.zjbird.cn

Duty:

The investigation and conservation of wild birds

The promotion and organization of bird watching activities

The propaganda and education for bird conservation

Address: Zhejiang Museum of Natural History, 71 Jianggong Road, Hangzhou

Postal Code: 310012

Telephone: 0571-88219293, 13858129049

Contact to: Fan Zhong -yong (fanmonkey)

E-mail: fanmonkey@126.com Web Site: www.zjbird.cn

432